

Sudipta Chattopadhyay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5468912/publications.pdf>

Version: 2024-02-01

34
papers

655
citations

933447

10
h-index

642732

23
g-index

35
all docs

35
docs citations

35
times ranked

963
citing authors

#	ARTICLE	IF	CITATIONS
1	The Heart Failure Revascularisation Trial (HEART). <i>European Journal of Heart Failure</i> , 2011, 13, 227-233.	7.1	164
2	Are hematinic deficiencies the cause of anemia in chronic heart failure?. <i>American Heart Journal</i> , 2004, 147, 924-930.	2.7	109
3	The heart failure revascularisation trial (HEART): rationale, design and methodology. <i>European Journal of Heart Failure</i> , 2003, 5, 295-303.	7.1	72
4	Prevalence and incidence of arrhythmias and sudden death in heart failure. <i>Heart Failure Reviews</i> , 2002, 7, 229-242.	3.9	65
5	Lack of Diastolic Reserve in Patients With Heart Failure and Normal Ejection Fraction. <i>Circulation: Heart Failure</i> , 2010, 3, 35-43.	3.9	55
6	Impaired Glucose Tolerance or Newly Diagnosed Diabetes Mellitus Diagnosed during Admission Adversely Affects Prognosis after Myocardial Infarction: An Observational Study. <i>PLoS ONE</i> , 2015, 10, e0142045.	2.5	45
7	Adjustment of the GRACE score by 2-hour post-load glucose improves prediction of long-term major adverse cardiac events in acute coronary syndrome in patients without known diabetes. <i>European Heart Journal</i> , 2018, 39, 2740-2745.	2.2	37
8	The effect of pharmacological stress on intraventricular dyssynchrony in left ventricular systolic dysfunction. <i>European Journal of Heart Failure</i> , 2008, 10, 412-420.	7.1	30
9	Tako-Tsubo and reverse Tako-Tsubo cardiomyopathy: temporal evolution of the same disease?. <i>European Heart Journal</i> , 2009, 30, 2837-2837.	2.2	17
10	Two-hour post-challenge glucose is a better predictor of adverse outcome after myocardial infarction than fasting or admission glucose in patients without diabetes. <i>Acta Diabetologica</i> , 2018, 55, 449-458.	2.5	11
11	Pre-diabetes mellitus newly diagnosed after myocardial infarction adversely affects prognosis in patients without known diabetes. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 489-497.	2.0	8
12	Prospective evaluation of an ultrathin strut biodegradable polymer-coated sirolimus-eluting stent: 12 months'™ results from the S-FLEX UK registry. <i>BMJ Open</i> , 2019, 9, e026578.	1.9	7
13	Putaminal Necrosis. <i>New England Journal of Medicine</i> , 2007, 356, e23.	27.0	6
14	Postangiographic contrast enhancement mimicking acute subdural hemorrhage in a patient with severe occipital headache and neurological symptoms: a case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 119.	0.8	6
15	Persistent thebesian veins presenting with myocardial ischemia. <i>Canadian Journal of Cardiology</i> , 2010, 26, e31-e32.	1.7	6
16	Newly diagnosed abnormal glucose tolerance determines post-MI prognosis in patients with hospital related hyperglycaemia but without known diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107518.	2.3	4
17	Postload glucose spike but not fasting glucose determines prognosis after myocardial infarction in patients without known or newly diagnosed diabetes. <i>Journal of Diabetes</i> , 2021, 13, 191-199.	1.8	3
18	Leg weakness and paraesthesia provide a clue to sudden death due to aortic dissection. <i>Lancet</i> , The, 2021, 397, 128.	13.7	3

#	ARTICLE	IF	CITATIONS
19	Coronary Artery Aneurysm Formation Within New-Generation Bare-Metal Stents. <i>Journal of the American College of Cardiology</i> , 2009, 54, 2101.	2.8	2
20	Impact of applying NICE guidance for the assessment of stable chest pain in rapid access chest pain clinics in a DGH: A service evaluation. <i>International Journal of Cardiology</i> , 2011, 152, 135-139.	1.7	2
21	Double jeopardy. <i>Indian Heart Journal</i> , 2013, 65, 315-318.	0.5	1
22	Comment on Kiviniemi et al. Prediabetes and Risk for Cardiac Death Among Patients With Coronary Artery Disease: The ARTEMIS Study. <i>Diabetes Care</i> 2019;42:1319-1325. <i>Diabetes Care</i> , 2019, 42, e193-e194.	8.6	1
23	Women experiencing myocardial infarction at a young age have worse outcomes compared with men: only for non-cardiovascular deaths and when treated inadequately?. <i>European Heart Journal</i> , 2021, 42, 952-953.	2.2	1
24	Potential causes for renal dysfunction in heart failure. <i>Journal of Cardiac Failure</i> , 2003, 9, S74.	1.7	0
25	Impaired LV diastolic function under pharmacological stress in patients with heart failure and preserved LV systolic function as assessed by tissue doppler imaging. <i>Journal of Cardiac Failure</i> , 2003, 9, S17.	1.7	0
26	Intra-ventricular dyssynchrony under pharmacological stress: Does QRS duration matter?. <i>Heart Rhythm</i> , 2005, 2, S149.	0.7	0
27	Aortic Regurgitation and Coronary Microfistulae: Double Jeopardy Causing Myonecrosis. <i>Cardiology</i> , 2011, 118, 227-232.	1.4	0
28	Relation between cortisol and admission blood glucose in patients admitted with myocardial infarction but without hyperglycaemia!. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 508.	2.3	0
29	Deadly spasm: back from the brink!. <i>European Heart Journal</i> , 2020, 41, 4447-4447.	2.2	0
30	Arterial vascular access complication in osteogenesis imperfecta. <i>Journal of Vascular Access</i> , 2021, , 112972982110099.	0.9	0
31	327 Renal dysfunction is an independent predictor of anaemia in chronic heart failure. <i>European Journal of Heart Failure</i> , Supplement, 2004, 3, 82.	0.0	0
32	Vascular Closure Device: To Close or Not To Close?. <i>Journal of Clinical & Experimental Cardiology</i> , 2011, 03, .	0.0	0
33	Diagnosing prediabetes for assessing its effect on prognosis after coronary intervention – are fasting glucose and glycosylated haemoglobin enough?. <i>EuroIntervention</i> , 2019, 14, e1619-e1620.	3.2	0
34	Two-Hour Post-Load Plasma Glucose, a Biomarker to Improve the GRACE Score in Patients without Known Diabetes. <i>Cardiology</i> , 2020, 145, 553-561.	1.4	0