

Maria Paz Garcia-Vera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5469087/publications.pdf>

Version: 2024-02-01

36

papers

549

citations

687363

13

h-index

677142

22

g-index

38

all docs

38

docs citations

38

times ranked

571

citing authors

#	ARTICLE	IF	CITATIONS
1	Psychometric Properties of a Spanish Version of the Beck Anxiety Inventory (BAI) in General Population. <i>Spanish Journal of Psychology</i> , 2008, 11, 626-640.	2.1	121
2	Psychometric properties of a Spanish version of the Beck Anxiety Inventory (BAI) in general population. <i>Spanish Journal of Psychology</i> , 2008, 11, 626-40.	2.1	44
3	A Systematic Review of the Literature on Posttraumatic Stress Disorder in Victims of Terrorist Attacks. <i>Psychological Reports</i> , 2016, 119, 328-359.	1.7	34
4	Anger and hostility from the perspective of the Big Five personality model. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 262-270.	1.5	33
5	Prevalence of Psychopathy in the General Adult Population: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2021, 12, 661044.	2.1	29
6	Stress-management training for essential hypertension: A controlled study. <i>Applied Psychophysiology Biofeedback</i> , 1997, 22, 261-283.	1.7	28
7	Psychological Factors Associated with Poor Hypertension Control: Differences in Personality and Stress between Patients with Controlled and Uncontrolled Hypertension. <i>Psychological Reports</i> , 2010, 107, 923-938.	1.7	27
8	How many self-measured blood pressure readings are needed to estimate hypertensive patients' "true" blood pressure?. <i>Journal of Behavioral Medicine</i> , 1999, 22, 93-113.	2.1	21
9	Clinical utility of the combination of cognitive-behavioral techniques with nicotine patches as a smoking-cessation treatment: Five-year results of the "Ex-Moker" program. <i>Journal of Substance Abuse Treatment</i> , 2004, 27, 325-333.	2.8	20
10	Differences in emotional personality traits and stress between sustained hypertension and normotension. <i>Hypertension Research</i> , 2010, 33, 203-208.	2.7	19
11	Rendimiento diagnóstico y estructura factorial del inventario para la Depresión de Beck "Segunda Edición (BDI-II)" en pacientes españoles con trastornos psicológicos. <i>Anales De Psicología</i> , 2013, 29, .	0.7	19
12	Disaster complexity and the Santiago de Compostela train derailment. <i>Disaster Health</i> , 2016, 3, 11-31.	0.6	19
13	La Escala de Deseabilidad Social de Marlowe-Crowne: baremos para la población general española y desarrollo de una versión breve. <i>Anales De Psicología</i> , 2015, 32, 206.	0.7	17
14	Needs and Cognition/Behavior Patterns at Work and the Big Five: An assessment of the Personality and Preference Inventory-Normative (PAPI-N) from the perspective of the five-factor model. <i>International Journal of Selection and Assessment</i> , 2008, 16, 46-58.	2.5	13
15	Psychological changes accompanying and mediating stress-management training for essential hypertension. <i>Applied Psychophysiology Biofeedback</i> , 1998, 23, 159-178.	1.7	10
16	Differences in personality between sustained hypertension, isolated clinic hypertension and normotension. <i>European Journal of Personality</i> , 2007, 21, 209-224.	3.1	10
17	Duelo complicado: Una revisión sistemática de la prevalencia, diagnóstico, factores de riesgo y de protección en población adulta de España.. <i>Anales De Psicología</i> , 2021, 37, 189-201.	0.7	10
18	Blood Pressure Variability and Stress Management Training for Essential Hypertension. <i>Behavioral Medicine</i> , 2004, 30, 53-64.	1.9	9

#	ARTICLE	IF	CITATIONS
19	Comparison of Clinic, Home Self-measured, and Work Self-measured Blood Pressures. <i>Behavioral Medicine</i> , 1999, 25, 13-22.	1.9	7
20	Can blood pressure measurements taken in the physicianâ€™s office avoid the â€˜white coatâ€™ bias?. <i>Blood Pressure Monitoring</i> , 2011, 16, 231-237.	0.8	7
21	Self-assessment of needs and behavior patterns at work: Psychometric properties of the Personality and Preference Inventory-Normative (PAPI-N). <i>Personality and Individual Differences</i> , 2006, 41, 837-847.	2.9	4
22	Factores psicosociales implicados en el control de la hipertensiÃ³n arterial. <i>Hipertension Y Riesgo Vascular</i> , 2012, 29, 44-49.	0.6	4
23	Growing Up With Terrorism: The Age at Which a Terrorist Attack Was Suffered and Emotional Disorders in Adulthood. <i>Frontiers in Psychology</i> , 2021, 12, 700845.	2.1	4
24	A Study of Patients who go to a Psychology Clinic Seeking Treatment. <i>Spanish Journal of Psychology</i> , 2012, 15, 275-285.	2.1	3
25	Tratamiento PsicolÃ³gico por Videoconferencia de una VÃctima de Terrorismo con Trastorno por EstrÃ@s PostraumÃ¡tico y Otros Trastornos Emocionales ComÃ³rbidos 30 AÃ±os despuÃ©s del Atentado. <i>Clinica Y Salud</i> , 2018, 29, 21-26.	0.8	3
26	Desarrollo de una versiÃ³n breve de la PTSD Checklist (PCL) basada en la definiciÃ³n de trastorno de estrÃ@s postraumÃ¡tico de la CIE-11. <i>Ansiedad Y Estres</i> , 2021, 27, 57-66.	0.2	3
27	La Lista de VerificaciÃ³n del Trastorno de EstrÃ@s PostraumÃ¡tico (PCL) en vÃctimas del terrorismo: anÃ¡lisis comparativo de las propiedades psicomÃ©tricas de su aplicaciÃ³n telefÃ³nica frente a presencial. <i>Ansiedad Y Estres</i> , 2021, 27, 140-148.	0.2	3
28	Orienting-Defense Responses and Psychophysiological Reactivity in Isolated Clinic versus Sustained Hypertension. <i>Clinical and Experimental Hypertension</i> , 2007, 29, 175-188.	1.3	2
29	Perfil emocional y cognitivo de la hipertensiÃ³n arterial esencial mantenida frente a la normotensiÃ³n. <i>Clinica Y Salud</i> , 2013, 24, 67-76.	0.8	2
30	Las Ideas Equivocadas sobre la DepresiÃ³n Infantil y Adolescente y su Tratamiento. <i>Clinica Y Salud</i> , 2020, 31, 55-65.	0.8	2
31	Cuanta mÃ¡s psicologÃ�a, mejor: eficacia para dejar de fumar de la terapia cognitiva conductual intensiva y de los parches de nicotina combinados con terapia cognitiva conductual intensiva y menos intensiva. <i>Clinica Y Salud</i> , 2014, 25, 1-10.	0.8	1
32	Cuanta mÃ¡s psicologÃ�a, mejor: eficacia para dejar de fumar de la terapia cognitiva conductual intensiva y de los parches de nicotina combinados con terapia cognitiva conductual intensiva y menos intensiva. <i>Clinica Y Salud</i> , 2014, 25, 1-10.	0.8	1
33	Porque el Tiempo no lo Cura Todo: Eficacia de la Terapia Cognitivo-conductual Centrada en el Trauma para el EstrÃ@s postraumÃ¡tico a muy Largo Plazo en VÃctimas de Terrorismo. <i>Clinica Y Salud</i> , 2018, 29, 9-13.	0.8	1
34	Assessing Social Skills in Health Professional Services. <i>European Journal of Psychological Assessment</i> , 2005, 21, 173-181.	3.0	0
35	Desarrollo de la Escala de Actitudes Disfuncionales TraumÃ¡ticas (EADT) para vÃctimas de terrorismo. <i>Ansiedad Y Estres</i> , 2021, 28, 1-15.	0.2	0
36	Complicated Grief in a Spanish Sample of Victims of Terrorism: Evidence of Validity of the Inventory of Complicated Grief. <i>Omega: Journal of Death and Dying</i> , 0, , 003022282211043.	1.0	0