

Daniel G Tenen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5469751/daniel-g-tenen-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

13,627
citations

44
h-index

116
g-index

172
ext. papers

15,638
ext. citations

9.7
avg, IF

5.92
L-index

#	Paper	IF	Citations
162	EGFR mutation and resistance of non-small-cell lung cancer to gefitinib. <i>New England Journal of Medicine</i> , 2005 , 352, 786-92	59.2	3250
161	Patients with Cancer Appear More Vulnerable to SARS-CoV-2: A Multicenter Study during the COVID-19 Outbreak. <i>Cancer Discovery</i> , 2020 , 10, 783-791	24.4	830
160	Dominant-negative mutations of CEBPA, encoding CCAAT/enhancer binding protein-alpha (C/EBPalpha), in acute myeloid leukemia. <i>Nature Genetics</i> , 2001 , 27, 263-70	36.3	743
159	Transcription Factors, Normal Myeloid Development, and Leukemia. <i>Blood</i> , 1997 , 90, 489-519	2.2	664
158	Disruption of differentiation in human cancer: AML shows the way. <i>Nature Reviews Cancer</i> , 2003 , 3, 89-101	1.3	502
157	Single-Cell Transcriptomics of Human and Mouse Lung Cancers Reveals Conserved Myeloid Populations across Individuals and Species. <i>Immunity</i> , 2019 , 50, 1317-1334.e10	32.3	430
156	CCAAT/enhancer binding protein alpha is a regulatory switch sufficient for induction of granulocytic development from bipotential myeloid progenitors. <i>Molecular and Cellular Biology</i> , 1998 , 18, 4301-14	4.8	419
155	Acute myeloid leukemia induced by graded reduction of a lineage-specific transcription factor, PU.1. <i>Nature Genetics</i> , 2004 , 36, 624-30	36.3	411
154	Enhancement of hematopoietic stem cell repopulating capacity and self-renewal in the absence of the transcription factor C/EBP alpha. <i>Immunity</i> , 2004 , 21, 853-63	32.3	408
153	AML1-ETO downregulates the granulocytic differentiation factor C/EBPalpha in t(8;21) myeloid leukemia. <i>Nature Medicine</i> , 2001 , 7, 444-51	50.5	388
152	DNMT1-interacting RNAs block gene-specific DNA methylation. <i>Nature</i> , 2013 , 503, 371-6	50.4	379
151	Hematopoietic stem cell and multilineage defects generated by constitutive beta-catenin activation. <i>Nature Immunology</i> , 2006 , 7, 1037-47	19.1	331
150	Recoding RNA editing of AZIN1 predisposes to hepatocellular carcinoma. <i>Nature Medicine</i> , 2013 , 19, 209-16	50.5	313
149	Developmental checkpoints of the basophil/mast cell lineages in adult murine hematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 18105-10	11.5	249
148	Cell-cycle regulator E2F1 and microRNA-223 comprise an autoregulatory negative feedback loop in acute myeloid leukemia. <i>Blood</i> , 2010 , 115, 1768-78	2.2	233
147	The order of expression of transcription factors directs hierarchical specification of hematopoietic lineages. <i>Genes and Development</i> , 2006 , 20, 3010-21	12.6	223
146	c-Myc is a critical target for c/EBPalpha in granulopoiesis. <i>Molecular and Cellular Biology</i> , 2001 , 21, 3789-805	4.05	218

145	Modeling of C/EBPalpha mutant acute myeloid leukemia reveals a common expression signature of committed myeloid leukemia-initiating cells. <i>Cancer Cell</i> , 2008 , 13, 299-310	24.3	196
144	PU.1 is a major downstream target of AML1 (RUNX1) in adult mouse hematopoiesis. <i>Nature Genetics</i> , 2008 , 40, 51-60	36.3	185
143	Inducible chronic phase of myeloid leukemia with expansion of hematopoietic stem cells in a transgenic model of BCR-ABL leukemogenesis. <i>Blood</i> , 2005 , 105, 324-34	2.2	168
142	Oncofetal gene SALL4 in aggressive hepatocellular carcinoma. <i>New England Journal of Medicine</i> , 2013 , 368, 2266-76	59.2	166
141	Block of C/EBP alpha function by phosphorylation in acute myeloid leukemia with FLT3 activating mutations. <i>Journal of Experimental Medicine</i> , 2006 , 203, 371-81	16.6	164
140	Dysregulation of the C/EBPalpha differentiation pathway in human cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 619-28	2.2	160
139	PU.1 expression is modulated by the balance of functional sense and antisense RNAs regulated by a shared cis-regulatory element. <i>Genes and Development</i> , 2008 , 22, 2085-92	12.6	136
138	C/EBP β -regulated microRNA-34a targets E2F3 during granulopoiesis and is down-regulated in AML with CEBPA mutations. <i>Blood</i> , 2010 , 116, 5638-49	2.2	104
137	Mapping Distinct Bone Marrow Niche Populations and Their Differentiation Paths. <i>Cell Reports</i> , 2019 , 28, 302-311.e5	10.6	93
136	Sustained PU.1 levels balance cell-cycle regulators to prevent exhaustion of adult hematopoietic stem cells. <i>Molecular Cell</i> , 2013 , 49, 934-46	17.6	92
135	Sox4 is a key oncogenic target in C/EBP β -mutant acute myeloid leukemia. <i>Cancer Cell</i> , 2013 , 24, 575-88	24.3	91
134	C/EBP α controls acquisition and maintenance of adult haematopoietic stem cell quiescence. <i>Nature Cell Biology</i> , 2013 , 15, 385-94	23.4	90
133	ADAR-Mediated RNA Editing Predicts Progression and Prognosis of Gastric Cancer. <i>Gastroenterology</i> , 2016 , 151, 637-650.e10	13.3	90
132	CCAAT/Enhancer binding proteins repress the leukemic phenotype of acute myeloid leukemia. <i>Blood</i> , 2003 , 101, 1141-8	2.2	88
131	Down-regulation and antiproliferative role of C/EBPalpha in lung cancer. <i>Cancer Research</i> , 2002 , 62, 528-34	24.1	86
130	Regulation of the PU.1 gene by distal elements. <i>Blood</i> , 2001 , 98, 2958-65	2.2	83
129	The amino terminal and E2F interaction domains are critical for C/EBP alpha-mediated induction of granulopoietic development of hematopoietic cells. <i>Blood</i> , 2003 , 102, 3163-71	2.2	82
128	Treatment of chronic myelogenous leukemia by blocking cytokine alterations found in normal stem and progenitor cells. <i>Cancer Cell</i> , 2015 , 27, 671-81	24.3	80

127	Hematopoietic Differentiation Is Required for Initiation of Acute Myeloid Leukemia. <i>Cell Stem Cell</i> , 2015 , 17, 611-23	18	77
126	Dynamic analysis of gene expression and genome-wide transcription factor binding during lineage specification of multipotent progenitors. <i>Cell Stem Cell</i> , 2013 , 13, 754-68	18	60
125	LSD1 inhibition exerts its antileukemic effect by recommissioning PU.1- and C/EBP β -dependent enhancers in AML. <i>Blood</i> , 2018 , 131, 1730-1742	2.2	56
124	Respiratory failure due to differentiation arrest and expansion of alveolar cells following lung-specific loss of the transcription factor C/EBP α in mice. <i>Molecular and Cellular Biology</i> , 2006 , 26, 1109-23	4.8	56
123	Fatty acid synthase mediates EGFR palmitoylation in EGFR mutated non-small cell lung cancer. <i>EMBO Molecular Medicine</i> , 2018 , 10,	12	55
122	SALL4, the missing link between stem cells, development and cancer. <i>Gene</i> , 2016 , 584, 111-9	3.8	55
121	Dissecting the role of aberrant DNA methylation in human leukaemia. <i>Nature Communications</i> , 2015 , 6, 7091	17.4	51
120	Wnts are dispensable for differentiation and self-renewal of adult murine hematopoietic stem cells. <i>Blood</i> , 2015 , 126, 1086-94	2.2	47
119	Targeting transcription factor SALL4 in acute myeloid leukemia by interrupting its interaction with an epigenetic complex. <i>Blood</i> , 2013 , 121, 1413-21	2.2	47
118	CDDO induces granulocytic differentiation of myeloid leukemic blasts through translational up-regulation of p42 CCAAT enhancer binding protein alpha. <i>Blood</i> , 2007 , 110, 3695-705	2.2	44
117	C/EBP β deregulation results in differentiation arrest in acute myeloid leukemia. <i>Journal of Clinical Investigation</i> , 2012 , 122, 4490-504	15.9	43
116	Targeted BMI1 inhibition impairs tumor growth in lung adenocarcinomas with low CEBP β expression. <i>Science Translational Medicine</i> , 2016 , 8, 350ra104	17.5	37
115	PML/RAR β -Regulated miR-181a/b Cluster Targets the Tumor Suppressor RASSF1A in Acute Promyelocytic Leukemia. <i>Cancer Research</i> , 2015 , 75, 3411-24	10.1	37
114	C/EBP β and DEK coordinately regulate myeloid differentiation. <i>Blood</i> , 2012 , 119, 4878-88	2.2	36
113	Identification of Sp1-binding sites in the CD11c (p150,95 alpha) and CD11a (LFA-1 alpha) integrin subunit promoters and their involvement in the tissue-specific expression of CD11c. <i>European Journal of Immunology</i> , 1995 , 25, 3496-503	6.1	34
112	Acetylation of C/EBP β inhibits its granulopoietic function. <i>Nature Communications</i> , 2016 , 7, 10968	17.4	34
111	SALL4 is a key transcription regulator in normal human hematopoiesis. <i>Transfusion</i> , 2013 , 53, 1037-49	2.9	33
110	An RNA editing/dsRNA binding-independent gene regulatory mechanism of ADARs and its clinical implication in cancer. <i>Nucleic Acids Research</i> , 2017 , 45, 10436-10451	20.1	33

109	Runx1 exon 6-related alternative splicing isoforms differentially regulate hematopoiesis in mice. <i>Blood</i> , 2014 , 123, 3760-9	2.2	29
108	A SALL4/MLL/HOXA9 pathway in murine and human myeloid leukemogenesis. <i>Journal of Clinical Investigation</i> , 2013 , 123, 4195-207	15.9	29
107	Transcription factor C/EBP β -induced microRNA-30c inactivates Notch1 during granulopoiesis and is downregulated in acute myeloid leukemia. <i>Blood</i> , 2013 , 122, 2433-42	2.2	28
106	A novel mouse model identifies cooperating mutations and therapeutic targets critical for chronic myeloid leukemia progression. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1551-69	16.6	27
105	NanoVar: accurate characterization of patients' genomic structural variants using low-depth nanopore sequencing. <i>Genome Biology</i> , 2020 , 21, 56	18.3	27
104	Targeting cancer addiction for SALL4 by shifting its transcriptome with a pharmacologic peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E7119-E7128	11.5	27
103	The Runx-PU.1 pathway preserves normal and AML/ETO9a leukemic stem cells. <i>Blood</i> , 2014 , 124, 2391-9	2.2	26
102	Histone acetylation mediated by Brd1 is crucial for Cd8 gene activation during early thymocyte development. <i>Nature Communications</i> , 2014 , 5, 5872	17.4	25
101	Analysis of the role of AML1-ETO in leukemogenesis, using an inducible transgenic mouse model. <i>Blood</i> , 2000 , 96, 2108-2115	2.2	25
100	Monitoring structural modulation of redox-sensitive proteins in cells with MS-CETSA. <i>Redox Biology</i> , 2019 , 24, 101168	11.3	23
99	CARM1 Is Essential for Myeloid Leukemogenesis but Dispensable for Normal Hematopoiesis. <i>Cancer Cell</i> , 2018 , 33, 1111-1127.e5	24.3	23
98	Disruption of the C/EBP β -miR-182 balance impairs granulocytic differentiation. <i>Nature Communications</i> , 2017 , 8, 46	17.4	23
97	RUNX1 regulates the CD34 gene in haematopoietic stem cells by mediating interactions with a distal regulatory element. <i>EMBO Journal</i> , 2011 , 30, 4059-70	13	23
96	New High-Throughput Screening Identifies Compounds That Reduce Viability Specifically in Liver Cancer Cells That Express High Levels of SALL4 by Inhibiting Oxidative Phosphorylation. <i>Gastroenterology</i> , 2019 , 157, 1615-1629.e17	13.3	16
95	CAV1 - GLUT3 signaling is important for cellular energy and can be targeted by Atorvastatin in Non-Small Cell Lung Cancer. <i>Theranostics</i> , 2019 , 9, 6157-6174	12.1	16
94	Down regulation of PSA by C/EBP α is associated with loss of AR expression and inhibition of PSA promoter activity in the LNCaP cell line. <i>BMC Cancer</i> , 2006 , 6, 158	4.8	16
93	Targeting SALL4 by entinostat in lung cancer. <i>Oncotarget</i> , 2016 , 7, 75425-75440	3.3	16
92	Hlf marks the developmental pathway for hematopoietic stem cells but not for erythro-myeloid progenitors. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1599-1614	16.6	14

91	Nanodiamond-Based Platform for Intracellular-Specific Delivery of Therapeutic Peptides against Hepatocellular Carcinoma. <i>Advanced Therapeutics</i> , 2018 , 1, 1800110	4.9	14
90	ZNF143 protein is an important regulator of the myeloid transcription factor C/EBP β . <i>Journal of Biological Chemistry</i> , 2017 , 292, 18924-18936	5.4	13
89	Lessons learned from early compassionate use of convalescent plasma on critically ill patients with Covid-19. <i>Transfusion</i> , 2020 , 60, 2210-2216	2.9	12
88	A Cell-Based High-Throughput Screening for Inducers of Myeloid Differentiation. <i>Journal of Biomolecular Screening</i> , 2015 , 20, 1150-9		11
87	Lysine acetyltransferase Tip60 is required for hematopoietic stem cell maintenance. <i>Blood</i> , 2020 , 136, 1735-1747	2.2	11
86	The basic helix-loop-helix transcription factor SHARP1 is an oncogenic driver in MLL-AF6 acute myelogenous leukemia. <i>Nature Communications</i> , 2018 , 9, 1622	17.4	11
85	The gene signature in CCAAT-enhancer-binding protein β dysfunctional acute myeloid leukemia predicts responsiveness to histone deacetylase inhibitors. <i>Haematologica</i> , 2014 , 99, 697-705	6.6	11
84	Scavenging of Labile Heme by Hemopexin Is a Key Checkpoint in Cancer Growth and Metastases. <i>Cell Reports</i> , 2020 , 32, 108181	10.6	11
83	ZNF143 mediates CTCF-bound promoter-enhancer loops required for murine hematopoietic stem and progenitor cell function. <i>Nature Communications</i> , 2021 , 12, 43	17.4	11
82	β Catenin-TCF/LEF signaling promotes steady-state and emergency granulopoiesis via G-CSF receptor upregulation. <i>Blood</i> , 2020 , 136, 2574-2587	2.2	10
81	Chronic interleukin-1 exposure triggers selection for Cebpa-knockout multipotent hematopoietic progenitors. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	9
80	DNMT3B shapes the mCA landscape and regulates mCG for promoter bivalency in human embryonic stem cells. <i>Nucleic Acids Research</i> , 2019 , 47, 7460-7475	20.1	8
79	E-cadherin is regulated by GATA-2 and marks the early commitment of mouse hematopoietic progenitors to the basophil and mast cell fates. <i>Science Immunology</i> , 2021 , 6,	28	8
78	ATRA Resolves the Differentiation Block in t(15;17) Myeloid Leukemia by Restoring PU.1 Expression.. <i>Blood</i> , 2004 , 104, 389-389	2.2	7
77	Zinc Finger Protein SALL4 Functions through an AT-Rich Motif to Regulate Gene Expression. <i>Cell Reports</i> , 2021 , 34, 108574	10.6	7
76	Cis P-tau underlies vascular contribution to cognitive impairment and dementia and can be effectively targeted by immunotherapy in mice. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	6
75	C/EBP β s dispensable for steady-state and emergency granulopoiesis. <i>Haematologica</i> , 2018 , 103, e331-e335		5
74	Significant Role of Peptidyl-Prolyl cis/trans Isomerase, Pin1 in Acute Myeloid Leukemia with C/EBP β Mutations.. <i>Blood</i> , 2007 , 110, 55-55	2.2	5

73	Super-enhancers for RUNX3 are required for cell proliferation in EBV-infected B cell lines. <i>Gene</i> , 2021 , 774, 145421	3.8	5
72	Styryl Quinazolinones as Potential Inducers of Myeloid Differentiation via Upregulation of C/EBP β <i>Molecules</i> , 2018 , 23,	4.8	4
71	Repurposing RNA sequencing for discovery of RNA modifications in clinical cohorts. <i>Science Advances</i> , 2021 , 7,	14.3	4
70	The second hit of DNA methylation. <i>Molecular and Cellular Oncology</i> , 2016 , 3, e1093690	1.2	3
69	The DNA Ligase IV Syndrome R278H Mutation Impairs B Lymphopoiesis via Error-Prone Nonhomologous End-Joining. <i>Journal of Immunology</i> , 2016 , 196, 244-55	5.3	3
68	Targeted intragenic demethylation initiates chromatin rewiring for gene activation		3
67	Identification of a targetable KRAS-mutant epithelial population in non-small cell lung cancer. <i>Communications Biology</i> , 2021 , 4, 370	6.7	3
66	Myeloid lncRNA LOUP mediates opposing regulatory effects of RUNX1 and RUNX1-ETO in t(8;21) AML. <i>Blood</i> , 2021 , 138, 1331-1344	2.2	3
65	Demethylation and Up-Regulation of an Oncogene after Hypomethylating Therapy. <i>New England Journal of Medicine</i> , 2022 , 386, 1998-2010	59.2	3
64	Maintenance and enhancement of human peripheral blood mobilized stem/progenitor cell engraftment after ex vivo culture via an HDACi/SALL4 axis (3465). <i>Experimental Hematology</i> , 2019 , 75, 53-63.e11	3.1	2
63	Deletion of a Key PU.1 Gene Regulatory Element Induces T-Cell Lymphoma.. <i>Blood</i> , 2004 , 104, 344-344	2.2	2
62	SALL4 Is a Key Factor in HDAC Inhibitor Mediated Ex Vivo Expansion of Human Peripheral Blood Mobilized Stem/Progenitor CD34+CD90+ Cells. <i>Blood</i> , 2014 , 124, 1566-1566	2.2	2
61	Sox4 Is Required for the Formation and Maintenance of Multipotent Progenitors. <i>Blood</i> , 2014 , 124, 1577-1577	2.2	2
60	Sensitivity to EGFR inhibitors based on location of EGFR exon 20 insertion mutations within the tyrosine kinase domain of EGFR.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 7523-7523	2.2	2
59	High-speed automatic characterization of rare events in flow cytometric data. <i>PLoS ONE</i> , 2020 , 15, e0228651	3.6	2
58	Widespread interaction between ADAR1 and transcriptional byproducts		2
57	The G-CSF Induced MiR-143 Targets MAPK-Family Proteins and Is a Prognostic Factor for RIC-Transplanted AML Patients. <i>Blood</i> , 2014 , 124, 2200-2200	2.2	2
56	Emerging therapies for inv(16) AML. <i>Blood</i> , 2021 , 137, 2579-2584	2.2	2

55	Metabolic alterations mediated by STAT3 promotes drug persistence in CML. <i>Leukemia</i> , 2021 , 35, 3371-3382	3.87	2
54	Improved hematopoietic stem cell transplantation upon inhibition of natural killer cell-derived interferon-gamma. <i>Stem Cell Reports</i> , 2021 , 16, 1999-2013	8	2
53	Targeting an Inducible SALL4-Mediated Cancer Vulnerability with Sequential Therapy. <i>Cancer Research</i> , 2021 , 81, 6018-6028	10.1	2
52	Pseudogene-mediated DNA demethylation leads to oncogene activation. <i>Science Advances</i> , 2021 , 7, eabg1695	16.95	2
51	Targeting microtubules sensitizes drug resistant lung cancer cells to lysosomal pathway inhibitors. <i>Theranostics</i> , 2020 , 10, 2727-2743	12.1	1
50	C/EBPβ Binds and Activates the Distal PU.1 Enhancer.. <i>Blood</i> , 2006 , 108, 1176-1176	2.2	1
49	Lig4 Is Essential for Maintaining HSC Homeostasis. <i>Blood</i> , 2014 , 124, 606-606	2.2	1
48	Demethylation and upregulation of an oncogene post hypomethylating treatment		1
47	Pseudogene-mediated DNA demethylation leads to oncogene activation		1
46	Pegylated G-CSF Mobilizes CD34+ Cells with Different Stem and Progenitor Cell Subsets and Distinct Functional Properties in Comparison with Unconjugated G-CSF.. <i>Blood</i> , 2006 , 108, 3382-3382	2.2	1
45	Diverse functions of long noncoding RNAs in acute myeloid leukemia: emerging roles in pathophysiology, prognosis, and treatment resistance. <i>Current Opinion in Hematology</i> , 2022 , 29, 34-43	3.3	0
44	Germline mutations in mitochondrial complex I reveal genetic and targetable vulnerability in IDH1-mutant acute myeloid leukaemia.. <i>Nature Communications</i> , 2022 , 13, 2614	17.4	0
43	Styryl quinazolinones and its ethynyl derivatives induce myeloid differentiation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 2286-2289	2.9	
42	Core Binding Factor Leukemias Utilize a Physiologic Sense/Antisense Promoter Switch Employed By T-Cells. <i>Blood</i> , 2020 , 136, 40-41	2.2	
41	Oncofetal Protein SALL4 Is Highly Expressed in Myelodysplastic Syndrome Alongside with NAT10 and P53. <i>Blood</i> , 2020 , 136, 34-34	2.2	
40	New Role of the Regulatory Gene SOX2 in Hematopoiesis.. <i>Blood</i> , 2004 , 104, 4195-4195	2.2	
39	Molecular Characterization of a PU.1 Transcription Complex Formed on the IL-1β Proximal Promoter.. <i>Blood</i> , 2004 , 104, 3547-3547	2.2	
38	The Ordered Expression of Transcription Factors Directs Hierarchical Lineage Specification of Eosinophils, Basophils and Mast Cells.. <i>Blood</i> , 2004 , 104, 224-224	2.2	

37	Complete Absence of the Lineage-Determining Transcription Factor C/EBP β Results in Loss of Myeloid Identity in Bcr/abl Induced Malignancy.. <i>Blood</i> , 2005 , 106, 646-646	2.2
36	Reduced Binding of C/EBP β to Myeloid Specific Promoters with Altered Gene Expression in the Presence of PML/RAR α <i>Blood</i> , 2005 , 106, 2999-2999	2.2
35	3? Distal Regulatory Elements Required for Human CD34 Expression in Transgenic Mice.. <i>Blood</i> , 2005 , 106, 125-125	2.2
34	Identification of Bipotent Basophil/Mast Cell Progenitors in Adult Murine Hematopoiesis.. <i>Blood</i> , 2005 , 106, 633-633	2.2
33	In Vivo Analysis of the Role of C/EBP β in Acute Promyelocytic Leukemia Genesis.. <i>Blood</i> , 2006 , 108, 1937-1937	2.2
32	ZFP143 Activates C/EBP β Transcription in Myeloid Cells.. <i>Blood</i> , 2007 , 110, 1233-1233	2.2
31	Growth Factor Independent 1b (Gfi1b) Is Highly Expressed in Human CML and Accelerates p210BCR-ABL Induced Leukemia in Mice.. <i>Blood</i> , 2007 , 110, 1023-1023	2.2
30	A Distal Single Nucleotide Polymorphism Disrupts Development-Dependent Long-Range Transcriptional Regulation of the PU.1 Gene through the Chromatin-Remodeling Protein SATB1 in Acute Myeloid Leukemia.. <i>Blood</i> , 2007 , 110, 3175-3175	2.2
29	Relationship Between Self-Renewal and Differentiation Pathways in Stem Cells and Leukemia. <i>Blood</i> , 2014 , 124, 4789-4789	2.2
28	Identification of a Dynamic Core Transcriptional Network in t(8;21) AML Regulating Differentiation Block and Self-Renewal. <i>Blood</i> , 2014 , 124, 1061-1061	2.2
27	RUNX1/CBF β Dosage Is Critical for MLL Leukemias Development. <i>Blood</i> , 2014 , 124, 2187-2187	2.2
26	The PML/RAR α Regulated MiR-181a/b-Cluster Targets the Tumor Suppressor RASSF1A in Acute Promyelocytic Leukemia. <i>Blood</i> , 2014 , 124, 2195-2195	2.2
25	PML-RAR α Repressed Microrna 126 Mediates Differentiation in Acute Promyelocytic Leukemia By Targeting the Protooncogene C-Myb. <i>Blood</i> , 2014 , 124, 3558-3558	2.2
24	C/EBP β and MiR-182 Generate a Negative Feedback Loop Which Is Dysregulated in Acute Myeloid Leukemia. <i>Blood</i> , 2014 , 124, 776-776	2.2
23	Cellular Reprogramming Erases Aberrant DNA Methylation and the Malignant Phenotype in Chronic Myeloid Leukemia. <i>Blood</i> , 2014 , 124, 4524-4524	2.2
22	Conditional Knockout of Sfpi1 in Post GC B and Plasma Cells Induces B Cell Lymphoma and Plasma Cell Neoplasm. <i>Blood</i> , 2014 , 124, 29-29	2.2
21	Epigenetic Control of C/EBP α by Noncoding RNAs.. <i>Blood</i> , 2009 , 114, 3644-3644	2.2
20	Epigenetic Control of C/EBP α by Distant Synergic Regulatory Elements.. <i>Blood</i> , 2009 , 114, 1470-1470	2.2

19	Selective Disruption of PU.1 in Mature Dendritic Cells Affects Their Tissue Distribution and T Cell Homeostasis. <i>Blood</i> , 2011 , 118, 518-518	2.2
18	BCR/ABL-Mediated Myeloid Expansion Is Promoted by C/EBP α Regulator of Emergency Granulopoiesis,. <i>Blood</i> , 2011 , 118, 3747-3747	2.2
17	CEBP α is a Transcriptional Repressor of T-Cell Related Genes Explaining the Myeloid/T-Lymphoid Features of CEBP β Silenced AML. <i>Blood</i> , 2011 , 118, 554-554	2.2
16	Essential Role for PU.1 in MEIS1 Activation and MLL Fusion Leukemia,. <i>Blood</i> , 2011 , 118, 3466-3466	2.2
15	FLT3-ITD Signaling Induces Oncogenic Mir-155 by NF- κ B and STAT5 Pathways In Acute Myeloid Leukemia Thereby Targeting Transcription Factor PU.1,. <i>Blood</i> , 2011 , 118, 3469-3469	2.2
14	PU.1 Is a Downstream Target of C/EBP α in Normal Hematopoiesis and Acute Myeloid Leukemia. <i>Blood</i> , 2011 , 118, 1353-1353	2.2
13	C/EBP α Induced Microrna-30c Directly Targets Notch1 During Granulopoiesis and Is Repressed in Acute Myeloid Leukemia. <i>Blood</i> , 2012 , 120, 3514-3514	2.2
12	The Essential Role of DNA Repair in Hematopoietic Stem Cell Homeostasis and Disease.. <i>Blood</i> , 2012 , 120, 2328-2328	2.2
11	Microrna-143 Blocks ERK5 Signaling During Granulocytic Differentiation of Hematopoietic Stem Cells and Is Downregulated in AML. <i>Blood</i> , 2012 , 120, 3516-3516	2.2
10	STAT5 and NF- κ B Induced Oncogenic Mir-155 Directly Targets PU.1 in FLT3-ITD Associated AML. <i>Blood</i> , 2012 , 120, 3515-3515	2.2
9	Stress Hematopoiesis Reveals Abnormal Control of Self-Renewal, Lineage-Bias and Myeloid Differentiation in Mll Partial Tandem Duplication (Mll-PTD) Hematopoietic Stem/Progenitor Cells. <i>Blood</i> , 2012 , 120, 3501-3501	2.2
8	A Novel Approach in Expanding CD34+CD90+ and CD34+CD38-CD90+ Cells Associated with Enhanced in Vivo Repopulating potential.. <i>Blood</i> , 2012 , 120, 2337-2337	2.2
7	Sociology of Normal Stem and Progenitor Cells in CML Niche. <i>Blood</i> , 2012 , 120, 1234-1234	2.2
6	Metastasis Suppressor 1 Is Downregulated in CML Stem Cells and Overexpression Impairs Early Leukemic Cell Propagation.. <i>Blood</i> , 2012 , 120, 2776-2776	2.2
5	PU.1 Is Essential For MLL Leukemia Via Activation Of The Meis/HOX Pathway and A Monocytic Cytokine Mediated Anti-Apoptotic Inflammatory Program. <i>Blood</i> , 2013 , 122, 1276-1276	2.2
4	Dysregulation Of Bcl2 Family Proteins Induced By JAK2V617F Mutation Contributes To The Abnormal Expansion Of Neoplastic Initiating Cells. <i>Blood</i> , 2013 , 122, 2852-2852	2.2
3	Aberrant Splicing In Patients With AML Is Associated With Over- Expression Of Specific Splicing Factors. <i>Blood</i> , 2013 , 122, 3749-3749	2.2
2	Response to NK cell content does not seem to influence engraftment in ex vivo T cell depleted haploidentical stem cell transplantation.. <i>Stem Cell Reports</i> , 2022 , 17, 446-447	8

- 1 Non-coding RNA LEVER sequestration of PRC2 can mediate long range gene regulation..
Communications Biology, **2022**, 5, 343 6.7