

# Hironobu Ihn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5469837/publications.pdf>

Version: 2024-02-01

189  
papers

3,152  
citations

185998

28  
h-index

214527

47  
g-index

192  
all docs

192  
docs citations

192  
times ranked

5449  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical course of Japanese patients with early systemic sclerosis: A multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2021, 31, 162-170.	0.9	3
2	Initial predictors of skin thickness progression in patients with diffuse cutaneous systemic sclerosis: Results from a multicentre prospective cohort in Japan. <i>Modern Rheumatology</i> , 2021, 31, 386-393.	0.9	6
3	Skin microbiome in acral melanoma: <i>Corynebacterium</i> is associated with advanced melanoma. <i>Journal of Dermatology</i> , 2021, 48, e15-e16.	0.6	21
4	Genomic mutational profiling of circulating tumour DNA in metastatic angiosarcoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e293-e295.	1.3	2
5	Serum levels of desmoglein-1 DNA copies in cell-free DNA of patients with pemphigus. <i>Journal of Dermatology</i> , 2021, 48, e31-e32.	0.6	1
6	Fosravuconazole to treat severe onychomycosis in the elderly. <i>Journal of Dermatology</i> , 2021, 48, 228-231.	0.6	9
7	Existence of <i>Staphylococcus aureus</i> correlates with the progression of extramammary Paget's disease: potential involvement of interleukin-17 and M2-like macrophage polarization. <i>European Journal of Dermatology</i> , 2021, 31, 48-54.	0.3	4
8	Immunotherapy with 4-1BBL-Expressing iPS Cell-Derived Myeloid Lines Amplifies Antigen-Specific T Cell Infiltration in Advanced Melanoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1958.	1.8	5
9	Subcutaneous cystic phaeohyphomycosis caused by <i>Phaeoacremonium minimum</i> . <i>Journal of Dermatology</i> , 2021, 48, e234-e235.	0.6	0
10	Status of microsatellite stability in angiosarcoma: Angiosarcoma is a microsatellite stable tumor. <i>Journal of Dermatology</i> , 2021, 48, e368-e369.	0.6	1
11	Overexpression of Janus kinase 2 protein in extramammary Paget's disease. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1176-1178.	0.6	2
12	Nucleosome assembly protein 1-like 4, a new therapeutic target for proliferation and invasion of melanoma cells. <i>Journal of Dermatological Science</i> , 2021, 102, 16-24.	1.0	2
13	Immune cell therapy against disseminated melanoma by utilizing induced pluripotent stem cell-derived myeloid cell lines producing interferon-beta or interleukin-15/interleukin-15 receptor alpha. <i>Journal of Dermatological Science</i> , 2021, 102, 133-136.	1.0	3
14	Absence of microsatellite instability in extramammary Paget's disease. <i>Skin Health and Disease</i> , 2021, 1, e37.	0.7	4
15	Liquid biopsy-based analysis by ddPCR and CAPP-Seq in melanoma patients. <i>Journal of Dermatological Science</i> , 2021, 102, 158-166.	1.0	8
16	A mechanism of cooling hot tumors: Lactate attenuates inflammation in dendritic cells. <i>Science</i> , 2021, 24, 103067.	1.9	8
17	Effect of adalimumab on axial manifestations in Japanese patients with psoriatic arthritis: a 24-week prospective, observational study. <i>Rheumatology</i> , 2021, 60, 3669-3678.	0.9	1
18	Genomic landscape of circulating tumour DNA in metastatic extramammary Paget's disease. <i>Experimental Dermatology</i> , 2021, , .	1.4	2

#	ARTICLE	IF	CITATIONS
19	IL-16 expression is increased in the skin and sera of patients with systemic sclerosis. <i>Rheumatology</i> , 2020, 59, 519-523.	0.9	9
20	Efficacy and safety of adalimumab in Japanese patients with psoriatic arthritis and inadequate response to non-steroidal anti-inflammatory drugs (NSAIDs): A prospective, observational study. <i>Modern Rheumatology</i> , 2020, 30, 155-165.	0.9	1
21	Case of metastatic extramammary Paget's disease treated with trastuzumab biosimilar monotherapy after S1 and docetaxel combination chemotherapy. <i>Journal of Dermatology</i> , 2020, 47, e1-e2.	0.6	7
22	Spontaneous regression of genital warts at untreated sites following electrocoagulation treatment for lesions at the other sites. <i>Journal of Dermatology</i> , 2020, 47, e46-e47.	0.6	1
23	The Warburg effect and tumour immune microenvironment in extramammary Paget's disease: overexpression of lactate dehydrogenase A correlates with immune resistance. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1715-1721.	1.3	22
24	MicroRNAs that predict the effectiveness of anti-PD-1 therapies in patients with advanced melanoma. <i>Journal of Dermatological Science</i> , 2020, 97, 77-79.	1.0	13
25	Effect of topical immunotherapy with squaric acid dibutylester for alopecia areata in Japanese patients. <i>Allergology International</i> , 2020, 69, 274-278.	1.4	7
26	Successful treatment of occult pancreatic melanoma using BRAF/MEK inhibitors. <i>Journal of Dermatology</i> , 2020, 47, e126-e127.	0.6	0
27	CXCL17-mediated downregulation of type I collagen via MMP1 and miR-29 in skin fibroblasts possibly contributes to the fibrosis in systemic sclerosis. <i>Journal of Dermatological Science</i> , 2020, 100, 183-191.	1.0	8
28	Characteristics of Japanese patients with eosinophilic fasciitis: A brief multicenter study. <i>Journal of Dermatology</i> , 2020, 47, 1391-1394.	0.6	3
29	Single administration of avelumab induced a complete response in thyroid transcription factor 1 positive combined Merkel cell carcinoma. <i>Journal of Dermatology</i> , 2020, 47, 1317-1321.	0.6	0
30	Overexpression of MUC16 (CA125) in extramammary Paget's disease. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 1330-1332.	0.6	2
31	BATF2 expression as a novel marker for invasive phenotype in malignant melanoma. <i>Journal of Dermatology</i> , 2020, 47, e372-e373.	0.6	2
32	miR-524-5p reduces the progression of the BRAF inhibitor-resistant melanoma. <i>Neoplasia</i> , 2020, 22, 789-799.	2.3	9
33	Matrin-3 plays an important role in cell cycle and apoptosis for survival in malignant melanoma. <i>Journal of Dermatological Science</i> , 2020, 100, 110-119.	1.0	9
34	Successful prednisolone treatment of peripartum Behçet disease associated with HLA-A26. <i>Australasian Journal of Dermatology</i> , 2020, 61, e441-e442.	0.4	0
35	Retrospective study of COL1A1-PDGFB fusion gene positive dermatofibrosarcoma protuberans in Kumamoto University. <i>Clinical and Experimental Dermatology</i> , 2020, 45, 1067-1068.	0.6	4
36	Increased CD27 expression in the skins and sera of patients with systemic sclerosis. <i>Intractable and Rare Diseases Research</i> , 2020, 9, 99-103.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Circulating tumor necrosis factor- $\alpha$ ± DNA are elevated in psoriasis. <i>Journal of Dermatology</i> , 2020, 47, 1037-1040.	0.6	14
38	Onychomycosis caused by <i>Trichosporon cacaoliposimilis</i> . <i>Journal of Dermatology</i> , 2020, 47, e193-e195.	0.6	2
39	Inhibition of Endoglin Exerts Antitumor Effects through the Regulation of Non-Smad TGF- $\beta$ <sup>2</sup> Signaling in Angiosarcoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2060-2072.e6.	0.3	10
40	Serum anti-p53 autoantibodies in angiosarcoma. <i>Journal of Dermatology</i> , 2020, 47, 849-854.	0.6	2
41	Elevated circulating cell-free DNA levels in autoimmune bullous diseases. <i>Journal of Dermatology</i> , 2020, 47, e345-e346.	0.6	5
42	Wound, pressure ulcer and burn guidelines – 1: Guidelines for wounds in general, second edition. <i>Journal of Dermatology</i> , 2020, 47, 807-833.	0.6	5
43	Cutaneous lymphoma in Japan, 2012–2017: A nationwide study. <i>Journal of Dermatological Science</i> , 2020, 97, 187-193.	1.0	16
44	Non-small-cell Lung Cancer with Severe Skin Manifestations Related to Radiation Recall Dermatitis after Atezolizumab Treatment. <i>Internal Medicine</i> , 2020, 59, 1199-1202.	0.3	6
45	Significance of 5-S-Cysteinyldopa as a Marker for Melanoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 432.	1.8	15
46	Wound, pressure ulcer and burn guidelines – 4: Guidelines for the management of connective tissue disease/vasculitis-associated skin ulcers. <i>Journal of Dermatology</i> , 2020, 47, 1071-1109.	0.6	5
47	Wound, pressure ulcer and burn guidelines – 6: Guidelines for the management of burns, second edition. <i>Journal of Dermatology</i> , 2020, 47, 1207-1235.	0.6	5
48	Ungual hyalohyphomycosis caused by <i>Fusarium proliferatum</i> successfully treated with fosravuconazole. <i>Journal of Dermatology</i> , 2020, 47, e251-e253.	0.6	2
49	Induced pluripotent stem cell-derived myeloid cells expressing OX40 ligand amplify antigen-specific T cells in advanced melanoma. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 744-755.	1.5	6
50	Serious disseminated intravascular coagulation associated with combination therapy of nivolumab and ipilimumab in advanced melanoma. <i>Journal of Dermatology</i> , 2020, 47, e235-e237.	0.6	2
51	Non-dermatophyte Mould Onychomycosis in Japan. <i>Medical Mycology Journal</i> , 2020, 61, 23-31.	0.5	11
52	A successful case of lupus myelitis treated with intravenous pulse methylprednisolone and pulse cyclophosphamide therapy. <i>Drug Discoveries and Therapeutics</i> , 2020, 14, 209-210.	0.6	1
53	Methyl-CpG binding domain protein 3: a new diagnostic marker and potential therapeutic target of melanoma. <i>BioScience Trends</i> , 2020, 14, 390-395.	1.1	2
54	Simple and effective modification of the axial frontonasal flap to prevent flap distortion. <i>Journal of Dermatology</i> , 2019, 46, e46-e47.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Subcutaneous cystic phaeohyphomycosis caused by <i>Exophiala jeanselmei</i> . Journal of Dermatology, 2019, 46, e449-e451.	0.6	3
56	Fungal melanonychia caused by <i>Candida parapsilosis</i> successfully treated with oral fosravuconazole. Journal of Dermatology, 2019, 46, 911-913.	0.6	15
57	Tinea unguium caused by terbinafine-resistant <i>Trichophyton rubrum</i> successfully treated with fosravuconazole. Journal of Dermatology, 2019, 46, e446-e447.	0.6	18
58	A case of overlap syndrome (scleroderma and polymyositis) associated with the development of sudden chest pain due to myocardial damage. Drug Discoveries and Therapeutics, 2019, 13, 297-298.	0.6	1
59	Brain abscess in an angiosarcoma patient during a disease-free interval. Drug Discoveries and Therapeutics, 2019, 13, 175-176.	0.6	0
60	Type I Interferon Delivery by iPSC-Derived Myeloid Cells Elicits Antitumor Immunity via XCR1+ Dendritic Cells. Cell Reports, 2019, 29, 162-175.e9.	2.9	26
61	Hypoxia accelerates the progression of angiosarcoma through the regulation of angiosarcoma cells and tumor microenvironment. Journal of Dermatological Science, 2019, 93, 123-132.	1.0	15
62	Case of cutaneous myoepithelioma managed with surgical resection without recurrence for 4 years. Journal of Dermatology, 2019, 46, e206-e208.	0.6	1
63	Natural course of epidermolysis bullosa simplex with mottled pigmentation in a Japanese family with the p.P25L mutation in <i>KRT5</i> . Journal of Dermatology, 2019, 46, e233-e235.	0.6	3
64	A potential significance of circ_0024169 down regulation in angiosarcoma tissue. Intractable and Rare Diseases Research, 2019, 8, 129-133.	0.3	8
65	A case of scleroderma associated with interstitial neutrophilic granulomatous reaction. Australasian Journal of Dermatology, 2019, 60, e338-e340.	0.4	1
66	Long-term follow up of nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. Cancer Science, 2019, 110, 1995-2003.	1.7	31
67	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. Journal of Dermatological Science, 2019, 94, 284-289.	1.0	13
68	The expression of EpCAM in extramammary Paget's disease. Intractable and Rare Diseases Research, 2019, 8, 20-23.	0.3	5
69	Overexpression of cyclin-dependent kinase 4 protein in extramammary Paget's disease. Journal of Dermatology, 2019, 46, 444-448.	0.6	12
70	Serum cell-free DNA levels are a useful marker for extramammary Paget disease. British Journal of Dermatology, 2019, 181, 505-511.	1.4	10
71	Nivolumab-induced colitis in a patient with malignant melanoma: A case report and immunological analysis. Journal of Dermatology, 2019, 46, e339-e341.	0.6	1
72	Eosinophilic fasciitis: From pathophysiology to treatment. Allergology International, 2019, 68, 437-439.	1.4	47

#	ARTICLE	IF	CITATIONS
73	Recurrent Fusion Gene ADCK4-NUMBL in Cutaneous Squamous Cell Carcinoma Mediates Cell Proliferation. <i>Journal of Investigative Dermatology</i> , 2019, 139, 954-957.	0.3	7
74	Papulonecrotic tuberculid after Bacillus Calmette-Guérin (<sc>BCG</sc>) vaccination with lung infiltration that mimics disseminated <sc>BCG</sc> infection. <i>Journal of Dermatology</i> , 2019, 46, e267-e268.	0.6	1
75	Infliximab improved the refractory cutaneous involvement in a patient with dermatomyositis. <i>Dermatologic Therapy</i> , 2019, 32, e12859.	0.8	4
76	Royal jelly regulates the proliferation of human dermal microvascular endothelial cells through the down-regulation of a photoaging-related microRNA. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 268-273.	0.6	7
77	Cutaneous Cryptococcosis. <i>Medical Mycology Journal</i> , 2019, 60, 101-107.	0.5	36
78	Differential predictive factors for cardiovascular events in patients with or without cancer history. <i>Medicine (United States)</i> , 2019, 98, e17602.	0.4	15
79	Serum concentrations of HGF are correlated with response to anti-PD-1 antibody therapy in patients with metastatic melanoma. <i>Journal of Dermatological Science</i> , 2019, 93, 33-40.	1.0	15
80	A case of recurrent extramammary Paget's disease treated with several chemotherapies. <i>Skin Cancer</i> , 2019, 34, 182-185.	0.1	1
81	A Case of Obstructive Arteriosclerosis with Successful Autologous Peripheral Blood Mononuclear Cell Transplantation for Intractable Cutaneous Ulcers. <i>Nishinon Journal of Dermatology</i> , 2019, 81, 175-179.	0.0	0
82	Diagnostic criteria, severity classification and guidelines of localized scleroderma. <i>Journal of Dermatology</i> , 2018, 45, 755-780.	0.6	51
83	Diagnostic criteria, severity classification and guidelines of systemic sclerosis. <i>Journal of Dermatology</i> , 2018, 45, 633-691.	0.6	35
84	Impact of a new simplified disability scoring system for adult patients with localized scleroderma. <i>Journal of Dermatology</i> , 2018, 45, 431-435.	0.6	2
85	Case of pigmented lipofibromatosis in a 27-year-old woman. <i>Journal of Dermatology</i> , 2018, 45, e128-e129.	0.6	2
86	First Aid for Skin Tears by Mini Patch Grafting from the Flap Edge. <i>Journal of Emergency Medicine</i> , 2018, 54, 514-515.	0.3	1
87	Dabrafenib and trametinib combination therapy safely performed in a patient with metastatic melanoma after severe liver toxicity due to vemurafenib. <i>Journal of Dermatology</i> , 2018, 45, e157-e158.	0.6	3
88	Regulatory mechanisms of collagen expression by interleukin-22 signaling in scleroderma fibroblasts. <i>Journal of Dermatological Science</i> , 2018, 90, 52-59.	1.0	18
89	Blockade of TGF- $\beta$ 2/Smad signaling by the small compound HPH-15 ameliorates experimental skin fibrosis. <i>Arthritis Research and Therapy</i> , 2018, 20, 46.	1.6	21
90	Dyskeratosis congenita associated with congenital hypothyroidism. <i>Journal of Dermatology</i> , 2018, 45, e76-e77.	0.6	1

#	ARTICLE	IF	CITATIONS
91	Case report of cutaneous protothecosis caused by <i>Prototheca wickerhamii</i> designated as genotype 2 and current status of human protothecosis in Japan. <i>Journal of Dermatology</i> , 2018, 45, 67-71.	0.6	12
92	Raltegravir blocks the infectivity of red-fluorescent-protein (mCherry)-labeled HIV-1JR-FL in the setting of post-exposure prophylaxis in NOD/SCID/Jak3 <sup>fl/fl</sup> /Rag1 <sup>fl/fl</sup> mice transplanted with human PBMCs. <i>Antiviral Research</i> , 2018, 149, 78-88.	1.9	0
93	Diagnostic criteria, severity classification and guidelines of eosinophilic fasciitis. <i>Journal of Dermatology</i> , 2018, 45, 881-890.	0.6	50
94	Expression and distribution patterns of spermine, spermidine, and putrescine in rat hair follicle. <i>Histochemistry and Cell Biology</i> , 2018, 149, 161-167.	0.8	1
95	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. <i>Journal of Dermatological Science</i> , 2018, 92, 230-236.	1.0	11
96	A case of leg cellulitis caused by multidrug-resistant <i>Streptococcus pseudoporcinus</i> . <i>Intractable and Rare Diseases Research</i> , 2018, 7, 280-282.	0.3	10
97	Serum cytokine profiles are altered in patients with progressive infantile hemangioma. <i>BioScience Trends</i> , 2018, 12, 438-441.	1.1	6
98	Reduction of stratum corneum ceramides in Neu-Laxova syndrome caused by phosphoglycerate dehydrogenase deficiency. <i>Journal of Lipid Research</i> , 2018, 59, 2413-2420.	2.0	14
99	Expression of aurora kinase A expression in dermatofibrosarcoma protuberans. <i>Journal of Dermatology</i> , 2018, 45, 507-508.	0.6	7
100	Combined Blockade of IL6 and PD-1/PD-L1 Signaling Abrogates Mutual Regulation of Their Immunosuppressive Effects in the Tumor Microenvironment. <i>Cancer Research</i> , 2018, 78, 5011-5022.	0.4	224
101	Severe bacterial sepsis results in delayed diagnosis of tuberculous lymphadenitis in a rheumatoid arthritis patient treated with adalimumab. <i>Intractable and Rare Diseases Research</i> , 2018, 7, 138-140.	0.3	1
102	Topical efinaconazole: A promising therapeutic medication for tinea unguium. <i>Journal of Dermatology</i> , 2018, 45, 1225-1228.	0.6	8
103	Differential Roles of Rad18 and Chk2 in Genome Maintenance and Skin Carcinogenesis Following UV Exposure. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2550-2557.	0.3	11
104	Onychomycosis caused by <i>Aspergillus subramanianii</i> . <i>Journal of Dermatology</i> , 2018, 45, 1362-1366.	0.6	8
105	Sweet's syndrome with laryngoparalysis due to laryngitis. <i>Journal of Dermatology</i> , 2018, 45, e295-e296.	0.6	1
106	A Case of Lichen Nitidus Induced by Amlodipine Besylate. <i>Nishinon Journal of Dermatology</i> , 2018, 80, 122-124.	0.0	1
107	Systemic lupus erythematosus associated with myasthenia gravis, pemphigus foliaceus and chronic thyroiditis after thymectomy. <i>Australasian Journal of Dermatology</i> , 2017, 58, e120-e122.	0.4	19
108	Inhibition of heat shock protein 90 exerts an antitumour effect in angiosarcoma: involvement of the vascular endothelial growth factor signalling pathway. <i>British Journal of Dermatology</i> , 2017, 177, 456-469.	1.4	16

#	ARTICLE	IF	CITATIONS
109	Phase 1b study of pembrolizumab (MK-3475; anti-PD-1 monoclonal antibody) in Japanese patients with advanced melanoma (KEYNOTE-041). <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 651-660.	1.1	76
110	Subcutaneous cystic phaeohyphomycosis due to <i>Pleurostomophora richardsiae</i> . <i>Journal of Dermatology</i> , 2017, 44, e62-e63.	0.6	6
111	Diagnosis of nail psoriasis: evaluation of nail-derived microRNAs as potential novel biomarkers. <i>European Journal of Dermatology</i> , 2017, 27, 20-27.	0.3	6
112	Early phase dynamics of traceable mCherry fluorescent protein-carrying HIV-1 infection in human peripheral blood mononuclear cells-transplanted NOD/SCID/Jak3 <sup>-/-</sup> mice. <i>Antiviral Research</i> , 2017, 144, 83-92.	1.9	1
113	Transforming growth factor $\beta$ inhibitor Repsox downregulates collagen expression of scleroderma dermal fibroblasts and prevents bleomycin-induced mice skin fibrosis. <i>Experimental Dermatology</i> , 2017, 26, 1139-1143.	1.4	17
114	RXR $\beta$ Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase $\alpha$ Antibody-Positive Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1878-1886.	0.3	3
115	Cytokine biomarkers to predict antitumor responses to nivolumab suggested in a phase 2 study for advanced melanoma. <i>Cancer Science</i> , 2017, 108, 1022-1031.	1.7	100
116	Serum levels of genomic DNA of $\alpha$ 1(I) collagen are elevated in scleroderma patients. <i>Journal of Dermatology</i> , 2017, 44, 927-931.	0.6	1
117	Multiple subcutaneous <i>Candida</i> abscesses on the palm and finger in an immunocompetent patient. <i>Journal of Dermatology</i> , 2017, 44, e176-e177.	0.6	1
118	Cutaneous spindle cell adenolipoma on the nose: A rare variant of lipoma. <i>Journal of Dermatology</i> , 2017, 44, e156-e157.	0.6	2
119	Transethnic meta-analysis identifies <i>GSDMA</i> and <i>PRDM1</i> as susceptibility genes to systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1150-1158.	0.5	77
120	Achieved good response of $\beta$ and docetaxel combination chemotherapy in two patients with metastatic extramammary Paget's disease. <i>Journal of Dermatology</i> , 2017, 44, e103-e104.	0.6	20
121	Ungual hyalohyphomycosis caused by <i>Fusarium proliferatum</i> in an immunocompetent patient. <i>Journal of Dermatology</i> , 2017, 44, 88-90.	0.6	8
122	Chronic sun exposure-related fusion oncogenes EGFR-PPARGC1A in cutaneous squamous cell carcinoma. <i>Scientific Reports</i> , 2017, 7, 12654.	1.6	16
123	Efficacy and safety of nivolumab in Japanese patients with previously untreated advanced melanoma: A phase II study. <i>Cancer Science</i> , 2017, 108, 1223-1230.	1.7	66
124	Secukinumab-induced interstitial pneumonia in a patient with psoriasis vulgaris. <i>Journal of Dermatology</i> , 2017, 44, e322-e323.	0.6	11
125	S100A7 expression levels in coordination with interleukin $\beta$ 8 indicate the clinical response to infliximab for psoriasis patients. <i>Journal of Dermatology</i> , 2017, 44, 838-839.	0.6	7
126	Dysregulated interleukin-23 signalling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression. <i>Rheumatology</i> , 2017, 56, 145-155.	0.9	27



#	ARTICLE	IF	CITATIONS
127	Bromoderma in a pituitary adenoma patient treated with bromocriptine. <i>Journal of Dermatology</i> , 2017, 44, e95-e96.	0.6	6
128	Ungual aspergillosis successfully treated with topical efinaconazole. <i>Journal of Dermatology</i> , 2017, 44, 848-850.	0.6	2
129	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: Prospective, multicenter, open-label study. <i>Journal of Dermatology</i> , 2017, 44, 13-17.	0.6	21
130	A randomized double-blind trial of intravenous immunoglobulin for bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2017, 85, 77-84.	1.0	75
131	The role of miR-210, E2F3 and ephrin A3 in angiosarcoma cell proliferation. <i>European Journal of Dermatology</i> , 2017, 27, 464-471.	0.3	20
132	Bullous dermatosis on legs of elderly: A new clinical entity?. <i>Drug Discoveries and Therapeutics</i> , 2017, 11, 346-348.	0.6	1
133	Intratumor dihydropyrimidine dehydrogenase mRNA expression levels are decreased in extramammary Paget's disease. <i>Drug Discoveries and Therapeutics</i> , 2017, 11, 152-155.	0.6	2
134	Do scleroderma patients look young?: Evaluation by using facial imaging system. <i>Drug Discoveries and Therapeutics</i> , 2017, 11, 342-345.	0.6	4
135	Phenothrin Lotion Treatment in 5 Cases of 2 or 3 Year Old Children with Scabies. <i>Nishinohon Journal of Dermatology</i> , 2017, 79, 59-63.	0.0	1
136	Treatment of psoriasis with ustekinumab improved skin tightening in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 106, 208-210.	0.4	3
137	Symptomless Pulmonary Cryptococcosis in a Psoriatic Arthritis Patient during Infliximab Therapy. <i>Annals of Dermatology</i> , 2016, 28, 269.	0.3	1
138	Exome sequence analysis of Kaposiform hemangioendothelioma: identification of putative driver mutations. <i>Anais Brasileiros De Dermatologia</i> , 2016, 91, 748-753.	0.5	4
139	Cell division cycle-associated protein 1 as a new melanoma-associated antigen. <i>Journal of Dermatology</i> , 2016, 43, 1399-1405.	0.6	14
140	Altered expression of CD63 and exosomes in scleroderma dermal fibroblasts. <i>Journal of Dermatological Science</i> , 2016, 84, 30-39.	1.0	53
141	Intratatumoral expression levels of PD-L1, GZMA, and HLA-A along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanoma. <i>Oncolmmunology</i> , 2016, 5, e1204507.	2.1	107
142	Long non-coding RNA TSIX is upregulated in scleroderma dermal fibroblasts and controls collagen mRNA stabilization. <i>Experimental Dermatology</i> , 2016, 25, 131-136.	1.4	62
143	Enhanced CCR9 expression levels in psoriatic skin are associated with poor clinical outcome to infliximab treatment. <i>Journal of Dermatology</i> , 2016, 43, 522-525.	0.6	7
144	The wound/burn guidelines "6: Guidelines for the management of burns. <i>Journal of Dermatology</i> , 2016, 43, 989-1010.	0.6	48

#	ARTICLE	IF	CITATIONS
145	micro<scp>RNA</scp> level is raised in the hair shafts of patients with dermatomyositis in comparison with normal subjects and patients with scleroderma. <i>International Journal of Dermatology</i> , 2016, 55, 786-790.	0.5	3
146	Myasthenic crisis and polymyositis induced by one dose of nivolumab. <i>Cancer Science</i> , 2016, 107, 1055-1058.	1.7	176
147	Establishment and gene expression analysis of disease-derived induced pluripotent stem cells of scleroderma. <i>Journal of Dermatological Science</i> , 2016, 84, 186-196.	1.0	10
148	The wound/burn guidelines "2: Guidelines for the diagnosis and treatment for pressure ulcers. <i>Journal of Dermatology</i> , 2016, 43, 469-506.	0.6	11
149	The wound/burn guidelines "1: Wounds in general. <i>Journal of Dermatology</i> , 2016, 43, 357-375.	0.6	7
150	The wound/burn guidelines "3: Guidelines for the diagnosis and treatment for diabetic ulcer/gangrene. <i>Journal of Dermatology</i> , 2016, 43, 591-619.	0.6	14
151	Serum long non-coding RNA, snoRNA host gene 5 level as a new tumor marker of malignant melanoma. <i>Experimental Dermatology</i> , 2016, 25, 67-69.	1.4	47
152	Upregulation of ANGPTL6 in mouse keratinocytes enhances susceptibility to psoriasis. <i>Scientific Reports</i> , 2016, 6, 34690.	1.6	12
153	Small bowel perforation due to indistinguishable metastasis of angiosarcoma: case report and brief literature review. <i>Surgical Case Reports</i> , 2016, 2, 42.	0.2	6
154	The wound/burn guidelines "4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis. <i>Journal of Dermatology</i> , 2016, 43, 729-757.	0.6	17
155	The wound/burn guidelines "5: Guidelines for the management of lower leg ulcers/varicose veins. <i>Journal of Dermatology</i> , 2016, 43, 853-868.	0.6	6
156	The role of PSMB9 upregulated by interferon signature in the pathophysiology of cutaneous lesions of dermatomyositis and systemic lupus erythematosus. <i>British Journal of Dermatology</i> , 2016, 174, 1030-1041.	1.4	23
157	Immunotherapy against Metastatic Melanoma with Human iPS Cell-Derived Myeloid Cell Lines Producing Type I Interferons. <i>Cancer Immunology Research</i> , 2016, 4, 248-258.	1.6	20
158	Transcription factor LSF (TFCP2) inhibits melanoma growth. <i>Oncotarget</i> , 2016, 7, 2379-2390.	0.8	21
159	A Case of Systemic Sclerosis with Interstitial Lung Disease Successfully Treated with Intravenous Cyclophosphamide Pulse Therapy and Oral Azathioprine. <i>Nishinon Journal of Dermatology</i> , 2016, 78, 356-361.	0.0	0
160	Anti-TIF1 Antibody Positive Dermatomyositis Case That Sequentially Evolved from Rashes to Double Gastric Cancer and Dysphagia : A Follow-up after Five Years of Treatment. <i>Nishinon Journal of Dermatology</i> , 2016, 78, 234-238.	0.0	0
161	Expression of Let-7 family microRNAs in skin correlates negatively with severity of pulmonary hypertension in patients with systemic scleroderma. <i>IJC Heart and Vasculature</i> , 2015, 8, 98-102.	0.6	19
162	Serum miR-124 up-regulation as a disease marker of toxic epidermal necrolysis. <i>European Journal of Dermatology</i> , 2015, 25, 457-462.	0.3	17

#	ARTICLE	IF	CITATIONS
163	Biweekly gemcitabine therapy induces complete remission in cutaneous angiosarcoma resistant to multiple anticancer drugs. <i>Journal of Dermatology</i> , 2015, 42, 1197-1198.	0.6	8
164	Anorectal malignant melanoma with extensive intraepithelial extension: report of a case. <i>International Cancer Conference Journal</i> , 2015, 4, 245-248.	0.2	0
165	Mice overexpressing integrin $\alpha$ v in fibroblasts exhibit dermal thinning of the skin. <i>Journal of Dermatological Science</i> , 2015, 79, 268-278.	1.0	9
166	Prognostic Significance of CD169+ Lymph Node Sinus Macrophages in Patients with Malignant Melanoma. <i>Cancer Immunology Research</i> , 2015, 3, 1356-1363.	1.6	66
167	NUP160 $\alpha$ -SLC43A3 Is a Novel Recurrent Fusion Oncogene in Angiosarcoma. <i>Cancer Research</i> , 2015, 75, 4458-4465.	0.4	42
168	EBI3 Downregulation Contributes to Type I Collagen Overexpression in Scleroderma Skin. <i>Journal of Immunology</i> , 2015, 195, 3565-3573.	0.4	27
169	Investigation of FOXM1 as a Potential New Target for Melanoma. <i>PLoS ONE</i> , 2015, 10, e0144241.	1.1	35
170	Correlated expression levels of endothelin receptor B and Plexin C1 in melanoma. <i>American Journal of Cancer Research</i> , 2015, 5, 1117-23.	1.4	3
171	Knockout of Endothelial Cell-Derived Endothelin-1 Attenuates Skin Fibrosis but Accelerates Cutaneous Wound Healing. <i>PLoS ONE</i> , 2014, 9, e97972.	1.1	21
172	Clinical Significance of Serum Vascular Endothelial-Cadherin Levels in Inflammatory Skin Diseases. <i>Annals of Dermatology</i> , 2014, 26, 536.	0.3	3
173	Translatonally Controlled Tumor Protein Is a Novel Biological Target for Neurofibromatosis Type 1-associated Tumors. <i>Journal of Biological Chemistry</i> , 2014, 289, 26314-26326.	1.6	28
174	Down-regulation of microRNA-196a in the sera and involved skin of localized scleroderma patients. <i>European Journal of Dermatology</i> , 2014, 24, 470-476.	0.3	28
175	Analysis of expression pattern of serum microRNA levels in patients with psoriasis. <i>Journal of Dermatological Science</i> , 2014, 74, 170-171.	1.0	22
176	Upregulation of miR-18a-5p contributes to epidermal necrolysis in severe drug eruptions. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1065-1074.	1.5	50
177	Effects of the immunosuppressant rapamycin on the expression of human $\alpha$ 2(I) collagen and matrix metalloproteinase 1 genes in scleroderma dermal fibroblasts. <i>Journal of Dermatological Science</i> , 2014, 74, 251-259.	1.0	26
178	Serum Adhesion Molecule Levels as Prognostic Markers in Patients with Early Systemic Sclerosis: A Multicentre, Prospective, Observational Study. <i>PLoS ONE</i> , 2014, 9, e88150.	1.1	38
179	Clinical significance of CD169-positive lymph node macrophages in human malignant tumors.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11118-11118.	0.8	0
180	Scleroderma dermal fibroblasts overexpress vascular endothelial growth factor due to autocrine transforming growth factor $\beta$ signaling. <i>Modern Rheumatology</i> , 2013, 23, 516-524.	0.9	19

#	ARTICLE	IF	CITATIONS
181	microRNA-7 down-regulation mediates excessive collagen expression in localized scleroderma. Archives of Dermatological Research, 2013, 305, 9-15.	1.1	58
182	Geographical Flushing of the Children's Face: A New Clinical Entity?. Case Reports in Dermatological Medicine, 2013, 2013, 1-2.	0.1	0
183	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. Modern Rheumatology, 2013, 23, 1076-1084.	0.9	28
184	Detection of hair root miR-19a as a novel diagnostic marker for psoriasis. European Journal of Dermatology, 2013, 23, 807-811.	0.3	20
185	Serum levels of leptin receptor in patients with systemic sclerosis. Intractable and Rare Diseases Research, 2013, 2, 55-8.	0.3	1
186	Increased Accumulation of Extracellular Thrombospondin-2 Due to Low Degradation Activity Stimulates Type I Collagen Expression in Scleroderma Fibroblasts. American Journal of Pathology, 2012, 180, 703-714.	1.9	53
187	The expression of HER-2 in extramammary Paget's disease. BioScience Trends, 2011, 5, 151-155.	1.1	29
188	Autocrine TGF- $\beta$ 2 signaling in the pathogenesis of systemic sclerosis. Journal of Dermatological Science, 2008, 49, 103-113.	1.0	120
189	p38 MAPK inhibitors in dermatology. Expert Review of Dermatology, 2007, 2, 403-407.	0.3	4