Yong-ping Bao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5470581/publications.pdf

Version: 2024-02-01

96 papers 5,883 citations

35 h-index 75 g-index

104 all docs

104 docs citations

104 times ranked 8976 citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Biphasic effect of sulforaphane on angiogenesis in hypoxia <i>via </i> modulation of both Nrf2 and mitochondrial dynamics. Food and Function, 2022, 13, 2884-2898. | 2.1 | 5 |
| 2 | Nano-sulforaphane attenuates PhIP-induced early abnormal embryonic neuro-development. Annals of Anatomy, 2021, 233, 151617. | 1.0 | 6 |
| 3 | Anti-rheumatic effect of quercetin and recent developments in nano formulation. RSC Advances, 2021, 11, 7280-7293. | 1.7 | 18 |
| 4 | Nonâ€canonical autophagy functions of ATG16L1 in epithelial cells limit lethal infection by influenza A virus. EMBO Journal, 2021, 40, e105543. | 3.5 | 36 |
| 5 | Nanodelivery of natural isothiocyanates as a cancer therapeutic. Free Radical Biology and Medicine, 2021, 167, 125-140. | 1.3 | 19 |
| 6 | The Inhibitory Effect of Sulforaphane on Bladder Cancer Cell Depends on GSH Depletion-Induced by Nrf2 Translocation. Molecules, 2021, 26, 4919. | 1.7 | 8 |
| 7 | Benzyl Isothiocyanate Induces Apoptosis and Inhibits Tumor Growth in Canine Mammary Carcinoma via Downregulation of the Cyclin B1/Cdk1 Pathway. Frontiers in Veterinary Science, 2020, 7, 580530. | 0.9 | 4 |
| 8 | Synthesis and characterisation of isothiocyanate functionalised silicon nanoparticles and their uptake in cultured colonic cells. Faraday Discussions, 2020, 222, 332-349. | 1.6 | 4 |
| 9 | Gut microbial composition changes in bladder cancer patients: A case-control study in Harbin, China. Asia Pacific Journal of Clinical Nutrition, 2020, 29, 395-403. | 0.3 | 12 |
| 10 | Sulforaphane Mediates Glutathione Depletion via Polymeric Nanoparticles to Restore Cisplatin Chemosensitivity. ACS Nano, 2019, 13, 13445-13455. | 7.3 | 106 |
| 11 | Role of nuclear factorâ€PB pathway in the transition of mouse secondary follicles to antral follicles. Journal of Cellular Physiology, 2019, 234, 22565-22580. | 2.0 | 10 |
| 12 | Antioxidant effects of sulforaphane in human HepG2 cells and immortalised hepatocytes. Food and Chemical Toxicology, 2019, 128, 129-136. | 1.8 | 19 |
| 13 | High saltâ€induced excess reactive oxygen species production resulted in heart tube malformation during gastrulation. Journal of Cellular Physiology, 2018, 233, 7120-7133. | 2.0 | 7 |
| 14 | Anti-cancer activities of allyl isothiocyanate and its conjugated silicon quantum dots. Scientific Reports, 2018, 8, 1084. | 1.6 | 49 |
| 15 | Baicalin administration attenuates hyperglycemia-induced malformation of cardiovascular system. Cell Death and Disease, 2018, 9, 234. | 2.7 | 47 |
| 16 | The α1â€adrenergic receptor is involved in hepcidin upregulation induced by adrenaline and norepinephrine via the STAT3 pathway. Journal of Cellular Biochemistry, 2018, 119, 5517-5527. | 1.2 | 4 |
| 17 | Sulforaphane Improves Abnormal Lipid Metabolism via Both ERSâ€Dependent XBP1/ACC & amp; SCD1 and ERSâ€Independent SREBP/FAS Pathways. Molecular Nutrition and Food Research, 2018, 62, e1700737. | 1.5 | 29 |
| 18 | Revealing histological and morphological features of female reproductive system in tree shrew (Tupaia belangeri). Zoomorphology, 2018, 137, 191-199. | 0.4 | 0 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Atg7-Mediated Autophagy Is Involved in the Neural Crest Cell Generation in Chick Embryo. Molecular Neurobiology, 2018, 55, 3523-3536. | 1.9 | 10 |
| 20 | Gut microbiotaâ€derived endotoxin enhanced the incidence of cardia bifida during cardiogenesis. Journal of Cellular Physiology, 2018, 233, 9271-9283. | 2.0 | 10 |
| 21 | Identifying chondroprotective diet-derived bioactives and investigating their synergism. Scientific Reports, 2018, 8, 17173. | 1.6 | 14 |
| 22 | N-Acetylcysteine Suppresses LPS-Induced Pathological Angiogenesis. Cellular Physiology and Biochemistry, 2018, 49, 2483-2495. | 1.1 | 11 |
| 23 | Chemopreventive Activities of Sulforaphane and Its Metabolites in Human Hepatoma HepG2 Cells. Nutrients, 2018, 10, 585. | 1.7 | 14 |
| 24 | Oxidative stress and NF-κB signaling are involved in LPS induced pulmonary dysplasia in chick embryos. Cell Cycle, 2018, 17, 1757-1771. | 1.3 | 23 |
| 25 | Sulforaphane Rescues Ethanol-Suppressed Angiogenesis through Oxidative and Endoplasmic Reticulum Stress in Chick Embryos. Journal of Agricultural and Food Chemistry, 2018, 66, 9522-9533. | 2.4 | 23 |
| 26 | Sulforaphane promotes ER stress, autophagy, and cell death: implications for cataract surgery. Journal of Molecular Medicine, 2017, 95, 553-564. | 1.7 | 27 |
| 27 | Sulforaphane exerts anti-angiogenesis effects against hepatocellular carcinoma through inhibition of STAT3/HIF- $1\hat{1}\pm$ /VEGF signalling. Scientific Reports, 2017, 7, 12651. | 1.6 | 81 |
| 28 | Ethanol exposure leads to disorder of blood island formation in early chick embryo. Reproductive Toxicology, 2017, 73, 96-104. | 1.3 | 4 |
| 29 | Isothiocyanates are detected in human synovial fluid following broccoli consumption and can affect the tissues of the knee joint. Scientific Reports, 2017, 7, 3398. | 1.6 | 24 |
| 30 | The Role of MicroRNAs in the Chemopreventive Activity of Sulforaphane from Cruciferous Vegetables. Nutrients, 2017, 9, 902. | 1.7 | 20 |
| 31 | Differential effects of sulforaphane in regulation of angiogenesis in a co-culture model of endothelial cells and pericytes. Oncology Reports, 2017, 37, 2905-2912. | 1.2 | 8 |
| 32 | Sulforaphane induces adipocyte browning and promotes glucose and lipid utilization. Molecular Nutrition and Food Research, 2016, 60, 2185-2197. | 1.5 | 48 |
| 33 | Excess Imidacloprid Exposure Causes the Heart Tube Malformation of Chick Embryos. Journal of Agricultural and Food Chemistry, 2016, 64, 9078-9088. | 2.4 | 15 |
| 34 | Can sulforaphane prevent the onset or slow the progression of osteoarthritis?. Nutrition Bulletin, 2016, 41, 175-179. | 0.8 | 7 |
| 35 | Paradoxical Roles of Antioxidant Enzymes: Basic Mechanisms and Health Implications. Physiological Reviews, 2016, 96, 307-364. | 13.1 | 283 |
| 36 | Flavonoid intake and the risk of age-related cataract in China's Heilongjiang Province. Food and Nutrition Research, 2015, 59, 29564. | 1.2 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Sulforaphane Protects the Liver against CdSe Quantum Dot-Induced Cytotoxicity. PLoS ONE, 2015, 10, e0138771. | 1.1 | 22 |
| 38 | Synergy between sulforaphane and selenium in protection against oxidative damage in colonic CCD841 cells. Nutrition Research, 2015, 35, 610-617. | 1.3 | 22 |
| 39 | Benefits and Risks of the Hormetic Effects of Dietary Isothiocyanates on Cancer Prevention. PLoS ONE, 2014, 9, e114764. | 1.1 | 53 |
| 40 | The potential for dietary factors to prevent or treat osteoarthritis. Proceedings of the Nutrition Society, 2014, 73, 278-288. | 0.4 | 28 |
| 41 | Colorectal cancer cells Caco-2 and HCT116 resist epigenetic effects of isothiocyanates and selenium in vitro. European Journal of Nutrition, 2013, 52, 1327-1341. | 1.8 | 23 |
| 42 | Epithelial-mesenchymal transition, a novel target of sulforaphane via COX-2/MMP2, 9/Snail, ZEB1 and miR-200c/ZEB1 pathways in human bladder cancer cells. Journal of Nutritional Biochemistry, 2013, 24, 1062-1069. | 1.9 | 110 |
| 43 | Synthesis of <scp>d</scp> -Mannose Capped Silicon Nanoparticles and Their Interactions with MCF-7 Human Breast Cancerous Cells. ACS Applied Materials & Interfaces, 2013, 5, 7384-7391. | 4.0 | 67 |
| 44 | Coâ€encapsulation of Biodegradable Nanoparticles with Silicon Quantum Dots and Quercetin for Monitored Delivery. Advanced Healthcare Materials, 2013, 2, 459-466. | 3.9 | 74 |
| 45 | Sulforaphane Represses Matrixâ€Degrading Proteases and Protects Cartilage From Destruction In Vitro and In Vivo. Arthritis and Rheumatism, 2013, 65, 3130-3140. | 6.7 | 71 |
| 46 | Selenium Biomarkers in Prostate Cancer Cell Lines and Influence of Selenium on Invasive Potential of PC3 Cells. Frontiers in Oncology, 2013, 3, 239. | 1.3 | 13 |
| 47 | Sulforaphane Can Protect Lens Cells Against Oxidative Stress: Implications for Cataract Prevention. , 2013, 54, 5236. | | 46 |
| 48 | Effect of phytochemicals on phase II enzyme expression in infant human primary skin fibroblast cells. British Journal of Nutrition, 2012, 108, 2158-2165. | 1.2 | 12 |
| 49 | Epigenetic and antioxidant effects of dietary isothiocyanates and selenium: potential implications for cancer chemoprevention. Proceedings of the Nutrition Society, 2012, 71, 237-245. | 0.4 | 33 |
| 50 | TrxR1 and GPx2 are potently induced by isothiocyanates and selenium, and mutually cooperate to protect Caco-2 cells against free radical-mediated cell death. Biochimica Et Biophysica Acta - Molecular Cell Research, 2012, 1823, 1914-1924. | 1.9 | 20 |
| 51 | Uptake and Toxicity Studies of Polyâ€Acrylic Acid Functionalized Silicon Nanoparticles in Cultured Mammalian Cells. Advanced Healthcare Materials, 2012, 1, 189-198. | 3.9 | 65 |
| 52 | Synergy between sulforaphane and selenium in the up-regulation of thioredoxin reductase and protection against hydrogen peroxide-induced cell death in human hepatocytes. Food Chemistry, 2012, 133, 300-307. | 4.2 | 22 |
| 53 | Isothiocyanates from the habitual diet are potential chondroprotective agents. Osteoarthritis and Cartilage, 2012, 20, S141-S142. | 0.6 | 0 |
| 54 | Selenium in Human Health and Disease. Antioxidants and Redox Signaling, 2011, 14, 1337-1383. | 2.5 | 1,003 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Effects of Selenium Supplementation on Selenoprotein Gene Expression and Response to Influenza Vaccine Challenge: A Randomised Controlled Trial. PLoS ONE, 2011, 6, e14771. | 1.1 | 37 |
| 56 | Synthesis of water-dispersible photoluminescent silicon nanoparticles and their use in biological fluorescent imaging. Journal of Nanoparticle Research, 2011, 13, 405-413. | 0.8 | 55 |
| 57 | p38 MAPK plays a distinct role in sulforaphane-induced up-regulation of ARE-dependent enzymes and down-regulation of COX-2 in human bladder cancer cells. Oncology Reports, 2010, 23, 1133-8. | 1.2 | 31 |
| 58 | Sulforaphane down-regulates COX-2 expression by activating p38 and inhibiting NF-κB-DNA-binding activity in human bladder T24 cells. International Journal of Oncology, 2009, 34, 1129-34. | 1.4 | 21 |
| 59 | Synergy between broccoli sprout extract and selenium in the upregulation of thioredoxin reductase in human hepatocytes. Food Chemistry, 2008, 110, 193-198. | 4.2 | 13 |
| 60 | Serotonin Receptors, Novel Targets of Sulforaphane Identified by Proteomic Analysis in Caco-2 Cells. Cancer Research, 2008, 68, 5487-5491. | 0.4 | 32 |
| 61 | Dual Action of Sulforaphane in the Regulation of Thioredoxin Reductase and Thioredoxin in Human HepG2 and Caco-2 Cells. Journal of Agricultural and Food Chemistry, 2007, 55, 1170-1176. | 2.4 | 34 |
| 62 | Effect of Isothiocyanates on Nuclear Accumulation of NF- \hat{P} B, Nrf2, and Thioredoxin in Caco-2 Cells. Journal of Agricultural and Food Chemistry, 2006, 54, 1656-1662. | 2.4 | 51 |
| 63 | Effect of sulforaphane on cell growth, G0/G1 phase cell progression and apoptosis in human bladder cancer T24 cells. International Journal of Oncology, 2006, 29, 883. | 1.4 | 16 |
| 64 | Transcriptome Analysis of Human Colon Caco-2 Cells Exposed to Sulforaphane. Journal of Nutrition, 2005, 135, 1865-1872. | 1.3 | 116 |
| 65 | Role of PI3K/Akt and MEK/ERK signaling pathways in sulforaphane- and erucin-induced phase II enzymes and MRP2 transcription, G2/M arrest and cell death in Caco-2 cells. Biochemical Pharmacology, 2005, 69, 1543-1552. | 2.0 | 172 |
| 66 | Effects of MEK1 and PI3K inhibitors on allyl-, benzyl- and phenylethyl-isothiocyanate-induced G2/M arrest and cell death in Caco-2 cells. International Journal of Oncology, 2005, 27, 1449. | 1.4 | 7 |
| 67 | Sulforaphane, Erucin, and Iberin Up-Regulate Thioredoxin Reductase 1 Expression in Human MCF-7 Cells. Journal of Agricultural and Food Chemistry, 2005, 53, 1417-1421. | 2.4 | 79 |
| 68 | Antioxidant activities of extracts from five anti-viral medicinal plants. Journal of Ethnopharmacology, 2005, 96, 201-205. | 2.0 | 54 |
| 69 | Isothiocyanates induce cell cycle arrest, apoptosis and mitochondrial potential depolarization in HL-60 and multidrug-resistant cell lines. Anticancer Research, 2005, 25, 3375-86. | 0.5 | 80 |
| 70 | Effects of MEK1 and PI3K inhibitors on allyl-, benzyl- and phenylethyl-isothiocyanate-induced G2/M arrest and cell death in Caco-2 cells. International Journal of Oncology, 2005, 27, 1449-58. | 1.4 | 6 |
| 71 | Interactions between sulforaphane and apigenin in the induction of UGT1A1 and GSTA1 in CaCo-2 cells. Carcinogenesis, 2004, 25, 1629-1637. | 1.3 | 76 |
| 72 | Effect of flavonoids and Vitamin E on cyclooxygenase-2 (COX-2) transcription. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2004, 551, 245-254. | 0.4 | 264 |

| # | Article | IF | CITATIONS |
|------------|---|-----|-----------|
| 73 | Isolation, identification and stability of acylated derivatives of apigenin 7-0-glucoside from chamomile (Chamomilla recutita [L.] Rauschert). Phytochemistry, 2004, 65, 2323-2332. | 1.4 | 164 |
| 74 | Nano red elemental selenium has no size effect in the induction of seleno-enzymes in both cultured cells and mice. Life Sciences, 2004, 75, 237-244. | 2.0 | 133 |
| 7 5 | Quercetin Metabolites Downregulate Cyclooxygenase-2 Transcription in Human Lymphocytes Ex Vivo but Not In Vivo. Journal of Nutrition, 2004, 134, 552-557. | 1.3 | 84 |
| 76 | Nutritional Genomics. Oxidative Stress and Disease, 2004, , 1-23. | 0.3 | 1 |
| 77 | Phytochemicals Protect Against Heterocyclic Amine-Induced DNA Adduct Formation. Oxidative Stress and Disease, 2004, , 143-162. | 0.3 | O |
| 78 | Synergy between sulforaphane and selenium in the induction of thioredoxin reductase 1 requires both transcriptional and translational modulation. Carcinogenesis, 2003, 24, 497-503. | 1.3 | 88 |
| 79 | ABSORPTION/METABOLISM OF SULFORAPHANE AND QUERCETIN, AND REGULATION OF PHASE II ENZYMES, IN HUMAN JEJUNUM IN VIVO. Drug Metabolism and Disposition, 2003, 31, 805-813. | 1.7 | 199 |
| 80 | Sulforaphane and quercetin modulate PhIP-DNA adduct formation in human HepG2 cells and hepatocytes. Carcinogenesis, 2003, 24, 1903-1911. | 1.3 | 101 |
| 81 | Sulforaphane and its glutathione conjugate but not sulforaphane nitrile induce UDP-glucuronosyl transferase (UGT1A1) and glutathione transferase (GSTA1) in cultured cells. Carcinogenesis, 2002, 23, 1399-1404. | 1.3 | 135 |
| 82 | Biological effects of a nano red elemental selenium. BioFactors, 2001, 15, 27-38. | 2.6 | 436 |
| 83 | Selenium-dependent Phospholipid Hydroperoxide Glutathione Peroxidase Protects Against Lipid, Protein and DNA Damage., 2000,, 245-248. | | 0 |
| 84 | Conjugation position of quercetin glucuronides and effect on biological activity. Free Radical Biology and Medicine, 2000, 29, 1234-1243. | 1.3 | 317 |
| 85 | Phospholipid hydroperoxide cysteine peroxidase activity of human serum albumin. Biochemical Journal, 1999, 338, 723-728. | 1.7 | 39 |
| 86 | Phospholipid hydroperoxide cysteine peroxidase activity of human serum albumin. Biochemical Journal, 1999, 338, 723. | 1.7 | 17 |
| 87 | High Performance Liquid Chromatographic Separation of Hydroperoxy-Phospholipids and Their Corresponding Hydroxy-Phospholipid Derivatives. Journal of Liquid Chromatography and Related Technologies, 1998, 21, 2061-2068. | 0.5 | 20 |
| 88 | Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance. British Journal of Anaesthesia, 1998, 81, 584-589. | 1.5 | 35 |
| 89 | Phospholipid hydroperoxide glutathione peroxidase activity of human glutathione transferases. Biochemical Journal, 1998, 332, 97-100. | 1.7 | 145 |
| 90 | 1 Phospholipid Hydroperoxide Peroxidase Activities in Erythrocytes. Biochemical Society Transactions, 1997, 25, S557-S557. | 1.6 | 7 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 91 | 2 Regulation of phospholipase A2 gene expression by tumour necrosis factor \hat{l}_{\pm} in human HepG2 cells. Biochemical Society Transactions, 1997, 25, S558-S558. | 1.6 | O |
| 92 | 3 Phospholipid hydroperoxide glutathione peroxidase activity of rat class Theta glutathione transferase T2-2. Biochemical Society Transactions, 1997, 25, S559-S559. | 1.6 | 10 |
| 93 | α-Tocopherol enhances the peroxidase activity of hemoglobin on phospholipid hydroperoxide. Redox Report, 1997, 3, 325-330. | 1.4 | 7 |
| 94 | Reduction of thymine hydroperoxide by phospholipid hydroperoxide glutathione peroxidase and glutathione transferases. FEBS Letters, 1997, 410, 210-212. | 1.3 | 52 |
| 95 | The peroxidase activity of glutathione S-transferase A1-1 on hydroperoxy-phospholipids. Biochemical Society Transactions, 1996, 24, 462S-462S. | 1.6 | 2 |
| 96 | Direct Separation of Hydroperoxy- and Hydroxy-Phosphatidylcholine Derivatives: Application to the Assay of Phospholipid Hydroperoxide Glutathione Peroxidase. Analytical Biochemistry, 1995, 224, 395-399. | 1.1 | 33 |