

# Biao Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5472117/publications.pdf>

Version: 2024-02-01

81  
papers

3,955  
citations

147801

31  
h-index

123424

61  
g-index

81  
all docs

81  
docs citations

81  
times ranked

2109  
citing authors

#	ARTICLE	IF	CITATIONS
1	Length effect of carbon nanotubes on the strengthening mechanisms in metal matrix composites. <i>Acta Materialia</i> , 2017, 140, 317-325.	7.9	352
2	Strength and strain hardening of a selective laser melted AlSi10Mg alloy. <i>Scripta Materialia</i> , 2017, 141, 45-49.	5.2	312
3	Solid-state interfacial reaction and load transfer efficiency in carbon nanotubes (CNTs)-reinforced aluminum matrix composites. <i>Carbon</i> , 2017, 114, 198-208.	10.3	302
4	Load transfer strengthening in carbon nanotubes reinforced metal matrix composites via in-situ tensile tests. <i>Composites Science and Technology</i> , 2015, 113, 1-8.	7.8	236
5	Simultaneously enhancing strength and ductility of carbon nanotube/aluminum composites by improving bonding conditions. <i>Scripta Materialia</i> , 2016, 113, 158-162.	5.2	183
6	Strengthening behavior of in situ -synthesized (TiCâ€“TiB)/Ti composites by powder metallurgy and hot extrusion. <i>Materials and Design</i> , 2016, 95, 127-132.	7.0	181
7	An approach for homogeneous carbon nanotube dispersion in Al matrix composites. <i>Materials &amp; Design</i> , 2015, 72, 1-8.	5.1	159
8	Exploring the size effects of Al <sub>4</sub> C <sub>3</sub> on the mechanical properties and thermal behaviors of Al-based composites reinforced by SiC and carbon nanotubes. <i>Carbon</i> , 2018, 135, 224-235.	10.3	147
9	Evolution of microstructure and phases in <i>in situ</i> processed Tiâ€“TiB composites containing high volume fractions of TiB whiskers. <i>Journal of Materials Research</i> , 1999, 14, 4214-4223.	2.6	123
10	Microstructure and mechanical properties of P/M titanium matrix composites reinforced by in-situ synthesized TiCâ€“TiB. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 628, 75-83.	5.6	113
11	In Situ Synthesized Al <sub>4</sub> C <sub>3</sub> Nanorods with Excellent Strengthening Effect in Aluminum Matrix Composites. <i>Advanced Engineering Materials</i> , 2014, 16, 972-975.	3.5	106
12	Extraordinary reinforcing effect of carbon nanotubes in aluminium matrix composites assisted by in-situ alumina nanoparticles. <i>Composites Part B: Engineering</i> , 2020, 183, 107691.	12.0	93
13	Enhanced mechanical properties of aluminum based composites reinforced by chemically oxidized carbon nanotubes. <i>Carbon</i> , 2018, 139, 459-471.	10.3	82
14	Super-high-strength graphene/titanium composites fabricated by selective laser melting. <i>Carbon</i> , 2021, 174, 451-462.	10.3	78
15	Exploiting the synergic strengthening effects of stacking faults in carbon nanotubes reinforced aluminum matrix composites for enhanced mechanical properties. <i>Composites Part B: Engineering</i> , 2021, 211, 108646.	12.0	65
16	Carbon nanotube induced microstructural characteristics in powder metallurgy Al matrix composites and their effects on mechanical and conductive properties. <i>Journal of Alloys and Compounds</i> , 2015, 651, 608-615.	5.5	60
17	The influence of CNTs on the microstructure and ductility of CNT/Mg composites. <i>Materials Letters</i> , 2016, 181, 300-304.	2.6	59
18	Improved mechanical properties in titanium matrix composites reinforced with quasi-continuously networked graphene nanosheets and in-situ formed carbides. <i>Journal of Materials Science and Technology</i> , 2022, 96, 85-93.	10.7	59

#	ARTICLE	IF	CITATIONS
19	Fabrication of aluminum matrix composites reinforced with Ni-coated graphene nanosheets. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 754, 437-446.	5.6	57
20	Interfacial in-situ Al <sub>2</sub> O <sub>3</sub> nanoparticles enhance load transfer in carbon nanotube (CNT)-reinforced aluminum matrix composites. <i>Journal of Alloys and Compounds</i> , 2019, 789, 25-29.	5.5	57
21	Metallurgical Challenges in Carbon Nanotube-Reinforced Metal Matrix Nanocomposites. <i>Metals</i> , 2017, 7, 384.	2.3	55
22	Size effect of B <sub>4</sub> C powders on metallurgical reaction and resulting tensile properties of Ti matrix composites by in-situ reaction from Ti-B <sub>4</sub> C system under a relatively low temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 614, 129-135.	5.6	53
23	Advanced mechanical properties of powder metallurgy commercially pure titanium with a high oxygen concentration. <i>Journal of Materials Research</i> , 2017, 32, 3769-3776.	2.6	51
24	Microstructure and strengthening mechanism of ultrastrong and ductile Ti-xSn alloy processed by powder metallurgy. <i>Journal of Alloys and Compounds</i> , 2017, 709, 381-393.	5.5	47
25	Comparison study on microstructure and mechanical properties of Ti-6Al-4V alloys fabricated by powder-based selective-laser-melting and sintering methods. <i>Materials Characterization</i> , 2020, 164, 110358.	4.4	46
26	Microstructure, tensile properties and deformation behaviors of aluminium metal matrix composites co-reinforced by ex-situ carbon nanotubes and in-situ alumina nanoparticles. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 795, 139930.	5.6	42
27	Superior high-temperature tensile properties of aluminum matrix composites reinforced with carbon nanotubes. <i>Carbon</i> , 2022, 191, 403-414.	10.3	42
28	Microstructure and mechanical properties of CP-Ti fabricated via powder metallurgy with non-uniformly dispersed impurity solutes. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 716, 1-10.	5.6	35
29	TiB nano-whiskers reinforced titanium matrix composites with novel nano-reticulated microstructure and high performance via composite powder by selective laser melting. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 799, 140137.	5.6	35
30	Nano-scale AlN powders and AlN/Al composites by full and partial direct nitridation of aluminum in solid-state. <i>Journal of Alloys and Compounds</i> , 2015, 629, 184-187.	5.5	34
31	Stability of strengthening effect of in situ formed TiCp and TiBw on the elevated temperature strength of (TiCp+TiBw)/Ti composites. <i>Journal of Alloys and Compounds</i> , 2014, 614, 29-34.	5.5	33
32	Microstructural evolution and competitive reaction behavior of Ti-B <sub>4</sub> C system under solid-state sintering. <i>Journal of Alloys and Compounds</i> , 2016, 687, 1004-1011.	5.5	32
33	Hybrid effect of TiCp and TiBw co-strengthening Ti matrix composites prepared by spark plasma sintering and hot extrusion. <i>Materials Characterization</i> , 2019, 151, 6-14.	4.4	32
34	Relationships between the properties and microstructure of Mo-Cu composites prepared by infiltrating copper into flame-sprayed porous Mo skeleton. <i>Materials and Design</i> , 2015, 88, 774-780.	7.0	31
35	Tensile property enhancement by oxygen solutes in selectively laser melted titanium materials fabricated from pre-mixed pure Ti and TiO <sub>2</sub> powder. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 795, 139983.	5.6	31
36	The rate-dependent mechanical behavior of CNT-reinforced aluminum matrix composites under tensile loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 808, 140893.	5.6	27

#	ARTICLE	IF	CITATIONS
37	Inter-wall bridging induced peeling of multi-walled carbon nanotubes during tensile failure in aluminum matrix composites. <i>Micron</i> , 2015, 69, 1-5.	2.2	26
38	The formation of bimodal multilayered grain structure and its effect on the mechanical properties of powder metallurgy pure titanium. <i>Materials and Design</i> , 2017, 116, 99-108.	7.0	25
39	Strengthening-toughening mechanism study of powder metallurgy Ti-Si alloy by interrupted in-situ tensile tests. <i>Journal of Alloys and Compounds</i> , 2017, 694, 82-92.	5.5	25
40	Sintering Behaviors of Carbon Nanotubes-Aluminum Composite Powders. <i>Metals</i> , 2016, 6, 213.	2.3	24
41	Mechanical properties and strain hardening behavior of aluminum matrix composites reinforced with few-walled carbon nanotubes. <i>Journal of Alloys and Compounds</i> , 2020, 826, 154075.	5.5	23
42	An in-situ study on deformation and cracking initiation in oxygen-doped commercial purity titanium. <i>Mechanics of Materials</i> , 2020, 148, 103519.	3.2	22
43	Designable interfacial structure and its influence on interface reaction and performance of MWCNTs reinforced aluminum matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 793, 139783.	5.6	21
44	Dynamic recrystallization behavior and strengthening-toughening effects in a near- $\beta$ Ti-xSi alloy processed by hot extrusion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 684, 165-177.	5.6	20
45	ASB induced phase transformation in high oxygen doped commercial purity Ti. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 830, 142321.	5.6	20
46	Effect of Spark-Plasma-Sintering Conditions on Tensile Properties of Aluminum Matrix Composites Reinforced with Multiwalled Carbon Nanotubes (MWCNTs). <i>Jom</i> , 2017, 69, 669-675.	1.9	19
47	Comparison Study on Additive Manufacturing (AM) and Powder Metallurgy (PM) AlSi10Mg Alloys. <i>Jom</i> , 2018, 70, 644-649.	1.9	19
48	Syntheses, microstructure evolution and performance of strength-ductility matched aluminum matrix composites reinforced by nano SiC-cladded CNTs. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 824, 141784.	5.6	18
49	Achieving high combination of strength and ductility of Al matrix composite via in-situ formed Ti-Al <sub>3</sub> Ti core-shell particle. <i>Materials Characterization</i> , 2020, 170, 110666.	4.4	17
50	Strengthening efficiency competition between carbon nanotubes (CNTs) and in-situ Al <sub>4</sub> C <sub>3</sub> nanorods in CNTs/Al composites influenced by alumina characteristics. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 152, 106704.	7.6	16
51	Deformation mechanisms of pure Mg materials fabricated by using pre-rolled powders. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 658, 309-320.	5.6	15
52	Fabrication of Porous Molybdenum by Controlling Spray Particle State. <i>Journal of Thermal Spray Technology</i> , 2012, 21, 1032-1045.	3.1	12
53	Regulating the interfacial reaction between carbon nanotubes and aluminum via copper nano decoration. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 820, 141576.	5.6	12
54	Effect of initial state on dispersion evolution of carbon nanotubes in aluminium matrix composites during a high-energy ball milling process. <i>Powder Metallurgy</i> , 2016, 59, 216-222.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Study of twinning behavior of powder metallurgy Ti-Si alloy by interrupted in-situ tensile tests. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 679, 543-553.	5.6	11
56	Advanced Mechanical Properties of a Powder Metallurgy Ti-Al-N Alloy Doped with Ultrahigh Nitrogen Concentration. <i>Jom</i> , 2018, 70, 626-631.	1.9	11
57	Rate sensitivity and work-hardening behavior of an advanced Ti-Al-N alloy under uniaxial tensile loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 744, 630-637.	5.6	11
58	Compressive behavior of CNT-reinforced aluminum matrix composites under various strain rates and temperatures. <i>Ceramics International</i> , 2022, 48, 10299-10310.	4.8	11
59	Sintering-free fabrication of high-strength titanium matrix composites reinforced with carbon nanotubes. <i>Carbon</i> , 2022, 197, 412-424.	10.3	11
60	Inhibiting the interfacial reaction between few-layered graphene and titanium via SiC nanoparticle decoration. <i>Journal of Alloys and Compounds</i> , 2022, 893, 162183.	5.5	9
61	Crack Formation in Powder Metallurgy Carbon Nanotube (CNT)/Al Composites During Post Heat-Treatment. <i>Jom</i> , 2015, 67, 2887-2891.	1.9	8
62	Preparation of hierarchical porous metallic materials via deposition of microporous particles. <i>Materials Letters</i> , 2016, 176, 237-240.	2.6	8
63	Advanced tensile properties and strain rate sensitivity of titanium matrix composites reinforced with CaTiO <sub>3</sub> particles. <i>Journal of Alloys and Compounds</i> , 2022, 897, 163229.	5.5	8
64	Extraordinary Antiwear Properties of Graphene-Reinforced Ti Composites Induced by Interfacial Decoration. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 27118-27129.	8.0	8
65	Room temperature and high-temperature properties of extruded Ti-4Fe-3W/2TiC composites in $\hat{I}^{\pm} + \hat{I}^2$ and $\hat{I}^2$ phases. <i>Materials and Design</i> , 2022, 220, 110901.	7.0	8
66	Obvious yielding phenomenon and selective fracture behavior in powder metallurgy (TiCp+TiBw)/Ti composites. <i>Journal of Materials Research and Technology</i> , 2020, 9, 10184-10188.	5.8	7
67	In-situ observation of interaction between dislocations and carbon nanotubes in aluminum at elevated temperatures. <i>Materials Letters</i> , 2020, 264, 127323.	2.6	7
68	Effects of heat treatment on interfacial characteristics and mechanical properties of titanium matrix composites reinforced with discontinuous carbon fibers. <i>Journal of Alloys and Compounds</i> , 2021, 877, 160313.	5.5	7
69	Microstructure and mechanical characterizations of additively manufactured high oxygen-doped titanium. <i>Materials Characterization</i> , 2022, 189, 112008.	4.4	6
70	Pinning Effect of In-Situ TiC<sub>p</sub> and TiB<sub>w</sub> on the Grain Size and Room Temperature Strength of (TiC + TiB)/Ti Composites. <i>KONA Powder and Particle Journal</i> , 2015, 32, 264-269.	1.7	5
71	Enhanced adiabatic shear band susceptibility in Ti composites reinforced with quasi-continuous network of graphene nanosheets. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 160, 107055.	7.6	5
72	Precipitation and Distribution Behavior of In Situ-Formed TiB Whiskers in Ti64 Composites Fabricated by Selective Laser Melting. <i>Crystals</i> , 2021, 11, 374.	2.2	4

#	ARTICLE	IF	CITATIONS
73	Micro-compression of high oxygen doped single-crystal titanium along different orientations. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 832, 142449.	5.6	4
74	Study on Aluminum Matrix Composites Reinforced with Singly Dispersed Carbon Nanotubes. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2018, 65, 139-144.	0.2	3
75	Enhanced strength and ductility of nano-TiBw-reinforced titanium matrix composites fabricated by electron beam powder bed fusion using Ti6Al4V+TiBw composite powder. <i>Additive Manufacturing</i> , 2022, 50, 102519.	3.0	3
76	Effect of Metal Powder Characteristics on Structural Defects of Graphene Nanosheets in Metal Composite Powders Dispersed by Ball Milling. <i>Crystals</i> , 2021, 11, 260.	2.2	2
77	Room-High-Temperature Mechanical Properties of Titanium Matrix Composites Reinforced with Discontinuous Carbon Fibers. <i>Advanced Engineering Materials</i> , 2022, 24, 2101026.	3.5	2
78	Developing dual-textured titanium (Ti) extrudates via utilizing the $\beta$ transus in commercially pure Ti. <i>Materials and Design</i> , 2022, 215, 110459.	7.0	1
79	Highly Thermally Stable Microstructure in Mg Fabricated Via Powder Rolling. <i>Jom</i> , 2017, 69, 657-662.	1.9	0
80	103 High-Strength Powder Metallurgy Al Matrix Composites Reinforced with in-Situ Al <sub>4</sub> C <sub>3</sub> Nanorods. <i>The Proceedings of the Materials and Processing Conference</i> , 2015, 2015.23, _103-1_-_103-4_.	0.0	0
81	104 Fracturing mechanism of carbon nanotubes reinforced PM aluminum composite materials. <i>The Proceedings of the Materials and Processing Conference</i> , 2015, 2015.23, _104-1_-_104-4_.	0.0	0