

Kornelia Hasse-Lazar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5472977/publications.pdf>

Version: 2024-02-01

25
papers

980
citations

567144

15
h-index

580701

25
g-index

27
all docs

27
docs citations

27
times ranked

1366
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Characterization of the Pheochromocytoma and Paraganglioma Susceptibility Genes <i>SDHA</i> , <i>TMEM127</i> , <i>MAX</i> , and <i>SDHAF2</i> for Gene-Informed Prevention. <i>JAMA Oncology</i> , 2017, 3, 1204.	3.4	149
2	Outcomes of adrenal-sparing surgery or total adrenalectomy in pheochromocytoma associated with multiple endocrine neoplasia type 2: an international retrospective population-based study. <i>Lancet Oncology</i> , 2014, 15, 648-655.	5.1	137
3	Natural history, treatment, and long-term follow up of patients with multiple endocrine neoplasia type 2B: an international, multicentre, retrospective study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 213-220.	5.5	86
4	Comparison of Pheochromocytoma-Specific Morbidity and Mortality Among Adults With Bilateral Pheochromocytomas Undergoing Total Adrenalectomy vs Cortical-Sparing Adrenalectomy. <i>JAMA Network Open</i> , 2019, 2, e198898.	2.8	80
5	Pathogenicity of DNA Variants and Double Mutations in Multiple Endocrine Neoplasia Type 2 and Von Hippel-Lindau Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 308-313.	1.8	73
6	Recombinant human TSH-aided radioiodine treatment of advanced differentiated thyroid carcinoma: a single-centre study of 54 patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1077-1086.	3.3	71
7	Association of CD40 Gene Polymorphism (C-1T) with Susceptibility and Phenotype of Graves' Disease. <i>Thyroid</i> , 2005, 15, 1119-1124.	2.4	59
8	13-cis-retinoic acid re-differentiation therapy and recombinant human thyrotropin-aided radioiodine treatment of non-Functional metastatic thyroid cancer: a single-center, 53-patient phase 2 study. <i>Thyroid Research</i> , 2009, 2, 8.	0.7	51
9	Preventive medicine of von Hippel-Lindau disease-associated pancreatic neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2018, 25, 783-793.	1.6	42
10	Maternal and fetal outcomes in pheochromocytoma and pregnancy: a multicentre retrospective cohort study and systematic review of literature. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 13-21.	5.5	37
11	Rekomendacje Polskich Towarzystw Naukowych – Diagnostyka i leczenie raka tarczycy – Aktualizacja na rok 2018. <i>Endokrynologia Polska</i> , 2018, 69, 34-74.	0.3	32
12	A registry-based study of thyroid paraganglioma: histological and genetic characteristics. <i>Endocrine-Related Cancer</i> , 2015, 22, 191-204.	1.6	29
13	Interaction of HLA-DRB1 Alleles with CTLA-4 in the Predisposition to Graves' Disease: The Impact of DRB1*07. <i>Thyroid</i> , 2006, 16, 447-453.	2.4	27
14	Association between Polymorphisms in the TSHR Gene and Graves' Orbitopathy. <i>PLoS ONE</i> , 2014, 9, e102653.	1.1	20
15	The penetrance of MEN2 pheochromocytoma is not only determined by RET mutations. <i>Endocrine-Related Cancer</i> , 2017, 24, L63-L67.	1.6	19
16	Primary hyperparathyroidism as first manifestation in multiple endocrine neoplasia type 2A: an international multicenter study. <i>Endocrine Connections</i> , 2020, 9, 489-497.	0.8	17
17	Terapia radioizotopowa ¹³¹ I-MIBG z ¹³¹ I-tyrozynowymi guzami chromochromnymi i przywzwojami – badanie jednoośrodkowe. <i>Endokrynologia Polska</i> , 2018, 69, 246-251.	0.3	11
18	Original article Expression of genes FOLR1, BAG1 and LAPTM4B in functioning and non-functioning pituitary adenomas. <i>Folia Neuropathologica</i> , 2012, 3, 277-286.	0.5	9

#	ARTICLE	IF	CITATIONS
19	Terapia nadczynności tarczycy jodem promieniotwórczym jest bezpieczna u chorych na chorobę Gravesa i Basedowa z orbitopatią... badanie prospektywne. <i>Endokrynologia Polska</i> , 2014, 65, 40-45.	0.3	8
20	In patients with well-differentiated neuroendocrine tumours, there is no apparent benefit of somatostatin analogues after disease control by peptide receptor radionuclide therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3841-3851.	3.3	6
21	Obraz kliniczny guzów chromochłonnych u nosicieli mutacji protoonkogenu RET – badanie jednośrodkowe. <i>Endokrynologia Polska</i> , 2016, 67, 54-58.	0.3	5
22	Presentation of points of general discussion and voting among the speakers of the European Thyroid Association-Cancer Research Network (ETA-CRN) meeting in Lisbon, 2009, entitled “European comments to ATA medullary thyroid cancer guidelines” <i>Thyroid Research</i> , 2013, 6, S11.	0.7	4
23	Only peak thyroglobulin concentration on day 1 and 3 of rhTSH-aided RAI adjuvant treatment has prognostic implications in differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1214-1222.	1.2	4
24	Klasyfikacja molekularna gruczolaków przysadki: w poszukiwaniu kryteriów przydatnych do badań, wysokoprzepustowych. <i>Endokrynologia Polska</i> , 2016, 67, 148-156.	0.3	3
25	Laparoscopic cortical-sparing adrenal surgery in pheochromocytomas associated with hereditary neoplasia syndromes. <i>Endokrynologia Polska</i> , 2020, 71, 518-523.	0.3	1