

Anwar Mechri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5473729/publications.pdf>

Version: 2024-02-01

54
papers

2,201
citations

279798

23
h-index

233421

45
g-index

85
all docs

85
docs citations

85
times ranked

3562
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2012, 169, 719-724.	7.2	434
2	Suicidal Behavior and Psychological Distress in University Students: A 12-nation Study. <i>Archives of Suicide Research</i> , 2016, 20, 369-388.	2.3	157
3	Decreased glutathione levels and antioxidant enzyme activities in untreated and treated schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1178-1183.	4.8	149
4	Decreased glutathione levels and impaired antioxidant enzyme activities in drug-naïve first-episode schizophrenic patients. <i>BMC Psychiatry</i> , 2011, 11, 124.	2.6	124
5	The structure of schizotypal personality traits: a cross-national study. <i>Psychological Medicine</i> , 2018, 48, 451-462.	4.5	111
6	Altered antioxidant defense system in clinically stable patients with schizophrenia and their unaffected siblings. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 155-159.	4.8	93
7	Reduced antioxidant defense systems in schizophrenia and bipolar I disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 371-375.	4.8	86
8	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018, 44, S468-S479.	4.3	52
9	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018, 197, 182-191.	2.0	52
10	Cross-national comparisons of attitudes towards suicide and suicidal persons in university students from 12 countries. <i>Scandinavian Journal of Psychology</i> , 2016, 57, 554-563.	1.5	45
11	Association between cyclothymic temperament and clinical predictors of bipolarity in recurrent depressive patients. <i>Journal of Affective Disorders</i> , 2011, 132, 285-288.	4.1	42
12	Suicidal Thoughts, Attempts and Motives Among University Students in 12 Muslim-Majority Countries. <i>Psychiatric Quarterly</i> , 2019, 90, 229-248.	2.1	42
13	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018, 199, 128-134.	2.0	40
14	Neurological soft signs and schizotypal dimensions in unaffected siblings of patients with schizophrenia. <i>Psychiatry Research</i> , 2010, 175, 22-26.	3.3	38
15	Neurological soft signs in patients with schizophrenia and their unaffected siblings: frequency and correlates in two ethnic and socioeconomic distinct populations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 218-226.	3.2	36
16	<i>Toxoplasma gondii</i> infection in schizophrenia and associated clinical features. <i>Psychiatry Research</i> , 2016, 245, 327-332.	3.3	34
17	Effect of cigarette smoking on paraoxonase-1 activity according to PON1 L55M and PON1 Q192R gene polymorphisms. <i>Environmental Health and Preventive Medicine</i> , 2012, 17, 316-321.	3.4	31
18	Hyperhomocysteinemia in Tunisian bipolar I patients. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 664-671.	1.8	30

#	ARTICLE	IF	CITATIONS
19	The Role of Religion in Suicidal Behavior, Attitudes and Psychological Distress Among University Students: A Multinational Study. <i>Transcultural Psychiatry</i> , 2019, 56, 853-877.	1.6	26
20	Associations of religiosity, attitudes towards suicide and religious coping with suicidal ideation and suicide attempts in 11 muslim countries. <i>Social Science and Medicine</i> , 2020, 265, 113390.	3.8	26
21	Neurological soft signs in euthymic bipolar I patients: A comparative study with healthy siblings and controls. <i>Psychiatry Research</i> , 2016, 236, 173-178.	3.3	24
22	Prevalence and Impact of Anxiety and Depression on Type 2 Diabetes in Tunisian Patients over Sixty Years Old. <i>Depression Research and Treatment</i> , 2013, 2013, 1-6.	1.3	22
23	Thyroid function and lipid profile in bipolar I patients. <i>Asian Journal of Psychiatry</i> , 2011, 4, 139-143.	2.0	16
24	Paraoxonase 1 activity and lipid profile in schizophrenic patients. <i>Asian Journal of Psychiatry</i> , 2014, 9, 36-40.	2.0	16
25	Relationship between GSTM1 and GSTT1 polymorphisms and schizophrenia: A case-control study in a Tunisian population. <i>Gene</i> , 2013, 512, 282-285.	2.2	15
26	Abnormalities of auditory event-related potentials in students with high scores on the Schizotypal Personality Questionnaire. <i>Psychiatry Research</i> , 2006, 144, 117-122.	3.3	14
27	Lower paraoxonase 1 activity in Tunisian bipolar I patients. <i>Annals of General Psychiatry</i> , 2010, 9, 36.	2.7	14
28	The reduction of superoxide dismutase activity is associated with the severity of neurological soft signs in patients with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 52-56.	4.8	13
29	Association of the <i>IFN-γ</i> (+874A/T) Genetic Polymorphism with Paranoid Schizophrenia in Tunisian Population. <i>Immunological Investigations</i> , 2017, 46, 159-171.	2.0	12
30	Association between bipolar I disorder and the L55M and Q192R polymorphisms of the paraoxonase 1 (PON1) gene. <i>Journal of Affective Disorders</i> , 2012, 139, 12-17.	4.1	10
31	Is Individualism Suicidogenic? Findings From a Multinational Study of Young Adults From 12 Countries. <i>Frontiers in Psychiatry</i> , 2020, 11, 259.	2.6	10
32	Cultural and interpersonal risk factors for suicide ideation and suicide attempts among Muslim college students from 11 nations. <i>Journal of Affective Disorders</i> , 2021, 294, 366-374.	4.1	10
33	Metabolic syndrome in Tunisian bipolar I patients. <i>African Health Sciences</i> , 2011, 11, 414-20.	0.7	10
34	IFNGR2 genetic polymorphism associated with sex-specific paranoid schizophrenia risk. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 42-47.	1.3	8
35	Prevalence and score of minor physical anomalies in patients with schizophrenia and their first degree relatives: A Tunisian study. <i>Comprehensive Psychiatry</i> , 2013, 54, 575-580.	3.1	7
36	A gender-specific association of interleukin 1 receptor antagonist polymorphism with schizophrenia susceptibility. <i>Acta Neuropsychiatrica</i> , 2013, 25, 349-355.	2.1	7

#	ARTICLE	IF	CITATIONS
37	Correlations between obstetric complications and neurological soft signs in Tunisian patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 645-648.	1.8	6
38	Oxidative stress markers in schizophrenic patients. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2013, 28, 51-56.	0.0	5
39	<i>In vitro</i> effects of three antidepressant drugs on plasma paraoxonase activity. <i>Drug Metabolism and Drug Interactions</i> , 2012, 27, 209-215.	0.3	4
40	TBARs and non-enzymatic antioxidant parameters in Tunisian bipolar I patients. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2012, 27, 315-324.	0.0	4
41	Psychosexual impact of violence against Tunisian women in marriage: Cross-sectional study about 197 consultant in family planning centre of Monastir. <i>Sexologies</i> , 2014, 23, e75-e78.	0.8	4
42	Neurological soft signs in Tunisian patients with first-episode psychosis and relation with cannabis use. <i>Annals of General Psychiatry</i> , 2017, 16, 30.	2.7	4
43	Syndrome d' Hikikomori ou de claustration à domicile: À propos d'une observation Tunisienne. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2019, 67, 106-108.	0.2	4
44	La schizophrénie à début précoce : caractéristiques cliniques et endophénotypiques. <i>Annales Medico-Psychologiques</i> , 2008, 166, 633-637.	0.4	3
45	Association of polymorphism in glutamate-cysteine ligase catalytic subunit gene with schizophrenia: A case-control study in a Tunisian population. <i>Gene Reports</i> , 2016, 4, 249-252.	0.8	3
46	Complications obstétricales dans la schizophrénie : Étude comparative en population tunisienne. <i>Annales Medico-Psychologiques</i> , 2008, 166, 646-652.	0.4	2
47	Approche dimensionnelle de la personnalité schizotypique: Étude comparative de deux populations étudiantes française et tunisienne. <i>Annales Medico-Psychologiques</i> , 2006, 164, 377-382.	0.4	0
48	P.2.e.028 Prevalence and correlates of obesity and overweight during treatment in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2009, 19, S464-S465.	0.7	0
49	P.6.f.002 Clinical and therapeutic impact of substance abuse on patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2013, 23, S581.	0.7	0
50	P.6.f.001 Negative association between neurological soft signs and cannabis use in first-episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2014, 24, S699.	0.7	0
51	Psychological Impact of Violence Against Women in Marriage: a Tunisian Cross-sectional Study. <i>European Psychiatry</i> , 2015, 30, 1822.	0.2	0
52	Évaluation de l'autonomie sociale et de ses facteurs associés chez des patients tunisiens suivis pour schizophrénie. <i>Annales Medico-Psychologiques</i> , 2019, 177, 796-800.	0.4	0
53	Paranoid schizophrenia in a woman with Marfan syndrome. <i>Tunisie Medicale</i> , 2017, 95, 157-158.	0.2	0
54	Are Non-Fatal Suicide Attempts Instrumental in Achieving Personal and Interpersonal goals?. <i>Behavior Therapy</i> , 2022, , .	2.4	0