
Onofrio Corona

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5474250/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fast field cycling NMR relaxometry as a tool to monitor Parmigiano Reggiano cheese ripening. Food Research International, 2021, 139, 109845.	6.2	14
2	Influence of grain quality, semolinas and baker's yeast on bread made from old landraces and modern genotypes of Sicilian durum wheat. Food Research International, 2021, 140, 110029.	6.2	30
3	Influence of pre-fermentative addition of aqueous solution tannins extracted from oak wood (Quercus petraea) on the composition of Grillo wines. European Food Research and Technology, 2021, 247, 1595-1608.	3.3	7
4	Use of Kluyveromyces marxianus to Increase Free Monoterpenes and Aliphatic Esters in White Wines. Fermentation, 2021, 7, 79.	3.0	6
5	Moscato Cerletti, a rediscovered aromatic cultivar with oenological potential in warm and dry areas. Oeno One, 2021, 55, 123-140.	1.4	0
6	Effect of leaf removal and ripening stage on the content of quercetin glycosides in Sangiovese grapes. Oeno One, 2021, 55, 71-81.	1.4	0
7	Evolution of Carotenoid Content, Antioxidant Activity and Volatiles Compounds in Dried Mango Fruits (Mangifera Indica L.). Foods, 2020, 9, 1424.	4.3	21
8	Bresaola made from Cinisara cattle: effect of muscle type and animal category on physicochemical and sensory traits. CYTA - Journal of Food, 2020, 18, 383-391.	1.9	10
9	Influence of Different Dehydration Levels on Volatile Profiles, Phenolic Contents and Skin Hardness of Alkaline Pre-Treated Grapes cv Muscat of Alexandria (Vitis vinifera L.). Foods, 2020, 9, 666.	4.3	9
10	Evolution of Carotenoids, Sensory Profiles and Volatile Compounds in Microwave-Dried Fruits of Three Different Loquat Cultivars (Eriobotrya japonica Lindl.). Plant Foods for Human Nutrition, 2020, 75, 200-207.	3.2	14
11	Quality and volatile compounds in red wine at different degrees of dealcoholization by membrane process. European Food Research and Technology, 2019, 245, 2601-2611.	3.3	31
12	Comparing different processing methods in appleÂslice drying. Part 2 solid-state Fast Field Cycling 1H-NMR relaxation properties, shrinkage and changes in volatile compounds. Biosystems Engineering, 2019, 188, 345-354.	4.3	25
13	Transformation of raw ewes' milk applying "Grana―type pressed cheese technology: Development of extra-hard "Gran Ovino―cheese. International Journal of Food Microbiology, 2019, 307, 108277.	4.7	10
14	Characteristics of sourdoughs and baked pizzas as affected by starter culture inoculums. International Journal of Food Microbiology, 2019, 293, 114-123.	4.7	19
15	Innovative Alcoholic Drinks Obtained by Co-Fermenting Grape Must and Fruit Juice. Metabolites, 2019, 9, 86.	2.9	19
16	Influence of the early bacterial biofilms developed on vats made with seven wood types on PDO Vastedda della valle del Belìce cheese characteristics. International Journal of Food Microbiology, 2019, 291, 91-103.	4.7	30
17	Performances of Different Metabolic Lactobacillus Groups During the Fermentation of Pizza Doughs Processed from Semolina. Fermentation, 2018, 4, 61.	3.0	9
18	Impact of packaging on the microbiological, physicochemical and sensory characteristics of a "pasta filata―cheese. Food Packaging and Shelf Life, 2018, 17, 85-90.	7.5	17

ONOFRIO CORONA

#	Article	IF	CITATIONS
19	Approaches to improve the growth of the starter lactic acid bacterium OM13 during the early stages of green Spanish-style table olive production. Grasas Y Aceites, 2018, 69, 265.	0.9	6
20	An Innovative Shelf Life Model Based on Smart Logistic Unit for an Efficient Management of the Perishable Food Supply Chain. Journal of Food Process Engineering, 2017, 40, e12311.	2.9	31
21	Microbiota and metabolome during controlled and spontaneous fermentation of Nocellara Etnea table olives. Food Microbiology, 2017, 65, 136-148.	4.2	83
22	Effect of Salt Concentration and Extremely Halophilic Archaea on the Safety and Quality Characteristics of Traditional Salted Anchovies. Journal of Aquatic Food Product Technology, 2017, 26, 620-637.	1.4	7
23	Production of the Sicilian distillate " Spiritu re fascitrari ―from honey by-products: An interesting source of yeast diversity. International Journal of Food Microbiology, 2017, 261, 62-72.	4.7	30
24	Evaluation of different conditions to enhance the performances of Lactobacillus pentosus OM13 during industrial production of Spanish-style table olives. Food Microbiology, 2017, 61, 150-158.	4.2	37
25	Characterization of Vernaccia Nera (Vitis vinifera L.) Grape and Wine. South African Journal of Enology and Viticulture, 2017, 38, .	0.4	9
26	Candida zemplinina for Production of Wines with Less Alcohol and More Glycerol. South African Journal of Enology and Viticulture, 2016, 34, .	0.4	14
27	Wine-making with Protection of Must against Oxidation in a Warm, Semi-arid Terroir. South African Journal of Enology and Viticulture, 2016, 31, .	0.4	7
28	Pomological Traits, Sensory Profile and Nutraceutical Properties of Nine Cultivars of Loquat (Eriobotrya japonica Lindl.) Fruits Grown in Mediterranean Area. Plant Foods for Human Nutrition, 2016, 71, 330-338.	3.2	36
29	Isolation, identification and oenological characterization of non <i>-Saccharomyces</i> yeasts in a Mediterranean island. Letters in Applied Microbiology, 2016, 63, 131-138.	2.2	22
30	Effect of the mechanical harvest of drupes on the quality characteristics of green fermented table olives. Journal of the Science of Food and Agriculture, 2016, 96, 2004-2017.	3.5	19
31	Industrial application of selected lactic acid bacteria isolated from local semolinas for typical sourdough bread production. Food Microbiology, 2016, 59, 43-56.	4.2	69
32	Use of fortified pied de cuve as an innovative method to start spontaneous alcoholic fermentation for red winemaking. Australian Journal of Grape and Wine Research, 2016, 22, 36-45.	2.1	18
33	Development of a method for the direct fermentation of semolina by selected sourdough lactic acid bacteria. International Journal of Food Microbiology, 2016, 239, 65-78.	4.7	48
34	Development of new non-dairy beverages from Mediterranean fruit juices fermented with water kefir microorganisms. Food Microbiology, 2016, 54, 40-51.	4.2	124
35	Assessment of Postharvest Dehydration Kinetics and Skin Mechanical Properties of "Muscat of Alexandria―Grapes by Response Surface Methodology. Food and Bioprocess Technology, 2016, 9, 1060-1069.	4.7	7
36	Valorization of indigenous dairy cattle breed through salami production. Meat Science, 2016, 114, 58-68.	5.5	13

ONOFRIO CORONA

#	ARTICLE	IF	CITATIONS
37	The Wine: Typicality or Mere Diversity? The Effect of Spontaneous Fermentations and Biotic Factors on the Characteristics of Wine. Agriculture and Agricultural Science Procedia, 2016, 8, 769-773.	0.6	15
38	Characterization of kefir-like beverages produced from vegetable juices. LWT - Food Science and Technology, 2016, 66, 572-581.	5.2	96
39	Codominance of Lactobacillus plantarum and obligate heterofermentative lactic acid bacteria during sourdough fermentation. Food Microbiology, 2015, 51, 57-68.	4.2	64
40	An innovative method to produce green table olives based on "pied de cuve―technology. Food Microbiology, 2015, 50, 126-140.	4.2	43
41	Over-evaluation of total flavonoids in grape skin extracts containing sulphur dioxide. Food Chemistry, 2015, 172, 537-542.	8.2	11
42	In vivo application and dynamics of lactic acid bacteria for the four-season production of Vastedda-like cheese. International Journal of Food Microbiology, 2014, 177, 37-48.	4.7	26
43	Microbiological and chemical monitoring of Marsala base wine obtained by spontaneous fermentation during large-scale production. Annals of Microbiology, 2014, 64, 1643-1657.	2.6	16
44	Antibacterial activity of Borago officinalis and Brassica juncea aqueous extracts evaluated inÂvitro and in situ using different food model systems. Food Control, 2014, 40, 157-164.	5.5	43
45	Giarraffa and Grossa di Spagna naturally fermented table olives: Effect of starter and probiotic cultures on chemical, microbiological and sensory traits. Food Research International, 2014, 62, 1154-1164.	6.2	43
46	Diversity and technological potential of lactic acid bacteria of wheat flours. Food Microbiology, 2013, 36, 343-354.	4.2	97
47	An integrated technological approach to the selection of lactic acid bacteria of flour origin for sourdough production. Food Research International, 2013, 54, 1569-1578.	6.2	58
48	Effect of the natural winemaking process applied at industrial level on the microbiological and chemical characteristics of wine. Journal of Bioscience and Bioengineering, 2013, 116, 347-356.	2.2	19