

Kazuaki Takabe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5475490/kazuaki-takabe-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257
papers

8,054
citations

47
h-index

79
g-index

277
ext. papers

9,914
ext. citations

5
avg, IF

6.46
L-index

#	Paper	IF	Citations
257	Low RUFY3 expression level is associated with lymph node metastasis in older women with invasive breast cancer.. <i>Breast Cancer Research and Treatment</i> , 2022 , 1	4.4	0
256	Abstract P5-09-03: Mieap, a p53-downstream gene, is associated with suppression of breast cancer cell proliferation and better survival. <i>Cancer Research</i> , 2022 , 82, P5-09-03-P5-09-03	10.1	
255	High RAD51 gene expression is associated with aggressive biology and with poor survival in breast cancer.. <i>Breast Cancer Research and Treatment</i> , 2022 , 193, 49	4.4	1
254	A Preclinical Study to Repurpose Spironolactone for Enhancing Chemotherapy Response in Bladder Cancer.. <i>Molecular Cancer Therapeutics</i> , 2022 ,	6.1	1
253	Intratumoral density of regulatory T cells is a predictor of host immune response and chemotherapy response in colorectal cancer.. <i>American Journal of Cancer Research</i> , 2022 , 12, 490-503	4.4	
252	Intratumoral lymphatic endothelial cell infiltration reflecting lymphangiogenesis is counterbalanced by immune responses and better cancer biology in the breast cancer tumor microenvironment.. <i>American Journal of Cancer Research</i> , 2022 , 12, 504-520	4.4	
251	APOBEC3F expression in triple-negative breast cancer is associated with tumor microenvironment infiltration and activation of cancer immunity and improved survival.. <i>American Journal of Cancer Research</i> , 2022 , 12, 744-762	4.4	
250	H2AX mRNA expression reflects DNA repair, cell proliferation, metastasis, and worse survival in breast cancer.. <i>American Journal of Cancer Research</i> , 2022 , 12, 793-804	4.4	
249	A Presurgical-Window Intervention Trial of Isothiocyanate-Rich Broccoli Sprout Extract in Patients with Breast Cancer.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2101094	5.9	1
248	A 10-miRNA risk score-based prediction model for pathological complete response to neoadjuvant chemotherapy in hormone receptor-positive breast cancer.. <i>Science China Life Sciences</i> , 2022 , 1	8.5	1
247	Serum semaphorin 4C as a diagnostic biomarker in breast cancer: A multicenter retrospective study. <i>Cancer Communications</i> , 2021 ,	9.4	2
246	Angiogenesis is associated with an attenuated tumor microenvironment, aggressive biology, and worse survival in gastric cancer patients. <i>American Journal of Cancer Research</i> , 2021 , 11, 1659-1671	4.4	5
245	G2M checkpoint pathway alone is associated with drug response and survival among cell proliferation-related pathways in pancreatic cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3070-3084	4.4	2
244	Low expression of miR-195 is associated with cell proliferation, glycolysis and poor survival in estrogen receptor (ER)-positive but not in triple negative breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3320-3334	4.4	1
243	A novel five-gene score to predict complete pathological response to neoadjuvant chemotherapy in ER-positive/HER2-negative breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3611-3627	4.4	2
242	Immune cytolytic activity is associated with reduced intra-tumoral genetic heterogeneity and with better clinical outcomes in triple negative breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3628-3644	4.4	2
241	Increased apoptosis is associated with robust immune cell infiltration and cytolytic activity in breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3674-3687	4.4	2

240	A prognostic score based on long-term survivor unique transcriptomic signatures predicts patient survival in pancreatic ductal adenocarcinoma. <i>American Journal of Cancer Research</i> , 2021 , 11, 4294-4307	4.4	0
239	Sphingosine 1-phosphate (S1P) produced by sphingosine kinase 1 (SphK1) and exported via ABCB1 is related to hepatocellular carcinoma (HCC) progression. <i>American Journal of Cancer Research</i> , 2021 , 11, 4394-4407	4.4	1
238	Increased intratumor heterogeneity, angiogenesis and epithelial to mesenchymal transition pathways in metaplastic breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 4408-4420	4.4	1
237	MELK expression in breast cancer is associated with infiltration of immune cell and pathological complete response (pCR) after neoadjuvant chemotherapy. <i>American Journal of Cancer Research</i> , 2021 , 11, 4421-4437	4.4	1
236	Transcriptional Repression of SIRT3 Potentiates Mitochondrial Aconitase Activation to Drive Aggressive Prostate Cancer to the Bone. <i>Cancer Research</i> , 2021 , 81, 50-63	10.1	9
235	Abundance of Microvascular Endothelial Cells Is Associated with Response to Chemotherapy and Prognosis in Colorectal Cancer. <i>Cancers</i> , 2021 , 13,	6.6	6
234	Photoacoustic dual-scan mammoscope: results from 38 patients. <i>Biomedical Optics Express</i> , 2021 , 12, 2054-2063	3.5	9
233	Dysregulation of sphingolipid metabolic enzymes leads to high levels of sphingosine-1-phosphate and ceramide in human hepatocellular carcinoma. <i>Hepatology Research</i> , 2021 , 51, 614-626	5.1	5
232	Annexin A1 Expression Is Associated with Epithelial-Mesenchymal Transition (EMT), Cell Proliferation, Prognosis, and Drug Response in Pancreatic Cancer. <i>Cells</i> , 2021 , 10,	7.9	7
231	High BRCA2 Gene Expression is Associated with Aggressive and Highly Proliferative Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7356-7365	3.1	7
230	A Novel Three-Gene Score as a Predictive Biomarker for Pathologically Complete Response after Neoadjuvant Chemotherapy in Triple-Negative Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	4
229	ASO Visual Abstract: High BRCA2 Gene Expression is Associated with Aggressive and Highly Proliferative Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021 , 28, 441-442	3.1	
228	Urine as a Source of Liquid Biopsy for Cancer. <i>Cancers</i> , 2021 , 13,	6.6	11
227	ASO Author Reflections: High BRCA2 Gene Expression is Associated with Aggressive and Highly Proliferative Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7366-7367	3.1	1
226	Enhanced Thermogenesis in Triple-Negative Breast Cancer Is Associated with Pro-Tumor Immune Microenvironment. <i>Cancers</i> , 2021 , 13,	6.6	7
225	Adipogenesis in triple-negative breast cancer is associated with unfavorable tumor immune microenvironment and with worse survival. <i>Scientific Reports</i> , 2021 , 11, 12541	4.9	5
224	Oligometastasis scoring system for predicting survival of patients with colorectal liver metastasis after hepatectomy. <i>Journal of Surgical Oncology</i> , 2021 , 124, 791-800	2.8	
223	Low expression of miR-29a is associated with aggressive biology and worse survival in gastric cancer. <i>Scientific Reports</i> , 2021 , 11, 14134	4.9	4

222	Conformational Modulation of Iduronic Acid-Containing Sulfated Glycosaminoglycans by a Polynuclear Platinum Compound and Implications for Development of Antimetastatic Platinum Drugs. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 3283-3289	16.4	8
221	Conformational Modulation of Iduronic Acid-Containing Sulfated Glycosaminoglycans by a Polynuclear Platinum Compound and Implications for Development of Antimetastatic Platinum Drugs. <i>Angewandte Chemie</i> , 2021 , 133, 3320-3326	3.6	5
220	Prevalence and clinical relevance of tumor-associated tissue eosinophilia (TATE) in breast cancer. <i>Surgery</i> , 2021 , 169, 1234-1239	3.6	11
219	Behind the clock: elucidating factors contributing to longer clinic appointment duration and patient wait time. <i>BMC Health Services Research</i> , 2021 , 21, 87	2.9	
218	Enhanced DNA Repair Pathway is Associated with Cell Proliferation and Worse Survival in Hepatocellular Carcinoma (HCC). <i>Cancers</i> , 2021 , 13,	6.6	18
217	Breast Tumor Microenvironment in Black Women: A Distinct Signature of CD8+ T-Cell Exhaustion. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1036-1043	9.7	12
216	Th2 cell infiltrations predict neoadjuvant chemotherapy response of estrogen receptor-positive breast cancer. <i>Gland Surgery</i> , 2021 , 10, 154-165	2.2	13
215	Cytotoxic T-lymphocyte infiltration and chemokine predict long-term patient survival independently of tumor mutational burden in triple-negative breast cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2021 , 13, 17588359211006680	5.4	3
214	Organoids Are Limited in Modeling the Colon Adenoma-Carcinoma Sequence. <i>Cells</i> , 2021 , 10,	7.9	7
213	Exploring the lengthiest ambulatory breast surgery clinic appointments: is the patient the problem?. <i>Gland Surgery</i> , 2021 , 10, 551-558	2.2	
212	Bromodomain-containing Protein 4 Is a Favourable Prognostic Factor in Breast Cancer Patients. <i>Anticancer Research</i> , 2021 , 41, 3597-3606	2.3	
211	Breast Cancer in Jamaica: Stage, Grade and Molecular Subtype Distributions Across Age Blocks, the Implications for Screening and Treatment. <i>World Journal of Oncology</i> , 2021 , 12, 93-103	16.7	3
210	Scalp Leiomyosarcoma: Diagnosis and Treatment During a Global Pandemic With COVID-19. <i>World Journal of Oncology</i> , 2021 , 12, 132-136	16.7	1
209	Activin a Receptor Type 2A Mutation Affects the Tumor Biology of Microsatellite Instability-High Gastric Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 2231-2241	3.3	1
208	Conflicting roles of expression by subtypes in breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 5094-5110	4.4	1
207	Different members of the APOBEC3 family of DNA mutators have opposing associations with the landscape of breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 5111-5125	4.4	0
206	Clinical relevance of stem cell surface markers CD133, CD24, and CD44 in colorectal cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 5141-5154	4.4	
205	Development of KAM score to predict metastasis and worse survival in breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 5388-5401	4.4	

204	Low intratumoral genetic neutrophil-to-lymphocyte ratio (NLR) is associated with favorable tumor immune microenvironment and with survival in triple negative breast cancer (TNBC). <i>American Journal of Cancer Research</i> , 2021 , 11, 5743-5755	4.4	
203	Advances in Oncology in US and Japan: Focusing on Cancer and Infectious Diseases.. <i>World Journal of Oncology</i> , 2021 , 12, 183-194	16.7	
202	Management of Male Breast Cancer: The Journey so Far and Future Directions.. <i>World Journal of Oncology</i> , 2021 , 12, 206-213	16.7	0
201	Immunoglobulin G4-Negative Inflammatory Pseudotumors of the Pancreas.. <i>World Journal of Oncology</i> , 2021 , 12, 240-245	16.7	
200	, a p53-downstream gene, is associated with suppression of breast cancer cell proliferation and better survival.. <i>American Journal of Cancer Research</i> , 2021 , 11, 6060-6073	4.4	
199	Inflammation Is Associated with Worse Outcome in the Whole Cohort but with Better Outcome in Triple-Negative Subtype of Breast Cancer Patients. <i>Journal of Immunology Research</i> , 2020 , 2020, 5618786	4.5	19
198	A Novel Four-Gene Score to Predict Pathologically Complete (R0) Resection and Survival in Pancreatic Cancer. <i>Cancers</i> , 2020 , 12,	6.6	11
197	MYC Targets Scores Are Associated with Cancer Aggressiveness and Poor Survival in ER-Positive Primary and Metastatic Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	30
196	High Expression of miR-34a Associated with Less Aggressive Cancer Biology but Not with Survival in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	31
195	Immune Cytolytic Activity for Comprehensive Understanding of Immune Landscape in Hepatocellular Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	30
194	A Novel 4-Gene Score to Predict Survival, Distant Metastasis and Response to Neoadjuvant Therapy in Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	37
193	High Expression of microRNA-143 is Associated with Favorable Tumor Immune Microenvironment and Better Survival in Estrogen Receptor Positive Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	29
192	Fibroblasts as a Biological Marker for Curative Resection in Pancreatic Ductal Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	20
191	Clinical relevance of tumor microenvironment: immune cells, vessels, and mouse models. <i>Human Cell</i> , 2020 , 33, 930-937	4.5	25
190	Contribution of Immune Cells to Glucocorticoid Receptor Expression in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	23
189	Biologically Aggressive Phenotype and Anti-cancer Immunity Counterbalance in Breast Cancer with High Mutation Rate. <i>Scientific Reports</i> , 2020 , 10, 1852	4.9	47
188	Novel Breast Cancer Brain Metastasis Patient-Derived Orthotopic Xenograft Model for Preclinical Studies. <i>Cancers</i> , 2020 , 12,	6.6	12
187	The Immunosuppressant Fingolimod (FTY720) for the Treatment of Mechanical Force-Induced Abnormal Scars. <i>Journal of Immunology Research</i> , 2020 , 2020, 7057195	4.5	7

186	Orthotopic Implantation Achieves Better Engraftment and Faster Growth Than Subcutaneous Implantation in Breast Cancer Patient-Derived Xenografts. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2020 , 25, 27-36	2.4	7
185	Regulation of hypoxia-inducible factor functions in the nucleus by sphingosine-1-phosphate. <i>FASEB Journal</i> , 2020 , 34, 4293-4310	0.9	11
184	Effects of MIR143 on rat sarcoma signaling networks in solid tumors: A brief overview. <i>Cancer Science</i> , 2020 , 111, 1076-1083	6.9	10
183	Neoadjuvant Chemotherapy for Breast Cancer: Past, Present, and Future. <i>Breast Cancer: Basic and Clinical Research</i> , 2020 , 14, 1178223420980377	2.2	13
182	Molecular Biological Features of Nottingham Histological Grade 3 Breast Cancers. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4475-4485	3.1	24
181	Should we target "intermediate expression" of HER2 in older estrogen receptor positive patients?. <i>Translational Cancer Research</i> , 2020 , 9, 4056-4059	0.3	1
180	KRAS signaling enriched triple negative breast cancer is associated with favorable tumor immune microenvironment and better survival. <i>American Journal of Cancer Research</i> , 2020 , 10, 897-907	4.4	50
179	Transcriptomic and functional pathway features were associated with survival after pathological complete response to neoadjuvant chemotherapy in breast cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 2555-2569	4.4	5
178	The Impact of Immunofunctional Phenotyping on the Malfunction of the Cancer Immunity Cycle in Breast Cancer. <i>Cancers</i> , 2020 , 13,	6.6	5
177	Current status and limitations of immunotherapy for breast cancer. <i>Surgery</i> , 2020 , 167, 628-630	3.6	30
176	Direct Delivery of Apatite Nanoparticle-Encapsulated siRNA Targeting TIMP-1 for Intractable Abnormal Scars. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 22, 50-61	10.7	3
175	CD8 T Cell Score as a Prognostic Biomarker for Triple Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	56
174	Abundance of Regulatory T Cell (Treg) as a Predictive Biomarker for Neoadjuvant Chemotherapy in Triple-Negative Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	39
173	High G2M Pathway Score Pancreatic Cancer is Associated with Worse Survival, Particularly after Margin-Positive (R1 or R2) Resection. <i>Cancers</i> , 2020 , 12,	6.6	21
172	M1 Macrophage and M1/M2 ratio defined by transcriptomic signatures resemble only part of their conventional clinical characteristics in breast cancer. <i>Scientific Reports</i> , 2020 , 10, 16554	4.9	45
171	ITPKC as a Prognostic and Predictive Biomarker of Neoadjuvant Chemotherapy for Triple Negative Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	28
170	The E2F Pathway Score as a Predictive Biomarker of Response to Neoadjuvant Therapy in ER+/HER2- Breast Cancer. <i>Cells</i> , 2020 , 9,	7.9	40
169	Plasmacytoid Dendritic Cell (pDC) Infiltration Correlate with Tumor Infiltrating Lymphocytes, Cancer Immunity, and Better Survival in Triple Negative Breast Cancer (TNBC) More Strongly than Conventional Dendritic Cell (cDC). <i>Cancers</i> , 2020 , 12,	6.6	34

168	Degree of Early Estrogen Response Predict Survival after Endocrine Therapy in Primary and Metastatic ER-Positive Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	20
167	Transcriptomic Profile of Lymphovascular Invasion, a Known Risk Factor of Pancreatic Ductal Adenocarcinoma Metastasis. <i>Cancers</i> , 2020 , 12,	6.6	12
166	Sphingosine Kinase 1 is Associated With Immune Cell-Related Gene Expressions in Human Breast Cancer. <i>Journal of Surgical Research</i> , 2020 , 256, 645-656	2.5	2
165	ASO Author Reflections: Transitioning From Morphology to Transcriptomics in Capturing Tumor Biology. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4486-4487	3.1	5
164	Intra-Tumoral Angiogenesis Is Associated with Inflammation, Immune Reaction and Metastatic Recurrence in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	31
163	Outcome of Everolimus-Based Therapy in Hormone-Receptor-Positive Metastatic Breast Cancer Patients After Progression on Palbociclib. <i>Breast Cancer: Basic and Clinical Research</i> , 2020 , 14, 1178223420944864	2.2	10
162	H2A Histone Family Member X (H2AX) Is Upregulated in Ovarian Cancer and Demonstrates Utility as a Prognostic Biomarker in Terms of Overall Survival. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
161	Intratumoral Adipocyte-High Breast Cancer Enrich for Metastatic and Inflammation-Related Pathways but Associated with Less Cancer Cell Proliferation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	27
160	High Expression of NRF2 Is Associated with Increased Tumor-Infiltrating Lymphocytes and Cancer Immunity in ER-Positive/HER2-Negative Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	21
159	Dual Scan Mammoscope (DSM)-A New Portable Photoacoustic Breast Imaging System With Scanning in Craniocaudal Plane. <i>IEEE Transactions on Biomedical Engineering</i> , 2020 , 67, 1321-1327	5	22
158	G2M Cell Cycle Pathway Score as a Prognostic Biomarker of Metastasis in Estrogen Receptor (ER)-Positive Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	60
157	Lymphovascular invasion in breast cancer is associated with gene expression signatures of cell proliferation but not lymphangiogenesis or immune response. <i>Breast Cancer Research and Treatment</i> , 2020 , 181, 309-322	4.4	25
156	Triple-Negative Breast Cancer with High Levels of Annexin A1 Expression Is Associated with Mast Cell Infiltration, Inflammation, and Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	50
155	Tumor Infiltrating Lymphocytes and Macrophages Improve Survival in Microsatellite Unstable Colorectal Cancer. <i>Scientific Reports</i> , 2019 , 9, 13455	4.9	48
154	Primary and secondary breast angiosarcoma: single center report and a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2019 , 178, 523-533	4.4	22
153	Elastographic Tomosynthesis From X-Ray Strain Imaging of Breast Cancer. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2019 , 7, 4300312	3	2
152	High expression of bone morphogenetic protein (BMP) 6 and BMP7 are associated with higher immune cell infiltration and better survival in estrogen receptor-positive breast cancer. <i>Oncology Reports</i> , 2019 , 42, 1413-1421	3.5	30
151	Pancreatic adenocarcinomas with mature blood vessels have better overall survival. <i>Scientific Reports</i> , 2019 , 9, 1310	4.9	50

150	Estrogen Receptor Positive Breast Cancer with High Expression of Androgen Receptor has Less Cytolytic Activity and Worse Response to Neoadjuvant Chemotherapy but Better Survival. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	41
149	High expression of Annexin A2 is associated with DNA repair, metabolic alteration, and worse survival in pancreatic ductal adenocarcinoma. <i>Surgery</i> , 2019 , 166, 150-156	3.6	20
148	Genomic and Transcriptomic Landscape of Triple-Negative Breast Cancers: Subtypes and Treatment Strategies. <i>Cancer Cell</i> , 2019 , 35, 428-440.e5	24.3	239
147	Glucose Drives Growth Factor-Independent Esophageal Cancer Proliferation via Phosphohistidine-Focal Adhesion Kinase Signaling. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 8, 37-60	7.9	7
146	Tumor Heterogeneity Correlates with Less Immune Response and Worse Survival in Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2191-2199	3.1	70
145	Clinical application of ceramide in cancer treatment. <i>Breast Cancer</i> , 2019 , 26, 407-415	3.4	19
144	BRAF V600E and SRC mutations as molecular markers for predicting prognosis and conversion surgery in Stage IV colorectal cancer. <i>Scientific Reports</i> , 2019 , 9, 2466	4.9	13
143	Clinical and pathological predictors of recurrence in breast cancer patients achieving pathological complete response to neoadjuvant chemotherapy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2289-2294 ¹⁷	3.6	17
142	Class I histone deacetylase inhibitor suppresses vasculogenic mimicry by enhancing the expression of tumor suppressor and anti-angiogenesis genes in aggressive human TNBC cells. <i>International Journal of Oncology</i> , 2019 , 55, 116-130	4.4	14
141	Sphingosine-1-Phosphate Facilitates Skin Wound Healing by Increasing Angiogenesis and Inflammatory Cell Recruitment with Less Scar Formation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	16
140	High expression of polo-like kinase 1 is associated with TP53 inactivation, DNA repair deficiency, and worse prognosis in ER positive Her2 negative breast cancer. <i>American Journal of Translational Research (discontinued)</i> , 2019 , 11, 6507-6521	3	22
139	High MYC mRNA Expression Is More Clinically Relevant than MYC DNA Amplification in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	27
138	APOBEC3-Mediated RNA Editing in Breast Cancer is Associated with Heightened Immune Activity and Improved Survival. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	31
137	Late recurrence of breast cancer is associated with pro-cancerous immune microenvironment in the primary tumor. <i>Scientific Reports</i> , 2019 , 9, 16942	4.9	31
136	Expression of MicroRNA-9 is Associated With Overall Survival in Breast Cancer Patients. <i>Journal of Surgical Research</i> , 2019 , 233, 426-435	2.5	27
135	Low DMT1 Expression Associates With Increased Oxidative Phosphorylation and Early Recurrence in Hepatocellular Carcinoma. <i>Journal of Surgical Research</i> , 2019 , 234, 343-352	2.5	14
134	SMAD4 alteration associates with invasive-front pathological markers and poor prognosis in colorectal cancer. <i>Histopathology</i> , 2019 , 74, 873-882	7.3	25
133	Clinical target sequencing for precision medicine of breast cancer. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 131-140	4.2	7

132	The Roles of Sphingosine Kinases in Skin Aging. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 951-953	4.3	
131	Next generation sequencing-based gene panel tests for the management of solid tumors. <i>Cancer Science</i> , 2019 , 110, 6-15	6.9	52
130	Clinical and Genetic Implications of Mutation Burden in Squamous Cell Carcinoma of the Lung. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1564-1571	3.1	16
129	Targeting the SphK1/S1P/S1PR1 Axis That Links Obesity, Chronic Inflammation, and Breast Cancer Metastasis. <i>Cancer Research</i> , 2018 , 78, 1713-1725	10.1	98
128	Impact of Concurrent Genomic Alterations Detected by Comprehensive Genomic Sequencing on Clinical Outcomes in East-Asian Patients with EGFR-Mutated Lung Adenocarcinoma. <i>Scientific Reports</i> , 2018 , 8, 1005	4.9	16
127	TP53 is required for BECN1- and ATG5-dependent cell death induced by sphingosine kinase 1 inhibition. <i>Autophagy</i> , 2018 , 14, 942-957	10.2	24
126	Efficacy of Palbociclib Combinations in Hormone Receptor-Positive Metastatic Breast Cancer Patients After Prior Everolimus Treatment. <i>Clinical Breast Cancer</i> , 2018 , 18, e1401-e1405	3	19
125	Pseudocirrhosis after chemotherapy in breast cancer, case reports. <i>Breast Cancer</i> , 2018 , 25, 614-618	3.4	2
124	ABCC1-Exported Sphingosine-1-phosphate, Produced by Sphingosine Kinase 1, Shortens Survival of Mice and Patients with Breast Cancer. <i>Molecular Cancer Research</i> , 2018 , 16, 1059-1070	6.6	41
123	Common driver mutations and smoking history affect tumor mutation burden in lung adenocarcinoma. <i>Journal of Surgical Research</i> , 2018 , 230, 181-185	2.5	38
122	Clinical Significance of BRAF Non-V600E Mutations in Colorectal Cancer: A Retrospective Study of Two Institutions. <i>Journal of Surgical Research</i> , 2018 , 232, 72-81	2.5	14
121	Intravital microscopy in the study of the tumor microenvironment: from bench to human application. <i>Oncotarget</i> , 2018 , 9, 20165-20178	3.3	25
120	Generation of sphingosine-1-phosphate is enhanced in biliary tract cancer patients and is associated with lymphatic metastasis. <i>Scientific Reports</i> , 2018 , 8, 10814	4.9	12
119	Genomic characterization of colitis-associated colorectal cancer. <i>World Journal of Surgical Oncology</i> , 2018 , 16, 121	3.4	27
118	Different Roles of Sphingosine Kinase 1 and 2 in Pancreatic Cancer Progression. <i>Journal of Surgical Research</i> , 2018 , 232, 186-194	2.5	12
117	High expression of SLCO2B1 is associated with prostate cancer recurrence after radical prostatectomy. <i>Oncotarget</i> , 2018 , 9, 14207-14218	3.3	31
116	Ceramide species are elevated in human breast cancer and are associated with less aggressiveness. <i>Oncotarget</i> , 2018 , 9, 19874-19890	3.3	50
115	Pathogenic germline mutations and familial predisposition to gastric cancer. <i>JCO Precision Oncology</i> , 2018 , 2,	3.6	6

114	A high burden of comorbid conditions leads to decreased survival in breast cancer. <i>Gland Surgery</i> , 2018 , 7, 216-227	2.2	8
113	Actionable gene alterations in an Asian population with triple-negative breast cancer. <i>JCO Precision Oncology</i> , 2018 , 2,	3.6	1
112	ASO Author Reflections: "From Computer to Bedside": A New Translational Approach to Immunogenomics. <i>Annals of Surgical Oncology</i> , 2018 , 25, 846-847	3.1	5
111	Generating a Murine Orthotopic Metastatic Breast Cancer Model and Performing Murine Radical Mastectomy. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	8
110	Novel MicroRNA-Based Risk Score Identified by Integrated Analyses to Predict Metastasis and Poor Prognosis in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 4037-4046	3.1	25
109	The role of sphingosine-1-phosphate in inflammation and cancer progression. <i>Cancer Science</i> , 2018 , 109, 3671-3678	6.9	49
108	Cytolytic Activity Score to Assess Anticancer Immunity in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 2323-2331	3.1	73
107	Upregulation of phosphorylated sphingosine kinase 1 expression in colitis-associated cancer. <i>Journal of Surgical Research</i> , 2018 , 231, 323-330	2.5	14
106	Angiopoietin pathway gene expression associated with poor breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 191-198	4.4	38
105	Metastatic triple-negative breast cancer is dependent on SphKs/S1P signaling for growth and survival. <i>Cellular Signalling</i> , 2017 , 32, 85-92	4.9	37
104	The role of sphingosine 1-phosphate receptor 2 in bile-acid-induced cholangiocyte proliferation and cholestasis-induced liver injury in mice. <i>Hepatology</i> , 2017 , 65, 2005-2018	11.2	92
103	Bile acids as global regulators of hepatic nutrient metabolism. <i>Liver Research</i> , 2017 , 1, 10-16	4.1	10
102	Current Update of Patient-Derived Xenograft Model for Translational Breast Cancer Research. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2017 , 22, 131-139	2.4	29
101	Gastric adenosquamous carcinoma producing granulocyte-colony stimulating factor: a case of a rare malignancy. <i>Surgical Case Reports</i> , 2017 , 3, 67	0.8	7
100	Update on the diagnosis and management of malignant phyllodes tumors of the breast. <i>Breast</i> , 2017 , 33, 91-96	3.6	21
99	The role of sphingosine-1-phosphate in the tumor microenvironment and its clinical implications. <i>Tumor Biology</i> , 2017 , 39, 1010428317699133	2.9	24
98	Stress-induced dynamic regulation of mitochondrial STAT3 and its association with cyclophilin D reduce mitochondrial ROS production. <i>Science Signaling</i> , 2017 , 10,	8.8	62
97	Murine breast cancer mastectomy model that predicts patient outcomes for drug development. <i>Journal of Surgical Research</i> , 2017 , 219, 310-318	2.5	8

96	Benign esophageal schwannoma: a brief overview and our experience with this rare tumor. <i>Surgical Case Reports</i> , 2017 , 3, 97	0.8	7
95	Hypermutation and microsatellite instability in gastrointestinal cancers. <i>Oncotarget</i> , 2017 , 8, 112103-112115	3.15	46
94	Comprehensive genomic sequencing detects important genetic differences between right-sided and left-sided colorectal cancer. <i>Oncotarget</i> , 2017 , 8, 93567-93579	3.3	19
93	Formalin-fixed paraffin-embedded sample conditions for deep next generation sequencing. <i>Journal of Surgical Research</i> , 2017 , 220, 125-132	2.5	29
92	Clinical Relevance of microRNA Expressions in Breast Cancer Validated Using the Cancer Genome Atlas (TCGA). <i>Annals of Surgical Oncology</i> , 2017 , 24, 2943-2949	3.1	43
91	Overexpression of suppressive microRNAs, miR-30a and miR-200c are associated with improved survival of breast cancer patients. <i>Scientific Reports</i> , 2017 , 7, 15945	4.9	47
90	Actionable gene-based classification toward precision medicine in gastric cancer. <i>Genome Medicine</i> , 2017 , 9, 93	14.4	41
89	Doxorubicin effect is enhanced by sphingosine-1-phosphate signaling antagonist in breast cancer. <i>Journal of Surgical Research</i> , 2017 , 219, 202-213	2.5	41
88	Clinical Impact of Sphingosine-1-Phosphate in Breast Cancer. <i>Mediators of Inflammation</i> , 2017 , 2017, 2076239	4.3	26
87	Paradoxical Association of Postoperative Plasma Sphingosine-1-Phosphate with Breast Cancer Aggressiveness and Chemotherapy. <i>Mediators of Inflammation</i> , 2017 , 2017, 5984819	4.3	4
86	Tamoxifen sensitivity-related microRNA-342 is a useful biomarker for breast cancer survival. <i>Oncotarget</i> , 2017 , 8, 99978-99989	3.3	35
85	The roles of bile acids and sphingosine-1-phosphate signaling in the hepatobiliary diseases. <i>Journal of Lipid Research</i> , 2016 , 57, 1636-43	6.3	53
84	Reply. <i>Hepatology</i> , 2016 , 63, 1740-1	11.2	
83	Modified breast cancer model for preclinical immunotherapy studies. <i>Journal of Surgical Research</i> , 2016 , 204, 467-474	2.5	15
82	DNA damage response and sphingolipid signaling in liver diseases. <i>Surgery Today</i> , 2016 , 46, 995-1005	3	25
81	Resolvins and omega three polyunsaturated fatty acids: Clinical implications in inflammatory diseases and cancer. <i>World Journal of Clinical Cases</i> , 2016 , 4, 155-64	1.6	53
80	Sphingosine-1-Phosphate Signaling in Immune Cells and Inflammation: Roles and Therapeutic Potential. <i>Mediators of Inflammation</i> , 2016 , 2016, 8606878	4.3	96
79	Genomic landscape of colorectal cancer in Japan: clinical implications of comprehensive genomic sequencing for precision medicine. <i>Genome Medicine</i> , 2016 , 8, 136	14.4	48

78	Sphingosine-1-phosphate in the lymphatic fluid determined by novel methods. <i>Heliyon</i> , 2016 , 2, e00219	3.6	20
77	High levels of sphingolipids in human breast cancer. <i>Journal of Surgical Research</i> , 2016 , 204, 435-444	2.5	57
76	Operation with less adjuvant therapy for elderly breast cancer. <i>Journal of Surgical Research</i> , 2016 , 204, 410-417	2.5	7
75	Sphingosine-1-phosphate phosphatase 2 promotes disruption of mucosal integrity, and contributes to ulcerative colitis in mice and humans. <i>FASEB Journal</i> , 2016 , 30, 2945-58	0.9	35
74	Successful intravenous catheterization by medical students. <i>Journal of Surgical Research</i> , 2016 , 204, 351-360	2.5	7
73	Breast cancer sphingosine-1-phosphate is associated with phospho-sphingosine kinase 1 and lymphatic metastasis. <i>Journal of Surgical Research</i> , 2016 , 205, 85-94	2.5	42
72	Interstitial Fluid Sphingosine-1-Phosphate in Murine Mammary Gland and Cancer and Human Breast Tissue and Cancer Determined by Novel Methods. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2016 , 21, 9-17	2.4	33
71	Twitter as a survey tool for real-time unbiased snapshots of personal sentiment in population level. <i>Journal of Surgical Research</i> , 2016 , 206, 543-544	2.5	3
70	Host sphingosine kinase 1 worsens pancreatic cancer peritoneal carcinomatosis. <i>Journal of Surgical Research</i> , 2016 , 205, 510-517	2.5	26
69	Murine model of long-term obstructive jaundice. <i>Journal of Surgical Research</i> , 2016 , 206, 118-125	2.5	18
68	Development of a metastatic murine colon cancer model. <i>Journal of Surgical Research</i> , 2015 , 199, 106-142	2.5	29
67	The phosphorylated prodrug FTY720 is a histone deacetylase inhibitor that reactivates ER α expression and enhances hormonal therapy for breast cancer. <i>Oncogenesis</i> , 2015 , 4, e156	6.6	71
66	Spinster 2, a sphingosine-1-phosphate transporter, plays a critical role in inflammatory and autoimmune diseases. <i>FASEB Journal</i> , 2015 , 29, 5018-28	0.9	46
65	Conjugated bile acid-activated S1P receptor 2 is a key regulator of sphingosine kinase 2 and hepatic gene expression. <i>Hepatology</i> , 2015 , 61, 1216-26	11.2	114
64	S1P promotes breast cancer progression by angiogenesis and lymphangiogenesis. <i>Breast Cancer Management</i> , 2015 , 4, 241-244	0.7	16
63	At what age should screening mammography be recommended for Asian women?. <i>Cancer Medicine</i> , 2015 , 4, 1136-44	4.8	9
62	Animal models for exploring the pharmacokinetics of breast cancer therapies. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 221-30	5.5	36
61	K63-linked polyubiquitination of transcription factor IRF1 is essential for IL-1-induced production of chemokines CXCL10 and CCL5. <i>Nature Immunology</i> , 2014 , 15, 231-8	19.1	87

60	Sphingosine-1-phosphate in chronic intestinal inflammation and cancer. <i>Advances in Biological Regulation</i> , 2014 , 54, 112-20	6.2	59
59	Export of sphingosine-1-phosphate and cancer progression. <i>Journal of Lipid Research</i> , 2014 , 55, 1839-46	6.3	111
58	An improved syngeneic orthotopic murine model of human breast cancer progression. <i>Breast Cancer Research and Treatment</i> , 2014 , 147, 501-12	4.4	36
57	Does removal of the primary tumor in metastatic breast cancer improve survival?. <i>Journal of Women's Health</i> , 2014 , 23, 184-8	3	20
56	Sphingosine-1-phosphate transporters as targets for cancer therapy. <i>BioMed Research International</i> , 2014 , 2014, 651727	3	69
55	The Pathological Response to Anthracycline is Associated with Topoisomerase III β Gene Amplification in the HER2 Breast Cancer Subset 2014 , 2, 10-12		1
54	The role of HER-2 in Breast Cancer 2014 , 2, 4-9		5
53	Outcomes of Hybrid Video Assisted Thoracoscopic Surgery for Pulmonary Metastasectomy 2014 , 2, 18-24		2
52	Advances in the management of peritoneal mesothelioma. <i>World Journal of Gastroenterology</i> , 2014 , 20, 11700-12	5.6	15
51	Current treatment options for colon cancer peritoneal carcinomatosis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12493-500	5.6	41
50	Primary and secondary angiosarcoma of the breast. <i>Gland Surgery</i> , 2014 , 3, 28-34	2.2	48
49	Resection of the primary tumor improves survival in metastatic breast cancer by reducing overall tumor burden. <i>Surgery</i> , 2013 , 153, 771-8	3.6	61
48	Sphingosine-1-phosphate links persistent STAT3 activation, chronic intestinal inflammation, and development of colitis-associated cancer. <i>Cancer Cell</i> , 2013 , 23, 107-20	24.3	404
47	High expression of ATP-binding cassette transporter ABCC11 in breast tumors is associated with aggressive subtypes and low disease-free survival. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 773-82	4.4	69
46	Emerging Role of Sphingosine-1-phosphate in Inflammation, Cancer, and Lymphangiogenesis. <i>Biomolecules</i> , 2013 , 3,	5.9	47
45	Spns2, a transporter of phosphorylated sphingoid bases, regulates their blood and lymph levels, and the lymphatic network. <i>FASEB Journal</i> , 2013 , 27, 1001-11	0.9	113
44	Earwax type and osmidrosis: prognostic factor for breast cancer? Response to letter to the editor. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 652-3	4.4	1
43	Intestinal Co-infection of Tuberculosis and CMV can Cause Massive Lower GI Bleeding in a Patient with HIV 2013 , 1, 12-15		4

42	Welcome to the 2013 , 1, 1-2		
41	Chemokines, chemokine receptors and the gastrointestinal system. <i>World Journal of Gastroenterology</i> , 2013 , 19, 2847-63	5.6	15
40	Thymic neoplasm: a rare disease with a complex clinical presentation. <i>Journal of Thoracic Disease</i> , 2013 , 5, 173-83	2.6	20
39	Is tail vein injection a relevant breast cancer lung metastasis model?. <i>Journal of Thoracic Disease</i> , 2013 , 5, 385-92	2.6	61
38	Conjugated bile acids activate the sphingosine-1-phosphate receptor 2 in primary rodent hepatocytes. <i>Hepatology</i> , 2012 , 55, 267-76	11.2	177
37	Bevacizumab and breast cancer: what does the future hold?. <i>Future Oncology</i> , 2012 , 8, 403-14	3.6	32
36	The role of sphingosine-1-phosphate in breast cancer tumor-induced lymphangiogenesis. <i>Lymphatic Research and Biology</i> , 2012 , 10, 97-106	2.3	46
35	Sphingosine-1-phosphate produced by sphingosine kinase 1 promotes breast cancer progression by stimulating angiogenesis and lymphangiogenesis. <i>Cancer Research</i> , 2012 , 72, 726-35	10.1	239
34	Are video-assisted thoracoscopic surgery (VATS) and robotic video-assisted thoracic surgery (RVATS) for pulmonary resection ready for prime time?. <i>Journal of Thoracic Disease</i> , 2012 , 4, 341-2	2.6	8
33	Inverted Meckel's diverticulum as a cause of occult lower gastrointestinal hemorrhage. <i>World Journal of Gastroenterology</i> , 2012 , 18, 6155-9	5.6	24
32	Chylothorax after blunt trauma. <i>Journal of Thoracic Disease</i> , 2012 , 4, 327-30	2.6	16
31	The evolution of the role of surgery in the management of breast cancer lung metastasis. <i>Journal of Thoracic Disease</i> , 2012 , 4, 420-4	2.6	27
30	Pneumothorax, an underappreciated complication with an airway exchange catheter. <i>Journal of Thoracic Disease</i> , 2012 , 4, 659-62	2.6	14
29	Twofer anti-vascular therapy targeting sphingosine-1-phosphate for breast cancer. <i>Gland Surgery</i> , 2012 , 1, 80-83	2.2	15
28	A cause of unbearably painful breast, diffuse dermal angiomatosis. <i>Gland Surgery</i> , 2012 , 1,	2.2	1
27	Targeting sphingosine-1-phosphate in hematologic malignancies. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2011 , 11, 794-8	2.2	18
26	Is T790M mutation the key in development of resistance to epidermal growth factor receptor tyrosine kinase inhibitors (EGFR-TKIs)?. <i>Journal of Thoracic Disease</i> , 2011 , 3, 1-3	2.6	1
25	Successful treatment of primary pulmonary melanoma. <i>Journal of Thoracic Disease</i> , 2011 , 3, 207-8	2.6	11

24	Estradiol induces export of sphingosine 1-phosphate from breast cancer cells via ABCC1 and ABCG2. <i>Journal of Biological Chemistry</i> , 2010 , 285, 10477-86	5.4	196
23	A hybrid technique: video-assisted thoracoscopic surgery (VATS) pulmonary resections for community-based surgeons. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 700-4	5.2	9
22	Lysophosphatidic acid stimulates gastric cancer cell proliferation via ERK1-dependent upregulation of sphingosine kinase 1 transcription. <i>FEBS Letters</i> , 2010 , 584, 4077-82	3.8	23
21	Methods of esophagogastric anastomoses following esophagectomy for cancer: A systematic review. <i>Journal of Surgical Oncology</i> , 2010 , 101, 527-33	2.8	89
20	Outcomes of a hybrid technique for video-assisted thoracoscopic surgery (VATS) pulmonary resection in a community setting. <i>Journal of Thoracic Disease</i> , 2010 , 2, 210-4	2.6	6
19	Lymphangiogenesis: a new player in cancer progression. <i>World Journal of Gastroenterology</i> , 2010 , 16, 4003-12	5.6	58
18	Computed tomography is useful for preoperative workup of gastric rupture caused by blunt trauma. <i>Surgery Today</i> , 2009 , 39, 1109	3	2
17	Export and functions of sphingosine-1-phosphate. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009 , 1791, 692-6	5	133
16	Cross-talk between LPA1 and epidermal growth factor receptors mediates up-regulation of sphingosine kinase 1 to promote gastric cancer cell motility and invasion. <i>Cancer Research</i> , 2008 , 68, 6569-77	10.1	112
15	Targeting SphK1 as a new strategy against cancer. <i>Current Drug Targets</i> , 2008 , 9, 662-73	3	258
14	"Inside-out" signaling of sphingosine-1-phosphate: therapeutic targets. <i>Pharmacological Reviews</i> , 2008 , 60, 181-95	22.5	555
13	Image of the month--quiz case. Heterotopic gastric mucosa. <i>Archives of Surgery</i> , 2008 , 143, 513-4		
12	Hernia sac laparoscopy under spinal anesthesia for evaluation of reduced incarcerated inguinal hernia. <i>Journal of Gastrointestinal Surgery</i> , 2007 , 11, 1081-2	3.3	5
11	Facial aesthetic preferences among Asian women: are all oriental Asians the same?. <i>Aesthetic Plastic Surgery</i> , 2006 , 30, 342-7	2	74
10	Giant peritoneal loose bodies. <i>Journal of Gastrointestinal Surgery</i> , 2006 , 10, 465-8	3.3	14
9	Successful perioperative management of factor X deficiency associated with primary amyloidosis. <i>Journal of Gastrointestinal Surgery</i> , 2004 , 8, 358-62	3.3	21
8	Adenovirus-mediated overexpression of follistatin enlarges intact liver of adult rats. <i>Hepatology</i> , 2003 , 38, 1107-15	11.2	32
7	Preoperative diagnosis of malignant transformation arising from mature cystic teratoma of the ovary. <i>Gynecologic Oncology</i> , 2003 , 90, 338-41	4.9	76

6	Effect of adenovirus-mediated overexpression of follistatin and extracellular domain of activin receptor type II on gonadotropin secretion in vitro and in vivo. <i>Endocrinology</i> , 2002 , 143, 964-9	4.8	13
5	Interruption of activin A autocrine regulation by antisense oligodeoxynucleotides accelerates liver tumor cell proliferation. <i>Endocrinology</i> , 1999 , 140, 3125-32	4.8	15
4	Sustained correction of bleeding disorder in hemophilia B mice by gene therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 3906-10	11.5	195
3	Anisakidosis: a cause of intestinal obstruction from eating sushi. <i>American Journal of Gastroenterology</i> , 1998 , 93, 1172-3	0.7	36
2	Segmental pericholangial fibrosis: a peculiar benign fibrosing disease at the hepatic hilum. <i>Journal of Pediatric Surgery</i> , 1997 , 32, 1767-70	2.6	4
1	Extracellular sialyltransferase st6gal1 in breast tumor cell growth and invasiveness. <i>Cancer Gene Therapy</i> ,	5.4	1