

Jean Ferrieres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/547598/publications.pdf>

Version: 2024-02-01

403
papers

57,276
citations

6233

80
h-index

1280

225
g-index

419
all docs

419
docs citations

419
times ranked

69282
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
2	Metabolic Endotoxemia Initiates Obesity and Insulin Resistance. <i>Diabetes</i> , 2007, 56, 1761-1772.	0.3	4,964
3	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020, 41, 111-188.	1.0	4,871
4	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	6.3	3,941
5	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
6	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641
7	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
8	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. <i>Atherosclerosis</i> , 2019, 290, 140-205.	0.4	1,753
9	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
10	Genetic Determinants of Response to Clopidogrel and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2009, 360, 363-375.	13.9	1,581
11	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 25-33.	9.4	1,439
12	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
13	Plasma Fibrinogen Level and the Risk of Major Cardiovascular Diseases and Nonvascular Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 1799-809.	3.8	925
14	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 1345-1352.	9.4	754
15	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
16	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
17	Energy intake is associated with endotoxemia in apparently healthy men. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1219-1223.	2.2	498
18	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017, 49, 1758-1766.	9.4	470

#	ARTICLE	IF	CITATIONS
19	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , 2016, 351, 1166-1171.	6.0	438
20	CKD Prevalence Varies across the European General Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2135-2147.	3.0	406
21	Association of Changes in Clinical Characteristics and Management With Improvement in Survival Among Patients With ST-Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 998.	3.8	402
22	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
23	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571.	9.4	356
24	Acute Myocardial Infarction. <i>Circulation</i> , 2017, 136, 1908-1919.	1.6	352
25	C-Reactive Protein, Interleukin-6, and Fibrinogen as Predictors of Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 1255-1261.	1.1	348
26	Interleukin-18 and the Risk of Coronary Heart Disease in European Men. <i>Circulation</i> , 2003, 108, 2453-2459.	1.6	317
27	Lipid Treatment Assessment Project 2. <i>Circulation</i> , 2009, 120, 28-34.	1.6	293
28	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
29	Comparison of Thrombolysis Followed by Broad Use of Percutaneous Coronary Intervention With Primary Percutaneous Coronary Intervention for ST-Segmentâ€Elevation Acute Myocardial Infarction. <i>Circulation</i> , 2008, 118, 268-276.	1.6	275
30	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , 2016, 48, 1151-1161.	9.4	261
31	Arterial stiffness and cardiovascular risk factors in a population-based study. <i>Journal of Hypertension</i> , 2001, 19, 381-387.	0.3	242
32	The French paradox: lessons for other countries. <i>British Heart Journal</i> , 2004, 90, 107-111.	2.2	234
33	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1419-1433.	0.9	230
34	Contributions of Depressive Mood and Circulating Inflammatory Markers to Coronary Heart Disease in Healthy European Men. <i>Circulation</i> , 2005, 111, 2299-2305.	1.6	220
35	Are the Framingham and PROCAM coronary heart disease risk functions applicable to different European populations? The PRIME Study. <i>European Heart Journal</i> , 2003, 24, 1903-1911.	1.0	216
36	Systematic Evaluation of Pleiotropy Identifies 6 Further Loci Associated Withâ€Coronary Arteryâ€Disease. <i>Journal of the American College of Cardiology</i> , 2017, 69, 823-836.	1.2	214

#	ARTICLE	IF	CITATIONS
37	Endothelial Cell Markers and the Risk of Coronary Heart Disease. <i>Circulation</i> , 2004, 109, 1343-1348.	1.6	203
38	Ozone Air Pollution Is Associated With Acute Myocardial Infarction. <i>Circulation</i> , 2005, 111, 563-569.	1.6	202
39	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , 2002, 163, 377-384.	0.4	196
40	Associations of Fibrinogen, Factor VII and PAI-1 with Baseline Findings among 10,500 Male Participants in a Prospective Study of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , 1998, 80, 749-756.	1.8	184
41	The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001474.	3.9	178
42	Value of HDL Cholesterol, Apolipoprotein A-I, Lipoprotein A-I, and Lipoprotein A-I/A-II in Prediction of Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1155-1161.	1.1	169
43	Twenty-five-year trends in myocardial infarction attack and mortality rates, and case-fatality, in six European populations. <i>Heart</i> , 2015, 101, 1413-1421.	1.2	169
44	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: The PRIME Study. <i>Atherosclerosis</i> , 2003, 170, 169-176.	0.4	156
45	Household Income Is Associated With the Risk of Metabolic Syndrome in a Sex-Specific Manner. <i>Diabetes Care</i> , 2005, 28, 409-415.	4.3	156
46	Ischemic stroke is associated with the <i>ABO</i> locus: The EuroCLOT study. <i>Annals of Neurology</i> , 2013, 73, 16-31.	2.8	144
47	Persistent lipid abnormalities in statin-treated patients and predictors of LDL-cholesterol goal achievement in clinical practice in Europe and Canada. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 221-230.	0.8	143
48	French Registry on Acute ST-elevation and non ST-elevation Myocardial Infarction 2010. <i>FAST-MI 2010. Heart</i> , 2012, 98, 699-705.	1.2	141
49	Clinical Events as a Function of Proton Pump Inhibitor Use, Clopidogrel Use, and Cytochrome P450 2C19 Genotype in a Large Nationwide Cohort of Acute Myocardial Infarction. <i>Circulation</i> , 2011, 123, 474-482.	1.6	140
50	β blockers and mortality after myocardial infarction in patients without heart failure: multicentre prospective cohort study. <i>BMJ, The</i> , 2016, 354, i4801.	3.0	134
51	Shift work and cardiovascular risk factors: New knowledge from the past decade. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 636-668.	0.7	132
52	A Genome-Wide Association Study Identifies <i>LIPA</i> as a Susceptibility Gene for Coronary Artery Disease. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 403-412.	5.1	130
53	Prevalence of Insulin Resistance Syndrome in Southwestern France and Its Relationship With Inflammatory and Hemostatic Markers. <i>Diabetes Care</i> , 2002, 25, 1371-1377.	4.3	128
54	Patterns of alcohol consumption and ischaemic heart disease in culturally divergent countries: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>BMJ: British Medical Journal</i> , 2010, 341, c6077-c6077.	2.4	127

#	ARTICLE	IF	CITATIONS
55	Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2015, 44, 578-586.	0.9	123
56	Impact of Type of Preadmission Sulfonylureas on Mortality and Cardiovascular Outcomes in Diabetic Patients with Acute Myocardial Infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4993-5002.	1.8	118
57	Impact of Age and Gender on the Prevalence and Prognostic Importance of the Metabolic Syndrome and Its Components in Europeans. The MORGAM Prospective Cohort Project. <i>PLoS ONE</i> , 2014, 9, e107294.	1.1	117
58	Leisure-time physical activity and regular walking or cycling to work are associated with adiposity and 5-year weight gain in middle-aged men: the PRIME Study. <i>International Journal of Obesity</i> , 2001, 25, 940-948.	1.6	115
59	Five-Year Survival in Patients With ST-Segment Elevation Myocardial Infarction According to Modalities of Reperfusion Therapy. <i>Circulation</i> , 2014, 129, 1629-1636.	1.6	114
60	Seasonality of cardiovascular risk factors: an analysis including over 230,000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	1.2	113
61	Management of Acute Myocardial Infarction in Intensive Care Units in 1995: A Nationwide French Survey of Practice and Early Hospital Results. <i>Journal of the American College of Cardiology</i> , 1997, 30, 1598-1605.	1.2	112
62	Circulating miR-155, miR-145 and let-7c as diagnostic biomarkers of the coronary artery disease. <i>Scientific Reports</i> , 2017, 7, 42916.	1.6	110
63	Alcohol intake and diet in France, the prominent role of lifestyle. <i>European Heart Journal</i> , 2004, 25, 1153-1162.	1.0	109
64	An interaction between apo C-III variants and protease inhibitors contributes to high triglyceride/low HDL levels in treated HIV patients. <i>Aids</i> , 2001, 15, 2397-2406.	1.0	108
65	Prevalence, Prognosis, and Identification of the Malignant Form of Early Repolarization Pattern in a Population-Based Study. <i>American Journal of Cardiology</i> , 2012, 110, 1302-1308.	0.7	107
66	Plasma cystatin-C and development of coronary heart disease: The PRIME Study. <i>Atherosclerosis</i> , 2006, 185, 375-380.	0.4	102
67	Relative Risks for Stroke by Age, Sex, and Population Based on Follow-Up of 18 European Populations in the MORGAM Project. <i>Stroke</i> , 2009, 40, 2319-2326.	1.0	101
68	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	5.8	100
69	Metabolic syndrome, insulin resistance, and periodontitis: a cross-sectional study in a middle-aged French population. <i>Journal of Clinical Periodontology</i> , 2010, 37, 601-608.	2.3	99
70	Is mean heart dose a relevant surrogate parameter of left ventricle and coronary arteries exposure during breast cancer radiotherapy: a dosimetric evaluation based on individually-determined radiation dose (BACCARAT study). <i>Radiation Oncology</i> , 2019, 14, 29.	1.2	98
71	Frequency of fruit and vegetable consumption and coronary heart disease in France and Northern Ireland: the PRIME study. <i>British Journal of Nutrition</i> , 2004, 92, 963-972.	1.2	96
72	C-Reactive Protein, Interleukin 6, Fibrinogen and Risk of Sudden Death in European Middle-Aged Men: The PRIME Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2047-2052.	1.1	96

#	ARTICLE	IF	CITATIONS
73	Cholesterol target value attainment and lipid-lowering therapy in patients with stable or acute coronary heart disease: Results from the Dyslipidemia International Study II. <i>Atherosclerosis</i> , 2017, 266, 158-166.	0.4	96
74	High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 810-817.	2.0	94
75	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020, 52, 1314-1332.	9.4	91
76	Incidence of sudden cardiac death after ventricular fibrillation complicating acute myocardial infarction: a 5-year cause-of-death analysis of the FAST-MI 2005 registry. <i>European Heart Journal</i> , 2014, 35, 116-122.	1.0	90
77	Bilirubin and coronary heart disease risk in the Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 79-84.	3.1	89
78	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	9.4	89
79	Physical Activity and Coronary Event Incidence in Northern Ireland and France. <i>Circulation</i> , 2002, 105, 2247-2252.	1.6	88
80	Low-density lipoprotein cholesterol in a global cohort of 57,885 statin-treated patients. <i>Atherosclerosis</i> , 2016, 255, 200-209.	0.4	88
81	Education, socioeconomic and lifestyle factors, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , 2005, 34, 268-275.	0.9	87
82	French Registry on Acute ST-elevation and non-ST-elevation Myocardial Infarction 2015 (FAST-MI 2015). Design and baseline data. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 366-378.	0.7	84
83	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , 2020, 25, 2392-2409.	4.1	83
84	Depressed mood and dietary fish intake: Direct relationship or indirect relationship as a result of diet and lifestyle?. <i>Journal of Affective Disorders</i> , 2007, 104, 217-223.	2.0	81
85	Residual cardiovascular risk in treated hypertension and hyperlipidaemia: the PRIME Study. <i>Journal of Human Hypertension</i> , 2010, 24, 19-26.	1.0	81
86	Genetic Markers Enhance Coronary Risk Prediction in Men: The MORGAM Prospective Cohorts. <i>PLoS ONE</i> , 2012, 7, e40922.	1.1	81
87	High blood pressure prevalence and control in a middle-aged French population and their associated factors: the MONA LISA study. <i>Journal of Hypertension</i> , 2011, 29, 43-50.	0.3	79
88	Independent contribution of dairy products and calcium intake to blood pressure variations at a population level. <i>Journal of Hypertension</i> , 2006, 24, 671-681.	0.3	75
89	Association between the T-381C polymorphism of the brain natriuretic peptide gene and risk of type 2 diabetes in human populations. <i>Human Molecular Genetics</i> , 2007, 16, 1343-1350.	1.4	72
90	TLR4/Asp299Gly, CD14/C-260T, plasma levels of the soluble receptor CD14 and the risk of coronary heart disease: The PRIME Study. <i>European Journal of Human Genetics</i> , 2004, 12, 1041-1049.	1.4	71

#	ARTICLE	IF	CITATIONS
91	Use of Invasive Strategy in Non-â€œST-Segment Elevation Myocardial Infarction Is a Major Determinant of Improved Long-Term Survival. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 893-902.	1.1	71
92	Current practice in identifying and treating cardiovascular risk, with a focus on residual risk associated with atherogenic dyslipidaemia. <i>European Heart Journal Supplements</i> , 2016, 18, C2-C12.	0.0	71
93	Effect of an FTO polymorphism on fat mass, obesity, and type 2 diabetes mellitus in the French MONICA Study. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 971-975.	1.5	70
94	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iv6-iv16.	0.4	69
95	Genome-Wide Association Study for Incident Myocardial Infarction and Coronary Heart Disease in Prospective Cohort Studies: The CHARGE Consortium. <i>PLoS ONE</i> , 2016, 11, e0144997.	1.1	69
96	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , 2019, 85, 946-955.	0.7	69
97	Carotid intima-media thickness and coronary heart disease risk factors in a low-risk population. <i>Journal of Hypertension</i> , 1999, 17, 743-748.	0.3	68
98	Centralized Pan-European survey on the under-treatment of hypercholesterolaemia (CEPHEUS): overall findings from eight countries. <i>Current Medical Research and Opinion</i> , 2010, 26, 445-454.	0.9	66
99	A review of the evidence on reducing macrovascular risk in patients with atherogenic dyslipidaemia: A report from an expert consensus meeting on the role of fenofibrate-â€œstatin combination therapy. <i>Atherosclerosis Supplements</i> , 2015, 19, 1-12.	1.2	66
100	Sedentary behaviour, physical activity and dietary patterns are independently associated with the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2012, 38, 428-435.	1.4	65
101	Multiple Biomarkers for the Prediction of Ischemic Stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 659-666.	1.1	65
102	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
103	Interleukin 6 is associated with subclinical atherosclerosis: a link with soluble intercellular adhesion molecule 1. <i>Journal of Hypertension</i> , 2006, 24, 1083-1088.	0.3	64
104	Trends in plasma lipids, lipoproteins and dyslipidaemias in French adults, 1996-â€œ2007. <i>Archives of Cardiovascular Diseases</i> , 2009, 102, 293-301.	0.7	64
105	Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. <i>Diabetes</i> , 2015, 64, 1841-1852.	0.3	63
106	Specific Profile and Referral Bias of Rehabilitated Patients After an Acute Coronary Syndrome. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2004, 24, 38-44.	0.5	62
107	Early detection and prediction of cardiotoxicity after radiation therapy for breast cancer: the BACCARAT prospective cohort study. <i>Radiation Oncology</i> , 2016, 11, 54.	1.2	62
108	Catechin in the Mediterranean diet: vegetable, fruit or wine?. <i>Atherosclerosis</i> , 2000, 153, 107-117.	0.4	61

#	ARTICLE	IF	CITATIONS
109	Plasma fibrinogen explains much of the difference in risk of coronary heart disease between France and Northern Ireland. The PRIME study. <i>Atherosclerosis</i> , 2003, 166, 103-109.	0.4	61
110	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. <i>American Journal of Human Genetics</i> , 2013, 93, 236-248.	2.6	60
111	Educational class inequalities in the incidence of coronary heart disease in Europe. <i>Heart</i> , 2016, 102, 958-965.	1.2	60
112	Sex hormone-binding globulin is a major determinant of the lipid profile: the PRIME study. <i>Atherosclerosis</i> , 2005, 179, 369-373.	0.4	59
113	Correcting for multivariate measurement error by regression calibration in meta-analyses of epidemiological studies. <i>Statistics in Medicine</i> , 2009, 28, 1067-1092.	0.8	59
114	Iron Status Is Associated with Carotid Atherosclerotic Plaques in Middle-Aged Adults. <i>Journal of Nutrition</i> , 2010, 140, 812-816.	1.3	57
115	International differences in acute coronary syndrome patients' baseline characteristics, clinical management and outcomes in Western Europe: the EURHOBOP study. <i>Heart</i> , 2014, 100, 1201-1207.	1.2	56
116	TAFI gene haplotypes, TAFI plasma levels and future risk of coronary heart disease: the PRIME Study. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 1503-1510.	1.9	55
117	Adipocytokines and the risk of ischemic stroke: The PRIME Study. <i>Annals of Neurology</i> , 2012, 71, 478-486.	2.8	55
118	Change in cardiovascular risk factors in France, 1985-1997. <i>European Journal of Epidemiology</i> , 2003, 19, 25-32.	2.5	54
119	Soluble CD14 and aortic stiffness in a population-based study. <i>Journal of Hypertension</i> , 2003, 21, 1869-1877.	0.3	54
120	The Association of Metabolic Disorders with the Metabolic Syndrome Is Different in Men and Women. <i>Annals of Nutrition and Metabolism</i> , 2004, 48, 43-50.	1.0	53
121	Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study. <i>European Heart Journal</i> , 2008, 29, 1966-1974.	1.0	53
122	Relative Contribution of Lipids and Apolipoproteins to Incident Coronary Heart Disease and Ischemic Stroke: The PRIME Study. <i>Cerebrovascular Diseases</i> , 2010, 30, 252-259.	0.8	52
123	Suboptimal Control of Lipid Levels: Results from 29 Countries Participating in the Centralized Pan-Regional Surveys on the Undertreatment of Hypercholesterolaemia (CEPHEUS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 567-587.	0.9	52
124	Types of alcoholic beverages and blood lipids in a French population. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 24-28.	2.0	51
125	Association between serum alkaline phosphatase and coronary artery calcification in a sample of primary cardiovascular prevention patients. <i>Atherosclerosis</i> , 2017, 260, 81-86.	0.4	51
126	Identification of a genetic risk factor for idiopathic dilated cardiomyopathy. Involvement of a polymorphism in the endothelin receptor type A gene. <i>European Heart Journal</i> , 1999, 20, 1587-1591.	1.0	50

#	ARTICLE	IF	CITATIONS
127	Relationship Between Markers of Insulin Resistance, Markers of Adiposity, HbA1c, and Cognitive Functions in a Middle-Aged Populationâ€‘Based Sample: the MONA LISA Study. <i>Diabetes Care</i> , 2013, 36, 1512-1521.	4.3	50
128	Predictors of LDL-cholesterol target value attainment differ in acute and chronic coronary heart disease patients: Results from DYSIS II Europe. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1966-1976.	0.8	50
129	Sex differences in awareness and control of hypertension in France. <i>Journal of Hypertension</i> , 1997, 15, 1205-1210.	0.3	48
130	Fifteenâ€‘year trends in the management of cardiogenic shock and associated 1â€‘year mortality in elderly patients with acute myocardial infarction: the FASTâ€‘MI programme. <i>European Journal of Heart Failure</i> , 2016, 18, 1144-1152.	2.9	48
131	Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. <i>Journal of Hypertension</i> , 2008, 26, 1078-1084.	0.3	47
132	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 621-632.	1.6	47
133	The intra- and interobserver variability of ankleâ€‘arm blood pressure index according to its mode of calculation. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 215-220.	2.4	45
134	Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects. <i>Journal of Vascular Surgery</i> , 2007, 46, 1215-1221.	0.6	45
135	Adipocytokines and the risk of coronary heart disease in healthy middle aged men: the PRIME Study. <i>International Journal of Obesity</i> , 2010, 34, 118-126.	1.6	45
136	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 437-445.	0.8	45
137	Obesity and Alcohol Modulate the Effect of Apolipoprotein E Polymorphism on Lipids and Insulin. <i>Obesity</i> , 2003, 11, 1200-1206.	4.0	44
138	Systematically missing confounders in individual participant data metaâ€‘analysis of observational cohort studies. <i>Statistics in Medicine</i> , 2009, 28, 1218-1237.	0.8	44
139	Association between the frequency of fruit and vegetable consumption and cardiovascular disease in male smokers and non-smokers. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 578-586.	1.3	44
140	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	0.9	44
141	Effects of insulin-like growth factor 1 in preventing acute coronary syndromes: The PRIME study. <i>Atherosclerosis</i> , 2011, 218, 464-469.	0.4	43
142	Low-fat and high-fat dairy products are differently related to blood lipids and cardiovascular risk score. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1557-1567.	0.8	43
143	Relationships between alcoholic beverages and cardiovascular risk factor levels in middle-aged men, the PRIME study. <i>Atherosclerosis</i> , 2001, 157, 431-440.	0.4	42
144	Cardiac rehabilitation and 5-year mortality after acute coronary syndromes: The 2005 French FAST-MI study. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 178-187.	0.7	42

#	ARTICLE	IF	CITATIONS
145	Psychosocial risk factors for heart disease in France and Northern Ireland: The Prospective Epidemiological Study of Myocardial Infarction (PRIME). <i>International Journal of Epidemiology</i> , 2002, 31, 1227-1234.	0.9	41
146	Measures to assess the prognostic ability of the stratified Cox proportional hazards model. <i>Statistics in Medicine</i> , 2009, 28, 389-411.	0.8	41
147	Prognosis Impact of Frailty Assessed by the Edmonton Frail Scale in the Setting of Acute Coronary Syndrome in the Elderly. <i>Canadian Journal of Cardiology</i> , 2017, 33, 933-939.	0.8	41
148	Does Estimated Pulse Wave Velocity Add Prognostic Information?. <i>Hypertension</i> , 2020, 75, 1420-1428.	1.3	41
149	Low- and high-density lipoprotein cholesterol goal attainment in dyslipidemic women: The Lipid Treatment Assessment Project (L-TAP) 2. <i>American Heart Journal</i> , 2009, 158, 860-866.	1.2	40
150	Usefulness of Fetuin-A and C-Reactive Protein Concentrations for Prediction of Outcome in Acute Coronary Syndromes (from the French Registry of Acute ST-Elevation Non-ST-Elevation Myocardial Infarction). <i>Journal of the American College of Cardiology</i> , 2010, 55, 1010-1017.	0.7	40
151	Coronary artery calcification: From crystal to plaque rupture. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 550-561.	0.7	39
152	Impact of sulfonylurea receptor 1 genetic variability on non-insulin-dependent diabetes mellitus prevalence and treatment: A population study. <i>American Journal of Medical Genetics Part A</i> , 2001, 101, 4-8.	2.4	38
153	Family history, longevity, and risk of coronary heart disease: the PRIME Study. <i>International Journal of Epidemiology</i> , 2003, 32, 71-77.	0.9	37
154	Depressive Symptoms, a Time-Dependent Risk Factor for Coronary Heart Disease and Stroke in Middle-Aged Men. <i>Stroke</i> , 2012, 43, 1761-1767.	1.0	36
155	Adiponectin and Long-Term Mortality in Coronary Artery Disease Participants and Controls. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, e19-29.	1.1	36
156	Central obesity is associated with non-cirrhotic portal vein thrombosis. <i>Journal of Hepatology</i> , 2016, 64, 427-432.	1.8	36
157	Angiotensin I-converting enzyme gene polymorphism in a low-risk European population for coronary artery disease. <i>Atherosclerosis</i> , 1999, 142, 211-216.	0.4	35
158	JOINT USE OF CLINICAL PARAMETERS, BIOLOGICAL MARKERS AND CAGE QUESTIONNAIRE FOR THE IDENTIFICATION OF HEAVY DRINKERS IN A LARGE POPULATION-BASED SAMPLE. <i>Alcohol and Alcoholism</i> , 2003, 38, 121-127.	0.9	35
159	A comparison of non-HDL and LDL cholesterol goal attainment in a large, multinational patient population: The Lipid Treatment Assessment Project 2. <i>Atherosclerosis</i> , 2012, 224, 150-153.	0.4	35
160	In-hospital outcomes and long-term mortality according to sex and management strategy in acute myocardial infarction. Insights from the French ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) 2005 Registry. <i>International Journal of Cardiology</i> , 2015, 201, 265-270.	0.8	35
161	Epidemiology of myocardial infarction in France: Therapeutic and prognostic implications of heart failure during the acute phase. <i>American Heart Journal</i> , 1999, 137, 49-58.	1.2	34
162	Relationship between C reactive protein and pulse pressure is not mediated by atherosclerosis or aortic stiffness. <i>Journal of Hypertension</i> , 2004, 22, 349-355.	0.3	34

#	ARTICLE	IF	CITATIONS
163	Association between the metabolic syndrome and parental history of premature cardiovascular disease. <i>European Heart Journal</i> , 2006, 27, 722-728.	1.0	34
164	Blood lipid concentrations and risk of myocardial infarction. <i>Lancet</i> , The, 2001, 358, 1064-1065.	6.3	33
165	C-Reactive Protein Elevation Predicts Pulse Pressure Reduction in Hypertensive Subjects. <i>Hypertension</i> , 2005, 46, 151-155.	1.3	33
166	Low plasma retinol predicts coronary events in healthy middle-aged men: The PRIME Study. <i>Atherosclerosis</i> , 2010, 208, 270-274.	0.4	33
167	Determinants of improved one-year survival in non-ST-segment elevation myocardial infarction patients: Insights from the French FAST-MI program over 15years. <i>International Journal of Cardiology</i> , 2014, 177, 281-286.	0.8	33
168	Benign vs malignant inferolateral early repolarization: Focus on the T wave. <i>Heart Rhythm</i> , 2016, 13, 894-902.	0.3	33
169	High burden of recurrent cardiovascular events in heterozygous familial hypercholesterolemia: The French Familial Hypercholesterolemia Registry. <i>Atherosclerosis</i> , 2018, 277, 334-340.	0.4	33
170	The North-East-South gradient of coronary heart disease mortality and case fatality rates in France is consistent with a similar gradient in risk factor clusters. <i>European Journal of Epidemiology</i> , 2000, 16, 317-322.	2.5	32
171	Paraoxonase activity and coronary heart disease risk in healthy middle-aged males: The PRIME study. <i>Atherosclerosis</i> , 2008, 197, 556-563.	0.4	32
172	RNY-derived small RNAs as a signature of coronary artery disease. <i>BMC Medicine</i> , 2015, 13, 259.	2.3	32
173	Five-year outcomes following timely primary percutaneous intervention, late primary percutaneous intervention, or a pharmaco-invasive strategy in ST-segment elevation myocardial infarction: the FAST-MI programme. <i>European Heart Journal</i> , 2020, 41, 858-866.	1.0	32
174	Ten-Year All-Cause Mortality in Presumably Healthy Subjects on Lipid-Lowering Drugs (from the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30). <i>Journal of Cardiology</i> , 2009, 103, 381-386.	0.7	31
175	Additional prognostic value of physical examination, exercise testing, and arterial ultrasonography for coronary risk assessment in primary prevention. <i>American Heart Journal</i> , 2009, 158, 845-851.	1.2	31
176	Changes in One-Year Mortality in Elderly Patients Admitted with Acute Myocardial Infarction in Relation with Early Management. <i>American Journal of Medicine</i> , 2017, 130, 555-563.	0.6	31
177	Association between liver X receptor β gene polymorphisms and risk of metabolic syndrome in French populations. <i>International Journal of Obesity</i> , 2008, 32, 421-428.	1.6	30
178	Ideal Cardiovascular Health and Incident Cardiovascular Disease: Heterogeneity Across Event Subtypes and Mediating Effect of Blood Biomarkers: The PRIME Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	30
179	Serum level of HDL particles are independently associated with long-term prognosis in patients with coronary artery disease: The GENES study. <i>Scientific Reports</i> , 2020, 10, 8138.	1.6	29
180	Soluble intercellular adhesion molecule-1 is associated with carotid and femoral atherosclerosis but not with intima-media thickness in a population-based sample. <i>Atherosclerosis</i> , 2002, 164, 297-304.	0.4	28

#	ARTICLE	IF	CITATIONS
181	Alcohol consumption and cardiovascular disease: differential effects in France and Northern Ireland. The PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 336-343.	3.1	28
182	Drug prescriptions and referral to cardiac rehabilitation after acute coronary events: comparison between men and women in the French PREVENIR Survey. <i>International Journal of Cardiology</i> , 2004, 93, 217-223.	0.8	28
183	Assessment of lipid-lowering treatment in France – The CEPHEUS study. <i>Archives of Cardiovascular Diseases</i> , 2008, 101, 557-563.	0.7	28
184	Effect of early initiation of statins on survival in patients with acute myocardial infarction (the USIC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	27
185	Prognostic Usefulness of Clinical and Subclinical Peripheral Arterial Disease in Men With Stable Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2012, 110, 197-202.	0.7	27
186	A consensus statement on lipid management after acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 532-543.	0.4	27
187	Early detection of subclinical left ventricular dysfunction after breast cancer radiation therapy using speckle-tracking echocardiography: association between cardiac exposure and longitudinal strain reduction (BACCARAT study). <i>Radiation Oncology</i> , 2019, 14, 204.	1.2	27
188	Trends in coronary heart disease in France during the second half of the 1990s. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 209-215.	3.1	26
189	Impact of early statin therapy on development of atrial fibrillation at the acute stage of myocardial infarction: data from the FAST-MI register. <i>Heart</i> , 2010, 96, 1809-1814.	1.2	26
190	Differences in the use of guideline-recommended therapies among 14 European countries in patients with acute coronary syndromes undergoing PCI. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 218-228.	0.8	26
191	Serum IF1 concentration is independently associated to HDL levels and to coronary heart disease: the GENES study. <i>Journal of Lipid Research</i> , 2013, 54, 2550-2558.	2.0	26
192	Dutch Lipid Clinic Network low-density lipoprotein cholesterol criteria are associated with long-term mortality in the general population. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 511-518.	0.7	26
193	Prevalence of potential familial hypercholesterolemia (FH) in 54,811 statin-treated patients in clinical practice. <i>Atherosclerosis</i> , 2016, 252, 1-8.	0.4	26
194	Residual coronary risk in men aged 50–59 years treated for hypertension and hyperlipidaemia in the population. <i>Journal of Hypertension</i> , 2004, 22, 415-423.	0.3	25
195	Usefulness of Inhospital Change in B-Type Natriuretic Peptide Levels in Predicting Long-Term Outcome in Elderly Patients Admitted for Decompensated Heart Failure. <i>The American Journal of Geriatric Cardiology</i> , 2007, 16, 8-14.	0.7	25
196	The APOA5Trp19 allele is associated with metabolic syndrome via its association with plasma triglycerides. <i>BMC Medical Genetics</i> , 2008, 9, 84.	2.1	25
197	Suggestive evidence of associations between liver X receptor β polymorphisms with type 2 diabetes mellitus and obesity in three cohort studies: HUNT2 (Norway), MONICA (France) and HELENA (Europe). <i>BMC Medical Genetics</i> , 2010, 11, 144.	2.1	25
198	Characteristics of current smokers, former smokers, and second-hand exposure and evolution between 1985 and 2007. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 730-736.	3.1	25

#	ARTICLE	IF	CITATIONS
199	Targeting high-density lipoproteins: Update on a promising therapy. Archives of Cardiovascular Diseases, 2013, 106, 601-611.	0.7	25
200	Validation of a Short, Qualitative Food Frequency Questionnaire in French Adults Participating in the MONA LISA-NUT Study 2005-2007. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 552-561.	0.4	25
201	Dietary linoleic acid interacts with FADS1 genetic variability to modulate HDL-cholesterol and obesity-related traits. Clinical Nutrition, 2018, 37, 1683-1689.	2.3	25
202	CD14 C(âˆ’260)T gene polymorphism, circulating soluble CD14 levels and arteriosclerosis. Journal of Hypertension, 2004, 22, 1523-1528.	0.3	24
203	Shiftwork and Higher Pancreatic Secretion: Early Detection of an Intermediate State of Insulin Resistance?. Chronobiology International, 2012, 29, 1258-1266.	0.9	24
204	Serum levels of mitochondrial inhibitory factor 1 are independently associated with long-term prognosis in coronary artery disease: the GENES Study. BMC Medicine, 2016, 14, 125.	2.3	24
205	Prognosis of patients with atherothrombotic disease: A prospective survey in a non-hospital setting. International Journal of Cardiology, 2006, 112, 302-307.	0.8	23
206	Optimization of the use of B-type natriuretic peptide levels for risk stratification at discharge in elderly patients with decompensated heart failure. American Heart Journal, 2008, 155, 986-991.	1.2	23
207	Assessment of Quality Indicators for Acute Myocardial Infarction in the FAST-MI (French Registry of) Tj ETQq1 1 0.784314 rgBT /Overl Cardiovascular Quality and Outcomes, 2017, 10, .	0.9	23
208	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. Diabetes and Metabolism, 2021, 47, 101185.	1.4	23
209	Percutaneous Myocardial Revascularization in Late-Presenting Patients With STEMI. Journal of the American College of Cardiology, 2021, 78, 1291-1305.	1.2	23
210	Blood Signature of Pre-Heart Failure: A Microarrays Study. PLoS ONE, 2011, 6, e20414.	1.1	23
211	Early Detection of Cardiovascular Changes After Radiotherapy for Breast Cancer: Protocol for a European Multicenter Prospective Cohort Study (MEDIRAD EARLY HEART Study). JMIR Research Protocols, 2018, 7, e178.	0.5	23
212	Effect of apolipoprotein E alleles and angiotensin-converting enzyme insertion/deletion polymorphisms on lipid and lipoprotein markers in middle-aged men and in patients with stable angina pectoris or healed myocardial infarction. American Journal of Cardiology, 2003, 92, 1102-1105.	0.7	22
213	Attainment of low-density lipoprotein cholesterol target in the French general population according to levels of cardiovascular risk: Insights from the MONA LISA study. Archives of Cardiovascular Diseases, 2013, 106, 93-102.	0.7	22
214	A European benchmarking system to evaluate in-hospital mortality rates in acute coronary syndrome: The EURHOBOP project. International Journal of Cardiology, 2015, 182, 509-516.	0.8	22
215	Genetic invalidation of Lp-PLA2 as a therapeutic target: Large-scale study of five functional Lp-PLA2-lowering alleles. European Journal of Preventive Cardiology, 2017, 24, 492-504.	0.8	22
216	Temporal trends in clinical characteristics and management according to sex in patients with cardiogenic shock after acute myocardial infarction: The FAST-MI programme. Archives of Cardiovascular Diseases, 2018, 111, 555-563.	0.7	22

#	ARTICLE	IF	CITATIONS
217	External validation of the 2008 Framingham cardiovascular risk equation for CHD and stroke events in a European population of middle-aged men. The PRIME study. <i>Preventive Medicine</i> , 2013, 57, 49-54.	1.6	21
218	Percutaneous coronary intervention reduces mortality in myocardial infarction patients with comorbidities: Implications for elderly patients with diabetes or kidney disease. <i>International Journal of Cardiology</i> , 2017, 249, 83-89.	0.8	21
219	Genetic diagnosis of familial hypercholesterolemia is associated with a premature and high coronary heart disease risk. <i>Clinical Cardiology</i> , 2018, 41, 385-391.	0.7	21
220	Heart rate at admission is a predictor of in-hospital mortality in patients with acute coronary syndromes: Results from 58 European hospitals: The European Hospital Benchmarking by Outcomes in acute coronary syndrome Processes study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 149-157.	0.4	21
221	Trends in hypertension prevalence and management in Southwestern France, 1985–1996. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 1230-1235.	2.4	20
222	Link between traditional cardiovascular risk factors and inflammation in patients with early arthritis: Results from a French Multicenter Cohort. <i>Arthritis Care and Research</i> , 2012, 64, 872-880.	1.5	20
223	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, jech-2017-209728.	2.0	20
224	Twenty-year trends in profile, management and outcomes of patients with ST-segment elevation myocardial infarction according to use of reperfusion therapy: Data from the FAST-MI program 1995-2015. <i>American Heart Journal</i> , 2019, 214, 97-106.	1.2	20
225	Association of macronutrient intake patterns with being overweight in a population-based random sample of men in France. <i>Diabetes and Metabolism</i> , 2009, 35, 129-136.	1.4	19
226	Proteomics analysis reveals IGFBP2 as a candidate diagnostic biomarker for heart failure. <i>IJC Metabolic & Endocrine</i> , 2015, 6, 5-12.	0.5	19
227	The FAST-MI 2005-2010-2015 registries in the light of the COMPASS trial: The COMPASS criteria applied to a post-MI population. <i>International Journal of Cardiology</i> , 2019, 278, 7-13.	0.8	19
228	Associations between classical cardiovascular risk factors and coronary artery disease in two countries at contrasting risk for myocardial infarction: the PRIME Study. <i>International Journal of Cardiology</i> , 2000, 74, 191-198.	0.8	18
229	Regional factors interact with educational and income tax levels to influence food intake in France. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1067-1075.	1.3	18
230	Ten-year risk of all-cause mortality: assessment of a risk prediction algorithm in a French general population. <i>European Journal of Epidemiology</i> , 2011, 26, 359-368.	2.5	18
231	Total Lipid Management and Cardiovascular Disease in the Dyslipidemia International Study. <i>Cardiology</i> , 2013, 125, 154-163.	0.6	18
232	Gender- and age-specific trends in coronary heart disease mortality in France from 2000 to 2007: results from the MONICA registers. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 117-122.	0.8	18
233	A Role for Behavior in the Relationships Between Depression and Hostility and Cardiovascular Disease Incidence, Mortality, and All-Cause Mortality: the Prime Study. <i>Annals of Behavioral Medicine</i> , 2016, 50, 582-591.	1.7	18
234	Contemporary data on low-density lipoprotein cholesterol target value attainment and distance to target in a cohort of 57,885 statin-treated patients by country and region across the world. <i>Data in Brief</i> , 2016, 9, 616-620.	0.5	18

#	ARTICLE	IF	CITATIONS
235	Editor's Choice-Medically managed patients with non-ST-elevation acute myocardial infarction have heterogeneous outcomes, based on performance of angiography and extent of coronary artery disease. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 262-271.	0.4	18
236	Suboptimal achievement of low-density lipoprotein cholesterol targets in French patients with coronary heart disease. Contemporary data from the DYSIS II ACS/CHD study. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 167-178.	0.7	18
237	Editor's Choice " External Applicability of the COMPASS and VOYAGER-PAD Trials on Patients with Symptomatic Lower Extremity Artery Disease in France: The COPART Registry. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 439-449.	0.8	18
238	Study of the impact of perilipin polymorphisms in a French population. <i>Journal of Negative Results in BioMedicine</i> , 2006, 5, 10.	1.4	17
239	Lipid goals among patients with diabetes or metabolic syndrome: Lipid Treatment Assessment Project (L-TAP) 2. <i>Current Medical Research and Opinion</i> , 2010, 26, 2589-2597.	0.9	17
240	Effects of occupational and educational changes on obesity trends in France: The results of the MONICA-France survey 1986-2006. <i>Preventive Medicine</i> , 2011, 52, 305-309.	1.6	17
241	Prediction of persistence of combined evidence-based cardiovascular medications in patients with acute coronary syndrome after hospital discharge using neural networks. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 947-955.	1.6	17
242	Prognostic impact of non-compliance with guidelines-recommended times to reperfusion therapy in ST-elevation myocardial infarction. The FAST-MI 2010 registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 26-33.	0.4	17
243	Prognostic impact of prepercutaneous coronary intervention TIMI flow in patients with ST-segment and non-ST-segment elevation myocardial infarction: Results from the FAST-MI 2010 registry. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 101-108.	0.7	17
244	An innovative lipid-lowering approach to enhance attainment of low-density lipoprotein cholesterol goals. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 879-887.	0.4	17
245	Lockdown-related factors associated with the worsening of cardiovascular risk and anxiety or depression during the COVID-19 pandemic. <i>Preventive Medicine Reports</i> , 2021, 21, 101300.	0.8	17
246	Evaluation of contemporary treatment of high- and very high-risk patients for the prevention of cardiovascular events in Europe " Methodology and rationale for the multinational observational SANTORINI study. <i>Atherosclerosis Plus</i> , 2021, 43, 24-30.	0.3	17
247	Effect of an Educational Program (PEGASE) on Cardiovascular Risk in Hypercholesterolaemic Patients. <i>Cardiovascular Drugs and Therapy</i> , 2008, 22, 495-505.	1.3	16
248	Persistence of combination of evidence-based medical therapy in patients with acute coronary syndromes. <i>Archives of Cardiovascular Diseases</i> , 2008, 101, 301-306.	0.7	16
249	Patterns of statin prescription in acute myocardial infarction. <i>Atherosclerosis</i> , 2009, 204, 491-496.	0.4	16
250	Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene-diet interactions. <i>International Journal of Obesity</i> , 2013, 37, 1499-1505.	1.6	16
251	Use of guideline-recommended management in established coronary heart disease in the observational DYSIS II study. <i>International Journal of Cardiology</i> , 2018, 270, 21-27.	0.8	16
252	Association between overall fruit and vegetable intake, and fruit and vegetable sub-types and blood pressure: the PRIME study (Prospective Epidemiological Study of Myocardial Infarction). <i>British Journal of Nutrition</i> , 2021, 125, 557-567.	1.2	16

#	ARTICLE	IF	CITATIONS
253	Increased resting heart rate with pollutants in a population based study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 685-693.	2.0	15
254	Homocysteine and coronary heart disease risk in the PRIME study. <i>Atherosclerosis</i> , 2007, 191, 90-97.	0.4	15
255	Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 625-630.	3.1	15
256	Evidence supporting primary prevention of cardiovascular diseases with statins: Gaps between updated clinical results and actual practice. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 188-200.	0.7	15
257	Risk factor profile by etiological subtype of ischemic stroke in the young. <i>Clinical Neurology and Neurosurgery</i> , 2014, 120, 78-83.	0.6	15
258	Factors Associated With Infarct-Related Artery Patency Before Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction (from the FAST-MI 2010 Registry). <i>American Journal of Cardiology</i> , 2016, 117, 17-21.	0.7	15
259	Clinical outcomes according to symptom presentation in patients with acute myocardial infarction: Results from the FAST-MI 2010 registry. <i>Clinical Cardiology</i> , 2017, 40, 1256-1263.	0.7	15
260	Achievement of Low-Density Lipoprotein Cholesterol Targets in CKD. <i>Kidney International Reports</i> , 2019, 4, 1546-1554.	0.4	15
261	Prevalence and Treatment of Familial Hypercholesterolemia in France. <i>Canadian Journal of Cardiology</i> , 2019, 35, 744-752.	0.8	15
262	Comparison of Short- and Long-Term Prognosis between ST-Elevation and Non-ST-Elevation Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2021, 10, 180.	1.0	15
263	Prevalence of cardiovascular risk factors in men with stable coronary heart disease in France and Spain. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 80-89.	0.7	14
264	Positive impact of long-term lifestyle change on erythrocyte fatty acid profile after acute coronary syndromes. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 106-114.	0.7	14
265	Quality of Care for Myocardial Infarction at Academic and Nonacademic Hospitals. <i>American Journal of Medicine</i> , 2012, 125, 365-373.	0.6	14
266	Do lifestyle behaviours explain socioeconomic differences in all-cause mortality, and fatal and non-fatal cardiovascular events? Evidence from middle aged men in France and Northern Ireland in the PRIME Study. <i>Preventive Medicine</i> , 2012, 54, 247-253.	1.6	14
267	Alcohol Consumption Patterns and Body Weight. <i>Annals of Nutrition and Metabolism</i> , 2013, 62, 91-97.	1.0	14
268	Coronary heart disease incidence still decreased between 2006 and 2014 in France, except in young age groups: Results from the French MONICA registries. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1178-1186.	0.8	14
269	Association of low plasma antioxidant levels with all-cause mortality and coronary events in healthy middle-aged men from France and Northern Ireland in the PRIME study. <i>European Journal of Nutrition</i> , 2021, 60, 2631-2641.	1.8	14
270	Residual dyslipidaemia after statin treatment in France: Prevalence and risk distribution. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 302-309.	0.7	13

#	ARTICLE	IF	CITATIONS
271	Arterial Ultrasound Screening as a Tool for Coronary Risk Assessment in Asymptomatic Men and Women. <i>Angiology</i> , 2012, 63, 282-288.	0.8	13
272	Improvement in achievement of lipid targets in France: Comparison of data from coronary patients in the DYSIS and DYSIS II studies. <i>International Journal of Cardiology</i> , 2016, 222, 793-794.	0.8	13
273	One-Year Survival After ST-Segmentâ€Elevation Myocardial Infarction in Relation With Prehospital Administration of Dual Antiplatelet Therapy. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007241.	1.4	13
274	Increased mortality risk in diabetic patients discharged from hospital with insulin therapy after an acute myocardial infarction: Data from the FAST-MI 2005 registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 218-230.	0.4	13
275	Myocardial deformation after radiotherapy: a layer-specific and territorial longitudinal strain analysis in a cohort of left-sided breast cancer patients (BACCARAT study). <i>Radiation Oncology</i> , 2020, 15, 201.	1.2	13
276	Prevalence and management of hypercholesterolemia in France, the Esteban observational study. <i>Medicine (United States)</i> , 2020, 99, e23445.	0.4	13
277	Long-term outcomes after acute myocardial infarction in patients with familial hypercholesterolemia: The French registry of Acute ST-elevation and non-ST-elevation Myocardial Infarction program. <i>Journal of Clinical Lipidology</i> , 2020, 14, 352-360.e6.	0.6	13
278	Do cardiovascular risk factors in men depend on their spouses' occupational category?. <i>European Journal of Epidemiology</i> , 2001, 17, 347-356.	2.5	12
279	Association between angiotensin-like 6 (ANGPTL6) gene polymorphisms and metabolic syndrome-related phenotypes in the French MONICA Study. <i>Diabetes and Metabolism</i> , 2009, 35, 287-292.	1.4	12
280	Association Between a Thyroid Hormone Receptor-Î± Gene Polymorphism and Blood Pressure but Not With Coronary Heart Disease Risk. <i>American Journal of Hypertension</i> , 2011, 24, 1027-1034.	1.0	12
281	Clinical Outcomes, Resource Use, and Costs at 1 Year in Patients with Acute Coronary Syndrome Undergoing PCI: Results from the Multinational APTOR Registry. <i>Journal of Interventional Cardiology</i> , 2012, 25, 19-27.	0.5	12
282	Treatment, Outcomes, Costs, and Quality of Life of Women and Men With Acute Coronary Syndromes Who Have Undergone Percutaneous Coronary Intervention: Results From the Antiplatelet Therapy Observational Registry. <i>Postgraduate Medicine</i> , 2013, 125, 100-107.	0.9	12
283	Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM Project. <i>Journal of Hypertension</i> , 2014, 32, 1025-1033.	0.3	12
284	Management of outpatients in France with stable coronary artery disease. Findings from the prospective observational Longitudinal Registry of patients with stable coronary artery disease (CLARIFY) registry. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 452-461.	0.7	12
285	Do randomized clinical trial selection criteria reflect levels of risk as observed in a general population of acute myocardial infarction survivors? The PEGASUS trial in the light of the FAST-MI 2005 registry. <i>International Journal of Cardiology</i> , 2016, 223, 604-610.	0.8	12
286	Metabolomics reveals plausible interactive effects between dairy product consumption and metabolic syndrome in humans. <i>Clinical Nutrition</i> , 2020, 39, 1497-1509.	2.3	12
287	The 2020 ESC-ACVC quality indicators for the management of acute myocardial infarction applied to the FAST-MI registries. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 207-215.	0.4	12
288	The <i>APOA4</i> Thr₃₄₇â†Ser₃₄₇ Polymorphism Is Not a Major Risk Factor of Obesity. <i>Obesity</i> , 2005, 13, 2132-2138.	4.0	11

#	ARTICLE	IF	CITATIONS
289	In obese and non-obese adults, the cis-regulatory rs361072 promoter variant of PIK3CB is associated with insulin resistance not with type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , 2009, 96, 129-132.	0.5	11
290	The major element of 1-year prognosis in acute coronary syndromes is severity of initial clinical presentation: Results from the French MONICA registries. <i>Archives of Cardiovascular Diseases</i> , 2012, 105, 478-488.	0.7	11
291	Atherothrombotic risk stratification after acute myocardial infarction: the TIMI Risk Score for Secondary Prevention (TRSâ€²P) in the light of the FASTâ€²MI registries. <i>Clinical Cardiology</i> , 2018, 42, 227-234.	0.7	11
292	Trends in the risk of myocardial infarction among HIV-1-infected individuals relative to the general population in France: Impact of gender and immune status. <i>PLoS ONE</i> , 2019, 14, e0210253.	1.1	11
293	Outcome associated with prescription of cardiac rehabilitation according to predicted risk after acute myocardial infarction: Insights from the FAST-MI registries. <i>Archives of Cardiovascular Diseases</i> , 2019, 112, 459-468.	0.7	11
294	Applicability of the <scp>REDUCEâ€²T</scp> trial to the <scp>FASTâ€²MI</scp> registry. Are the results of randomized trials relevant in routine clinical practice?. <i>Clinical Cardiology</i> , 2020, 43, 1260-1265.	0.7	11
295	Correspondence. <i>Atherosclerosis</i> , 1999, 147, 415-416.	0.4	10
296	Haemostasis in Relation to Dietary Fat as Estimated by Erythrocyte Fatty Acid Composition: The Prime Study. <i>Thrombosis Research</i> , 2001, 102, 285-293.	0.8	10
297	Antithrombotic Management after an Ischemic Stroke in French Primary Care Practice: Results from Three Pooled Cross-Sectional Studies. <i>Cerebrovascular Diseases</i> , 2005, 20, 78-84.	0.8	10
298	Treatment patterns in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Current Medical Research and Opinion</i> , 2010, 26, 2193-2202.	0.9	10
299	Undiagnosed airflow limitation in patients at cardiovascular risk. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 619-626.	0.7	10
300	Tobacco Use and Cryptogenic Stroke in Young Adults. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2694-2700.	0.7	10
301	Impact of cardiovascular risk factor control on long-term cardiovascular and all-cause mortality in the general population. <i>Annals of Medicine</i> , 2016, 48, 559-567.	1.5	10
302	Impact of occupational environmental stressors on blood pressure changes and on incident cases of hypertension: a 5-year follow-up from the VISAT study. <i>Environmental Health</i> , 2018, 17, 79.	1.7	10
303	In-hospital outcomes and 5-year mortality following an acute myocardial infarction in patients with a history of cancer: Results from the French registry on Acute ST-elevation or non-ST-elevation myocardial infarction (FAST-MI) 2005 cohort. <i>Archives of Cardiovascular Diseases</i> , 2019, 112, 657-669.	0.7	10
304	Influence of cholesteryl ester transfer protein, peroxisome proliferatorâ€²activated receptor Î±, apolipoprotein E, and apolipoprotein A-I polymorphisms on high-density lipoprotein cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I:A-II concentrations: the Prospective Epidemiological Study of Myocardial Infarction study. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 283-289.	1.5	9
305	Prevalence, clinical profile and 3-year survival of acute myocardial infarction patients with and without obstructive coronary lesions: The FAST-MI 2005 registry. <i>International Journal of Cardiology</i> , 2014, 172, e247-e249.	0.8	9
306	Impact of prolonged dual antiplatelet therapy after acute myocardial infarction on 5-year mortality in the FAST-MI 2005 registry. <i>International Journal of Cardiology</i> , 2015, 187, 354-360.	0.8	9

#	ARTICLE	IF	CITATIONS
307	Alcoholic Beverage Preference and Dietary Habits in Elderly across Europe: Analyses within the Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) Project. PLoS ONE, 2016, 11, e0161603.	1.1	9
308	Switching between thienopyridines in patients with acute myocardial infarction and quality of care. Open Heart, 2016, 3, e000384.	0.9	9
309	Breast cancer radiotherapy: A case of double jeopardy. Archives of Cardiovascular Diseases, 2016, 109, 587-590.	0.7	9
310	Serum inhibitory factor 1, high-density lipoprotein and cardiovascular diseases. Current Opinion in Lipidology, 2017, 28, 337-346.	1.2	9
311	Seasonality of nutrient intake " An analysis including over 44,000 participants in 4 countries. Clinical Nutrition ESPEN, 2017, 21, 66-71.	0.5	9
312	Score of Adherence to 2016 European Cardiovascular Prevention Guidelines Predicts Cardiovascular and All-Cause Mortality in the General Population. Canadian Journal of Cardiology, 2017, 33, 1298-1304.	0.8	9
313	Long-term clinical outcomes in patients with cardiogenic shock according to left ventricular function: The French registry of Acute ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) programme. Archives of Cardiovascular Diseases, 2018, 111, 678-685.	0.7	9
314	Body mass index impacts the choice of lipid-lowering treatment with no correlation to blood cholesterol " Findings from 52 916 patients in the Dyslipidemia International Study (DYSIS). Diabetes, Obesity and Metabolism, 2018, 20, 2670-2674.	2.2	9
315	A reference measurement of circulating ATPase inhibitory factor 1 (IF1) in humans by LC-MS/MS: Comparison with conventional ELISA. Talanta, 2020, 219, 121300.	2.9	9
316	Lipoprotein(a): Pathophysiology, measurement, indication and treatment in cardiovascular disease. A consensus statement from the Nouvelle Soci�t� Francophone d�ath�roscl�rose (NSFA). Archives of Cardiovascular Diseases, 2021, 114, 828-847.	0.7	9
317	Transdermal estrogen replacement therapy and plasma lipids in 693 French women. Maturitas, 1998, 30, 265-272.	1.0	8
318	A prospective observational study of treatment practice patterns in acute coronary syndrome patients undergoing percutaneous coronary intervention in Europe. Archives of Cardiovascular Diseases, 2011, 104, 104-114.	0.7	8
319	14-Year Risk of All-Cause Mortality According to Hypoglycaemic Drug Exposure in a General Population. PLoS ONE, 2014, 9, e95671.	1.1	8
320	Differential Levels of �-Glutamyl Transferase Activity and Apolipoprotein CIII in Men on Either Statin or Fibrate Therapy. Diabetes Care, 2003, 26, 1652-1653.	4.3	7
321	Changes and determinants in cigarette smoking prevalence in southwestern France, 1985-1997. European Journal of Public Health, 2003, 13, 168-170.	0.1	7
322	Fasting insulin concentrations and coronary heart disease incidence in France and Northern Ireland: The PRIME study. International Journal of Cardiology, 2006, 108, 189-196.	0.8	7
323	Predictors of long-term use of evidence-based therapies after non-ST-segment elevation acute coronary syndrome. The S-T�moin survey. International Journal of Cardiology, 2009, 133, 32-40.	0.8	7
324	Reaching C-Reactive Protein and Low-Density Lipoprotein Cholesterol Goals in Dyslipidemic Patients (from the Lipid Treatment Assessment Project [L-TAP] 2). American Journal of Cardiology, 2011, 107, 1639-1643.	0.7	7

#	ARTICLE	IF	CITATIONS
325	Comparison of bleeding complications and one-year survival of low molecular weight heparin versus unfractionated heparin for acute myocardial infarction in elderly patients. The FAST-MI registry. <i>International Journal of Cardiology</i> , 2013, 166, 106-110.	0.8	7
326	Relationships between chronic use of statin therapy, presentation of acute coronary syndromes and one-year mortality after an incident acute coronary event. <i>International Journal of Cardiology</i> , 2013, 163, 102-104.	0.8	7
327	Expired-air carbon monoxide as a predictor of 16-year risk of all-cause, cardiovascular and cancer mortality. <i>Preventive Medicine</i> , 2015, 81, 195-201.	1.6	7
328	High-density lipoprotein subclass profile and mortality in patients with coronary artery disease: Results from the GENES study. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 607-617.	0.7	7
329	Predictive Accuracy of the European Society of Cardiology SCORE Among French People. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 38-48.	1.2	7
330	Proposal for a standardized discharge letter after hospital stay for acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 788-801.	0.4	7
331	Coronary angiography in the setting of acute infective endocarditis requiring surgical treatment. <i>Archives of Cardiovascular Diseases</i> , 2020, 113, 50-58.	0.7	7
332	Effect of reperfusion therapy on long-term outcome in patients >70 years of age. <i>American Journal of Cardiology</i> , 2002, 90, 1142-1145.	0.7	6
333	Evolution and cost trends of antihypertensive and hypolipidaemic drug treatment in France. <i>Cardiovascular Drugs and Therapy</i> , 2003, 17, 175-189.	1.3	6
334	Nutritional intakes of 1072 French free-living men with and without diagnosed cardiovascular risk factors. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 787-795.	1.3	6
335	Prognosis at 6 Months for Coronary and Cerebrovascular Patients: Impact of Antiplatelet Agents and Statins: Results from the Prevenir III Study. <i>Cardiovascular Drugs and Therapy</i> , 2006, 20, 55-61.	1.3	6
336	Patterns of Alcohol Consumption and Cardiovascular Risk in Northern Ireland and France. <i>Annals of Epidemiology</i> , 2007, 17, S75-S80.	0.9	6
337	Lack of association of genetic variants in the LRP8 gene with familial and sporadic myocardial infarction. <i>Journal of Molecular Medicine</i> , 2008, 86, 1163-1170.	1.7	6
338	International data on supportive therapies at 1 year in acute coronary syndrome patients undergoing PCI: results from the APTOR study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 518-525.	3.1	6
339	Depression and mortality: Artifact of measurement and analysis?. <i>Journal of Affective Disorders</i> , 2013, 151, 632-638.	2.0	6
340	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 680-680.	0.4	6
341	Identification of a functional FADS1 3'UTR variant associated with erythrocyte n-6 polyunsaturated fatty acids levels. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1280-1289.	0.6	6
342	Lipid-lowering Therapy and Goal Achievement in High-risk Patients From French General Practice. <i>Clinical Therapeutics</i> , 2018, 40, 1484-1495.e22.	1.1	6

#	ARTICLE	IF	CITATIONS
343	Contemporary data on treatment practices for low-density lipoprotein cholesterol in 6794 patients with stable coronary heart disease across the world. <i>Data in Brief</i> , 2018, 18, 1937-1940.	0.5	6
344	The return of triglycerides and revival of omega-3 fatty acids!. <i>Archives of Cardiovascular Diseases</i> , 2020, 113, 369-373.	0.7	6
345	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 150-172.	0.7	6
346	Risk of pacemaker implantation after radiotherapy for breast cancer: A study based on French nationwide health care database sample. <i>IJC Heart and Vasculature</i> , 2022, 38, 100936.	0.6	6
347	One-Year Impact of COVID-19 Lockdown-Related Factors on Cardiovascular Risk and Mental Health: A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1684.	1.2	6
348	Type A behaviour and consumption of an atherogenic diet: No association in the PRIME study. <i>Appetite</i> , 2007, 49, 554-560.	1.8	5
349	Contribution of cardiovascular risk factors to coronary risk in patients with intermittent claudication in the PRIME Cohort Study of European men. <i>Atherosclerosis</i> , 2009, 206, 563-568.	0.4	5
350	Study of the genetic variability of ZAC1 (PLAGL1) in French population-based samples. <i>Journal of Hypertension</i> , 2009, 27, 314-321.	0.3	5
351	Comparison of Lipid Profiles and Attainment of Lipid Goals in Patients <65 Years Versus Patients ≥65 Years (from the Lipid Treatment Assessment Project [L-TAP] 2). <i>American Journal of Cardiology</i> , 2012, 109, 1738-1742.	0.7	5
352	Interregional differences in the clinical, biological and electrical characteristics of first acute coronary events in France: results from the MONICA registries. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 275-282.	0.8	5
353	All-Cause Mortality up to and After Coronary Heart Disease and Stroke Events in European Middle-Aged Men. <i>Stroke</i> , 2015, 46, 1371-1373.	1.0	5
354	Les consommateurs de produits laitiers frais: des consommateurs comme les autres? Analyse de leurs profils alimentaires et nutritionnels. <i>Nutrition Clinique Et Metabolisme</i> , 2016, 30, 11-21.	0.2	5
355	How does the TRS 2°P score relate to real-world patients?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 72-74.	1.4	5
356	Common p2y polymorphisms are associated with plasma inhibitory factor 1 and lipoprotein(a) concentrations, heart rate and body fat mass: The GENES study. <i>Archives of Cardiovascular Diseases</i> , 2019, 112, 124-134.	0.7	5
357	Hypercholesterolaemia and coronary artery disease: A silent killer with several faces. <i>Archives of Cardiovascular Diseases</i> , 2019, 112, 75-78.	0.7	5
358	Clinical outcomes with high-intensity statins according to atherothrombotic risk stratification after acute myocardial infarction: The FAST-MI registries. <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 88-95.	0.7	5
359	Association of Hepatic Lipase -514T Allele with Coronary Artery Disease and Ankle-Brachial Index, Dependence on the Lipoprotein Phenotype: The GENES Study. <i>PLoS ONE</i> , 2013, 8, e67805.	1.1	5
360	Treatment patterns in acute coronary syndrome patients in the United Kingdom undergoing PCI. <i>EuroIntervention</i> , 2011, 6, 992-996.	1.4	5

#	ARTICLE	IF	CITATIONS
361	Increased Cardiovascular Risk in Psoriatic Arthritis: Results From a Case-Control Monocentric Study. <i>Frontiers in Medicine</i> , 2022, 9, .	1.2	5
362	Lack of association between serological evidence of past <i>Coxiella burnetii</i> infection and incident ischaemic heart disease: nested case-control study. <i>BMC Infectious Diseases</i> , 2005, 5, 61.	1.3	4
363	Respective contribution of conventional risk factors and antihypertensive treatment to stable angina pectoris and acute coronary syndrome as the first presentation of coronary heart disease: the PRIME Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 550-555.	3.1	4
364	Patient education after acute myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 761-767.	0.6	4
365	Ignorance of cardiovascular preventive measures is associated with all-cause and cardiovascular mortality in the French general population. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 486-493.	0.7	4
366	Isolated negative T waves in the general population is a powerful predicting factor of cardiac mortality and coronary heart disease. <i>International Journal of Cardiology</i> , 2016, 203, 318-324.	0.8	4
367	Long-Term Clinical Outcomes According to Previous Manifestations of Atherosclerotic Disease (from the Tj ETQq1 1 0.784314 rgBT /Ove	0.7	4
368	APOE Molecular Spectrum in a French Cohort with Primary Dyslipidemia. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5792.	1.8	4
369	Optimizing the prescription of statins after an acute coronary syndrome: the influence of coronary angioplasty and total cholesterol levels. <i>Cardiovascular Drugs and Therapy</i> , 2001, 15, 559-560.	1.3	3
370	Systolic and diastolic hypertension: no relationship with lipid and inflammatory markers in Haute-Garonne, France. <i>American Journal of Hypertension</i> , 2003, 16, 681-684.	1.0	3
371	Could clinical decision rules relying on cardiovascular risk models increase psychosocial inequalities in health? Results from the PRIME cohort study. <i>Preventive Medicine</i> , 2011, 52, 439-444.	1.6	3
372	Contribution of lifetime smoking habit in France and Northern Ireland to country and socioeconomic differentials in mortality and cardiovascular incidence: the PRIME Study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 599-604.	2.0	3
373	Impact of occupational physical activity and related tasks on cardiovascular disease: Emerging opportunities for prevention?. <i>International Journal of Cardiology</i> , 2013, 168, 4475-4478.	0.8	3
374	Lipid-lowering treatment and low-density lipoprotein cholesterol target achievement in patients with type 2 diabetes and acute coronary syndrome. <i>Archives of Cardiovascular Diseases</i> , 2020, 113, 617-629.	0.7	3
375	Compared impact of diabetes on the risk of heart failure from acute myocardial infarction to chronic coronary artery disease. <i>Diabetes and Metabolism</i> , 2022, 48, 101265.	1.4	3
376	Control of Low-Density Lipoprotein Cholesterol in Secondary Prevention of Coronary Artery Disease in Real-Life Practice: The DAUSSET Study in French Cardiologists. <i>Journal of Clinical Medicine</i> , 2021, 10, 5938.	1.0	3
377	Comparison of clinical profiles and care for patients with incident versus recurrent acute coronary syndromes in France: Data from the MONICA registries. <i>PLoS ONE</i> , 2022, 17, e0263589.	1.1	3
378	Sex differences in time trends in acute coronary syndrome management and in 12-month lethality: Data from the French MONICA registries. <i>International Journal of Cardiology</i> , 2022, 361, 103-108.	0.8	3

#	ARTICLE	IF	CITATIONS
379	Could occupational physical activity mitigate the link between moderate kidney dysfunction and coronary heart disease?. <i>International Journal of Cardiology</i> , 2014, 177, 1036-1041.	0.8	2
380	Model-observational bridging study on the effectiveness of ezetimibe on cardiovascular morbidity and mortality in France: A population-based study. <i>Journal of Clinical Lipidology</i> , 2016, 10, 1379-1388.	0.6	2
381	Long-term Prognostic Impact of Physical Activity in Patients With Stable Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2020, 125, 176-181.	0.7	2
382	Screening and treatment of familial hypercholesterolemia in a French sample of ambulatory care patients: A retrospective longitudinal cohort study. <i>PLoS ONE</i> , 2021, 16, e0255345.	1.1	2
383	Prevalence and Prognosis Impact of Frailty Among Older Adults in Cardiac Intensive Care Units. <i>CJC Open</i> , 2021, 3, 1010-1018.	0.7	2
384	Trends of in-hospital and out-of-hospital coronary heart disease mortality in French registries during the period 2000 to 2016. <i>Annals of Epidemiology</i> , 2022, 69, 34-40.	0.9	2
385	Trends in myocardial infarction treatment in subjects aged 35-64 in Southwestern France, 1986-93. <i>International Journal of Cardiology</i> , 2003, 88, 239-245.	0.8	1
386	Slower heart rate and altered rate dependence of ventricular repolarization in patients with lone atrial fibrillation. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 12-18.	0.7	1
387	A paradigm shift in the treatment of atherosclerosis. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 337-339.	0.7	1
388	PERSISTENT HIGH DISTANCE TO RECOMMENDED LDL-CHOLESTEROL-TARGETS DESPITE CHRONIC STATIN TREATMENT: RESULTS OF DYSIS. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1934.	1.2	1
389	Prevalence and long-term prognosis of patients with -narrower than normal- QRS complexes. <i>Europace</i> , 2018, 20, 692-697.	0.7	1
390	Prediction of coronary heart disease incidence in a general male population by circulating non-coding small RNA sRNY1-5p in a nested case-control study. <i>Scientific Reports</i> , 2021, 11, 1837.	1.6	1
391	Dyslipidemia: Are You Sure It Is Cholesterol?. <i>Clinical Chemistry</i> , 2021, 67, 1159-1161.	1.5	1
392	Long-term mortality after ST-elevation myocardial infarction in the reperfusion and modern secondary prevention therapy era according to coronary artery disease extent: The FAST-MI registries. <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 647-655.	0.7	1
393	Whole Exome/Genome Sequencing Joint Analysis of a Family with Oligogenic Familial Hypercholesterolemia. <i>Metabolites</i> , 2022, 12, 262.	1.3	1
394	Do calcium-channel blockers and glucocorticoids impair no production in ischaemic heart disease patients?. <i>International Journal of Cardiology</i> , 1997, 62, 171-172.	0.8	0
395	Aortic Stiffness Does Not Mediate the Relation Between Pulse Pressure and CRP. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, e173; author reply e173.	1.1	0
396	Causal mechanism for atherosclerosis or coronary heart disease in women: A constellation of components. <i>Maturitas</i> , 2010, 65, 404-405.	1.0	0

#	ARTICLE	IF	CITATIONS
397	L'impact de l'alcool et le paradoxe français. Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique, 2013, 2013, 36-41.	0.0	0
398	Traitement hypolipidant en prévention secondaire. Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique, 2013, 2013, 17-24.	0.0	0
399	L'infarctus du myocarde en France métropolitaine de 1995 à 2010 : évolution de la typologie des patients, de la prise en charge et du pronostic à court terme. Bulletin De L'Academie Nationale De Medecine, 2014, 198, 85-100.	0.0	0
400	Familial hypercholesterolaemia: a look toward the East. Kardiologia Polska, 2018, 76, 935-936.	0.3	0
401	Abstract P227: Association of Alcohol Intake with Cardiovascular and Total Mortality. Circulation, 2019, 139, .	1.6	0
402	Late is not always too late for revascularization in late-presenting patients with ST-segment elevation myocardial infarction. Archives of Cardiovascular Diseases, 2021, 114, 691-693.	0.7	0
403	Deleterious synergistic effects of acute heart failure and diabetes mellitus in patients with acute coronary syndrome: Data from the FAST-MI Registries. Archives of Cardiovascular Diseases, 2022, , .	0.7	0