
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/547598/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	13.7	5,010
2	Metabolic Endotoxemia Initiates Obesity and Insulin Resistance. Diabetes, 2007, 56, 1761-1772.	0.6	4,964
3	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. European Heart Journal, 2020, 41, 111-188.	2.2	4,871
4	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.	13.7	3,941
5	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	27.8	3,823
6	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
7	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818
8	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. Atherosclerosis, 2019, 290, 140-205.	0.8	1,753
9	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. Lancet, The, 2017, 389, 37-55.	13.7	1,667
10	Genetic Determinants of Response to Clopidogrel and Cardiovascular Events. New England Journal of Medicine, 2009, 360, 363-375.	27.0	1,581
11	Large-scale association analysis identifies new risk loci for coronary artery disease. Nature Genetics, 2013, 45, 25-33.	21.4	1,439
12	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
13	Plasma Fibrinogen Level and the Risk of Major Cardiovascular Diseases and Nonvascular Mortality. JAMA - Journal of the American Medical Association, 2005, 294, 1799-809.	7.4	925
14	Common variants associated with plasma triglycerides and risk for coronary artery disease. Nature Genetics, 2013, 45, 1345-1352.	21.4	754
15	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512.	21.4	578
16	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544
17	Energy intake is associated with endotoxemia in apparently healthy men. American Journal of Clinical Nutrition, 2008, 87, 1219-1223.	4.7	498
18	Exome-wide association study of plasma lipids in >300,000 individuals. Nature Genetics, 2017, 49, 1758-1766	21.4	470

#	Article	IF	CITATIONS
19	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. Science, 2016, 351, 1166-1171.	12.6	438
20	CKD Prevalence Varies across the European General Population. Journal of the American Society of Nephrology: JASN, 2016, 27, 2135-2147.	6.1	406
21	Association of Changes in Clinical Characteristics and Management With Improvement in Survival Among Patients With ST-Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2012, 308, 998.	7.4	402
22	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184.	21.4	362
23	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. Nature Genetics, 2018, 50, 559-571.	21.4	356
24	Acute Myocardial Infarction. Circulation, 2017, 136, 1908-1919.	1.6	352
25	C-Reactive Protein, Interleukin-6, and Fibrinogen as Predictors of Coronary Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 1255-1261.	2.4	348
26	Interleukin-18 and the Risk of Coronary Heart Disease in European Men. Circulation, 2003, 108, 2453-2459.	1.6	317
27	Lipid Treatment Assessment Project 2. Circulation, 2009, 120, 28-34.	1.6	293
28	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41.	21.4	286
29	Comparison of Thrombolysis Followed by Broad Use of Percutaneous Coronary Intervention With Primary Percutaneous Coronary Intervention for ST-Segment–Elevation Acute Myocardial Infarction. Circulation, 2008, 118, 268-276.	1.6	275
30	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. Nature Genetics, 2016, 48, 1151-1161.	21.4	261
31	Arterial stiffness and cardiovascular risk factors in a population-based study. Journal of Hypertension, 2001, 19, 381-387.	0.5	242
32	The French paradox: lessons for other countries. British Heart Journal, 2004, 90, 107-111.	2.1	234
33	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. International Journal of Epidemiology, 2012, 41, 1419-1433.	1.9	230
34	Contributions of Depressive Mood and Circulating Inflammatory Markers to Coronary Heart Disease in Healthy European Men. Circulation, 2005, 111, 2299-2305.	1.6	220
35	Are the Framingham and PROCAM coronary heart disease risk functions applicable to different European populations? The PRIME Study. European Heart Journal, 2003, 24, 1903-1911.	2.2	216
36	Systematic Evaluation of Pleiotropy Identifies 6 Further Loci Associated WithÂCoronary ArteryÂDisease. Journal of the American College of Cardiology, 2017, 69, 823-836.	2.8	214

#	Article	IF	CITATIONS
37	Endothelial Cell Markers and the Risk of Coronary Heart Disease. Circulation, 2004, 109, 1343-1348.	1.6	203
38	Ozone Air Pollution Is Associated With Acute Myocardial Infarction. Circulation, 2005, 111, 563-569.	1.6	202
39	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. Atherosclerosis, 2002, 163, 377-384.	0.8	196
40	Associations of Fibrinogen, Factor VII and PAI-1 with Baseline Findings among 10,500 Male Participants in a Prospective Study of Myocardial Infarction. Thrombosis and Haemostasis, 1998, 80, 749-756.	3.4	184
41	The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. PLoS Medicine, 2013, 10, e1001474.	8.4	178
42	Value of HDL Cholesterol, Apolipoprotein A-I, Lipoprotein A-I, and Lipoprotein A-I/A-II in Prediction of Coronary Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 1155-1161.	2.4	169
43	Twenty-five-year trends in myocardial infarction attack and mortality rates, and case-fatality, in six European populations. Heart, 2015, 101, 1413-1421.	2.9	169
44	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: The PRIME Study. Atherosclerosis, 2003, 170, 169-176.	0.8	156
45	Household Income Is Associated With the Risk of Metabolic Syndrome in a Sex-Specific Manner. Diabetes Care, 2005, 28, 409-415.	8.6	156
46	lschemic stroke is associated with the <i>ABO</i> locus: The EuroCLOT study. Annals of Neurology, 2013, 73, 16-31.	5.3	144
47	Persistent lipid abnormalities in statin-treated patients and predictors of LDL-cholesterol goal achievement in clinical practice in Europe and Canada. European Journal of Preventive Cardiology, 2012, 19, 221-230.	1.8	143
48	French Registry on Acute ST-elevation and non ST-elevation Myocardial Infarction 2010. FAST-MI 2010. Heart, 2012, 98, 699-705.	2.9	141
49	Clinical Events as a Function of Proton Pump Inhibitor Use, Clopidogrel Use, and Cytochrome P450 2C19 Genotype in a Large Nationwide Cohort of Acute Myocardial Infarction. Circulation, 2011, 123, 474-482.	1.6	140
50	β blockers and mortality after myocardial infarction in patients without heart failure: multicentre prospective cohort study. BMJ, The, 2016, 354, i4801.	6.0	134
51	Shift work and cardiovascular risk factors: New knowledge from the past decade. Archives of Cardiovascular Diseases, 2011, 104, 636-668.	1.6	132
52	A Genome-Wide Association Study Identifies <i>LIPA</i> as a Susceptibility Gene for Coronary Artery Disease. Circulation: Cardiovascular Genetics, 2011, 4, 403-412.	5.1	130
53	Prevalence of Insulin Resistance Syndrome in Southwestern France and Its Relationship With Inflammatory and Hemostatic Markers. Diabetes Care, 2002, 25, 1371-1377.	8.6	128
54	Patterns of alcohol consumption and ischaemic heart disease in culturally divergent countries: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). BMJ: British Medical Journal, 2010, 341, c6077-c6077.	2.3	127

#	Article	IF	CITATIONS
55	Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. International Journal of Epidemiology, 2015, 44, 578-586.	1.9	123
56	Impact of Type of Preadmission Sulfonylureas on Mortality and Cardiovascular Outcomes in Diabetic Patients with Acute Myocardial Infarction. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 4993-5002.	3.6	118
57	Impact of Age and Gender on the Prevalence and Prognostic Importance of the Metabolic Syndrome and Its Components in Europeans. The MORGAM Prospective Cohort Project. PLoS ONE, 2014, 9, e107294.	2.5	117
58	Leisure-time physical activity and regular walking or cycling to work are associated with adiposity and 5â€y weight gain in middle-aged men: the PRIME Study. International Journal of Obesity, 2001, 25, 940-948.	3.4	115
59	Five-Year Survival in Patients With ST-Segment–Elevation Myocardial Infarction According to Modalities of Reperfusion Therapy. Circulation, 2014, 129, 1629-1636.	1.6	114
60	Seasonality of cardiovascular risk factors: an analysis including over 230â€000 participants in 15 countries. Heart, 2014, 100, 1517-1523.	2.9	113
61	Management of Acute Myocardial Infarction in Intensive Care Units in 1995: A Nationwide French Survey of Practice and Early Hospital Results. Journal of the American College of Cardiology, 1997, 30, 1598-1605.	2.8	112
62	Circulating miR-155, miR-145 and let-7c as diagnostic biomarkers of the coronary artery disease. Scientific Reports, 2017, 7, 42916.	3.3	110
63	Alcohol intake and diet in France, the prominent role of lifestyle. European Heart Journal, 2004, 25, 1153-1162.	2.2	109
64	An interaction between apo C-III variants and protease inhibitors contributes to high triglyceride/low HDL levels in treated HIV patients. Aids, 2001, 15, 2397-2406.	2.2	108
65	Prevalence, Prognosis, and Identification of the Malignant Form of Early Repolarization Pattern in a Population-Based Study. American Journal of Cardiology, 2012, 110, 1302-1308.	1.6	107
66	Plasma cystatin-C and development of coronary heart disease: The PRIME Study. Atherosclerosis, 2006, 185, 375-380.	0.8	102
67	Relative Risks for Stroke by Age, Sex, and Population Based on Follow-Up of 18 European Populations in the MORGAM Project. Stroke, 2009, 40, 2319-2326.	2.0	101
68	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76.	12.4	100
69	Metabolic syndrome, insulin resistance, and periodontitis: a crossâ€sectional study in a middleâ€aged French population. Journal of Clinical Periodontology, 2010, 37, 601-608.	4.9	99
70	Is mean heart dose a relevant surrogate parameter of left ventricle and coronary arteries exposure during breast cancer radiotherapy: a dosimetric evaluation based on individually-determined radiation dose (BACCARAT study). Radiation Oncology, 2019, 14, 29.	2.7	98
71	Frequency of fruit and vegetable consumption and coronary heart disease in France and Northern Ireland: the PRIME study. British Journal of Nutrition, 2004, 92, 963-972.	2.3	96
72	C-Reactive Protein, Interleukin 6, Fibrinogen and Risk of Sudden Death in European Middle-Aged Men: The PRIME Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 2047-2052.	2.4	96

#	Article	IF	CITATIONS
73	Cholesterol target value attainment and lipid-lowering therapy in patients with stable or acute coronary heart disease: Results from the Dyslipidemia International Study II. Atherosclerosis, 2017, 266, 158-166.	0.8	96
74	High consumptions of grain, fish, dairy products and combinations of these are associated with a low prevalence of metabolic syndrome. Journal of Epidemiology and Community Health, 2007, 61, 810-817.	3.7	94
75	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. Nature Genetics, 2020, 52, 1314-1332.	21.4	91
76	Incidence of sudden cardiac death after ventricular fibrillation complicating acute myocardial infarction: a 5-year cause-of-death analysis of the FAST-MI 2005 registry. European Heart Journal, 2014, 35, 116-122.	2.2	90
77	Bilirubin and coronary heart disease risk in the Prospective Epidemiological Study of Myocardial Infarction (PRIME). European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 79-84.	2.8	89
78	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. Nature Genetics, 2019, 51, 452-469.	21.4	89
79	Physical Activity and Coronary Event Incidence in Northern Ireland and France. Circulation, 2002, 105, 2247-2252.	1.6	88
80	Low-density lipoprotein cholesterol in a global cohort of 57,885 statin-treated patients. Atherosclerosis, 2016, 255, 200-209.	0.8	88
81	Education, socioeconomic and lifestyle factors, and risk of coronary heart disease: the PRIME Study. International Journal of Epidemiology, 2005, 34, 268-275.	1.9	87
82	French Registry on Acute ST-elevation and nonâ^'ST-elevation Myocardial Infarction 2015 (FAST-MI 2015). Design and baseline data. Archives of Cardiovascular Diseases, 2017, 110, 366-378.	1.6	84
83	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. Molecular Psychiatry, 2020, 25, 2392-2409.	7.9	83
84	Depressed mood and dietary fish intake: Direct relationship or indirect relationship as a result of diet and lifestyle?. Journal of Affective Disorders, 2007, 104, 217-223.	4.1	81
85	Residual cardiovascular risk in treated hypertension and hyperlipidaemia: the PRIME Study. Journal of Human Hypertension, 2010, 24, 19-26.	2.2	81
86	Genetic Markers Enhance Coronary Risk Prediction in Men: The MORGAM Prospective Cohorts. PLoS ONE, 2012, 7, e40922.	2.5	81
87	High blood pressure prevalence and control in a middle-aged French population and their associated factors: the MONA LISA study. Journal of Hypertension, 2011, 29, 43-50.	0.5	79
88	Independent contribution of dairy products and calcium intake to blood pressure variations at a population level. Journal of Hypertension, 2006, 24, 671-681.	0.5	75
89	Association between the T-381C polymorphism of the brain natriuretic peptide gene and risk of type 2 diabetes in human populations. Human Molecular Genetics, 2007, 16, 1343-1350.	2.9	72
90	TLR4/Asp299Gly, CD14/C-260T, plasma levels of the soluble receptor CD14 and the risk of coronary heart disease: The PRIME Study. European Journal of Human Genetics, 2004, 12, 1041-1049.	2.8	71

#	Article	IF	CITATIONS
91	Use of Invasive Strategy in Non–ST-Segment Elevation Myocardial Infarction Is a Major Determinant of Improved Long-Term Survival. JACC: Cardiovascular Interventions, 2012, 5, 893-902.	2.9	71
92	Current practice in identifying and treating cardiovascular risk, with a focus on residual risk associated with atherogenic dyslipidaemia. European Heart Journal Supplements, 2016, 18, C2-C12.	0.1	71
93	Effect of an FTO polymorphism on fat mass, obesity, and type 2 diabetes mellitus in the French MONICA Study. Metabolism: Clinical and Experimental, 2009, 58, 971-975.	3.4	70
94	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. Nephrology Dialysis Transplantation, 2015, 30, iv6-iv16.	0.7	69
95	Genome-Wide Association Study for Incident Myocardial Infarction and Coronary Heart Disease in Prospective Cohort Studies: The CHARGE Consortium. PLoS ONE, 2016, 11, e0144997.	2.5	69
96	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and AlcoholÂUse. Biological Psychiatry, 2019, 85, 946-955.	1.3	69
97	Carotid intima-media thickness and coronary heart disease risk factors in a low-risk population. Journal of Hypertension, 1999, 17, 743-748.	0.5	68
98	Centralized Pan-European survey on the under-treatment of hypercholesterolaemia (CEPHEUS): overall findings from eight countries. Current Medical Research and Opinion, 2010, 26, 445-454.	1.9	66
99	A review of the evidence on reducing macrovascular risk in patients with atherogenic dyslipidaemia: A report from an expert consensus meeting on the role of fenofibrate–statin combination therapy. Atherosclerosis Supplements, 2015, 19, 1-12.	1.2	66
100	Sedentary behaviour, physical activity and dietary patterns are independently associated with the metabolic syndrome. Diabetes and Metabolism, 2012, 38, 428-435.	2.9	65
101	Multiple Biomarkers for the Prediction of Ischemic Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 659-666.	2.4	65
102	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	1.9	65
103	Interleukin 6 is associated with subclinical atherosclerosis: a link with soluble intercellular adhesion molecule 1. Journal of Hypertension, 2006, 24, 1083-1088.	0.5	64
104	Trends in plasma lipids, lipoproteins and dyslipidaemias in French adults, 1996–2007. Archives of Cardiovascular Diseases, 2009, 102, 293-301.	1.6	64
105	Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. Diabetes, 2015, 64, 1841-1852.	0.6	63
106	Specific Profile and Referral Bias of Rehabilitated Patients After an Acute Coronary Syndrome. Journal of Cardiopulmonary Rehabilitation and Prevention, 2004, 24, 38-44.	0.5	62
107	Early detection and prediction of cardiotoxicity after radiation therapy for breast cancer: the BACCARAT prospective cohort study. Radiation Oncology, 2016, 11, 54.	2.7	62
108	Catechin in the Mediterranean diet: vegetable, fruit or wine?. Atherosclerosis, 2000, 153, 107-117.	0.8	61

#	Article	IF	CITATIONS
109	Plasma fibrinogen explains much of the difference in risk of coronary heart disease between France and Northern Ireland. The PRIME study. Atherosclerosis, 2003, 166, 103-109.	0.8	61
110	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. American Journal of Human Genetics, 2013, 93, 236-248.	6.2	60
111	Educational class inequalities in the incidence of coronary heart disease in Europe. Heart, 2016, 102, 958-965.	2.9	60
112	Sex hormone-binding globulin is a major determinant of the lipid profile: the PRIME study. Atherosclerosis, 2005, 179, 369-373.	0.8	59
113	Correcting for multivariate measurement error by regression calibration in metaâ€analyses of epidemiological studies. Statistics in Medicine, 2009, 28, 1067-1092.	1.6	59
114	Iron Status Is Associated with Carotid Atherosclerotic Plaques in Middle-Aged Adults. Journal of Nutrition, 2010, 140, 812-816.	2.9	57
115	International differences in acute coronary syndrome patients' baseline characteristics, clinical management and outcomes in Western Europe: the EURHOBOP study. Heart, 2014, 100, 1201-1207.	2.9	56
116	TAFI gene haplotypes, TAFI plasma levels and future risk of coronary heart disease: the PRIME Study. Journal of Thrombosis and Haemostasis, 2005, 3, 1503-1510.	3.8	55
117	Adipocytokines and the risk of ischemic stroke: The PRIME Study. Annals of Neurology, 2012, 71, 478-486.	5.3	55
118	Change in cardiovascular risk factors in France, 1985–1997. European Journal of Epidemiology, 2003, 19, 25-32.	5.7	54
119	Soluble CD14 and aortic stiffness in a population-based study. Journal of Hypertension, 2003, 21, 1869-1877.	0.5	54
120	The Association of Metabolic Disorders with the Metabolic Syndrome Is Different in Men and Women. Annals of Nutrition and Metabolism, 2004, 48, 43-50.	1.9	53
121	Contribution of novel biomarkers to incident stable angina and acute coronary syndrome: the PRIME Study. European Heart Journal, 2008, 29, 1966-1974.	2.2	53
122	Relative Contribution of Lipids and Apolipoproteins to Incident Coronary Heart Disease and Ischemic Stroke: The PRIME Study. Cerebrovascular Diseases, 2010, 30, 252-259.	1.7	52
123	Suboptimal Control of Lipid Levels: Results from 29 Countries Participating in the Centralized Pan-Regional Surveys on the Undertreatment of Hypercholesterolaemia (CEPHEUS). Journal of Atherosclerosis and Thrombosis, 2016, 23, 567-587.	2.0	52
124	Types of alcoholic beverages and blood lipids in a French population. Journal of Epidemiology and Community Health, 2002, 56, 24-28.	3.7	51
125	Association between serum alkaline phosphatase and coronary artery calcification in a sample of primary cardiovascular prevention patients. Atherosclerosis, 2017, 260, 81-86.	0.8	51
126	Identification of a genetic risk factor for idiopathic dilated cardiomyopathy. Involvement of a polymorphism in the endothelin receptor type A gene. European Heart Journal, 1999, 20, 1587-1591.	2.2	50

#	Article	IF	CITATIONS
127	Relationship Between Markers of Insulin Resistance, Markers of Adiposity, HbA1c, and Cognitive Functions in a Middle-Aged Population–Based Sample: the MONA LISA Study. Diabetes Care, 2013, 36, 1512-1521.	8.6	50
128	Predictors of LDL-cholesterol target value attainment differ in acute and chronic coronary heart disease patients: Results from DYSIS II Europe. European Journal of Preventive Cardiology, 2018, 25, 1966-1976.	1.8	50
129	Sex differences in awareness and control of hypertension in France. Journal of Hypertension, 1997, 15, 1205-1210.	0.5	48
130	Fifteenâ€year trends in the management of cardiogenic shock and associated 1â€year mortality in elderly patients with acute myocardial infarction: the FASTâ€MI programme. European Journal of Heart Failure, 2016, 18, 1144-1152.	7.1	48
131	Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. Journal of Hypertension, 2008, 26, 1078-1084.	0.5	47
132	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. American Journal of Epidemiology, 2014, 179, 621-632.	3.4	47
133	The intra- and interobserver variability of ankle–arm blood pressure index according to its mode of calculation. Journal of Clinical Epidemiology, 2003, 56, 215-220.	5.0	45
134	Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects. Journal of Vascular Surgery, 2007, 46, 1215-1221.	1.1	45
135	Adipocytokines and the risk of coronary heart disease in healthy middle aged men: the PRIME Study. International Journal of Obesity, 2010, 34, 118-126.	3.4	45
136	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. European Journal of Preventive Cardiology, 2017, 24, 437-445.	1.8	45
137	Obesity and Alcohol Modulate the Effect of Apolipoprotein E Polymorphism on Lipids and Insulin. Obesity, 2003, 11, 1200-1206.	4.0	44
138	Systematically missing confounders in individual participant data metaâ€analysis of observational cohort studies. Statistics in Medicine, 2009, 28, 1218-1237.	1.6	44
139	Association between the frequency of fruit and vegetable consumption and cardiovascular disease in male smokers and non-smokers. European Journal of Clinical Nutrition, 2010, 64, 578-586.	2.9	44
140	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. International Journal of Epidemiology, 2020, 49, 173-192.	1.9	44
141	Effects of insulin-like growth factor 1 in preventing acute coronary syndromes: The PRIME study. Atherosclerosis, 2011, 218, 464-469.	0.8	43
142	Low-fat and high-fat dairy products are differently related to blood lipids and cardiovascular risk score. European Journal of Preventive Cardiology, 2014, 21, 1557-1567.	1.8	43
143	Relationships between alcoholic beverages and cardiovascular risk factor levels in middle-aged men, the PRIME study. Atherosclerosis, 2001, 157, 431-440.	0.8	42
144	Cardiac rehabilitation and 5-year mortality after acute coronary syndromes: The 2005 French FAST-MI study. Archives of Cardiovascular Diseases, 2016, 109, 178-187.	1.6	42

#	Article	IF	CITATIONS
145	Psychosocial risk factors for heart disease in France and Northern Ireland: The Prospective Epidemiological Study of Myocardial Infarction (PRIME). International Journal of Epidemiology, 2002, 31, 1227-1234.	1.9	41
146	Measures to assess the prognostic ability of the stratified Cox proportional hazards model. Statistics in Medicine, 2009, 28, 389-411.	1.6	41
147	Prognosis Impact of Frailty Assessed by the Edmonton Frail Scale in the Setting of Acute Coronary Syndrome in the Elderly. Canadian Journal of Cardiology, 2017, 33, 933-939.	1.7	41
148	Does Estimated Pulse Wave Velocity Add Prognostic Information?. Hypertension, 2020, 75, 1420-1428.	2.7	41
149	Low- and high-density lipoprotein cholesterol goal attainment in dyslipidemic women: The Lipid Treatment Assessment Project (L-TAP) 2. American Heart Journal, 2009, 158, 860-866.	2.7	40
150	Usefulness of Fetuin-A and C-Reactive Protein Concentrations for Prediction of Outcome in Acute Coronary Syndromes (from the French Registry of Acute ST-Elevation Non-ST-Elevation Myocardial) Tj ETQq0 0 (	) rg <b>₿₮</b> /Ov	erlo <b>ude</b> 10 Tf 5
151	Coronary artery calcification: From crystal to plaque rupture. Archives of Cardiovascular Diseases, 2017, 110, 550-561.	1.6	39
152	Impact of sulfonylurea receptor 1 genetic variability on non-insulin-dependent diabetes mellitus prevalence and treatment: A population study. American Journal of Medical Genetics Part A, 2001, 101, 4-8.	2.4	38
153	Family history, longevity, and risk of coronary heart disease: the PRIME Study. International Journal of Epidemiology, 2003, 32, 71-77.	1.9	37
154	Depressive Symptoms, a Time-Dependent Risk Factor for Coronary Heart Disease and Stroke in Middle-Aged Men. Stroke, 2012, 43, 1761-1767.	2.0	36
155	Adiponectin and Long-Term Mortality in Coronary Artery Disease Participants and Controls. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, e19-29.	2.4	36
156	Central obesity is associated with non-cirrhotic portal vein thrombosis. Journal of Hepatology, 2016, 64, 427-432.	3.7	36
157	Angiotensin I-converting enzyme gene polymorphism in a low-risk European population for coronary artery disease. Atherosclerosis, 1999, 142, 211-216.	0.8	35
158	JOINT USE OF CLINICAL PARAMETERS, BIOLOGICAL MARKERS AND CAGE QUESTIONNAIRE FOR THE IDENTIFICATION OF HEAVY DRINKERS IN A LARGE POPULATION-BASED SAMPLE. Alcohol and Alcoholism, 2003, 38, 121-127.	1.6	35
159	A comparison of non-HDL and LDL cholesterol goal attainment in a large, multinational patient population: The Lipid Treatment Assessment Project 2. Atherosclerosis, 2012, 224, 150-153.	0.8	35
160	In-hospital outcomes and long-term mortality according to sex and management strategy in acute myocardial infarction. Insights from the French ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) 2005 Registry. International Journal of Cardiology, 2015, 201, 265-270.	1.7	35
161	Epidemiology of myocardial infarction in France: Therapeutic and prognostic implications of heart failure during the acute phase. American Heart Journal, 1999, 137, 49-58.	2.7	34
162	Relationship between C reactive protein and pulse pressure is not mediated by atherosclerosis or aortic stiffness. Journal of Hypertension, 2004, 22, 349-355.	0.5	34

#	Article	IF	CITATIONS
163	Association between the metabolic syndrome and parental history of premature cardiovascular disease. European Heart Journal, 2006, 27, 722-728.	2.2	34
164	Blood lipid concentrations and risk of myocardial infarction. Lancet, The, 2001, 358, 1064-1065.	13.7	33
165	C-Reactive Protein Elevation Predicts Pulse Pressure Reduction in Hypertensive Subjects. Hypertension, 2005, 46, 151-155.	2.7	33
166	Low plasma retinol predicts coronary events in healthy middle-aged men: The PRIME Study. Atherosclerosis, 2010, 208, 270-274.	0.8	33
167	Determinants of improved one-year survival in non-ST-segment elevation myocardial infarction patients: Insights from the French FAST-MI program over 15years. International Journal of Cardiology, 2014, 177, 281-286.	1.7	33
168	Benign vs malignant inferolateral early repolarization: Focus on the T wave. Heart Rhythm, 2016, 13, 894-902.	0.7	33
169	High burden of recurrent cardiovascular events in heterozygous familial hypercholesterolemia: The French Familial Hypercholesterolemia Registry. Atherosclerosis, 2018, 277, 334-340.	0.8	33
170	The North-East-South gradient of coronary heart disease mortality and case fatality rates in France is consistent with a similar gradient in risk factor clusters. European Journal of Epidemiology, 2000, 16, 317-322.	5.7	32
171	Paraoxonase activity and coronary heart disease risk in healthy middle-aged males: The PRIME study. Atherosclerosis, 2008, 197, 556-563.	0.8	32
172	RNY-derived small RNAs as a signature of coronary artery disease. BMC Medicine, 2015, 13, 259.	5.5	32
173	Five-year outcomes following timely primary percutaneous intervention, late primary percutaneous intervention, or a pharmaco-invasive strategy in ST-segment elevation myocardial infarction: the FAST-MI programme. European Heart Journal, 2020, 41, 858-866.	2.2	32
174	Ten-Year All-Cause Mortality in Presumably Healthy Subjects on Lipid-Lowering Drugs (from the) Tj ETQq0 0 0 rgB Journal of Cardiology, 2009, 103, 381-386.	T /Overloo 1.6	ck 10 Tf 50 3 31
175	Additional prognostic value of physical examination, exercise testing, and arterial ultrasonography for coronary risk assessment in primary prevention. American Heart Journal, 2009, 158, 845-851.	2.7	31
176	Changes in One-Year Mortality in Elderly Patients Admitted with Acute Myocardial Infarction in Relation with Early Management. American Journal of Medicine, 2017, 130, 555-563.	1.5	31
177	Association between liver X receptor α gene polymorphisms and risk of metabolic syndrome in French populations. International Journal of Obesity, 2008, 32, 421-428.	3.4	30
178	Ideal Cardiovascular Health and Incident Cardiovascular Disease: Heterogeneity Across Event Subtypes and Mediating Effect of Blood Biomarkers: The PRIME Study. Journal of the American Heart Association, 2017, 6, .	3.7	30
179	Serum level of HDL particles are independently associated with long-term prognosis in patients with coronary artery disease: The GENES study. Scientific Reports, 2020, 10, 8138.	3.3	29
180	Soluble intercellular adhesion molecule-1 is associated with carotid and femoral atherosclerosis but not with intima-media thickness in a population-based sample. Atherosclerosis, 2002, 164, 297-304.	0.8	28

#	Article	IF	CITATIONS
181	Alcohol consumption and cardiovascular disease: differential effects in France and Northern Ireland. The PRIME study. European Journal of Cardiovascular Prevention and Rehabilitation, 2004, 11, 336-343.	2.8	28
182	Drug prescriptions and referral to cardiac rehabilitation after acute coronary events: comparison between men and women in the French PREVENIR Survey. International Journal of Cardiology, 2004, 93, 217-223.	1.7	28
183	Assessment of lipid-lowering treatment in France – The CEPHEUS study. Archives of Cardiovascular Diseases, 2008, 101, 557-563.	1.6	28
184	Effect of early initiation of statins on survival in patients with acute myocardial infarction (the USIC) Tj ETQq0 0 C	) rgBT /Ov 1.6	erlock 10 Tf 5 27
185	Prognostic Usefulness of Clinical and Subclinical Peripheral Arterial Disease in Men With Stable Coronary Heart Disease. American Journal of Cardiology, 2012, 110, 197-202.	1.6	27
186	A consensus statement on lipid management after acute coronary syndrome. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 532-543.	1.0	27
187	Early detection of subclinical left ventricular dysfunction after breast cancer radiation therapy using speckle-tracking echocardiography: association between cardiac exposure and longitudinal strain reduction (BACCARAT study). Radiation Oncology, 2019, 14, 204.	2.7	27
188	Trends in coronary heart disease in France during the second half of the 1990s. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 209-215.	2.8	26
189	Impact of early statin therapy on development of atrial fibrillation at the acute stage of myocardial infarction: data from the FAST-MI register. Heart, 2010, 96, 1809-1814.	2.9	26
190	Differences in the use of guideline-recommended therapies among 14 European countries in patients with acute coronary syndromes undergoing PCI. European Journal of Preventive Cardiology, 2013, 20, 218-228.	1.8	26
191	Serum IF1 concentration is independently associated to HDL levels and to coronary heart disease: the GENES study. Journal of Lipid Research, 2013, 54, 2550-2558.	4.2	26
192	Dutch Lipid Clinic Network low-density lipoprotein cholesterol criteria are associated with long-term mortality in the general population. Archives of Cardiovascular Diseases, 2015, 108, 511-518.	1.6	26
193	Prevalence of potential familial hypercholesterolemia (FH) in 54,811 statin-treated patients in clinical practice. Atherosclerosis, 2016, 252, 1-8.	0.8	26
194	Residual coronary risk in men aged 50–59 years treated for hypertension and hyperlipidaemia in the population. Journal of Hypertension, 2004, 22, 415-423.	0.5	25
195	Usefulness of Inhospital Change in B-Type Natriuretic Peptide Levels in Predicting Long-Term Outcome in Elderly Patients Admitted for Decompensated Heart Failure. The American Journal of Geriatric Cardiology, 2007, 16, 8-14.	0.6	25
196	The APOA5Trp19 allele is associated with metabolic syndrome via its association with plasma triglycerides. BMC Medical Genetics, 2008, 9, 84.	2.1	25
197	Suggestive evidence of associations between liver X receptor β polymorphisms with type 2 diabetes mellitus and obesity in three cohort studies: HUNT2 (Norway), MONICA (France) and HELENA (Europe). BMC Medical Genetics, 2010, 11, 144.	2.1	25
198	Characteristics of current smokers, former smokers, and second-hand exposure and evolution between 1985 and 2007. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 730-736.	2.8	25

#	Article	IF	CITATIONS
199	Targeting high-density lipoproteins: Update on a promising therapy. Archives of Cardiovascular Diseases, 2013, 106, 601-611.	1.6	25
200	Validation of a Short, Qualitative Food Frequency Questionnaire in French Adults Participating in the MONA LISA-NUT Study 2005-2007. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 552-561.	0.8	25
201	Dietary linoleic acid interacts with FADS1 genetic variability to modulate HDL-cholesterol and obesity-related traits. Clinical Nutrition, 2018, 37, 1683-1689.	5.0	25
202	CD14 C(â^'260)T gene polymorphism, circulating soluble CD14 levels and arteriosclerosis. Journal of Hypertension, 2004, 22, 1523-1528.	0.5	24
203	Shiftwork and Higher Pancreatic Secretion: Early Detection of an Intermediate State of Insulin Resistance?. Chronobiology International, 2012, 29, 1258-1266.	2.0	24
204	Serum levels of mitochondrial inhibitory factor 1 are independently associated with long-term prognosis in coronary artery disease: the GENES Study. BMC Medicine, 2016, 14, 125.	5.5	24
205	Prognosis of patients with atherothrombotic disease: A prospective survey in a non-hospital setting. International Journal of Cardiology, 2006, 112, 302-307.	1.7	23
206	Optimization of the use of B-type natriuretic peptide levels for risk stratification at discharge in elderly patients with decompensated heart failure. American Heart Journal, 2008, 155, 986-991.	2.7	23
207	Assessment of Quality Indicators for Acute Myocardial Infarction in the FAST-MI (French Registry of) Tj ETQq1 Cardiovascular Quality and Outcomes, 2017, 10, .	1 0.784314 2.2	rgBT /Overloc 23
208	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. Diabetes and Metabolism, 2021, 47, 101185.	2.9	23
209	Percutaneous Myocardial Revascularization in Late-Presenting Patients With STEMI. Journal of the American College of Cardiology, 2021, 78, 1291-1305.	2.8	23
210	Blood Signature of Pre-Heart Failure: A Microarrays Study. PLoS ONE, 2011, 6, e20414.	2.5	23
211	Early Detection of Cardiovascular Changes After Radiotherapy for Breast Cancer: Protocol for a European Multicenter Prospective Cohort Study (MEDIRAD EARLY HEART Study). JMIR Research Protocols, 2018, 7, e178.	1.0	23
212	Effect of apolipoprotein E alleles and angiotensin-converting enzyme insertion/deletion polymorphisms on lipid and lipoprotein markers in middle-aged men and in patients with stable angina pectoris or healed myocardial infarction. American Journal of Cardiology, 2003, 92, 1102-1105.	1.6	22
213	Attainment of low-density lipoprotein cholesterol target in the French general population according to levels of cardiovascular risk: Insights from the MONA LISA study. Archives of Cardiovascular Diseases, 2013, 106, 93-102.	1.6	22
214	A European benchmarking system to evaluate in-hospital mortality rates in acute coronary syndrome: The EURHOBOP project. International Journal of Cardiology, 2015, 182, 509-516.	1.7	22
215	Genetic invalidation of Lp-PLA2 as a therapeutic target: Large-scale study of five functional Lp-PLA2-lowering alleles. European Journal of Preventive Cardiology, 2017, 24, 492-504.	1.8	22
216	Temporal trends in clinical characteristics and management according to sex in patients with cardiogenic shock after acute myocardial infarction: The FAST-MI programme. Archives of Cardiovascular Diseases, 2018, 111, 555-563.	1.6	22

#	Article	IF	CITATIONS
217	External validation of the 2008 Framingham cardiovascular risk equation for CHD and stroke events in a European population of middle-aged men. The PRIME study. Preventive Medicine, 2013, 57, 49-54.	3.4	21
218	Percutaneous coronary intervention reduces mortality in myocardial infarction patients with comorbidities: Implications for elderly patients with diabetes or kidney disease. International Journal of Cardiology, 2017, 249, 83-89.	1.7	21
219	Genetic diagnosis of familial hypercholesterolemia is associated with a premature and high coronary heart disease risk. Clinical Cardiology, 2018, 41, 385-391.	1.8	21
220	Heart rate at admission is a predictor of in-hospital mortality in patients with acute coronary syndromes: Results from 58 European hospitals: The European Hospital Benchmarking by Outcomes in acute coronary syndrome Processes study. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 149-157.	1.0	21
221	Trends in hypertension prevalence and management in Southwestern France, 1985–1996. Journal of Clinical Epidemiology, 2000, 53, 1230-1235.	5.0	20
222	Link between traditional cardiovascular risk factors and inflammation in patients with early arthritis: Results from a French Multicenter Cohort. Arthritis Care and Research, 2012, 64, 872-880.	3.4	20
223	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209728.	3.7	20
224	Twenty-year trends in profile, management and outcomes of patients with ST-segment elevation myocardial infarction according to use of reperfusion therapy: Data from the FAST-MI program 1995-2015. American Heart Journal, 2019, 214, 97-106.	2.7	20
225	Association of macronutrient intake patterns with being overweight in a population-based random sample of men in France. Diabetes and Metabolism, 2009, 35, 129-136.	2.9	19
226	Proteomics analysis reveals IGFBP2 as a candidate diagnostic biomarker for heart failure. IJC Metabolic & Endocrine, 2015, 6, 5-12.	0.5	19
227	The FAST-MI 2005-2010-2015 registries in the light of the COMPASS trial: The COMPASS criteria applied to a post-MI population. International Journal of Cardiology, 2019, 278, 7-13.	1.7	19
228	Associations between classical cardiovascular risk factors and coronary artery disease in two countries at contrasting risk for myocardial infarction: the PRIME Study. International Journal of Cardiology, 2000, 74, 191-198.	1.7	18
229	Regional factors interact with educational and income tax levels to influence food intake in France. European Journal of Clinical Nutrition, 2011, 65, 1067-1075.	2.9	18
230	Ten-year risk of all-cause mortality: assessment of a risk prediction algorithm in a French general population. European Journal of Epidemiology, 2011, 26, 359-368.	5.7	18
231	Total Lipid Management and Cardiovascular Disease in the Dyslipidemia International Study. Cardiology, 2013, 125, 154-163.	1.4	18
232	Gender- and age-specific trends in coronary heart disease mortality in France from 2000 to 2007: results from the MONICA registers. European Journal of Preventive Cardiology, 2014, 21, 117-122.	1.8	18
233	A Role for Behavior in the Relationships Between Depression and Hostility and Cardiovascular Disease Incidence, Mortality, and All-Cause Mortality: the Prime Study. Annals of Behavioral Medicine, 2016, 50, 582-591.	2.9	18
234	Contemporary data on low-density lipoprotein cholesterol target value attainment and distance to target in a cohort of 57,885 statin-treated patients by country and region across the world. Data in Brief, 2016, 9, 616-620.	1.0	18

#	Article	IF	CITATIONS
235	Editor's Choice-Medically managed patients with non–ST-elevation acute myocardial infarction have heterogeneous outcomes, based on performance of angiography and extent of coronary artery disease. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 262-271.	1.0	18
236	Suboptimal achievement of low-density lipoprotein cholesterol targets in French patients with coronary heart disease. Contemporary data from the DYSIS II ACS/CHD study. Archives of Cardiovascular Diseases, 2017, 110, 167-178.	1.6	18
237	Editor's Choice – External Applicability of the COMPASS and VOYAGER-PAD Trials on Patients with Symptomatic Lower Extremity Artery Disease in France: The COPART Registry. European Journal of Vascular and Endovascular Surgery, 2021, 62, 439-449.	1.5	18
238	Study of the impact of perilipin polymorphisms in a French population. Journal of Negative Results in BioMedicine, 2006, 5, 10.	1.4	17
239	Lipid goals among patients with diabetes or metabolic syndrome: Lipid Treatment Assessment Project (L-TAP) 2. Current Medical Research and Opinion, 2010, 26, 2589-2597.	1.9	17
240	Effects of occupational and educational changes on obesity trends in France: The results of the MONICA-France survey 1986–2006. Preventive Medicine, 2011, 52, 305-309.	3.4	17
241	Prediction of persistence of combined evidence-based cardiovascular medications in patients with acute coronary syndrome after hospital discharge using neural networks. Medical and Biological Engineering and Computing, 2011, 49, 947-955.	2.8	17
242	Prognostic impact of non-compliance with guidelines-recommended times to reperfusion therapy in ST-elevation myocardial infarction. The FAST-MI 2010 registry. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 26-33.	1.0	17
243	Prognostic impact of prepercutaneous coronary intervention TIMI flow in patients with ST-segment and non-ST-segment elevation myocardial infarction: Results from the FAST-MI 2010 registry. Archives of Cardiovascular Diseases, 2018, 111, 101-108.	1.6	17
244	An innovative lipid-lowering approach to enhance attainment of low-density lipoprotein cholesterol goals. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 879-887.	1.0	17
245	Lockdown-related factors associated with the worsening of cardiovascular risk and anxiety or depression during the COVID-19 pandemic. Preventive Medicine Reports, 2021, 21, 101300.	1.8	17
246	Evaluation of contemporary treatment of high- and very high-risk patients for the prevention of cardiovascular events in Europe – Methodology and rationale for the multinational observational SANTORINI study. Atherosclerosis Plus, 2021, 43, 24-30.	0.7	17
247	Effect of an Educational Program (PECASE) on Cardiovascular Risk in Hypercholesterolaemic Patients. Cardiovascular Drugs and Therapy, 2008, 22, 495-505.	2.6	16
248	Persistence of combination of evidence-based medical therapy in patients with acute coronary syndromes. Archives of Cardiovascular Diseases, 2008, 101, 301-306.	1.6	16
249	Patterns of statin prescription in acute myocardial infarction. Atherosclerosis, 2009, 204, 491-496.	0.8	16
250	Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene–diet interactions. International Journal of Obesity, 2013, 37, 1499-1505.	3.4	16
251	Use of guideline-recommended management in established coronary heart disease in the observational DYSIS II study. International Journal of Cardiology, 2018, 270, 21-27.	1.7	16
252	Association between overall fruit and vegetable intake, and fruit and vegetable sub-types and blood pressure: the PRIME study (Prospective Epidemiological Study of Myocardial Infarction). British Journal of Nutrition, 2021, 125, 557-567.	2.3	16

#	Article	IF	CITATIONS
253	Increased resting heart rate with pollutants in a population based study. Journal of Epidemiology and Community Health, 2005, 59, 685-693.	3.7	15
254	Homocysteine and coronary heart disease risk in the PRIME study. Atherosclerosis, 2007, 191, 90-97.	0.8	15
255	Smoking habits, waist circumference and coronary artery disease risk relationship: the PRIME study. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 625-630.	2.8	15
256	Evidence supporting primary prevention of cardiovascular diseases with statins: Gaps between updated clinical results and actual practice. Archives of Cardiovascular Diseases, 2014, 107, 188-200.	1.6	15
257	Risk factor profile by etiological subtype of ischemic stroke in the young. Clinical Neurology and Neurosurgery, 2014, 120, 78-83.	1.4	15
258	Factors Associated With Infarct-Related Artery Patency Before Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction (from the FAST-MI 2010 Registry). American Journal of Cardiology, 2016, 117, 17-21.	1.6	15
259	Clinical outcomes according to symptom presentation in patients with acute myocardial infarction: Results from the FASTâ€MI 2010 registry. Clinical Cardiology, 2017, 40, 1256-1263.	1.8	15
260	Achievement of Low-Density Lipoprotein Cholesterol Targets in CKD. Kidney International Reports, 2019, 4, 1546-1554.	0.8	15
261	Prevalence and Treatment of Familial Hypercholesterolemia in France. Canadian Journal of Cardiology, 2019, 35, 744-752.	1.7	15
262	Comparison of Short- and Long-Term Prognosis between ST-Elevation and Non-ST-Elevation Myocardial Infarction. Journal of Clinical Medicine, 2021, 10, 180.	2.4	15
263	Prevalence of cardiovascular risk factors in men with stable coronary heart disease in France and Spain. Archives of Cardiovascular Diseases, 2010, 103, 80-89.	1.6	14
264	Positive impact of long-term lifestyle change on erythrocyte fatty acid profile after acute coronary syndromes. Archives of Cardiovascular Diseases, 2010, 103, 106-114.	1.6	14
265	Quality of Care for Myocardial Infarction at Academic and Nonacademic Hospitals. American Journal of Medicine, 2012, 125, 365-373.	1.5	14
266	Do lifestyle behaviours explain socioeconomic differences in all-cause mortality, and fatal and non-fatal cardiovascular events? Evidence from middle aged men in France and Northern Ireland in the PRIME Study. Preventive Medicine, 2012, 54, 247-253.	3.4	14
267	Alcohol Consumption Patterns and Body Weight. Annals of Nutrition and Metabolism, 2013, 62, 91-97.	1.9	14
268	Coronary heart disease incidence still decreased between 2006 and 2014 in France, except in young age groups: Results from the French MONICA registries. European Journal of Preventive Cardiology, 2020, 27, 1178-1186.	1.8	14
269	Association of low plasma antioxidant levels with all-cause mortality and coronary events in healthy middle-aged men from France and Northern Ireland in the PRIME study. European Journal of Nutrition, 2021, 60, 2631-2641.	3.9	14
270	Residual dyslipidaemia after statin treatment in France: Prevalence and risk distribution. Archives of Cardiovascular Diseases, 2010, 103, 302-309.	1.6	13

#	Article	IF	CITATIONS
271	Arterial Ultrasound Screening as a Tool for Coronary Risk Assessment in Asymptomatic Men and Women. Angiology, 2012, 63, 282-288.	1.8	13
272	Improvement in achievement of lipid targets in France: Comparison of data from coronary patients in the DYSIS and DYSIS II studies. International Journal of Cardiology, 2016, 222, 793-794.	1.7	13
273	One-Year Survival After ST-Segment–Elevation Myocardial Infarction in Relation With Prehospital Administration of Dual Antiplatelet Therapy. Circulation: Cardiovascular Interventions, 2018, 11, e007241.	3.9	13
274	Increased mortality risk in diabetic patients discharged from hospital with insulin therapy after an acute myocardial infarction: Data from the FAST-MI 2005 registry. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 218-230.	1.0	13
275	Myocardial deformation after radiotherapy: a layer-specific and territorial longitudinal strain analysis in a cohort of left-sided breast cancer patients (BACCARAT study). Radiation Oncology, 2020, 15, 201.	2.7	13
276	Prevalence and management of hypercholesterolemia in France, the Esteban observational study. Medicine (United States), 2020, 99, e23445.	1.0	13
277	Long-term outcomes after acute myocardial infarction in patients with familial hypercholesterolemia: The French registry of Acute ST-elevation and non-ST-elevation Myocardial Infarction program. Journal of Clinical Lipidology, 2020, 14, 352-360.e6.	1.5	13
278	Do cardiovascular risk factors in men depend on their spouses' occupational category?. European Journal of Epidemiology, 2001, 17, 347-356.	5.7	12
279	Association between angiopoietin-like 6 (ANGPTL6) gene polymorphisms and metabolic syndrome-related phenotypes in the French MONICA Study. Diabetes and Metabolism, 2009, 35, 287-292.	2.9	12
280	Association Between a Thyroid Hormone Receptor-α Gene Polymorphism and Blood Pressure but Not With Coronary Heart Disease Risk. American Journal of Hypertension, 2011, 24, 1027-1034.	2.0	12
281	Clinical Outcomes, Resource Use, and Costs at 1 Year in Patients with Acute Coronary Syndrome Undergoing PCI: Results from the Multinational APTOR Registry. Journal of Interventional Cardiology, 2012, 25, 19-27.	1.2	12
282	Treatment, Outcomes, Costs, and Quality of Life of Women and Men With Acute Coronary Syndromes Who Have Undergone Percutaneous Coronary Intervention: Results From the Antiplatelet Therapy Observational Registry. Postgraduate Medicine, 2013, 125, 100-107.	2.0	12
283	Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM Project. Journal of Hypertension, 2014, 32, 1025-1033.	0.5	12
284	Management of outpatients in France with stable coronary artery disease. Findings from the prospeCtive observational LongitudinAl RegIstry oF patients with stable coronary arterY disease (CLARIFY) registry. Archives of Cardiovascular Diseases, 2014, 107, 452-461.	1.6	12
285	Do randomized clinical trial selection criteria reflect levels of risk as observed in a general population of acute myocardial infarction survivors? The PEGASUS trial in the light of the FAST-MI 2005 registry. International Journal of Cardiology, 2016, 223, 604-610.	1.7	12
286	Metabolomics reveals plausible interactive effects between dairy product consumption and metabolic syndrome in humans. Clinical Nutrition, 2020, 39, 1497-1509.	5.0	12
287	The 2020 ESC-ACVC quality indicators for the management of acute myocardial infarction applied to the FAST-MI registries. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 207-215.	1.0	12
288	The <i>APOA4</i> Thr <sub>347</sub> →Ser <sub>347</sub> Polymorphism Is Not a Major Risk Factor of Obesity. Obesity, 2005, 13, 2132-2138.	4.0	11

#	Article	IF	CITATIONS
289	In obese and non-obese adults, the cis-regulatory rs361072 promoter variant of PIK3CB is associated with insulin resistance not with type 2 diabetes. Molecular Genetics and Metabolism, 2009, 96, 129-132.	1.1	11
290	The major element of 1-year prognosis in acute coronary syndromes is severity of initial clinical presentation: Results from the French MONICA registries. Archives of Cardiovascular Diseases, 2012, 105, 478-488.	1.6	11
291	Atherothrombotic risk stratification after acute myocardial infarction: the TIMI Risk Score for Secondary Prevention (TRSâ€2P) in the light of the FASTâ€MI registries. Clinical Cardiology, 2018, 42, 227-234.	1.8	11
292	Trends in the risk of myocardial infarction among HIV-1-infected individuals relative to the general population in France: Impact of gender and immune status. PLoS ONE, 2019, 14, e0210253.	2.5	11
293	Outcome associated with prescription of cardiac rehabilitation according to predicted risk after acute myocardial infarction: Insights from the FAST-MI registries. Archives of Cardiovascular Diseases, 2019, 112, 459-468.	1.6	11
294	Applicability of the <scp>REDUCEâ€IT</scp> trial to the <scp>FASTâ€MI</scp> registry. Are the results of randomized trials relevant in routine clinical practice?. Clinical Cardiology, 2020, 43, 1260-1265.	1.8	11
295	Correspondence. Atherosclerosis, 1999, 147, 415-416.	0.8	10
296	Haemostasis in Relation to Dietary Fat as Estimated by Erythrocyte Fatty Acid Composition: The Prime Study. Thrombosis Research, 2001, 102, 285-293.	1.7	10
297	Antithrombotic Management after an Ischemic Stroke in French Primary Care Practice: Results from Three Pooled Cross-Sectional Studies. Cerebrovascular Diseases, 2005, 20, 78-84.	1.7	10
298	Treatment patterns in patients with acute coronary syndrome undergoing percutaneous coronary intervention. Current Medical Research and Opinion, 2010, 26, 2193-2202.	1.9	10
299	Undiagnosed airflow limitation in patients at cardiovascular risk. Archives of Cardiovascular Diseases, 2011, 104, 619-626.	1.6	10
300	Tobacco Use and Cryptogenic Stroke in Young Adults. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 2694-2700.	1.6	10
301	Impact of cardiovascular risk factor control on long-term cardiovascular and all-cause mortality in the general population. Annals of Medicine, 2016, 48, 559-567.	3.8	10
302	Impact of occupational environmental stressors on blood pressure changes and on incident cases of hypertension: a 5-year follow-up from the VISAT study. Environmental Health, 2018, 17, 79.	4.0	10
303	In-hospital outcomes and 5-year mortality following an acute myocardial infarction in patients with a history of cancer: Results from the French registry on Acute ST-elevation or non-ST-elevation myocardial infarction (FAST-MI) 2005 cohort. Archives of Cardiovascular Diseases, 2019, 112, 657-669.	1.6	10
304	Influence of cholesteryl ester transfer protein, peroxisome proliferator–activated receptor α, apolipoprotein E, and apolipoprotein A-I polymorphisms on high-density lipoprotein cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I:A-II concentrations: the Prospective Epidemiological Study of Myocardial Infarction study. Metabolism: Clinical and Experimental, 2009, 58,	3.4	9
305	283-289. Prevalence, clinical profile and 3-year survival of acute myocardial infarction patients with and without obstructive coronary lesions: The FAST-MI 2005 registry. International Journal of Cardiology, 2014, 172, e247-e249.	1.7	9
306	Impact of prolonged dual antiplatelet therapy after acute myocardial infarction on 5-year mortality in the FAST-MI 2005 registry. International Journal of Cardiology, 2015, 187, 354-360.	1.7	9

#	Article	IF	CITATIONS
307	Alcoholic Beverage Preference and Dietary Habits in Elderly across Europe: Analyses within the Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) Project. PLoS ONE, 2016, 11, e0161603.	2.5	9
308	Switching between thienopyridines in patients with acute myocardial infarction and quality of care. Open Heart, 2016, 3, e000384.	2.3	9
309	Breast cancer radiotherapy: A case of double jeopardy. Archives of Cardiovascular Diseases, 2016, 109, 587-590.	1.6	9
310	Serum inhibitory factor 1, high-density lipoprotein and cardiovascular diseases. Current Opinion in Lipidology, 2017, 28, 337-346.	2.7	9
311	Seasonality of nutrient intake – An analysis including over 44,000 participants in 4 countries. Clinical Nutrition ESPEN, 2017, 21, 66-71.	1.2	9
312	Score of Adherence to 2016 European Cardiovascular Prevention Guidelines Predicts Cardiovascular and All-Cause Mortality in the General Population. Canadian Journal of Cardiology, 2017, 33, 1298-1304.	1.7	9
313	Long-term clinical outcomes in patients with cardiogenic shock according to left ventricular function: The French registry of Acute ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) programme. Archives of Cardiovascular Diseases, 2018, 111, 678-685.	1.6	9
314	Body mass index impacts the choice of lipidâ€lowering treatment with no correlation to blood cholesterol – Findings from 52 916 patients in the Dyslipidemia International Study (DYSIS). Diabetes, Obesity and Metabolism, 2018, 20, 2670-2674.	4.4	9
315	A reference measurement of circulating ATPase inhibitory factor 1 (IF1) in humans by LC-MS/MS: Comparison with conventional ELISA. Talanta, 2020, 219, 121300.	5.5	9
316	Lipoprotein(a): Pathophysiology, measurement, indication and treatment in cardiovascular disease. A consensus statement from the Nouvelle Société Francophone d'Athérosclérose (NSFA). Archives of Cardiovascular Diseases, 2021, 114, 828-847.	1.6	9
317	Transdermal estrogen replacement therapy and plasma lipids in 693 French women. Maturitas, 1998, 30, 265-272.	2.4	8
318	A prospective observational study of treatment practice patterns in acute coronary syndrome patients undergoing percutaneous coronary intervention in Europe. Archives of Cardiovascular Diseases, 2011, 104, 104-114.	1.6	8
319	14-Year Risk of All-Cause Mortality According to Hypoglycaemic Drug Exposure in a General Population. PLoS ONE, 2014, 9, e95671.	2.5	8
320	Differential Levels of Â-Glutamyl Transferase Activity and Apolipoprotein CIII in Men on Either Statin or Fibrate Therapy. Diabetes Care, 2003, 26, 1652-1653.	8.6	7
321	Changes and determinants in cigarette smoking prevalence in southwestern France, 1985-1997. European Journal of Public Health, 2003, 13, 168-170.	0.3	7
322	Fasting insulin concentrations and coronary heart disease incidence in France and Northern Ireland: The PRIME study. International Journal of Cardiology, 2006, 108, 189-196.	1.7	7
323	Predictors of long-term use of evidence-based therapies after non-ST-segment elevation acute coronary syndrome. The S-Témoin survey. International Journal of Cardiology, 2009, 133, 32-40.	1.7	7
324	Reaching C-Reactive Protein and Low-Density Lipoprotein Cholesterol Goals in Dyslipidemic Patients (from the Lipid Treatment Assessment Project [L-TAP] 2). American Journal of Cardiology, 2011, 107, 1639-1643.	1.6	7

#	Article	IF	CITATIONS
325	Comparison of bleeding complications and one-year survival of low molecular weight heparin versus unfractioned heparin for acute myocardial infarction in elderly patients. The FAST-MI registry. International Journal of Cardiology, 2013, 166, 106-110.	1.7	7
326	Relationships between chronic use of statin therapy, presentation of acute coronary syndromes and one-year mortality after an incident acute coronary event. International Journal of Cardiology, 2013, 163, 102-104.	1.7	7
327	Expired-air carbon monoxide as a predictor of 16-year risk of all-cause, cardiovascular and cancer mortality. Preventive Medicine, 2015, 81, 195-201.	3.4	7
328	High-density lipoprotein subclass profile and mortality in patients with coronary artery disease: Results from the GENES study. Archives of Cardiovascular Diseases, 2016, 109, 607-617.	1.6	7
329	Predictive Accuracy of the European Society of Cardiology SCORE Among French People. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 38-48.	2.1	7
330	Proposal for a standardized discharge letter after hospital stay for acute myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 788-801.	1.0	7
331	Coronary angiography in the setting of acute infective endocarditis requiring surgical treatment. Archives of Cardiovascular Diseases, 2020, 113, 50-58.	1.6	7
332	Effect of reperfusion therapy on long-term outcome in patients >70 years of age. American Journal of Cardiology, 2002, 90, 1142-1145.	1.6	6
333	Evolution and cost trends of antihypertensive and hypolipidaemic drug treatment in France. Cardiovascular Drugs and Therapy, 2003, 17, 175-189.	2.6	6
334	Nutritional intakes of 1072 French free-living men with and without diagnosed cardiovascular risk factors. European Journal of Clinical Nutrition, 2004, 58, 787-795.	2.9	6
335	Prognosis at 6 Months for Coronary and Cerebrovascular Patients: Impact of Antiplatelet Agents and Statins: Results from the Prevenir III Study. Cardiovascular Drugs and Therapy, 2006, 20, 55-61.	2.6	6
336	Patterns of Alcohol Consumption and Cardiovascular Risk in Northern Ireland and France. Annals of Epidemiology, 2007, 17, S75-S80.	1.9	6
337	Lack of association of genetic variants in the LRP8 gene with familial and sporadic myocardial infarction. Journal of Molecular Medicine, 2008, 86, 1163-1170.	3.9	6
338	International data on supportive therapies at 1 year in acute coronary syndrome patients undergoing PCI: results from the APTOR study. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 518-525.	2.8	6
339	Depression and mortality: Artifact of measurement and analysis?. Journal of Affective Disorders, 2013, 151, 632-638.	4.1	6
340	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. Nephrology Dialysis Transplantation, 2016, 31, 680-680.	0.7	6
341	Identification of a functional FADS1 3′UTR variant associated with erythrocyte n-6 polyunsaturated fatty acids levels. Journal of Clinical Lipidology, 2018, 12, 1280-1289.	1.5	6
342	Lipid-lowering Therapy and Goal Achievement in High-risk Patients From French General Practice. Clinical Therapeutics, 2018, 40, 1484-1495.e22.	2.5	6

#	Article	IF	CITATIONS
343	Contemporary data on treatment practices for low-density lipoprotein cholesterol in 6794 patients with stable coronary heart disease across the world. Data in Brief, 2018, 18, 1937-1940.	1.0	6
344	The return of triglycerides and revival of omega-3 fatty acids!. Archives of Cardiovascular Diseases, 2020, 113, 369-373.	1.6	6
345	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. Archives of Cardiovascular Diseases, 2021, 114, 150-172.	1.6	6
346	Risk of pacemaker implantation after radiotherapy for breast cancer: A study based on French nationwide health care database sample. IJC Heart and Vasculature, 2022, 38, 100936.	1.1	6
347	One-Year Impact of COVID-19 Lockdown-Related Factors on Cardiovascular Risk and Mental Health: A Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 1684.	2.6	6
348	Type A behaviour and consumption of an atherogenic diet: No association in the PRIME study. Appetite, 2007, 49, 554-560.	3.7	5
349	Contribution of cardiovascular risk factors to coronary risk in patients with intermittent claudication in the PRIME Cohort Study of European men. Atherosclerosis, 2009, 206, 563-568.	0.8	5
350	Study of the genetic variability of ZAC1 (PLAGL1) in French population-based samples. Journal of Hypertension, 2009, 27, 314-321.	0.5	5
351	Comparison of Lipid Profiles and Attainment of Lipid Goals in Patients <65 Years Versus Patients ≥65 Years (from the Lipid Treatment Assessment Project [L-TAP] 2). American Journal of Cardiology, 2012, 109, 1738-1742.	1.6	5
352	Interregional differences in the clinical, biological and electrical characteristics of first acute coronary events in France: results from the MONICA registries. European Journal of Preventive Cardiology, 2013, 20, 275-282.	1.8	5
353	All-Cause Mortality up to and After Coronary Heart Disease and Stroke Events in European Middle-Aged Men. Stroke, 2015, 46, 1371-1373.	2.0	5
354	Les consommateurs de produits laitiers fraisÂ: des consommateurs comme les autresÂ? Analyse de leurs profils alimentaires et nutritionnels. Nutrition Clinique Et Metabolisme, 2016, 30, 11-21.	0.5	5
355	How does the TRS 2°P score relate to real-world patients?. European Heart Journal - Cardiovascular Pharmacotherapy, 2018, 4, 72-74.	3.0	5
356	Common p2y polymorphisms are associated with plasma inhibitory factor 1 and lipoprotein(a) concentrations, heart rate and body fat mass: The GENES study. Archives of Cardiovascular Diseases, 2019, 112, 124-134.	1.6	5
357	Hypercholesterolaemia and coronary artery disease: A silent killer with several faces. Archives of Cardiovascular Diseases, 2019, 112, 75-78.	1.6	5
358	Clinical outcomes with high-intensity statins according to atherothrombotic risk stratification after acute myocardial infarction: The FAST-MI registries. Archives of Cardiovascular Diseases, 2021, 114, 88-95.	1.6	5
359	Association of Hepatic Lipase -514T Allele with Coronary Artery Disease and Ankle-Brachial Index, Dependence on the Lipoprotein Phenotype: The GENES Study. PLoS ONE, 2013, 8, e67805.	2.5	5
360	Treatment patterns in acute coronary syndrome patients in the United Kingdom undergoing PCI. EuroIntervention, 2011, 6, 992-996.	3.2	5

#	Article	IF	CITATIONS
361	Increased Cardiovascular Risk in Psoriatic Arthritis: Results From a Case-Control Monocentric Study. Frontiers in Medicine, 2022, 9, .	2.6	5
362	Lack of association between serological evidence of past Coxiella burnetii infection and incident ischaemic heart disease: nested case-control study. BMC Infectious Diseases, 2005, 5, 61.	2.9	4
363	Respective contribution of conventional risk factors and antihypertensive treatment to stable angina pectoris and acute coronary syndrome as the first presentation of coronary heart disease: the PRIME Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 550-555.	2.8	4
364	Patient education after acute myocardial infarction. Journal of Cardiovascular Medicine, 2015, 16, 761-767.	1.5	4
365	Ignorance of cardiovascular preventive measures is associated with all-cause and cardiovascular mortality in the French general population. Archives of Cardiovascular Diseases, 2016, 109, 486-493.	1.6	4
366	Isolated negative T waves in the general population is a powerful predicting factor of cardiac mortality and coronary heart disease. International Journal of Cardiology, 2016, 203, 318-324.	1.7	4
367	Long-Term Clinical Outcomes According to Previous Manifestations of Atherosclerotic Disease (from) Tj ETQq1 1	. 0.78431 1.6	4 rgBT /Over
368	APOE Molecular Spectrum in a French Cohort with Primary Dyslipidemia. International Journal of Molecular Sciences, 2022, 23, 5792.	4.1	4
369	Optimizing the prescription of statins after an acute coronary syndrome: the influence of coronary angioplasty and total cholesterol levels. Cardiovascular Drugs and Therapy, 2001, 15, 559-560.	2.6	3
370	Systolic and diastolic hypertension: no relationship with lipid and inflammatory markers in Haute-Garonne, France. American Journal of Hypertension, 2003, 16, 681-684.	2.0	3
371	Could clinical decision rules relying on cardiovascular risk models increase psychosocial inequalities in health? Results from the PRIME cohort study. Preventive Medicine, 2011, 52, 439-444.	3.4	3
372	Contribution of lifetime smoking habit in France and Northern Ireland to country and socioeconomic differentials in mortality and cardiovascular incidence: the PRIME Study. Journal of Epidemiology and Community Health, 2012, 66, 599-604.	3.7	3
373	Impact of occupational physical activity and related tasks on cardiovascular disease: Emerging opportunities for prevention?. International Journal of Cardiology, 2013, 168, 4475-4478.	1.7	3
374	Lipid-lowering treatment and low-density lipoprotein cholesterol target achievement in patients with type 2 diabetes and acute coronary syndrome. Archives of Cardiovascular Diseases, 2020, 113, 617-629.	1.6	3
375	Compared impact of diabetes on the risk of heart failure from acute myocardial infarction to chronic coronary artery disease. Diabetes and Metabolism, 2022, 48, 101265.	2.9	3
376	Control of Low-Density Lipoprotein Cholesterol in Secondary Prevention of Coronary Artery Disease in Real-Life Practice: The DAUSSET Study in French Cardiologists. Journal of Clinical Medicine, 2021, 10, 5938.	2.4	3
377	Comparison of clinical profiles and care for patients with incident versus recurrent acute coronary syndromes in France: Data from the MONICA registries. PLoS ONE, 2022, 17, e0263589.	2.5	3
378	Sex differences in time trends in acute coronary syndrome management and in 12-month lethality: Data from the French MONICA registries. International Journal of Cardiology, 2022, 361, 103-108.	1.7	3

#	Article	IF	CITATIONS
379	Could occupational physical activity mitigate the link between moderate kidney dysfunction and coronary heart disease?. International Journal of Cardiology, 2014, 177, 1036-1041.	1.7	2
380	Model-observational bridging study on the effectiveness of ezetimibe on cardiovascular morbidity and mortality in France: A population-based study. Journal of Clinical Lipidology, 2016, 10, 1379-1388.	1.5	2
381	Long-term Prognostic Impact of Physical Activity in Patients With Stable Coronary Heart Disease. American Journal of Cardiology, 2020, 125, 176-181.	1.6	2
382	Screening and treatment of familial hypercholesterolemia in a French sample of ambulatory care patients: A retrospective longitudinal cohort study. PLoS ONE, 2021, 16, e0255345.	2.5	2
383	Prevalence and Prognosis Impact of Frailty Among Older Adults in Cardiac Intensive Care Units. CJC Open, 2021, 3, 1010-1018.	1.5	2
384	Trends of in-hospital and out-of-hospital coronary heart disease mortality in French registries during the period 2000 to 2016. Annals of Epidemiology, 2022, 69, 34-40.	1.9	2
385	Trends in myocardial infarction treatment in subjects aged 35–64 in Southwestern France, 1986–93. International Journal of Cardiology, 2003, 88, 239-245.	1.7	1
386	Slower heart rate and altered rate dependence of ventricular repolarization in patients with lone atrial fibrillation. Archives of Cardiovascular Diseases, 2013, 106, 12-18.	1.6	1
387	A paradigm shift in the treatment of atherosclerosis. Archives of Cardiovascular Diseases, 2015, 108, 337-339.	1.6	1
388	PERSISTENT HIGH DISTANCE TO RECOMMENDED LDL-CHOLESTEROL-TARGETS DESPITE CHRONIC STATIN TREATMENT: RESULTS OF DYSIS. Journal of the American College of Cardiology, 2016, 67, 1934.	2.8	1
389	Prevalence and long-term prognosis of patients with â€~narrower than normal' QRS complexes. Europace, 2018, 20, 692-697.	1.7	1
390	Prediction of coronary heart disease incidence in a general male population by circulating non-coding small RNA sRNY1-5p in a nested case–control study. Scientific Reports, 2021, 11, 1837.	3.3	1
391	Dyslipidemia: Are You Sure It IsÂCholesterol?. Clinical Chemistry, 2021, 67, 1159-1161.	3.2	1
392	Long-term mortality after ST-elevation myocardial infarction in the reperfusion and modern secondary prevention therapy era according to coronary artery disease extent: The FAST-MI registries. Archives of Cardiovascular Diseases, 2021, 114, 647-655.	1.6	1
393	Whole Exome/Genome Sequencing Joint Analysis of a Family with Oligogenic Familial Hypercholesterolemia. Metabolites, 2022, 12, 262.	2.9	1
394	Do calcium-channel blockers and glucocorticoids impair no production in ischaemic heart disease patients?. International Journal of Cardiology, 1997, 62, 171-172.	1.7	0
395	Aortic Stiffness Does Not Mediate the Relation Between Pulse Pressure and CRP. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, e173; author reply e173.	2.4	Ο
396	Causal mechanism for atherosclerosis or coronary heart disease in women: A constellation of components. Maturitas, 2010, 65, 404-405.	2.4	0

#	Article	IF	CITATIONS
397	L'alcool et le paradoxe français. Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique, 2013, 2013, 36-41.	0.0	0
398	Traitement hypolipidémiant en prévention secondaire. Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique, 2013, 2013, 17-24.	0.0	0
399	L'infarctus du myocarde en France métropolitaine de 1995 à 2010 : évolution de la typologie des patients, de la prise en charge et du pronostic à court terme. Bulletin De L'Academie Nationale De Medecine, 2014, 198, 85-100.	0.0	0
400	Familial hypercholesterolaemia: a look toward the East. Kardiologia Polska, 2018, 76, 935-936.	0.6	0
401	Abstract P227: Association of Alcohol Intake with Cardiovascular and Total Mortality. Circulation, 2019, 139, .	1.6	0
402	Late is not always too late for revascularization in late-presenting patients with ST-segment elevation myocardial infarction. Archives of Cardiovascular Diseases, 2021, 114, 691-693.	1.6	0
403	Deleterious synergistic effects of acute heart failure and diabetes mellitus in patients with acute coronary syndrome: Data from the FAST-MI Registries. Archives of Cardiovascular Diseases, 2022, , .	1.6	0