

Jrgen Kriwet

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5477617/jurgen-kriwet-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

1,484
citations

19
h-index

30
g-index

156
ext. papers

1,715
ext. citations

2.5
avg, IF

5.06
L-index

#	Paper	IF	Citations
143	Fish tooth $\delta^{18}\text{O}$ revising Late Cretaceous meridional upper ocean water temperature gradients. <i>Geology</i> , 2007 , 35, 107	5	79
142	Neoselachian (Chondrichthyes, Elasmobranchii) diversity across the Cretaceous-Tertiary boundary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 214, 181-194	2.9	78
141	Permian-Triassic Osteichthyes (bony fishes): diversity dynamics and body size evolution. <i>Biological Reviews</i> , 2016 , 91, 106-47	13.5	63
140	Diversification trajectories and evolutionary life-history traits in early sharks and batoids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 945-51	4.4	60
139	Molecular phylogeny and node time estimation of bioluminescent Lantern Sharks (Elasmobranchii: Etmopteridae). <i>Molecular Phylogenetics and Evolution</i> , 2010 , 56, 905-17	4.1	53
138	Molecular systematics and global phylogeography of angel sharks (genus Squatina). <i>Molecular Phylogenetics and Evolution</i> , 2010 , 54, 395-404	4.1	47
137	First direct evidence of a vertebrate three-level trophic chain in the fossil record. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 181-6	4.4	42
136	Neoselachians (Chondrichthyes, Elasmobranchii) from the Lower and lower Upper Cretaceous of north-eastern Spain. <i>Zoological Journal of the Linnean Society</i> , 2009 , 155, 316-347	2.4	29
135	Microvertebrate remains (Pisces, Archosauria) from the Middle Jurassic (Bathonian) of southern France. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 1997 , 206, 1-28	1.1	29
134	A new Early Cretaceous lamniform shark (Chondrichthyes, Neoselachii). <i>Zoological Journal of the Linnean Society</i> , 2008 , 154, 278-290	2.4	27
133	Additions to the Eocene selachian fauna of Antarctica with comments on Antarctic selachian diversity. <i>Journal of Vertebrate Paleontology</i> , 2005 , 25, 1-7	1.7	27
132	Timing of deep-sea adaptation in dogfish sharks: insights from a supertree of extinct and extant taxa. <i>Zoologica Scripta</i> , 2010 , 39, 331-342	2.5	23
131	NEOSELACHIANS FROM THE UPPER CAMPANIAN AND LOWER MAASTRICHTIAN (UPPER CRETACEOUS) OF THE SOUTHERN PYRENEES, NORTHERN SPAIN. <i>Palaeontology</i> , 2007 , 50, 1051-1071	2.9	23
130	A synoptic review of the Eocene (Ypresian) cartilaginous fishes (Chondrichthyes: Holocephali, Elasmobranchii) of the Bolca Konservat-Lagerstätte, Italy. <i>Palaontologische Zeitschrift</i> , 2018 , 92, 283-313	1.2	21
129	A review of early gadiform evolution and diversification: first record of a rattail fish skull (Gadiformes, Macrouridae) from the Eocene of Antarctica, with otoliths preserved in situ. <i>Die Naturwissenschaften</i> , 2008 , 95, 899-907	2	21
128	Late Cretaceous Antarctic fish diversity. <i>Geological Society Special Publication</i> , 2006 , 258, 83-100	1.7	21
127	Principal component and discriminant analyses as powerful tools to support taxonomic identification and their use for functional and phylogenetic signal detection of isolated fossil shark teeth. <i>PLoS ONE</i> , 2017 , 12, e0188806	3.7	20

126	Diversity and biogeography patterns of Late Jurassic neoselachians (Chondrichthyes: Elasmobranchii). <i>Geological Society Special Publication</i> , 2008 , 295, 55-70	1.7	20
125	A new basal galeomorph shark (Synechodontiformes, Neoselachii) from the Early Jurassic of Europe. <i>Die Naturwissenschaften</i> , 2008 , 95, 443-8	2	20
124	Tooth mineralization and histology patterns in extinct and extant snaggletooth sharks, <i>Hemipristis</i> (Carcharhiniformes, Hemigaleidae)-Evolutionary significance or ecological adaptation?. <i>PLoS ONE</i> , 2018 , 13, e0200951	3.7	18
123	Micro-computed tomography imaging reveals the development of a unique tooth mineralization pattern in mackerel sharks (Chondrichthyes; Lamniformes) in deep time. <i>Scientific Reports</i> , 2019 , 9, 9652 ^{4.9}	18	
122	Cryptic diversity and species assignment of large lantern sharks of the <i>Etmopterus spinax</i> clade from the Southern Hemisphere (Squaliformes, Etmopteridae). <i>Zoologica Scripta</i> , 2011 , 40, 61-75	2.5	18
121	Skeletal anatomy of the extinct shark <i>Paraorthacodus jurensis</i> (Chondrichthyes; Palaeospinacidae), with comments on synechodontiform and palaeospinacid monophyly. <i>Zoological Journal of the Linnean Society</i> , 2009 , 157, 107-134	2.4	18
120	First record of an Early Cretaceous shark (Chondrichthyes, Neoselachii) from Antarctica. <i>Antarctic Science</i> , 2003 , 15, 507-511	1.7	18
119	Ultimate Eocene (Priabonian) Chondrichthyans (Holocephali, Elasmobranchii) of Antarctica. <i>Journal of Vertebrate Paleontology</i> , 2016 , 36,	1.7	18
118	Palaeoecology and depositional environments of the Tendaguru Beds (Late Jurassic to Early Cretaceous, Tanzania). <i>Fossil Record</i> , 2008 , 5, 19-44	17	
117	Feeding mechanisms and ecology of pycnodont fishes (Neopterygii, Pycnodontiformes). <i>Fossil Record</i> , 2001 , 4, 139-165	1.4	17
116	Before the freeze: otoliths from the Eocene of Seymour Island, Antarctica, reveal dominance of gadiform fishes (Teleostei). <i>Journal of Systematic Palaeontology</i> , 2017 , 15, 147-170	2.3	16
115	Node age estimations and the origin of angel sharks, Squatiniformes (Neoselachii, Squalomorphii). <i>Journal of Systematic Palaeontology</i> , 2013 , 11, 91-110	2.3	16
114	Revision of Eocene electric rays (Torpediniformes, Batomorphii) from the Bolca Konservat-Lagerstätte, Italy, reveals the first fossil embryo in marine batoids and provides new insights into the origin of trophic novelties in coral reef fishes. <i>Journal of Systematic Palaeontology</i> , 2018 , 16, 1189-1219	2.3	15
113	Evolutionary trajectories of tooth histology patterns in modern sharks (Chondrichthyes, Elasmobranchii). <i>Journal of Anatomy</i> , 2020 , 236, 753-771	2.9	15
112	Dental structure of the Giant lantern shark <i>Etmopterus baxteri</i> (Chondrichthyes: Squaliformes) and its taxonomic implications. <i>Environmental Biology of Fishes</i> , 2008 , 82, 133-141	1.6	14
111	Eocene sand tiger sharks (Lamniformes, Odontaspidae) from the Bolca Konservat-Lagerstätte, Italy: palaeobiology, palaeobiogeography and evolutionary significance. <i>Historical Biology</i> , 2019 , 31, 102-116	1.6	14
110	Functional morphological adaptations of the bony labyrinth in marsupials (Mammalia, Theria). <i>Journal of Morphology</i> , 2017 , 278, 742-749	1.6	13
109	On the need of providing tooth morphology in descriptions of extant elasmobranch species. <i>Zootaxa</i> , 2018 , 4461, 118-126	0.5	13

108	A new sawshark, , from the Eocene of Antarctica with comments on. <i>Historical Biology</i> , 2017 , 29, 841-853	1.1	13
107	Anomoeodus pauciseriale n. sp. (Neopterygii, Pycnodontiformes) from the White Chalk Formation (Upper Cretaceous) of Sussex, South England. <i>Palaontologische Zeitschrift</i> , 2002 , 76, 117-123	1.2	13
106	Tooth development and histology patterns in lamniform sharks (Elasmobranchii, Lamniformes) revisited. <i>Journal of Morphology</i> , 2016 , 277, 1584-1598	1.6	12
105	Early Jurassic diversification of pycnodontiform fishes (Actinopterygii, Neopterygii) after the end-Triassic extinction event: evidence from a new genus and species,. <i>Journal of Vertebrate Paleontology</i> , 2017 , 37, e1344679	1.7	12
104	A new Jurassic cow shark (Chondrichthyes, Hexanchiformes) with comments on Jurassic hexanchiform systematics. <i>Swiss Journal of Geosciences</i> , 2011 , 104, 107-114	2.1	12
103	Lancetfish teeth (Neoteleostei, Alepisauroidei) from the Early Cretaceous of Alcaine, NE Spain. <i>Lethaia</i> , 2003 , 36, 323-331	1.3	12
102	Development and evolution of tooth renewal in neoselachian sharks as a model for transformation in chondrichthyan dentitions. <i>Journal of Anatomy</i> , 2018 , 232, 891-907	2.9	11
101	Body length of bony fishes was not a selective factor during the biggest mass extinction of all time. <i>Palaeontology</i> , 2017 , 60, 727-741	2.9	11
100	Revision of Mesturus cordillera Martill et al., 1998 (Actinopterygii, Pycnodontiformes) from the Oxfordian (Upper Jurassic) of northern Chile. <i>Journal of Vertebrate Paleontology</i> , 2000 , 20, 450-455	1.7	11
99	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding fossils from conflict zones and reproducibility of fossil-based scientific data Myanmar amber. <i>Palaontologische Zeitschrift</i> , 2020 , 94, 431-437	1.2	11
98	A new Pliensbachian elasmobranch (Vertebrata, Chondrichthyes) assemblage from Europe, and its contribution to the understanding of late Early Jurassic elasmobranch diversity and distributional patterns. <i>Palaontologische Zeitschrift</i> , 2019 , 93, 637-658	1.2	10
97	Large deadfalls of the ?ginsu?shark Cretoxyrhina mantelli (Agassiz, 1835) (Neoselachii, Lamniformes) from the Upper Cretaceous of northeastern Italy. <i>Cretaceous Research</i> , 2019 , 98, 250-275	1.8	10
96	Egg capsule morphology provides new information about the interrelationships of chondrichthyan fishes. <i>Journal of Systematic Palaeontology</i> , 2014 , 12, 389-399	2.3	10
95	First skeletal remains of the giant sawfish Onchosaurus (Neoselachii, Sclerorhynchiformes) from the Upper Cretaceous of northeastern Italy. <i>Cretaceous Research</i> , 2017 , 69, 124-135	1.8	10
94	Late Triassic pycnodont fish remains (Neopterygii, Pycnodontiformes) from the Germanic basin. <i>Eclogae Geologicae Helveticae</i> , 2004 , 97, 183-191		10
93	A new pycnodont fish genus (Neopterygii: Pycnodontiformes) from the Cenomanian (Upper Cretaceous) of Mount Lebanon. <i>Journal of Vertebrate Paleontology</i> , 2004 , 24, 525-532	1.7	10
92	Massive corals in Paleocene siliciclastic sediments of Chubut (Argentina). <i>Facies</i> , 2005 , 51, 233-241	1.8	10
91	Late Jurassic selachians (Chondrichthyes: Hybodontiformes, Neoselachii) from Central Portugal. <i>Neues Jahrbuch F Geologie Und Palontologie</i> , 2004 , 2004, 233-256		10

90	Revision of Eocene Antarctic carpet sharks (Elasmobranchii, Orectolobiformes) from Seymour Island, Antarctic Peninsula. <i>Journal of Systematic Palaeontology</i> , 2017 , 15, 969-990	2.3	9
89	A new pycnodont fish, gen. et sp. nov., from the Late Cretaceous of Israel. <i>Journal of Systematic Palaeontology</i> , 2018 , 16, 659-673	2.3	9
88	An offshore fish assemblage (Elasmobranchii, Actinopterygii) from the Late Jurassic of NE Spain. <i>Palaontologische Zeitschrift</i> , 2013 , 87, 235-257	1.2	9
87	Palaeobiology of <i>Hyaenodon exiguis</i> (Hyaenodonta, Mammalia) based on morphometric analysis of the bony labyrinth. <i>Journal of Anatomy</i> , 2017 , 230, 282-289	2.9	9
86	Biology and dental morphology of <i>Priscusurus adruptodontus</i> , gen. et sp. nov. (Chondrichthyes, Lamniformes) from the Albian (Early Cretaceous) of Peru. <i>Journal of Vertebrate Paleontology</i> , 2006 , 26, 538-543	1.7	9
85	Carnivoran hunting style and phylogeny reflected in bony labyrinth morphometry. <i>Scientific Reports</i> , 2019 , 9, 70	4.9	9
84	Reappraisal of the Eocene whiptail stingrays (Myliobatiformes, Dasyatidae) of the Bolca Lagerstätte, Italy. <i>Zoologica Scripta</i> , 2019 , 48, 168-184	2.5	8
83	Two new lamniform sharks (<i>Leptostyrax stichi</i> sp. nov. and <i>Protolamna sarstedtensis</i> sp. nov.) from the Early Cretaceous of NW Germany. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2010 , 257, 283-296	1.1	8
82	A new species of <i>Platysiagum</i> from the Luoping Biota (Anisian, Middle Triassic, Yunnan, South China) reveals the relationship between Platysiagidae and Neopterygii. <i>Geological Magazine</i> , 2019 , 156, 669-682	2	8
81	New observations on the anatomy and paleobiology of the Eocene requiem shark <i>Eogaleus bolcensis</i> (Carcharhiniformes, Carcharhinidae) from Bolca Lagerstätte, Italy. <i>Comptes Rendus - Palevol</i> , 2018 , 17, 443-459	1.6	8
80	Early development of rostrum saw-teeth in a fossil ray tests classical theories of the evolution of vertebrate dentitions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20151628	4.4	7
79	New Carcharhiniform Sharks (Chondrichthyes, Elasmobranchii) from the Early to Middle Eocene of Seymour Island, Antarctic Peninsula. <i>Journal of Vertebrate Paleontology</i> , 2017 , 27, e1371724	1.7	7
78	A quantitative approach to determine the taxonomic identity and ontogeny of the pycnodontiform fish (Neopterygii, Actinopterygii) from the Eocene of Bolca Lagerstätte, Italy. <i>PeerJ</i> , 2018 , 6, e4809	3.1	7
77	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks. <i>PLoS ONE</i> , 2020 , 15, e0231544	3.7	7
76	A unique hybodontiform skeleton provides novel insights into Mesozoic chondrichthyan life. <i>Papers in Palaeontology</i> , 2021 , 7, 1479-1505	2.5	7
75	Rise and fall of Pycnodontiformes: Diversity, competition and extinction of a successful fish clade. <i>Ecology and Evolution</i> , 2021 , 11, 1769-1796	2.8	7
74	Mosaic of plesiomorphic and derived characters in an Eocene myliobatiform batomorph (Chondrichthyes, Elasmobranchii) from Italy defines a new, basal body plan in pelagic stingrays. <i>Zoological Letters</i> , 2019 , 5, 13	3	6
73	Eocene squalomorph sharks (Chondrichthyes, Elasmobranchii) from Antarctica. <i>Journal of South American Earth Sciences</i> , 2017 , 78, 175-189	2	6

72	An embryonic mandibular tooth plate and associated remains of a Late Jurassic chimaeroid (Holocephali, Chimaeriformes) from the Iberian Peninsula. <i>Journal of Vertebrate Paleontology</i> , 2011 , 31, 954-961	1.7	6
71	Anatomy and systematics of the Early Jurassic neoselachian shark <i>Synechodus smithwoodwardi</i> (Fraas, 1896) from southern Germany. <i>Neues Jahrbuch für Geologie Und Paläontologie</i> , 2006 , 2006, 193-211		6
70	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding fossils from conflict zones and reproducibility of fossil-based scientific data—the importance of private collections. <i>Palaontologische Zeitschrift</i> , 2020 , 94, 413-429	1.2	6
69	Evolution of the locomotory system in eels (Teleostei: Elopomorpha). <i>BMC Evolutionary Biology</i> , 2016 , 16, 159	3	6
68	First associated tooth set of a high-cusped <i>Ptychodus</i> (Chondrichthyes, Elasmobranchii) from the Upper Cretaceous of northeastern Italy, and resurrection of <i>Ptychodus altior</i> Agassiz, 1835. <i>Cretaceous Research</i> , 2019 , 93, 330-345	1.8	6
67	New Early Cretaceous sharks (Chondrichthyes, Elasmobranchii) from deep-water deposits of Austria. <i>Cretaceous Research</i> , 2018 , 84, 245-257	1.8	6
66	Eocene isopods on electric rays: tracking ancient biological interactions from a complex fossil record. <i>Palaeontology</i> , 2019 , 62, 287-303	2.9	5
65	An Eocene paraclupeid fish (Teleostei, Ellimmichthyiformes) from Bolca, Italy: the youngest marine record of double-armoured herrings. <i>Papers in Palaeontology</i> , 2019 , 5, 83-98	2.5	5
64	A revision of the Upper Cretaceous shark <i>Ptychodus mediterraneus</i> Canavari, 1916 from northeastern Italy, with a reassessment of <i>P. latissimus</i> and <i>P. polygyrus</i> Agassiz, 1835 (Chondrichthyes; Elasmobranchii). <i>Cretaceous Research</i> , 2020 , 110, 104386	1.8	5
63	Early Miocene cartilaginous fishes (Chondrichthyes: Holocephali, Elasmobranchii) from Chile: Diversity and paleobiogeographic implications. <i>Journal of South American Earth Sciences</i> , 2019 , 96, 102317		5
62	The dentition of the enigmatic pycnodont fish, <i>Athrodion wittei</i> (Fricke, 1876) (Neopterygii, Pycnodontiformes; Late Jurassic; NW Germany). <i>Fossil Record</i> , 2008 , 11, 61-66		5
61	Selachians and actinopterygians from the Upper Jurassic of Tendaguru, Tanzania. <i>Fossil Record</i> , 2002 , 5, 207-230	1.4	5
60	First evidence of a palaeo-nursery area of the great white shark. <i>Scientific Reports</i> , 2020 , 10, 8502	4.9	5
59	Evolution, diversity, and disparity of the tiger shark lineage in deep time. <i>Paleobiology</i> , 2021 , 47, 574-590	0.6	5
58	A new Miocene skate from the Central Paratethys (Upper Austria): the first unambiguous skeletal record for the Rajiformes (Chondrichthyes: Batomorphii). <i>Journal of Systematic Palaeontology</i> , 2019 , 17, 937-960	2.3	5
57	The stem group teleost <i>Pachycormus</i> (Pachycormiformes: Pachycormidae) from the Upper Lias (Lower Jurassic) of Strawberry Bank, UK. <i>Palaontologische Zeitschrift</i> , 2019 , 93, 285-302	1.2	5
56	Skates and rays (Elasmobranchii, Batomorphii) from the Eocene La Meseta and Submeseta formations, Seymour Island, Antarctica. <i>Historical Biology</i> , 2019 , 31, 1028-1044	1.1	5
55	New chondrichthyans characterised by cladodont-like tooth morphologies from the Early Cretaceous of Austria, with remarks on the microstructural diversity of enameloid. <i>Historical Biology</i> , 2020 , 32, 823-836	1.1	5

54	A bizarre Eocene dasyatoid batomorph (Elasmobranchii, Myliobatiformes) from the Bolca Lagerstätte (Italy) reveals a new, extinct body plan for stingrays. <i>Scientific Reports</i> , 2019 , 9, 14087	4.9	4
53	A new Late Jurassic species of the rare synechodontiform shark, Welcommia (Chondrichthyes, Neoselachii). <i>Palaontologische Zeitschrift</i> , 2010 , 84, 413-419	1.2	4
52	An amiod fish (Neopterygii, Amiiformes) from the Late Jurassic of the Iberian Peninsula. <i>Geobios</i> , 2005 , 38, 99-106	1.5	4
51	gen. et sp. nov., a new hybodontiform shark-like chondrichthyan from the Upper Jurassic Kimmeridge Clay Formation of England. <i>PeerJ</i> , 2021 , 9, e11362	3.1	4
50	Morphology and evolutionary significance of phosphatic otoliths within the inner ears of cartilaginous fishes (Chondrichthyes). <i>BMC Evolutionary Biology</i> , 2019 , 19, 238	3	4
49	Growth trajectories of prenatal embryos of the deep-sea shark <i>Chlamydoselachus anguineus</i> (Chondrichthyes). <i>Journal of Fish Biology</i> , 2020 , 97, 212-224	1.9	4
48	A new genus and species of pycnodontid fish, gen. et sp. nov. (Neopterygii, Pycnodontiformes), from the Upper Cretaceous (Cenomanian) of Lebanon, with notes on juvenile form and ecology. <i>Journal of Vertebrate Paleontology</i> , 2019 , 39, e1614012	1.7	3
47	Sharks, rays and skates (Chondrichthyes, Elasmobranchii) from the Upper Marine Molasse (middle Burdigalian, early Miocene) of the Simssee area (Bavaria, Germany), with comments on palaeogeographic and ecological patterns. <i>Palaontologische Zeitschrift</i> , 2020 , 94, 725-757	1.2	3
46	Contributions to the skeletal anatomy of freshwater stingrays (Chondrichthyes, Myliobatiformes): 1. Morphology of male <i>Potamotrygon motoro</i> from South America. <i>Zoosystematics and Evolution</i> , 2012 , 88, 145-158	1.5	3
45	On the occurrence of the Taiwan angel shark, <i>Squatina formosa</i> Shen & Ting, 1972 (Chondrichthyes, Squatinidae) from Japan. <i>Zoosystematics and Evolution</i> , 2010 , 86, 117-124	1.5	3
44	The Italian record of the Cretaceous shark, Agassiz, 1835 (Chondrichthyes; Elasmobranchii). <i>PeerJ</i> , 2020 , 8, e10167	3.1	3
43	Selachians and actinopterygians from the Upper Jurassic of Tendaguru, Tanzania. <i>Fossil Record</i> , 2002 , 5, 207-230	3	
42	A new genus and species of extinct ground shark, <i>Diprosopovenator hilperti</i> , gen. et sp. nov. (Carcharhiniformes, Pseudoscyliorhinidae, fam. nov.), from the Upper Cretaceous of Germany. <i>Journal of Vertebrate Paleontology</i> , 2019 , 39, e1593185	1.7	2
41	The Neogene fossil record of (Elasmobranchii, Myliobatidae) from the southeastern Pacific. <i>Journal of Vertebrate Paleontology</i> , 2019 , 39, e1577251	1.7	2
40	Evolutionary relationships among bullhead sharks (Chondrichthyes, Heterodontiformes). <i>Papers in Palaeontology</i> , 2020 , 6, 425-437	2.5	2
39	Crassodontidae, a replacement name for Crassonotidae Kriwet and Klug, 2011 (Chondrichthyes, Hexanchiformes). <i>Journal of Vertebrate Paleontology</i> , 2016 , 36, e1119698	1.7	2
38	A partial skeleton of a new mackerel shark (Chondrichthyes, Lamniformes) from the Miocene of Europe. <i>Acta Palaeontologica Polonica</i> , 2014 ,	2	
37	Paraphorosoides, gen. nov., a replacement name for <i>Palaeomicroides</i> Thies and Müller, 1993 (Chondrichthyes, Squaliformes), a preoccupied name. <i>Journal of Vertebrate Paleontology</i> , 2006 , 26, 487-487	1.7	2

36	Diversity Patterns of Late Jurassic Chondrichthyans: New Insights from a Historically Collected Hyodontiform Tooth Assemblage from Poland. <i>Diversity</i> , 2022 , 14, 85	2.5	2
35	Comment on "An early Miocene extinction in pelagic sharks". <i>Science</i> , 2021 , 374, eabk0632	33.3	2
34	Pycnodont fish remains (Neopterygii: Pycnodontiformes) from the Kimmeridgian (Upper Jurassic) of the Lusitanian Basin (Central Portugal). <i>Neues Jahrbuch Für Geologie Und Paläontologie</i> , 2002 , 2002, 577-587	2	
33	Revision of the Eocene " species from the Bolca Lagerstätte (Italy) reveals the first panray (Batomorphii: Zanobatidae) in the fossil record. <i>Journal of Systematic Palaeontology</i> , 2020 , 18, 1519-1542	2.3	2
32	New pycnodontiform fishes (Actinopterygii, Neopterygii) from the Early Cretaceous of the Argentinian Patagonia. <i>Cretaceous Research</i> , 2019 , 94, 45-58	1.8	2
31	Ontogenetic development of the otic region in the new model organism, <i>Leucoraja erinacea</i> (Chondrichthyes; Rajidae). <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2018 , 109, 105-114	0.9	2
30	Anatomy, relationships and palaeobiogeographic implications of the first Neogene holomorphic stingray (Myliobatiformes: Dasyatidae) from the early Miocene of Sulawesi, Indonesia, SE Asia. <i>Zoological Journal of the Linnean Society</i> , 2018 ,	2.4	2
29	Skeletal remains of the oldest known pseudocoracid shark sp. nov. (Chondrichthyes, Lamniformes) from the Late Cretaceous of Lebanon. <i>Cretaceous Research</i> , 2021 , 125, 104842	1.8	2
28	Body-size variation of pycnodontiform fishes from the Late Jurassic of Lower Saxony (Northern Germany) as a consequence of interspecific competition?. <i>Palaontologische Zeitschrift</i> , 2015 , 89, 891-900	1.2	1
27	First report of Eocene gadiform fishes from the Trans-Urals (Sverdlovsk and Tyumen regions, Russia). <i>Journal of Paleontology</i> , 2019 , 93, 1001-1009	1.1	1
26	Virtual reconstruction of the skeletal labyrinth of two lamnid sharks (Elasmobranchii, Lamniformes). <i>Journal of Fish Biology</i> , 2017 , 90, 1083-1089	1.9	1
25	Comparative morphology of the juvenile skeleton in freshwater stingrays with special focus on <i>Paratrygon aiereba</i> (Myliobatiformes: Potamotrygonidae). <i>Zoologischer Anzeiger</i> , 2015 , 255, 7-24	1.1	1
24	Presence of the extinct sawfish, <i>Onchostaurus</i> (Neoselachii, Sclerorhynchiformes) in the Late Cretaceous of Peru with a review of the genus. <i>Journal of South American Earth Sciences</i> , 2012 , 39, 52-58	2	1
23	A new cuspidate ptychodontid shark (Chondrichthyes; Elasmobranchii), from the Upper Cretaceous of Morocco with comments on tooth functionalities and replacement patterns.. <i>Journal of African Earth Sciences</i> , 2022 , 187, 104440	2.2	1
22	Comparative morphology of labial cartilages in sharks (Chondrichthyes, Elasmobranchii) 2020 , 87, 741-753	1	
21	Probing the Ecology and Climate of the Eocene Southern Ocean With Sand Tiger Sharks. <i>Paleoceanography and Paleoclimatology</i> , 2020 , 35, e2020PA003997	3.3	1
20	Evolutionary trends of the conserved neurocranium shape in angel sharks (Squatiniformes, Elasmobranchii). <i>Scientific Reports</i> , 2020 , 10, 12582	4.9	1
19	Deadly interaction between a swordfish and a bigeye thresher shark. <i>Ichthyological Research</i> , 2021 , 68, 317-321	0.8	1

18	The skeletal remains of the euryhaline sclerorhynchoid <i>Donchopristis</i> (Elasmobranchii) from the Mid-Cretaceous and their palaeontological implications. <i>Zoological Journal of the Linnean Society</i> , 2021 , 193, 746-771	2.4	1
17	Using historical and citizen science data to improve knowledge about the occurrence of the elusive sandbar shark (Chondrichthyes - Carcharhinidae) in the Adriatic Sea. <i>Mediterranean Marine Science</i> , 2021 , 22, 169-179	2.7	1
16	Neogene Bony Fishes from the Bahía Inglesa Formation, Northern Chile. <i>Ameghiniana</i> , 2021 , 58,	0.9	1
15	Fossil microbial shark tooth decay documents in situ metabolism of enameloid proteins as nutrition source in deep water environments. <i>Scientific Reports</i> , 2020 , 10, 20979	4.9	0
14	Neuroanatomy of the nodosaurid <i>Struthiosaurus austriacus</i> (Dinosauria: Thyreophora) supports potential ecological differentiations within Ankylosauria.. <i>Scientific Reports</i> , 2022 , 12, 144	4.9	0
13	Skeletal Anatomy, Phylogenetic Relationships, and Paleoecology of the Eocene Urolophid Stingray <i>Arechia Crassicaudata</i> (Blainville, 1818) from Monte Postale (Bolca Lagerstätte, Italy). <i>Journal of Vertebrate Paleontology</i> , 2020 , 40, e1803339	1.7	0
12	Anatomy, taxonomy and phylogeny of the Eocene guitarfishes from the Bolca Lagerstätte, Italy, provide new insights into the relationships of the Rhinopristiformes (Elasmobranchii: Batomorphii). <i>Zoological Journal of the Linnean Society</i> , 2021 , 192, 1090-1110	2.4	0
11	Cranial morphology of the orectolobiform shark, <i>Chiloscyllium punctatum</i> Müller & Henle, 1838. <i>Vertebrate Zoology</i> , 72, 311-370	2	0
10	Two passeriform birds (Aves: Passeriformes) from the Middle Miocene of Austria. <i>Palaontologische Zeitschrift</i> , 1	1.2	
9	Early shape divergence of developmental trajectories in the jaw of galeomorph sharks.. <i>Frontiers in Zoology</i> , 2022 , 19, 7	2.8	
8	New information about late cretaceous pycnodont fishes (Actinopterygii, Pycnodontiformes) from the near east 2017 , 3, 47-48		
7	Using Citizen Science to Detect Rare and Endangered Species: New Records of the Great White Shark off the Libyan Coast 2021 , 31, 51-57		
6	A new Jurassic cow shark (Chondrichthyes, Hexanchiformes) with comments on Jurassic hexanchiform systematics 2012 , 107-114		
5	gen. et sp. nov. (Pycnodontiformes, lower Turonian) northward migration caused by the Cretaceous Thermal Maximum. <i>Cretaceous Research</i> , 2020 , 116, 104590	1.8	
4	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks 2020 , 15, e0231544		
3	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks 2020 , 15, e0231544		
2	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks 2020 , 15, e0231544		
1	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks 2020 , 15, e0231544		

