## Daren K Heyland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5477900/publications.pdf Version: 2024-02-01

		3333	3031
330	37,923	91	188
papers	citations	h-index	g-index
335	335	335	18949
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Intensive versus Conventional Glucose Control in Critically Ill Patients. New England Journal of Medicine, 2009, 360, 1283-1297.	13.9	6,065
2	Refinement, scoring, and validation of the Family Satisfaction in the Intensive Care Unit (FS-ICU) survey*. Critical Care Medicine, 2007, 35, 271-279.	0.4	1,287
3	Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients. Journal of Parenteral and Enteral Nutrition, 2003, 27, 355-373.	1.3	1,276
4	Defining Advance Care Planning for Adults: A Consensus Definition From a Multidisciplinary Delphi Panel. Journal of Pain and Symptom Management, 2017, 53, 821-832.e1.	0.6	987
5	Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. Cmaj, 2009, 180, 821-827.	0.9	927
6	The relationship between nutritional intake and clinical outcomes in critically ill patients: results of an international multicenter observational study. Intensive Care Medicine, 2009, 35, 1728-1737.	3.9	881
7	Family satisfaction with care in the intensive care unit: Results of a multiple center study*. Critical Care Medicine, 2002, 30, 1413-1418.	0.4	841
8	Should Immunonutrition Become Routine in Critically III Patients?. JAMA - Journal of the American Medical Association, 2001, 286, 944.	3.8	788
9	A Randomized Trial of Glutamine and Antioxidants in Critically Ill Patients. New England Journal of Medicine, 2013, 368, 1489-1497.	13.9	777
10	Definition and recommendations for advance care planning: an international consensus supported by the European Association for Palliative Care. Lancet Oncology, The, 2017, 18, e543-e551.	5.1	765
11	Glutamine supplementation in serious illness: A systematic review of the evidence*. Critical Care Medicine, 2002, 30, 2022-2029.	0.4	695
12	Implementation of the Canadian Clinical Practice Guidelines for Nutrition Support: A Multiple Case Study of Barriers and Enablers. Nutrition in Clinical Practice, 2007, 22, 449-457.	1.1	580
13	Identifying critically ill patients who benefit the most from nutrition therapy: the development and initial validation of a novel risk assessment tool. Critical Care, 2011, 15, R268.	2.5	564
14	What matters most in end-of-life care: perceptions of seriously ill patients and their family members. Cmaj, 2006, 174, 627-633.	0.9	552
15	Does enteral nutrition compared to parenteral nutrition result in better outcomes in critically ill adult patients? A systematic review of the literature. Nutrition, 2004, 20, 843-848.	1.1	547
16	Total Parenteral Nutrition in the Critically III Patient. JAMA - Journal of the American Medical Association, 1998, 280, 2013.	3.8	484
17	Antioxidant nutrients: a systematic review of trace elements and vitamins in the critically ill patient. Intensive Care Medicine, 2005, 31, 327-337.	3.9	445
18	Failure to Engage Hospitalized Elderly Patients and Their Families in Advance Care Planning. JAMA Internal Medicine, 2013, 173, 778.	2.6	405

#	Article	IF	CITATIONS
19	Skeletal muscle predicts ventilator-free days, ICU-free days, and mortality in elderly ICU patients. Critical Care, 2013, 17, R206.	2.5	367
20	Nutritional practices and their relationship to clinical outcomes in critically ill children—An international multicenter cohort study*. Critical Care Medicine, 2012, 40, 2204-2211.	0.4	365
21	Nutrition therapy in the critical care setting: What is "best achievable―practice? An international multicenter observational study*. Critical Care Medicine, 2010, 38, 395-401.	0.4	358
22	Barriers to Goals of Care Discussions With Seriously Ill Hospitalized Patients and Their Families. JAMA Internal Medicine, 2015, 175, 549.	2.6	314
23	Identifying critically-ill patients who will benefit most from nutritional therapy: Further validation of the "modified NUTRIC―nutritional risk assessment tool. Clinical Nutrition, 2016, 35, 158-162.	2.3	312
24	Perioperative Use of Arginine-supplemented Diets: A Systematic Review of the Evidence. Journal of the American College of Surgeons, 2011, 212, 385-399e1.	0.2	306
25	Metabolic and nutritional support of critically ill patients: consensus and controversies. Critical Care, 2015, 19, 35.	2.5	306
26	Decision-making in the ICU: perspectives of the substitute decision-maker. Intensive Care Medicine, 2003, 29, 75-82.	3.9	273
27	Subglottic secretion drainage for the prevention of ventilator-associated pneumonia: A systematic review and meta-analysis*. Critical Care Medicine, 2011, 39, 1985-1991.	0.4	268
28	Comprehensive evidence-based clinical practice guidelines for ventilator-associated pneumonia: Prevention. Journal of Critical Care, 2008, 23, 126-137.	1.0	258
29	The Physiologic Response and Associated Clinical Benefits From Provision of Early Enteral Nutrition. Nutrition in Clinical Practice, 2009, 24, 305-315.	1.1	256
30	Enteral versus parenteral nutrition in critically ill patients: an updated systematic review and meta-analysis of randomized controlled trials. Critical Care, 2016, 20, 117.	2.5	247
31	Nutrition support in the critical care setting: current practice in canadian ICUsâ€â€opportunities for improvement?. Journal of Parenteral and Enteral Nutrition, 2003, 27, 74-83.	1.3	241
32	Optimal amount of calories for critically ill patients: Depends on how you slice the cake!*. Critical Care Medicine, 2011, 39, 2619-2626.	0.4	239
33	The Canadian Critical Care Nutrition Guidelines in 2013. Nutrition in Clinical Practice, 2014, 29, 29-43.	1.1	239
34	Outcomes That Define Successful Advance Care Planning: A Delphi Panel Consensus. Journal of Pain and Symptom Management, 2018, 55, 245-255.e8.	0.6	233
35	Clinical Outcomes Related to Protein Delivery in a Critically Ill Population. Journal of Parenteral and Enteral Nutrition, 2016, 40, 45-51.	1.3	230
36	Effect of Sodium Selenite Administration and Procalcitonin-Guided Therapy on Mortality in Patients With Severe Sepsis or Septic Shock. JAMA Internal Medicine, 2016, 176, 1266.	2.6	217

#	Article	IF	CITATIONS
37	Measuring family satisfaction with care in the intensive care unit: The development of a questionnaire and preliminary results. Journal of Critical Care, 2001, 16, 142-149.	1.0	212
38	Dying in the ICU. Chest, 2003, 124, 392-397.	0.4	210
39	Procalcitonin for reduced antibiotic exposure in the critical care setting: A systematic review and an economic evaluation*. Critical Care Medicine, 2011, 39, 1792-1799.	0.4	209
40	Bedside Ultrasound Is a Practical and Reliable Measurement Tool for Assessing Quadriceps Muscle Layer Thickness. Journal of Parenteral and Enteral Nutrition, 2014, 38, 886-890.	1.3	201
41	Randomized trial of combination versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia*. Critical Care Medicine, 2008, 36, 737-744.	0.4	189
42	A phase II randomized placebo-controlled trial of omega-3 fatty acids for the treatment of acute lung injury*. Critical Care Medicine, 2011, 39, 1655-1662.	0.4	189
43	Antioxidant micronutrients in the critically ill: a systematic review and meta-analysis. Critical Care, 2012, 16, R66.	2.5	189
44	Validation of the Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients: Results of a prospective observational study*. Critical Care Medicine, 2004, 32, 2260-2266.	0.4	188
45	Greater Protein and Energy Intake May Be Associated With Improved Mortality in Higher Risk Critically Ill Patients: A Multicenter, Multinational Observational Study*. Critical Care Medicine, 2017, 45, 156-163.	0.4	188
46	Improving End-of-Life Communication and Decision Making: The Development of a Conceptual Framework and Quality Indicators. Journal of Pain and Symptom Management, 2015, 49, 1070-1080.	0.6	180
47	Prevalence, Risk Factors, Clinical Consequences, and Treatment of Enteral Feed Intolerance During Critical Illness. Journal of Parenteral and Enteral Nutrition, 2015, 39, 441-448.	1.3	177
48	Adequate enteral protein intake is inversely associated with 60-d mortality in critically ill children: a multicenter, prospective, cohort study. American Journal of Clinical Nutrition, 2015, 102, 199-206.	2.2	175
49	Recovery after critical illness in patients aged 80Âyears or older: a multi-center prospective observational cohort study. Intensive Care Medicine, 2015, 41, 1911-1920.	3.9	174
50	Close to recommended caloric and protein intake by enteral nutrition is associated with better clinical outcome of critically ill septic patients: secondary analysis of a large international nutrition database. Critical Care, 2014, 18, R29.	2.5	165
51	The Association Between Nutritional Adequacy and Long-Term Outcomes in Critically III Patients Requiring Prolonged Mechanical Ventilation. Critical Care Medicine, 2015, 43, 1569-1579.	0.4	163
52	Understanding Cardiopulmonary Resuscitation Decision Making. Chest, 2006, 130, 419-428.	0.4	162
53	The prevalence of iatrogenic underfeeding in the nutritionally â€~at-risk' critically ill patient: Results of an international, multicenter, prospective study. Clinical Nutrition, 2015, 34, 659-666.	2.3	161
54	Survivors of acute respiratory distress syndrome: Relationship between pulmonary dysfunction and long-term health-related quality of life*. Critical Care Medicine, 2005, 33, 1549-1556.	0.4	157

#	Article	IF	CITATIONS
55	The Clinical Impact and Preventability of Ventilator-Associated Conditions in Critically III Patients Who Are Mechanically Ventilated. Chest, 2013, 144, 1453-1460.	0.4	156
56	A multicenter, randomized controlled trial comparing early nasojejunal with nasogastric nutrition in critical illness*. Critical Care Medicine, 2012, 40, 2342-2348.	0.4	153
57	Implications of low muscle mass across the continuum of care: a narrative review. Annals of Medicine, 2018, 50, 675-693.	1.5	153
58	Enhanced Protein-Energy Provision via the Enteral Route Feeding Protocol in Critically Ill Patients. Critical Care Medicine, 2013, 41, 2743-2753.	0.4	147
59	Optimizing the Benefits and Minimizing the Risks of Enteral Nutrition in the Critically III: Role of Small Bowel Feeding. Journal of Parenteral and Enteral Nutrition, 2002, 26, S51-5; discussion S56-7.	1.3	146
60	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. New England Journal of Medicine, 2022, 386, 2387-2398.	13.9	146
61	Extreme Obesity and Outcomes in Critically III Patients. Chest, 2011, 140, 1198-1206.	0.4	143
62	Parenteral glutamine supplementation in critical illness: a systematic review. Critical Care, 2014, 18, R76.	2.5	141
63	The intensive care medicine research agenda in nutrition and metabolism. Intensive Care Medicine, 2017, 43, 1239-1256.	3.9	140
64	Enhanced protein-energy provision via the enteral route in critically ill patients: a single center feasibility trial of the PEP uP protocol. Critical Care, 2010, 14, R78.	2.5	139
65	Higher versus lower blood pressure targets for vasopressor therapy in shock: a multicentre pilot randomized controlled trial. Intensive Care Medicine, 2016, 42, 542-550.	3.9	137
66	REducing Deaths due to OXidative Stress (The REDOXS© Study): rationale and study design for a randomized trial of glutamine and antioxidant supplementation in critically-ill patients. Proceedings of the Nutrition Society, 2006, 65, 250-263.	0.4	130
67	Probiotics in the critically ill. Critical Care Medicine, 2012, 40, 3290-3302.	0.4	126
68	Ventilator-associated pneumonia caused by multidrug-resistant organisms or Pseudomonas aeruginosa: Prevalence, incidence, risk factors, and outcomes. Journal of Critical Care, 2008, 23, 18-26.	1.0	122
69	Impact of Enteral Feeding Protocols on Enteral Nutrition Delivery. Journal of Parenteral and Enteral Nutrition, 2010, 34, 675-684.	1.3	122
70	Feeding the Critically III Patient. Critical Care Medicine, 2014, 42, 2600-2610.	0.4	122
71	Measuring Advance Care Planning: Optimizing the Advance Care Planning Engagement Survey. Journal of Pain and Symptom Management, 2017, 53, 669-681.e8.	0.6	122
72	Defining priorities for improving end-of-life care in Canada. Cmaj, 2010, 182, E747-E752.	0.9	121

#	Article	IF	CITATIONS
73	Reduction of nosocomial pneumonia after major burns by trace element supplementation: aggregation of two randomised trials. Critical Care, 2006, 10, R153.	2.5	119
74	A randomized trial of supplemental parenteral nutrition in underweight and overweight critically ill patients: the TOP-UP pilot trial. Critical Care, 2017, 21, 142.	2.5	118
75	What really matters in end-of-life discussions? Perspectives of patients in hospital with serious illness and their families. Cmaj, 2014, 186, E679-E687.	0.9	117
76	Early use of supplemental parenteral nutrition in critically ill patients: Results of an international multicenter observational study*. Critical Care Medicine, 2011, 39, 2691-2699.	0.4	116
77	Relationship of Vitamin D Deficiency to Clinical Outcomes in Critically III Patients. Journal of Parenteral and Enteral Nutrition, 2012, 36, 713-720.	1.3	115
78	Gastric Residual Volume in Critically III Patients. Nutrition in Clinical Practice, 2015, 30, 59-71.	1.1	114
79	The seriously ill hospitalized patient: Preferred role in end-of-life decision making?. Journal of Critical Care, 2003, 18, 3-10.	1.0	113
80	Zinc Supplementation in Critically III Patients: A Key Pharmaconutrient?. Journal of Parenteral and Enteral Nutrition, 2008, 32, 509-519.	1.3	113
81	Validation of Bedside Ultrasound of Muscle Layer Thickness of the Quadriceps in the Critically Ill Patient (VALIDUM Study). Journal of Parenteral and Enteral Nutrition, 2017, 41, 171-180.	1.3	110
82	Feeding critically ill patients: What is the optimal amount of energy?. Critical Care Medicine, 2007, 35, S535-S540.	0.4	109
83	Pharmaconutrition: a new emerging paradigm. Current Opinion in Gastroenterology, 2008, 24, 215-222.	1.0	109
84	The impact of ventilator-associated pneumonia on the Canadian health care system. Journal of Critical Care, 2008, 23, 5-10.	1.0	108
85	Nutrition Therapy for the Critically III Surgical Patient. Journal of Parenteral and Enteral Nutrition, 2010, 34, 644-652.	1.3	105
86	The success of enteral nutrition and ICU-acquired infections: A multicenter observational study. Clinical Nutrition, 2011, 30, 148-155.	2.3	104
87	Just ask: discussing goals of care with patients in hospital with serious illness. Cmaj, 2014, 186, 425-432.	0.9	103
88	Glutamine and Antioxidants in the Critically Ill Patient. Journal of Parenteral and Enteral Nutrition, 2015, 39, 401-409.	1.3	98
89	Translating family satisfaction data into quality improvement*. Critical Care Medicine, 2004, 32, 1922-1927.	0.4	97
90	Enteral glutamine supplementation in critically ill patients: a systematic review and meta-analysis. Critical Care, 2015, 19, 294.	2.5	95

6

#	Article	IF	CITATIONS
91	Role of nutrition support in adult cardiac surgery: a consensus statement from an International Multidisciplinary Expert Group on Nutrition in Cardiac Surgery. Critical Care, 2017, 21, 131.	2.5	95
92	Energy and protein deficits throughout hospitalization in patients admitted with a traumatic brain injury. Clinical Nutrition, 2016, 35, 1315-1322.	2.3	94
93	Dying in Canada: Is It an Institutionalized, Technologically Supported Experience?. Journal of Palliative Care, 2000, 16, S10-S16.	0.4	92
94	Intravenous fish oil lipid emulsions in critically ill patients: an updated systematic review and meta-analysis. Critical Care, 2015, 19, 167.	2.5	91
95	Multicentre, cluster-randomized clinical trial of algorithms for critical-care enteral and parenteral therapy (ACCEPT). Cmaj, 2004, 170, 197-204.	0.9	91
96	Combining nutrition and exercise to optimize survival and recovery from critical illness: Conceptual and methodological issues. Clinical Nutrition, 2016, 35, 1196-1206.	2.3	87
97	Measuring the quality of life of people at the end of life: The McGill Quality of Life Questionnaire–Revised. Palliative Medicine, 2017, 31, 120-129.	1.3	86
98	Prevention of ventilator-associated pneumonia: Current practice in Canadian intensive care units. Journal of Critical Care, 2002, 17, 161-167.	1.0	85
99	Incidence, Risk Factors, and Clinical Consequence of Enteral Feeding Intolerance in the Mechanically Ventilated Critically III: An Analysis of a Multicenter, Multiyear Database. Critical Care Medicine, 2021, 49, 49-59.	0.4	82
100	What do Canadians think of advanced care planning? Findings from an online opinion poll. BMJ Supportive and Palliative Care, 2015, 5, 40-47.	0.8	80
101	Parenteral Fish Oil Lipid Emulsions in the Critically Ill. Journal of Parenteral and Enteral Nutrition, 2014, 38, 20-28.	1.3	79
102	High-dose intravenous selenium does not improve clinical outcomes in the critically ill: a systematic review and meta-analysis. Critical Care, 2016, 20, 356.	2.5	79
103	A path to precision in the ICU. Critical Care, 2017, 21, 79.	2.5	77
104	Patient and family engagement in the ICU: Report from the task force of the World Federation of Societies of Intensive and Critical Care Medicine. Journal of Critical Care, 2018, 48, 251-256.	1.0	76
105	Summary Points and Consensus Recommendations From the International Protein Summit. Nutrition in Clinical Practice, 2017, 32, 142S-151S.	1.1	75
106	Nutritional risk assessment and cultural validation of the modified NUTRIC score in critically ill patients $\hat{a} \in$ "A multicenter prospective cohort study. Journal of Critical Care, 2017, 37, 45-49.	1.0	75
107	Assessment of Long-Term Physical Function in Acute Respiratory Distress Syndrome (ARDS) Patients. American Journal of Physical Medicine and Rehabilitation, 2006, 85, 574-581.	0.7	70
108	Implementation of Clinical Practice Guidelines for Ventilator-Associated Pneumonia. Critical Care Medicine, 2013, 41, 15-23.	0.4	70

#	Article	IF	CITATIONS
109	Knowledge Translation Interventions for Critically Ill Patients. Critical Care Medicine, 2013, 41, 2627-2640.	0.4	69
110	Vitamin D supplementation in the critically ill: A systematic review and meta-analysis. Clinical Nutrition, 2018, 37, 1238-1246.	2.3	69
111	Optimizing the Dose of Glutamine Dipeptides and Antioxidants in Critically Ill Patients: A Phase I Doseâ€Finding Study. Journal of Parenteral and Enteral Nutrition, 2007, 31, 109-118.	1.3	68
112	Evaluation of Bioelectrical Impedance Analysis in Critically III Patients: Results of a Multicenter Prospective Study. Journal of Parenteral and Enteral Nutrition, 2017, 41, 1131-1138.	1.3	68
113	The development and validation of a novel questionnaire to measure patient and family satisfaction with end-of-life care: the Canadian Health Care Evaluation Project (CANHELP) Questionnaire. Palliative Medicine, 2010, 24, 682-695.	1.3	66
114	The prevalence of medical error related to end-of-life communication in Canadian hospitals: results of a multicentre observational study. BMJ Quality and Safety, 2016, 25, 671-679.	1.8	65
115	When Early Enteral Feeding Is Not Possible in Critically Ill Patients. Journal of Parenteral and Enteral Nutrition, 2011, 35, 160-168.	1.3	63
116	Prevalence, Incidence, and Clinical Resolution of Insulin Resistance in Critically Ill Patients: An Observational Study. Journal of Parenteral and Enteral Nutrition, 2008, 32, 227-235.	1.3	61
117	Volumeâ€Based Feeding in the Critically III Patient. Journal of Parenteral and Enteral Nutrition, 2015, 39, 707-712.	1.3	61
118	End-of-Life Care in Acute Care Hospitals in Canada: A Quality Finish?. Journal of Palliative Care, 2005, 21, 142-150.	0.4	60
119	Understanding Adherence to Guidelines in the Intensive Care Unit. Journal of Parenteral and Enteral Nutrition, 2010, 34, 616-624.	1.3	59
120	The adequacy of timely empiric antibiotic therapy for ventilator-associated pneumonia: An important determinant of outcome. Journal of Critical Care, 2012, 27, 322.e7-322.e14.	1.0	59
121	Alternative lipid emulsions in the critically ill: a systematic review of the evidence. Intensive Care Medicine, 2013, 39, 1683-1694.	3.9	59
122	Barriers to feeding critically ill patients: A multicenter survey of critical care nurses. Journal of Critical Care, 2012, 27, 727-734.	1.0	58
123	Comparisons between intragastric and small intestinal delivery of enteral nutrition in the critically ill: a systematic review and meta-analysis. Critical Care, 2013, 17, R125.	2.5	57
124	The safety of targeted antibiotic therapy for ventilator-associated pneumonia: A multicenter observational study. Journal of Critical Care, 2008, 23, 82-90.	1.0	56
125	Admission of the very elderly to the intensive care unit: Family members' perspectives on clinical decision-making from a multicenter cohort study. Palliative Medicine, 2015, 29, 324-335.	1.3	56
126	Automated body composition analysis of clinically acquired computed tomography scans using neural networks. Clinical Nutrition, 2020, 39, 3049-3055.	2.3	56

#	Article	IF	CITATIONS
127	Immunonutrition in the Critically III Patient: More Harm than Good?. Journal of Parenteral and Enteral Nutrition, 2001, 25, S51-5; discussion S55-6.	1.3	55
128	The effect of higher versus lower protein delivery in critically ill patients:Âa systematic review and meta-analysis of randomized controlled trials. Critical Care, 2021, 25, 260.	2.5	55
129	Discordance between patients' stated values and treatment preferences for end-of-life care: results of a multicentre survey. BMJ Supportive and Palliative Care, 2016, 7, bmjspcare-2015-001056.	0.8	54
130	Impact of <i>Candida</i> Species on Clinical Outcomes in Patients with Suspected Ventilator-Associated Pneumonia. Canadian Respiratory Journal, 2011, 18, 131-136.	0.8	52
131	The Effects of Different IV Fat Emulsions on Clinical Outcomes in Critically Ill Patients*. Critical Care Medicine, 2014, 42, 1168-1177.	0.4	49
132	Implementing the PEP uP Protocol in Critical Care Units in Canada. Journal of Parenteral and Enteral Nutrition, 2015, 39, 698-706.	1.3	48
133	Protein Delivery in the Intensive Care Unit: Optimal or Suboptimal?. Nutrition in Clinical Practice, 2017, 32, 58S-71S.	1.1	48
134	The Relationship Between Organizational Culture and Implementation of Clinical Practice Guidelines. Journal of Parenteral and Enteral Nutrition, 2010, 34, 669-674.	1.3	46
135	Exploring patient-reported barriers to advance care planning in family practice. BMC Family Practice, 2020, 21, 94.	2.9	46
136	Safety and Outcomes of Early Enteral Nutrition in Circulatory Shock. Journal of Parenteral and Enteral Nutrition, 2020, 44, 779-784.	1.3	46
137	Optimizing Nutrition in Intensive Care Units: Empowering Critical Care Nurses to Be Effective Agents of Change. American Journal of Critical Care, 2012, 21, 186-194.	0.8	45
138	Determination of Nutrition Risk and Status in Critically III Patients: What Are Our Considerations?. Nutrition in Clinical Practice, 2019, 34, 96-111.	1.1	45
139	International observational study of nutritional support in mechanically ventilated patients following burn injury. Burns, 2015, 41, 510-518.	1.1	44
140	Vitamin C to Improve Organ Dysfunction in Cardiac Surgery Patients—Review and Pragmatic Approach. Nutrients, 2018, 10, 974.	1.7	44
141	Outcomes and Costs of Patients Admitted to the ICU Due to Spontaneous Intracranial Hemorrhage. Critical Care Medicine, 2018, 46, e395-e403.	0.4	42
142	Barriers to and enablers of advance care planning with patients in primary care: Survey of health care providers. Canadian Family Physician, 2018, 64, e190-e198.	0.1	42
143	Intermittent versus continuous feeding in critically ill adults. Current Opinion in Clinical Nutrition and Metabolic Care, 2018, 21, 116-120.	1.3	41
144	Vitamin C Administration to the Critically III: A Systematic Review and Metaâ€Analysis. Journal of Parenteral and Enteral Nutrition, 2019, 43, 335-346.	1.3	41

#	Article	IF	CITATIONS
145	Inhibiting the Progression of Arterial Calcification with Vitamin K in HemoDialysis Patients (iPACK-HD) Trial: Rationale and Study Design for a Randomized Trial of Vitamin K in Patients with End Stage Kidney Disease. Canadian Journal of Kidney Health and Disease, 2015, 2, 53.	0.6	40
146	Predicting Performance Status 1 Year After Critical Illness in Patients 80 Years or Older: Development of a Multivariable Clinical Prediction Model. Critical Care Medicine, 2016, 44, 1718-1726.	0.4	40
147	The Effect of Higher Protein Dosing in Critically III Patients: A Multicenter Registryâ€Based Randomized Trial: The EFFORT Trial. Journal of Parenteral and Enteral Nutrition, 2019, 43, 326-334.	1.3	40
148	Bridging the Guideline–Practice Gap in Critical Care Nutrition. Journal of Parenteral and Enteral Nutrition, 2010, 34, 653-659.	1.3	38
149	Nutrition support practices in critically ill head-injured patients: a global perspective. Critical Care, 2015, 20, 6.	2.5	38
150	Consequences of the REDOXS and METAPLUS Trials. Journal of Parenteral and Enteral Nutrition, 2015, 39, 890-892.	1.3	38
151	Persistent organ dysfunction plus death: a novel, composite outcome measure for critical care trials. Critical Care, 2011, 15, R98.	2.5	37
152	Association between ultrasound quadriceps muscle status with premorbid functional status and 60-day mortality in mechanically ventilated critically ill patient: A single-center prospective observational study. Clinical Nutrition, 2021, 40, 1338-1347.	2.3	37
153	The Future of Critical Care Nutrition Therapy. Critical Care Clinics, 2010, 26, 433-441.	1.0	36
154	The Development and Validation of a Shorter Version of the Canadian Health Care Evaluation Project Questionnaire (CANHELP Lite): A Novel Tool to Measure Patient and Family Satisfaction With End-of-Life Care. Journal of Pain and Symptom Management, 2013, 46, 289-297.	0.6	36
155	Validation of quality indicators for end-of-life communication: results of a multicentre survey. Cmaj, 2017, 189, E980-E989.	0.9	36
156	The relationship between Candida species cultured from the respiratory tract and systemic inflammation in critically ill patients with ventilator-associated pneumonia. Canadian Journal of Anaesthesia, 2011, 58, 275-284.	0.7	35
157	Role of Glutamine Supplementation in Critical Illness Given the Results of the REDOXS Study. Journal of Parenteral and Enteral Nutrition, 2013, 37, 442-443.	1.3	35
158	Trends in site of death and health care utilization at the end of life: a population-based cohort study. CMAJ Open, 2019, 7, E306-E315.	1.1	35
159	Nutrition and Exercise in Critical Illness Trial (NEXIS Trial): a protocol of a multicentred, randomised controlled trial of combined cycle ergometry and amino acid supplementation commenced early during critical illness. BMJ Open, 2019, 9, e027893.	0.8	35
160	Nutrition Therapy in Critically III Patients Following Cardiac Surgery: Defining and Improving Practice. Journal of Parenteral and Enteral Nutrition, 2017, 41, 1188-1194.	1.3	34
161	Biomarkers in critical care nutrition. Critical Care, 2020, 24, 499.	2.5	34
162	Should we stop prescribing metoclopramide as a prokinetic drug in critically ill patients?. Critical Care, 2014, 18, 502.	2.5	33

#	Article	IF	CITATIONS
163	Barriers to Goals of Care Discussions With Patients Who Have Advanced Heart Failure: Results of a Multicenter Survey of Hospital-Based Cardiology Clinicians. Journal of Cardiac Failure, 2017, 23, 786-793.	0.7	33
164	Immunonutrition in the Critically Ill Patient: Putting the Cart Before the Horse?. Nutrition in Clinical Practice, 2002, 17, 267-272.	1.1	32
165	Evaluation of Nutrition Deficits in Adult and Elderly Trauma Patients. Journal of Parenteral and Enteral Nutrition, 2015, 39, 449-455.	1.3	32
166	IV Vitamin C in Critically III Patients: A Systematic Review and Meta-Analysis. Critical Care Medicine, 2022, 50, e304-e312.	0.4	32
167	A multicenter, randomized, double-blind study of ulimorelin and metoclopramide in the treatment of critically ill patients with enteral feeding intolerance: PROMOTE trial. Intensive Care Medicine, 2019, 45, 647-656.	3.9	31
168	SodiUm SeleniTe Adminstration IN Cardiac Surgery (SUSTAIN CSX-trial): study design of an international multicenter randomized double-blinded controlled trial of high dose sodium-selenite administration in high-risk cardiac surgical patients. Trials, 2014, 15, 339.	0.7	30
169	Improving the Provision of Enteral Nutrition in the Intensive Care Unit. Nutrition in Clinical Practice, 2014, 29, 110-117.	1.1	30
170	Pharmaconutrition With Selenium in Critically III Patients. Nutrition in Clinical Practice, 2015, 30, 34-43.	1.1	30
171	Phase 3 Pilot Randomized Controlled Trial Comparing Early Trophic Enteral Nutrition With "No Enteral Nutrition―in Mechanically Ventilated Patients With Septic Shock. Journal of Parenteral and Enteral Nutrition, 2020, 44, 866-873.	1.3	30
172	Creating a Culture of Clinical Excellence in Critical Care Nutrition. Journal of Parenteral and Enteral Nutrition, 2010, 34, 707-715.	1.3	29
173	End-of-life care in acute care hospitals in Canada: a quality finish?. Journal of Palliative Care, 2005, 21, 142-50.	0.4	29
174	Advance Care Planning (ACP) vs. Advance Serious Illness Preparations and Planning (ASIPP). Healthcare (Switzerland), 2020, 8, 218.	1.0	28
175	Should We Prescribe More Protein to Critically III Patients?. Nutrients, 2018, 10, 462.	1.7	27
176	Effects of Vitamin C on Organ Function in Cardiac Surgery Patients: A Systematic Review and Meta-Analysis. Nutrients, 2019, 11, 2103.	1.7	27
177	How Well Do Critically Ill Patients Tolerate Early, Intragastric Enteral Feeding? Results of a Prospective, Multicenter Trial. Nutrition in Clinical Practice, 1999, 14, 23-28.	1.1	26
178	Evaluation of Persistent Organ Dysfunction Plus Death As a Novel Composite Outcome in Cardiac Surgical Patients. Journal of Cardiothoracic and Vascular Anesthesia, 2016, 30, 30-38.	0.6	26
179	Translation and adaptation of the NUTRIC Score to identify critically ill patients who benefit the most from nutrition therapy. Clinical Nutrition ESPEN, 2016, 14, 31-36.	0.5	26
180	A multi-faceted, family-centred nutrition intervention to optimise nutrition intake of critically ill patients: The OPTICS feasibility study. Australian Critical Care, 2016, 29, 68-76.	0.6	26

#	Article	IF	CITATIONS
181	Advance care planning: Let's start sooner. Canadian Family Physician, 2015, 61, 663-5.	0.1	25
182	In Search of the Magic Nutraceutical: Problems with Current Approaches. Journal of Nutrition, 2001, 131, 2591S-2595S.	1.3	24
183	Attitudes and Beliefs Related to the Canadian Critical Care Nutrition Practice Guidelines. Journal of Parenteral and Enteral Nutrition, 2010, 34, 685-696.	1.3	24
184	Strategies for effective goals of care discussions and decision-making: perspectives from a multi-centre survey of Canadian hospital-based healthcare providers. BMC Palliative Care, 2015, 14, 38.	0.8	24
185	Adequacy of Protein and Energy Intake in Critically Ill Adults Following Liberation From Mechanical Ventilation Is Dependent on Route of Nutrition Delivery. Nutrition in Clinical Practice, 2021, 36, 201-212.	1.1	24
186	The Value of Audit and Feedback Reports in Improving Nutrition Therapy in the Intensive Care Unit. Journal of Parenteral and Enteral Nutrition, 2010, 34, 660-668.	1.3	23
187	Guidelines, Guidelines, Guidelines. Journal of Parenteral and Enteral Nutrition, 2010, 34, 625-643.	1.3	23
188	Family physician-led, team-based, lifestyle intervention in patients with metabolic syndrome: results of a multicentre feasibility project. CMAJ Open, 2017, 5, E229-E236.	1.1	23
189	Greater Nutrient Intake Is Associated With Lower Mortality in Western and Eastern Critically III Patients With Low BMI: A Multicenter, Multinational Observational Study. Journal of Parenteral and Enteral Nutrition, 2019, 43, 63-69.	1.3	23
190	Vasopressor Use for Severe Hypotension—A Multicentre Prospective Observational Study. PLoS ONE, 2017, 12, e0167840.	1.1	23
191	Older patient engagement in advance care planning in Canadian primary care practices: Results of a multisite survey. Canadian Family Physician, 2018, 64, 371-377.	0.1	23
192	Critical care nutrition support research. Current Opinion in Clinical Nutrition and Metabolic Care, 2013, 16, 176-181.	1.3	22
193	Enhanced Protein-Energy Provision via the Enteral Route in Critically Ill Patients (PEP uP Protocol). Nutrition in Clinical Practice, 2016, 31, 68-79.	1.1	22
194	Improving partnerships with family members of ICU patients: study protocol for a randomized controlled trial. Trials, 2018, 19, 3.	0.7	22
195	Start with reducing sedentary behavior: A stepwise approach to physical activity counseling in clinical practice. Patient Education and Counseling, 2022, 105, 1353-1361.	1.0	22
196	Satisfaction with End-Of-Life Care: A Longitudinal study of Patients and Their Family Caregivers in the Last months of Life. Journal of Palliative Care, 2009, 25, 245-256.	0.4	21
197	Nutritional risk assessment and cultural validation of the modified NUTRIC score in critically ill patients—A multicenter prospective cohort study. Journal of Critical Care, 2017, 37, 249.	1.0	21
198	Family members' satisfaction with care and decisionâ€making inÂintensive care units and postâ€stay followâ€up needs—a crossâ€sectional survey study. Nursing Open, 2018, 5, 6-14.	1.1	21

#	Article	IF	CITATIONS
199	Impact of nighttime Rapid Response Team activation on outcomes of hospitalized patients with acute deterioration. Critical Care, 2018, 22, 67.	2.5	21
200	Prediction of Prolonged ICU Stay in Cardiac Surgery Patients as a Useful Method to Identify Nutrition Risk in Cardiac Surgery Patients: A Post Hoc Analysis of a Prospective Observational Study. Journal of Parenteral and Enteral Nutrition, 2019, 43, 768-779.	1.3	21
201	Omega-6 sparing effects of parenteral lipid emulsions—an updated systematic review and meta-analysis on clinical outcomes in critically ill patients. Critical Care, 2022, 26, 23.	2.5	21
202	Randomized Trials in Critical Care Nutrition. Journal of Parenteral and Enteral Nutrition, 2010, 34, 697-706.	1.3	20
203	Nutrition support in cardiac surgery patients: Be calm and feed on!. Journal of Thoracic and Cardiovascular Surgery, 2019, 158, 1103-1108.	0.4	20
204	The relevance of 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D concentration for postoperative infections and postoperative organ dysfunctions in cardiac surgery patients: The eVIDenCe study. Clinical Nutrition, 2019, 38, 2756-2762.	2.3	20
205	Combination of enteral and parenteral nutrition in the acute phase of critical illness: An updated systematic review and metaâ€analysis. Journal of Parenteral and Enteral Nutrition, 2022, 46, 395-410.	1.3	20
206	Early versus delayed enteral nutrition in mechanically ventilated patients with circulatory shock: a nested cohort analysis of an international multicenter, pragmatic clinical trial. Critical Care, 2022, 26, .	2.5	20
207	Factors predicting adherence to the Canadian Clinical Practice Guidelines for nutrition support in mechanically ventilated, critically ill adult patients. Journal of Critical Care, 2008, 23, 301-307.	1.0	19
208	Measuring engagement in advance care planning: a cross-sectional multicentre feasibility study. BMJ Open, 2016, 6, e010375.	0.8	19
209	Bereaved family members' perceptions of the quality of end-of-life care across four types of inpatient care settings. BMC Palliative Care, 2017, 16, 59.	0.8	19
210	Outcomes of Older Hospitalized Patients Requiring Rapid Response Team Activation for Acute Deterioration. Critical Care Medicine, 2018, 46, 1953-1960.	0.4	19
211	Nutrition Adequacy Therapeutic Enhancement in the Critically Ill: A Randomized Doubleâ€Blind, Placeboâ€Controlled Trial of the Motilin Receptor Agonist Camicinal (GSK962040): The NUTRIATE Study. Journal of Parenteral and Enteral Nutrition, 2018, 42, 949-959.	1.3	19
212	Adaptation and Preliminary Validation of the Advance Care Planning Engagement Survey for Surrogate Decision Makers. Journal of Pain and Symptom Management, 2019, 57, 980-988.e9.	0.6	19
213	Family satisfaction with critical care in the UK: a multicentre cohort study. BMJ Open, 2019, 9, e028956.	0.8	19
214	Lessening Organ dysfunction with VITamin C (LOVIT): protocol for a randomized controlled trial. Trials, 2020, 21, 42.	0.7	19
215	Determinants of outcome in patients with a clinical suspicion of ventilator-associated pneumonia. Journal of Critical Care, 2008, 23, 41-49.	1.0	18
216	Lost in (Knowledge) Translation!. Journal of Parenteral and Enteral Nutrition, 2010, 34, 610-615.	1.3	18

#	Article	IF	CITATIONS
217	Adding Supplemental Parenteral Nutrition to Hypocaloric Enteral Nutrition. Journal of Parenteral and Enteral Nutrition, 2012, 36, 15-17.	1.3	18
218	Longitudinal changes in procalcitonin in a heterogeneous group of critically ill patients*. Critical Care Medicine, 2012, 40, 2781-2787.	0.4	18
219	Barriers to goals of care discussions with hospitalized patients with advanced heart failure: feasibility and performance of a novel questionnaire. ESC Heart Failure, 2016, 3, 245-252.	1.4	18
220	Novel, Familyâ€Centered Intervention to Improve Nutrition in Patients Recovering From Critical Illness: A Feasibility Study. Nutrition in Clinical Practice, 2017, 32, 392-399.	1.1	18
221	Existing equations to estimate lean body mass are not accurate in the critically ill: Results of a multicenter observational study. Clinical Nutrition, 2017, 36, 1701-1706.	2.3	18
222	Intravenous fish oil in critically ill and surgical patients – Historical remarks and critical appraisal. Clinical Nutrition, 2018, 37, 1075-1081.	2.3	18
223	Clinically Practical Approach for Screening of Low Muscularity Using Electronic Linear Measures on Computed Tomography Images in Critically III Patients. Journal of Parenteral and Enteral Nutrition, 2018, 42, 885-891.	1.3	18
224	Effect of an Interactive Website to Engage Patients in Advance Care Planning in Outpatient Settings. Annals of Family Medicine, 2020, 18, 110-117.	0.9	18
225	Does artificial nutrition improve outcome of critical illness? An alternative viewpoint!. Critical Care, 2013, 17, 324.	2.5	17
226	A RandomizEd trial of ENtERal Glutamine to minimIZE thermal injury (The RE-ENERGIZE Trial): a clinical trial protocol. Scars, Burns & Healing, 2017, 3, 205951311774524.	0.6	17
227	Brief English and Spanish Survey Detects Change in Response to Advance Care Planning Interventions. Journal of Pain and Symptom Management, 2019, 58, 1068-1074.e5.	0.6	17
228	PEP uP (Enhanced Proteinâ€Energy Provision via the Enteral Route Feeding Protocol) in Surgical Patients—A Multicenter Pilot Randomized Controlled Trial. Journal of Parenteral and Enteral Nutrition, 2020, 44, 197-204.	1.3	17
229	Probiotics: Prevention of Severe Pneumonia and Endotracheal Colonization Trial—PROSPECT: protocol for a feasibility randomized pilot trial. Pilot and Feasibility Studies, 2015, 1, 19.	0.5	16
230	Patient-family agreement on values and preferences for life-sustaining treatment: results of a multicentre observational study. BMJ Supportive and Palliative Care, 2019, 9, e20-e20.	0.8	16
231	A novel decision aid to help plan for serious illness: a multisite randomized trial. CMAJ Open, 2020, 8, E289-E296.	1.1	16
232	Catabolism in Critical Illness: A Reanalysis of the REducing Deaths due to OXidative Stress (REDOXS) Trial*. Critical Care Medicine, 2022, 50, 1072-1082.	0.4	15
233	Quality of life following critical care: moving beyond survival. Intensive Care Medicine, 2000, 26, 1172-1175.	3.9	14
234	Development and psychometric properties of a questionnaire to assess barriers to feeding critically ill patients. Implementation Science, 2013, 8, 140.	2.5	14

#	Article	IF	CITATIONS
235	Implementing a multifaceted tailored intervention to improve nutrition adequacy in critically ill patients: results of a multicenter feasibility study. Critical Care, 2014, 18, R96.	2.5	14
236	Satisfaction with care and decision making among parents/caregivers in the pediatric intensive care unit: A comparison between English-speaking whites and Latinos. Journal of Critical Care, 2015, 30, 236-241.	1.0	14
237	Primary care clinicians' confidence, willingness participation and perceptions of roles in advance care planning discussions with patients: a multi-site survey. Family Practice, 2020, 37, 219-226.	0.8	14
238	Lessons Learned From Implementing a Novel Feeding Protocol. Nutrition in Clinical Practice, 2014, 29, 510-517.	1.1	13
239	The validation of a questionnaire to assess barriers to enteral feeding in critically ill patients: a multicenter international survey. BMC Health Services Research, 2014, 14, 197.	0.9	13
240	What Is "Best Achievable―Practice in Implementing the Enhanced Protein-Energy Provision via the Enteral Route Feeding Protocol in Intensive Care Units in the United States? Results of a Multicenter, Quality Improvement Collaborative. Journal of Parenteral and Enteral Nutrition, 2016, 42, 014860711667330.	1.3	13
241	Protein Kinetics and Metabolic Effects Related to Disease States in the Intensive Care Unit. Nutrition in Clinical Practice, 2017, 32, 21S-29S.	1.1	13
242	Prevalence, Risk Factors, and Clinical Consequences of Recurrent Activation of a Rapid Response Team: A Multicenter Observational Study. Journal of Intensive Care Medicine, 2019, 34, 782-789.	1.3	13
243	Development of a Decision Aid for Cardiopulmonary Resuscitation Involving Intensive Care Unit Patients' and Health Professionals' Participation Using User-Centered Design and a Wiki Platform for Rapid Prototyping: A Research Protocol. JMIR Research Protocols, 2016, 5, e24.	0.5	13
244	The potential role of intravenous vitamin C monotherapy in critical illness. Journal of Parenteral and Enteral Nutrition, 2022, 46, 972-976.	1.3	13
245	Satisfaction with end-of-life care: a longitudinal study of patients and their family caregivers in the last months of life. Journal of Palliative Care, 2009, 25, 245-56.	0.4	13
246	Enteral Nutrition in Critically III Septic Patients—Less or More?. Journal of Parenteral and Enteral Nutrition, 2015, 39, 140-142.	1.3	12
247	Revised Questionnaire to Assess Barriers to Adequate Nutrition in the Critically III. Journal of Parenteral and Enteral Nutrition, 2016, 40, 511-518.	1.3	12
248	Should We PERMIT Systematic Underfeeding in All Intensive Care Unit Patients? Integrating the Results of the PERMIT Study in Our Clinical Practice Guidelines. Journal of Parenteral and Enteral Nutrition, 2016, 40, 156-158.	1.3	12
249	Development and initial evaluation of an online decision support tool for families of patients with critical illness: A multicenter pilot study. Journal of Critical Care, 2017, 39, 18-24.	1.0	12
250	Psychometric assessment of the Family Satisfaction in the Intensive Care Unit questionnaire in the United Kingdom. Journal of Critical Care, 2017, 38, 346-350.	1.0	12
251	Supporting shared decision-making about cardiopulmonary resuscitation using a video-based decision-support intervention in a hospital setting: a multisite before–after pilot study. CMAJ Open, 2019, 7, E630-E637.	1.1	12
252	Initial development and validation of a novel nutrition risk, sarcopenia, and frailty assessment tool in mechanically ventilated critically ill patients: The NUTRICâ€&F score. Journal of Parenteral and Enteral Nutrition, 2022, 46, 499-507.	1.3	12

#	Article	IF	CITATIONS
253	Recognizing difficult trade-offs: values and treatment preferences for end-of-life care in a multi-site survey of adult patients in family practices. BMC Medical Informatics and Decision Making, 2017, 17, 164.	1.5	11
254	Translation of the modified NUTRIC score and adaptation to the Greek ICU setting. Clinical Nutrition ESPEN, 2019, 29, 72-76.	0.5	11
255	Meeting nutritional targets of critically ill patients by combined enteral and parenteral nutrition: review and rationale for the EFFORTcombo trial. Nutrition Research Reviews, 2020, 33, 312-320.	2.1	11
256	Early supplemental parenteral nutrition in critically ill adults increased infections, ICU length of stay and cost. Evidence-Based Medicine, 2012, 17, 86-87.	0.6	10
257	Clinical Outcomes in Critically III Patients Associated With the Use of Complex vs Weightâ€Only Predictive Energy Equations. Journal of Parenteral and Enteral Nutrition, 2015, 39, 864-869.	1.3	10
258	Are all low-NUTRIC-score patients the same? Analysis of a multi-center observational study to determine the relationship between nutrition intake and outcome. Clinical Nutrition, 2019, 38, 2783-2789.	2.3	10
259	Longitudinal Outcomes in Octogenarian Critically III Patients with a Focus on Frailty and Cardiac Surgery. Journal of Clinical Medicine, 2021, 10, 12.	1.0	10
260	Fluid restriction for postoperative patients?. Lancet, The, 2002, 359, 1792-1793.	6.3	9
261	More Questions Than Answers. Journal of Parenteral and Enteral Nutrition, 2015, 39, 143-143.	1.3	9
262	Still a Place for Metoclopramide as a Prokinetic Drug in Critically III Patients?. Journal of Parenteral and Enteral Nutrition, 2015, 39, 763-766.	1.3	9
263	Nutrition Therapy for the Critically III Surgical Patient With Aortic Aneurysmal Rupture. Journal of Parenteral and Enteral Nutrition, 2015, 39, 104-113.	1.3	9
264	Experimental and Outcomeâ€Based Approaches to Protein Requirements in the Intensive Care Unit. Nutrition in Clinical Practice, 2017, 32, 77S-85S.	1.1	9
265	Critical Care Nutrition Support Best Practices: Key Differences Between Canadian and American Guidelines. Nutrition in Clinical Practice, 2017, 32, 633-644.	1.1	9
266	Measuring Family Members' Satisfaction with End-of-Life Care in Long-Term Care: Adaptation of the CANHELP Lite Questionnaire. BioMed Research International, 2017, 2017, 1-17.	0.9	9
267	Development and Psychometric Properties of a Survey to Assess Barriers to Implementing Advance Care Planning in Primary Care. Journal of Pain and Symptom Management, 2018, 55, 12-21.	0.6	9
268	Nutritional therapy among burn injured patients in the critical care setting: An international multicenter observational study on "best achievable―practices. Clinical Nutrition, 2020, 39, 3813-3820.	2.3	9
269	Highâ€dose supplementation of selenium in left ventricular assist device implant surgery: A doubleâ€blinded, randomized controlled pilot trial. Journal of Parenteral and Enteral Nutrition, 2022, 46, 1412-1419.	1.3	9
270	Pharmaconutrition in Acute Lung Injury. JAMA - Journal of the American Medical Association, 2011, 306, 1599.	3.8	8

#	Article	IF	CITATIONS
271	Driving Perioperative Nutrition Quality Improvement Processes Forward!. Journal of Parenteral and Enteral Nutrition, 2013, 37, 83S-98S.	1.3	8
272	Vitamin D Supplementation in Mechanically Ventilated Patients in the Medical Intensive Care Unit. Journal of Parenteral and Enteral Nutrition, 2019, 43, 1037-1043.	1.3	8
273	Do We Have Clinical Equipoise (or Uncertainty) About How Much Protein to Provide to Critically III Patients?. Nutrition in Clinical Practice, 2020, 35, 499-505.	1.1	8
274	Challenges and facilitators in delivering optimal care at the End of Life for older patients: a scoping review on the clinicians' perspective. Aging Clinical and Experimental Research, 2021, 33, 2643-2656.	1.4	8
275	Effect of "Speak Up―educational tools to engage patients in advance care planning in outpatient healthcare settings: A prospective before-after study. Patient Education and Counseling, 2021, 104, 709-714.	1.0	7
276	Randomised trial of a serious illness decision aid (Plan Well Guide) for patients and their substitute decision-makers to improve engagement in advance care planning. BMJ Supportive and Palliative Care, 2022, 12, 99-106.	0.8	7
277	Not All Critically Ill Obese Patients Are the Same: The Influence of Prior Comorbidities. ISRN Obesity, 2012, 2012, 1-7.	2.2	7
278	Cultural adaptation of a communityâ€based advance serious illness planning decision aid to the Quebec context involving endâ€users. Health Expectations, 2022, 25, 1016-1028.	1.1	7
279	Inhibit progression of coronary artery calcification with vitamin K in hemodialysis patients (the) Tj ETQq1 1 0.7843 Transplantation, 2023, 38, 746-756.	14 rgBT /( 0.4	Overlock 10 7
280	If You Don't Connect the Dots, You May Not See the Whole Picture!. Journal of Parenteral and Enteral Nutrition, 2008, 32, 486-488.	1.3	6
281	Development of Advance Care Planning Research Priorities: A Call to Action. Journal of Palliative Care, 2013, 29, 99-106.	0.4	6
282	NUTRIC-S proposal: Using SAPS 3 for mortality prediction in nutritional risk ICU patients. Clinical Nutrition Experimental, 2020, 31, 19-27.	2.0	6
283	Impact of Enteral Feeding on Vasoactive Support in Septic Shock: A Retrospective Observational Study. Nutrition in Clinical Practice, 2020, 35, 540-547.	1.1	6
284	A catalogue of tools and variables from crisis and routine care to support decision-making about allocation of intensive care beds and ventilator treatment during pandemics: Scoping review. Journal of Critical Care, 2021, 66, 33-43.	1.0	6
285	The Impact of Prior Advance Care Planning Documentation on End-of-Life Care Provision in Long-Term Care. Canadian Geriatrics Journal, 2020, 23, 172-183.	0.7	6
286	Enteral nutrition in septic shock: A pathophysiologic conundrum. Journal of Parenteral and Enteral Nutrition, 2021, 45, 74-78.	1.3	6
287	Optimizing end-of-life care on medical clinical teaching units using the CANHELP questionnaire and a nurse facilitator: a feasibility-study. Canadian Journal of Nursing Research, 2012, 44, 41-58.	0.6	6
288	Fish Oil–Containing Emulsions. Journal of Parenteral and Enteral Nutrition, 2016, 40, 305-307.	1.3	5

#	Article	IF	CITATIONS
289	Randomized Controlled Trial of a Decision Support Intervention About Cardiopulmonary Resuscitation for Hospitalized Patients Who Have a High Risk of Death. Journal of General Internal Medicine, 2021, 36, 2593-2600.	1.3	5
290	Validation of the modified NUTrition Risk Score (mNUTRIC) in mechanically ventilated, severe burn patients: A prospective multinational cohort study. Burns, 2021, 47, 1739-1747.	1.1	5
291	Correlation between gastric residual volumes and markers of gastric emptying: A post hoc analysis of a randomized clinical trial. Journal of Parenteral and Enteral Nutrition, 2021, , .	1.3	5
292	Relationship Between Nutrition Intake and Outcome After Subarachnoid Hemorrhage: Results From the International Nutritional Survey. Journal of Intensive Care Medicine, 2021, 36, 1141-1148.	1.3	5
293	Current nutritional therapy in Japanese intensive care units: what did we learn from the International Nutritional Survey?. Journal of the Japanese Society of Intensive Care Medicine, 2014, 21, 243-252.	0.0	5
294	Validity and Reliability of a Thai Version of Family Satisfaction with Care in the Intensive Care Unit Survey. Indian Journal of Critical Care Medicine, 2020, 24, 946-954.	0.3	5
295	Decision support intervention (Plan Well Guide) for patients and their substitute decision-makers to improve engagement in advance care planning: protocol for a randomised trial. BMJ Open, 2019, 9, e027897.	0.8	4
296	A Multicenter Study to Identify Clinician Barriers to Participating in Goals of Care Discussions in Long-Term Care. Journal of the American Medical Directors Association, 2020, 21, 647-652.	1.2	4
297	Shared decision-making in the intensive care unit requires more frequent and high-quality communication: A research critique. Australian Critical Care, 2020, 33, 480-483.	0.6	4
298	Developing Research Programs in Clinical and Translational Nutrition. Journal of Parenteral and Enteral Nutrition, 2010, 34, 97S-105S.	1.3	3
299	Gastric vs Small Bowel Feeding in Critically III Neurologically Injured Patients. Journal of Parenteral and Enteral Nutrition, 2015, 39, 910-916.	1.3	3
300	Authors' Response to Vermeulen et al. Journal of Parenteral and Enteral Nutrition, 2016, 40, 12-13.	1.3	3
301	Safety of Prolonged Use of Trophic Feeds in the Critically III Patient. Journal of Parenteral and Enteral Nutrition, 2016, 40, 452-454.	1.3	3
302	Promotion of Regular Oesophageal Motility to Prevent Regurgitation and Enhance Nutrition Intake in Long-Stay ICU Patients. A Multicenter, Phase II, Sham-Controlled, Randomized Trial. Critical Care Medicine, 2020, 48, e219-e226.	0.4	3
303	Effects of malnutrition on long-term survival in adult patients after elective cardiac surgery. Nutrition, 2021, 83, 111057.	1.1	3
304	Nutritional Risk at intensive care unit admission and outcomes in survivors of critical illness. Clinical Nutrition, 2021, 40, 3868-3874.	2.3	3
305	Application of the modified Nutrition Risk in Critically III score to nutritional risk stratification of trauma victims: A multicenter observational study. Journal of Trauma and Acute Care Surgery, 2020, 89, 1143-1148.	1.1	3
306	Longitudinal changes in anthropometrics and impact on self-reported physical function after traumatic brain injury. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2017, 19, 29-36.	0.0	3

#	Article	IF	CITATIONS
307	Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. JMIR Research Protocols, 2022, 11, e36261.	0.5	3
308	The Role of Alternative Lipid Emulsions in Critically Ill Patients. Journal of Parenteral and Enteral Nutrition, 2014, 38, 653-654.	1.3	2
309	P043 Effect of a Video Decision Aid on Clinical Decision-Making About Cardiopulmonary Resuscitation. Journal of Pain and Symptom Management, 2016, 52, e77.	0.6	2
310	Nutrition therapy practices applied on severe burn patients: Results from the INS 2014 survey. Clinical Nutrition ESPEN, 2018, 24, 182.	0.5	2
311	Unraveling Methodology to Ensure the Search for Optimal Nutrition Quantity in Acute Respiratory Distress Syndrome Remains INTACT. Journal of Parenteral and Enteral Nutrition, 2019, 43, 8-9.	1.3	2
312	Response to "The Canadian Critical Care Nutrition Guidelines in 2013: Importance of Nasojejunal Enteral Feeding Tube Design in Improving Rates of Small Bowel Enteral Feeding in Patients With High Gastric Residual Volumes― Nutrition in Clinical Practice, 2014, 29, 561-561.	1.1	1
313	Response to Letter to the Editor. Australian Critical Care, 2016, 29, 53.	0.6	1
314	Reply-letter to the editor-harm associated with higher energy intake in patients with Low-mNUTRIC score should not be ignored. Clinical Nutrition, 2019, 38, 2474-2475.	2.3	1
315	Advance care planning; we need to do it more, but it needs to be done differently. EClinicalMedicine, 2020, 19, 100245.	3.2	1
316	Cultural Adaptation and Validation of the Portuguese Version of the CANHELP Lite Bereavement Questionnaire. Healthcare (Switzerland), 2020, 8, 27.	1.0	1
317	The initial validation of a novel outcome measure in severe burns- the Persistent Organ Dysfunction +Death: Results from a multicenter evaluation. Burns, 2021, 47, 765-775.	1.1	1
318	Impact of malnutrition on survival in adult patients after elective cardiac surgery: Long-term follow up data. Data in Brief, 2021, 34, 106651.	0.5	1
319	Determining the psychometric properties of a novel questionnaire to measure "preparedness for the future―(Prep FQ). Health and Quality of Life Outcomes, 2021, 19, 122.	1.0	1
320	Translation and adaptation of the modified NUTRIC score for critically ill patients. Clinical Nutrition ESPEN, 2021, 43, 348-352.	0.5	1
321	Effect of Acid Feeds on Feeding System Contamination. Nutrition in Clinical Practice, 1998, 13, S33-S37.	1.1	Ο
322	Working to Shift Clinician Perceptions—Reply. JAMA Internal Medicine, 2015, 175, 1578.	2.6	0
323	P1â€206: Predictors of Health Outcomes in Older Patients Admitted to the Intensive Care Unit. Alzheimer's and Dementia, 2016, 12, P484.	0.4	0
324	Identifying nutritional risk in critical illness. Current Pulmonology Reports, 2017, 6, 48-53.	0.5	0

Daren K Heyland

#	Article	IF	CITATIONS
325	Enteral nutrition in traumatic brain injury. Journal of Trauma and Acute Care Surgery, 2017, 82, 649-650.	1.1	Ο
326	The authors reply. Critical Care Medicine, 2017, 45, e743-e744.	0.4	0
327	Reservations about Permissive Underfeeding in Low versus High NUTRIC Patients?. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 1226-1227.	2.5	Ο
328	Association between greater energy intake and lower mortality in critically ill patients in the Japanese ICU. Journal of the Japanese Society of Intensive Care Medicine, 2019, 26, 25-27.	0.0	0
329	Commentary: Nutrition Support After Cardiac Surgery – How to Dine?. Seminars in Thoracic and Cardiovascular Surgery, 2021, 33, 118-120.	0.4	Ο
330	Review: Enteral immunonutrition reduces infection risk, days on ventilation, and hospital stay in critically ill patients. ACP Journal Club, 2000, 133, 9.	0.1	0