

# Daren K Heyland

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5477900/daren-k-heyland-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

317  
papers

29,459  
citations

81  
h-index

168  
g-index

335  
ext. papers

34,214  
ext. citations

5  
avg. IF

7.04  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 317 | Omega-6 sparing effects of parenteral lipid emulsions-an updated systematic review and meta-analysis on clinical outcomes in critically ill patients.. <i>Critical Care</i> , <b>2022</b> , 26, 23   | 10.8 | 2         |
| 316 | The Potential Role of Intravenous Vitamin C Monotherapy in Critical Illness.. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2022</b> ,   | 4.2  | 3         |
| 315 | Enteral nutrition in septic shock: A pathophysiologic conundrum.. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2021</b> , 45, 74-78   | 4.2  | 1         |
| 314 | Challenges and facilitators in delivering optimal care at the End of Life for older patients: a scoping review on the clinicians' perspective. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 2643-2656   | 4.8  | 2         |
| 313 | Determining the psychometric properties of a novel questionnaire to measure "preparedness for the future" (Prep FQ). <i>Health and Quality of Life Outcomes</i> , <b>2021</b> , 19, 122  | 3    | 1         |
| 312 | Validation of the modified NUTrition Risk Score (mNUTRIC) in mechanically ventilated, severe burn patients: A prospective multinational cohort study. <i>Burns</i> , <b>2021</b> , 47, 1739-1747   | 2.3  | 2         |
| 311 | Nutritional Risk at intensive care unit admission and outcomes in survivors of critical illness. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 3868-3874   | 5.9  | 0         |
| 310 | Initial development and validation of a novel nutrition risk, sarcopenia, and frailty assessment tool in mechanically ventilated critically ill patients: The NUTRIC-SF score. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2021</b> ,                          | 4.2  | 2         |
| 309 | Translation and adaptation of the modified NUTRIC score for critically ill patients. <i>Clinical Nutrition ESPEN</i> , <b>2021</b> , 43, 348-352   | 1.3  | 0         |
| 308 | Combination of enteral and parenteral nutrition in the acute phase of critical illness: An updated systematic review and meta-analysis. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2021</b> ,   | 4.2  | 2         |
| 307 | The effect of higher versus lower protein delivery in critically ill patients: A systematic review and meta-analysis of randomized controlled trials. <i>Critical Care</i> , <b>2021</b> , 25, 260   | 10.8 | 10        |
| 306 | Adequacy of Protein and Energy Intake in Critically Ill Adults Following Liberation From Mechanical Ventilation Is Dependent on Route of Nutrition Delivery. <i>Nutrition in Clinical Practice</i> , <b>2021</b> , 36, 201-212   | 3.6  | 4         |
| 305 | Association between ultrasound quadriceps muscle status with pre-morbid functional status and 60-day mortality in mechanically ventilated critically ill patient: A single-center prospective observational study. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 1338-1347 | 5.9  | 10        |
| 304 | The initial validation of a novel outcome measure in severe burns- the Persistent Organ Dysfunction +Death: Results from a multicenter evaluation. <i>Burns</i> , <b>2021</b> , 47, 765-775  | 2.3  | 0         |
| 303 | Effects of malnutrition on long-term survival in adult patients after elective cardiac surgery. <i>Nutrition</i> , <b>2021</b> , 83, 111057  | 4.8  | 1         |
| 302 | Effect of "Speak Up" educational tools to engage patients in advance care planning in outpatient healthcare settings: A prospective before-after study. <i>Patient Education and Counseling</i> , <b>2021</b> , 104, 709-714   | 3.1  | 4         |
| 301 | Incidence, Risk Factors, and Clinical Consequence of Enteral Feeding Intolerance in the Mechanically Ventilated Critically Ill: An Analysis of a Multicenter, Multiyear Database. <i>Critical Care Medicine</i> , <b>2021</b> , 49, 49-59                                  | 1.4  | 20        |

|     |   |      |    |
|-----|---|------|----|
| 300 | Impact of malnutrition on survival in adult patients after elective cardiac surgery: Long-term follow up data. <i>Data in Brief</i> , <b>2021</b> , 34, 106651  | 1.2  |    |
| 299 | Commentary: Nutrition Support After Cardiac Surgery - How to Dine?. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , <b>2021</b> , 33, 118-120  | 1.7  |    |
| 298 | Randomized Controlled Trial of a Decision Support Intervention About Cardiopulmonary Resuscitation for Hospitalized Patients Who Have a High Risk of Death. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 36, 2593-2600                   | 4    | 0  |
| 297 | Correlation between gastric residual volumes and markers of gastric emptying: A post hoc analysis of a randomized clinical trial. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2021</b> ,  | 4.2  | 1  |
| 296 | IV Vitamin C in Critically Ill Patients: A Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , <b>2021</b> ,   | 1.4  | 3  |
| 295 | Relationship Between Nutrition Intake and Outcome After Subarachnoid Hemorrhage: Results From the International Nutritional Survey. <i>Journal of Intensive Care Medicine</i> , <b>2021</b> , 36, 1141-1148   | 3.3  | 1  |
| 294 | Start with reducing sedentary behavior: A stepwise approach to physical activity counseling in clinical practice. <i>Patient Education and Counseling</i> , <b>2021</b> ,   | 3.1  | 3  |
| 293 | A catalogue of tools and variables from crisis and routine care to support decision-making about allocation of intensive care beds and ventilator treatment during pandemics: Scoping review. <i>Journal of Critical Care</i> , <b>2021</b> , 66, 33-43 | 4    | 1  |
| 292 | Primary care clinicians' confidence, willingness participation and perceptions of roles in advance care planning discussions with patients: a multi-site survey. <i>Family Practice</i> , <b>2020</b> , 37, 219-226                                     | 1.9  | 5  |
| 291 | Exploring patient-reported barriers to advance care planning in family practice. <i>BMC Family Practice</i> , <b>2020</b> , 21, 94  | 2.6  | 19 |
| 290 | Effect of an Interactive Website to Engage Patients in Advance Care Planning in Outpatient Settings. <i>Annals of Family Medicine</i> , <b>2020</b> , 18, 110-117   | 2.9  | 13 |
| 289 | Advance care planning; we need to do it more, but it needs to be done differently. <i>EClinicalMedicine</i> , <b>2020</b> , 19, 100245  | 11.3 | 1  |
| 288 | Impact of Enteral Feeding on Vasoactive Support in Septic Shock: A Retrospective Observational Study. <i>Nutrition in Clinical Practice</i> , <b>2020</b> , 35, 540-547   | 3.6  | 3  |
| 287 | Shared decision-making in the intensive care unit requires more frequent and high-quality communication: A research critique. <i>Australian Critical Care</i> , <b>2020</b> , 33, 480-483   | 2.9  | 1  |
| 286 | Safety and Outcomes of Early Enteral Nutrition in Circulatory Shock. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 779-784   | 4.2  | 18 |
| 285 | Automated body composition analysis of clinically acquired computed tomography scans using neural networks. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 3049-3055   | 5.9  | 18 |
| 284 | Cultural Adaptation and Validation of the Portuguese Version of the CANHELP Lite Bereavement Questionnaire. <i>Healthcare (Switzerland)</i> , <b>2020</b> , 8,  | 3.4  | 1  |
| 283 | Nutritional therapy among burn injured patients in the critical care setting: An international multicenter observational study on "best achievable" practices. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 3813-3820                                  | 5.9  | 3  |

|     |  |      |    |
|-----|--|------|----|
| 282 | A novel decision aid to help plan for serious illness: a multisite randomized trial. <i>CMAJ Open</i> , <b>2020</b> , 8, E289-E296   | 2.5  | 6  |
| 281 | Longitudinal Outcomes in Octogenarian Critically Ill Patients with a Focus on Frailty and Cardiac Surgery. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 10,   | 5.1  | 1  |
| 280 | The Impact of Prior Advance Care Planning Documentation on End-of-Life Care Provision in Long-Term Care. <i>Canadian Geriatrics Journal</i> , <b>2020</b> , 23, 172-183  | 2.8  | 5  |
| 279 | Validity and Reliability of a Thai Version of Family Satisfaction with Care in the Intensive Care Unit Survey. <i>Indian Journal of Critical Care Medicine</i> , <b>2020</b> , 24, 946-954   | 1.3  | 0  |
| 278 | Application of the modified Nutrition Risk in Critically Ill score to nutritional risk stratification of trauma victims: A multicenter observational study. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2020</b> , 89, 1143-1148                            | 3.3  | 2  |
| 277 | A Multicenter Study to Identify Clinician Barriers to Participating in Goals of Care Discussions in Long-Term Care. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 647-652   | 5.9  | 2  |
| 276 | Lessening Organ dysfunction with VITamin C (LOVIT): protocol for a randomized controlled trial. <i>Trials</i> , <b>2020</b> , 21, 42   | 2.8  | 9  |
| 275 | NUTRIC-S proposal: Using SAPS 3 for mortality prediction in nutritional risk ICU patients. <i>Clinical Nutrition Experimental</i> , <b>2020</b> , 31, 19-27  | 2    | 2  |
| 274 | Promotion of Regular Oesophageal Motility to Prevent Regurgitation and Enhance Nutrition Intake in Long-Stay ICU Patients. A Multicenter, Phase II, Sham-Controlled, Randomized Trial: The PROPEL Study. <i>Critical Care Medicine</i> , <b>2020</b> , 48, e219-e226 | 1.4  | 1  |
| 273 | Meeting nutritional targets of critically ill patients by combined enteral and parenteral nutrition: review and rationale for the EFFORTcombo trial. <i>Nutrition Research Reviews</i> , <b>2020</b> , 33, 312-320   | 7    | 6  |
| 272 | Advance Care Planning (ACP) vs. Advance Serious Illness Preparations and Planning (ASIPP). <i>Healthcare (Switzerland)</i> , <b>2020</b> , 8,  | 3.4  | 11 |
| 271 | Biomarkers in critical care nutrition. <i>Critical Care</i> , <b>2020</b> , 24, 499  | 10.8 | 12 |
| 270 | PEP uP (Enhanced Protein-Energy Provision via the Enteral Route Feeding Protocol) in Surgical Patients-A Multicenter Pilot Randomized Controlled Trial. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 197-204                               | 4.2  | 11 |
| 269 | Do We Have Clinical Equipoise (or Uncertainty) About How Much Protein to Provide to Critically Ill Patients?. <i>Nutrition in Clinical Practice</i> , <b>2020</b> , 35, 499-505  | 3.6  | 4  |
| 268 | Phase 3 Pilot Randomized Controlled Trial Comparing Early Trophic Enteral Nutrition With "No Enteral Nutrition" in Mechanically Ventilated Patients With Septic Shock. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 866-873                | 4.2  | 15 |
| 267 | Effects of Vitamin C on Organ Function in Cardiac Surgery Patients: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , <b>2019</b> , 11,  | 6.7  | 15 |
| 266 | Brief English and Spanish Survey Detects Change in Response to Advance Care Planning Interventions. <i>Journal of Pain and Symptom Management</i> , <b>2019</b> , 58, 1068-1074.e5   | 4.8  | 9  |
| 265 | Adaptation and Preliminary Validation of the Advance Care Planning Engagement Survey for Surrogate Decision Makers. <i>Journal of Pain and Symptom Management</i> , <b>2019</b> , 57, 980-988.e9   | 4.8  | 6  |

|     |  |      |    |
|-----|--|------|----|
| 264 | A multicenter, randomized, double-blind study of ulimorelin and metoclopramide in the treatment of critically ill patients with enteral feeding intolerance: PROMOTE trial. <i>Intensive Care Medicine</i> , <b>2019</b> , 45, 647-656   | 14.5 | 20 |
| 263 | Trends in site of death and health care utilization at the end of life: a population-based cohort study. <i>CMAJ Open</i> , <b>2019</b> , 7, E306-E315   | 2.5  | 20 |
| 262 | Reply-letter to the editor-harm associated with higher energy intake in patients with Low-mNUTRIC score should not be ignored. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2474-2475   | 5.9  |    |
| 261 | Association between greater energy intake and lower mortality in critically ill patients in the Japanese ICU. <i>Journal of the Japanese Society of Intensive Care Medicine</i> , <b>2019</b> , 26, 25-27  | 0    |    |
| 260 | Greater Nutrient Intake Is Associated With Lower Mortality in Western and Eastern Critically Ill Patients With Low BMI: A Multicenter, Multinational Observational Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 63-69                           | 4.2  | 18 |
| 259 | Prevalence, Risk Factors, and Clinical Consequences of Recurrent Activation of a Rapid Response Team: A Multicenter Observational Study. <i>Journal of Intensive Care Medicine</i> , <b>2019</b> , 34, 782-789   | 3.3  | 8  |
| 258 | Vitamin D Supplementation in Mechanically Ventilated Patients in the Medical Intensive Care Unit. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 1037-1043   | 4.2  | 8  |
| 257 | Decision support intervention (Plan Well Guide) for patients and their substitute decision-makers to improve engagement in advance care planning: protocol for a randomised trial. <i>BMJ Open</i> , <b>2019</b> , 9, e027897  | 3    | 2  |
| 256 | Family satisfaction with critical care in the UK: a multicentre cohort study. <i>BMJ Open</i> , <b>2019</b> , 9, e028956   | 3    | 9  |
| 255 | Nutrition and Exercise in Critical Illness Trial (NEXIS Trial): a protocol of a multicentred, randomised controlled trial of combined cycle ergometry and amino acid supplementation commenced early during critical illness. <i>BMJ Open</i> , <b>2019</b> , 9, e027893         | 3    | 17 |
| 254 | Supporting shared decision-making about cardiopulmonary resuscitation using a video-based decision-support intervention in a hospital setting: a multisite before-after pilot study. <i>CMAJ Open</i> , <b>2019</b> , 7, E630-E637   | 2.5  | 6  |
| 253 | Prediction of Prolonged ICU Stay in Cardiac Surgery Patients as a Useful Method to Identify Nutrition Risk in Cardiac Surgery Patients: A Post Hoc Analysis of a Prospective Observational Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 768-779 | 4.2  | 13 |
| 252 | The relevance of 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D concentration for postoperative infections and postoperative organ dysfunctions in cardiac surgery patients: The eVIDenCe study. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2756-2762                        | 5.9  | 14 |
| 251 | Are all low-NUTRIC-score patients the same? Analysis of a multi-center observational study to determine the relationship between nutrition intake and outcome. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2783-2789   | 5.9  | 3  |
| 250 | Translation of the modified NUTRIC score and adaptation to the Greek ICU setting. <i>Clinical Nutrition ESPEN</i> , <b>2019</b> , 29, 72-76  | 1.3  | 5  |
| 249 | Vitamin C Administration to the Critically Ill: A Systematic Review and Meta-Analysis. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 335-346  | 4.2  | 28 |
| 248 | Determination of Nutrition Risk and Status in Critically Ill Patients: What Are Our Considerations?. <i>Nutrition in Clinical Practice</i> , <b>2019</b> , 34, 96-111  | 3.6  | 27 |
| 247 | Unraveling Methodology to Ensure the Search for Optimal Nutrition Quantity in Acute Respiratory Distress Syndrome Remains INTACT. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 8-9   | 4.2  | 2  |

|     |   |      |     |
|-----|---|------|-----|
| 246 | The Effect of Higher Protein Dosing in Critically Ill Patients: A Multicenter Registry-Based Randomized Trial: The EFFORT Trial. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2019</b> , 43, 326-334   | 4.2  | 21  |
| 245 | Patient-family agreement on values and preferences for life-sustaining treatment: results of a multicentre observational study. <i>BMJ Supportive and Palliative Care</i> , <b>2019</b> , 9, e20  | 2.2  | 12  |
| 244 | Outcomes and Costs of Patients Admitted to the ICU Due to Spontaneous Intracranial Hemorrhage. <i>Critical Care Medicine</i> , <b>2018</b> , 46, e395-e403  | 1.4  | 35  |
| 243 | Family members' satisfaction with care and decision-making in intensive care units and post-stay follow-up needs-a cross-sectional survey study. <i>Nursing Open</i> , <b>2018</b> , 5, 6-14  | 2.1  | 9   |
| 242 | Impact of nighttime Rapid Response Team activation on outcomes of hospitalized patients with acute deterioration. <i>Critical Care</i> , <b>2018</b> , 22, 67   | 10.8 | 15  |
| 241 | Nutrition therapy practices applied on severe burn patients: Results from the INS 2014 survey. <i>Clinical Nutrition ESPEN</i> , <b>2018</b> , 24, 182  | 1.3  | 2   |
| 240 | Vitamin D supplementation in the critically ill: A systematic review and meta-analysis. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1238-1246   | 5.9  | 51  |
| 239 | Intravenous fish oil in critically ill and surgical patients - Historical remarks and critical appraisal. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1075-1081   | 5.9  | 13  |
| 238 | Outcomes That Define Successful Advance Care Planning: A Delphi Panel Consensus. <i>Journal of Pain and Symptom Management</i> , <b>2018</b> , 55, 245-255.e8   | 4.8  | 137 |
| 237 | Development and Psychometric Properties of a Survey to Assess Barriers to Implementing Advance Care Planning in Primary Care. <i>Journal of Pain and Symptom Management</i> , <b>2018</b> , 55, 12-21   | 4.8  | 7   |
| 236 | Nutrition Adequacy Therapeutic Enhancement in the Critically Ill: A Randomized Double-Blind, Placebo-Controlled Trial of the Motilin Receptor Agonist Camicinal (GSK962040): The NUTRIATE Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2018</b> , 42, 949-959   | 4.2  | 15  |
| 235 | Vitamin C to Improve Organ Dysfunction in Cardiac Surgery Patients-Review and Pragmatic Approach. <i>Nutrients</i> , <b>2018</b> , 10,  | 6.7  | 27  |
| 234 | Should We Prescribe More Protein to Critically Ill Patients?. <i>Nutrients</i> , <b>2018</b> , 10,  | 6.7  | 18  |
| 233 | Improving partnerships with family members of ICU patients: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2018</b> , 19, 3   | 2.8  | 12  |
| 232 | Barriers to and enablers of advance care planning with patients in primary care: Survey of health care providers. <i>Canadian Family Physician</i> , <b>2018</b> , 64, e190-e198  | 0.9  | 39  |
| 231 | Older patient engagement in advance care planning in Canadian primary care practices: Results of a multisite survey. <i>Canadian Family Physician</i> , <b>2018</b> , 64, 371-377   | 0.9  | 19  |
| 230 | What Is "Best Achievable" Practice in Implementing the Enhanced Protein-Energy Provision via the Enteral Route Feeding Protocol in Intensive Care Units in the United States? Results of a Multicenter, Quality Improvement Collaborative. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2018</b> , 42, 308-317 | 4.2  | 11  |
| 229 | Intermittent versus continuous feeding in critically ill adults. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2018</b> , 21, 116-120  | 3.8  | 20  |

|     |  |      |     |
|-----|--|------|-----|
| 228 | Reservations about Permissive Underfeeding in Low versus High NUTRIC Patients?. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2018</b> , 197, 1226-1227   | 10.2 |     |
| 227 | Outcomes of Older Hospitalized Patients Requiring Rapid Response Team Activation for Acute Deterioration. <i>Critical Care Medicine</i> , <b>2018</b> , 46, 1953-1960  | 1.4  | 12  |
| 226 | Patient and family engagement in the ICU: Report from the task force of the World Federation of Societies of Intensive and Critical Care Medicine. <i>Journal of Critical Care</i> , <b>2018</b> , 48, 251-256                           | 4    | 40  |
| 225 | Implications of low muscle mass across the continuum of care: a narrative review. <i>Annals of Medicine</i> , <b>2018</b> , 50, 675-693  | 1.5  | 91  |
| 224 | Clinically Practical Approach for Screening of Low Muscularity Using Electronic Linear Measures on Computed Tomography Images in Critically Ill Patients. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2018</b> , 42, 885-891 | 4.2  | 10  |
| 223 | Validation of Bedside Ultrasound of Muscle Layer Thickness of the Quadriceps in the Critically Ill Patient (VALIDUM Study). <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2017</b> , 41, 171-180                               | 4.2  | 72  |
| 222 | Evaluation of Bioelectrical Impedance Analysis in Critically Ill Patients: Results of a Multicenter Prospective Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2017</b> , 41, 1131-1138                                  | 4.2  | 46  |
| 221 | Measuring Advance Care Planning: Optimizing the Advance Care Planning Engagement Survey. <i>Journal of Pain and Symptom Management</i> , <b>2017</b> , 53, 669-681.e8  | 4.8  | 76  |
| 220 | Defining Advance Care Planning for Adults: A Consensus Definition From a Multidisciplinary Delphi Panel. <i>Journal of Pain and Symptom Management</i> , <b>2017</b> , 53, 821-832.e1  | 4.8  | 609 |
| 219 | Development and initial evaluation of an online decision support tool for families of patients with critical illness: A multicenter pilot study. <i>Journal of Critical Care</i> , <b>2017</b> , 39, 18-24                               | 4    | 8   |
| 218 | Protein Kinetics and Metabolic Effects Related to Disease States in the Intensive Care Unit. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 215-295   | 3.6  | 10  |
| 217 | Identifying nutritional risk in critical illness. <i>Current Pulmonology Reports</i> , <b>2017</b> , 6, 48-53  | 0.5  |     |
| 216 | Protein Delivery in the Intensive Care Unit: Optimal or Suboptimal?. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 585-715   | 3.6  | 33  |
| 215 | Experimental and Outcome-Based Approaches to Protein Requirements in the Intensive Care Unit. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 775-855  | 3.6  | 6   |
| 214 | Enteral nutrition in traumatic brain injury. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2017</b> , 82, 649-650   | 3.3  |     |
| 213 | Greater Protein and Energy Intake May Be Associated With Improved Mortality in Higher Risk Critically Ill Patients: A Multicenter, Multinational Observational Study. <i>Critical Care Medicine</i> , <b>2017</b> , 45, 156-163          | 1.4  | 139 |
| 212 | Family physician-led, team-based, lifestyle intervention in patients with metabolic syndrome: results of a multicentre feasibility project. <i>CMAJ Open</i> , <b>2017</b> , 5, E229-E236  | 2.5  | 16  |
| 211 | Role of nutrition support in adult cardiac surgery: a consensus statement from an International Multidisciplinary Expert Group on Nutrition in Cardiac Surgery. <i>Critical Care</i> , <b>2017</b> , 21, 131                             | 10.8 | 62  |

|     |  |      |     |
|-----|--|------|-----|
| 210 | A randomized trial of supplemental parenteral nutrition in underweight and overweight critically ill patients: the TOP-UP pilot trial. <i>Critical Care</i> , <b>2017</b> , 21, 142  | 10.8 | 78  |
| 209 | A path to precision in the ICU. <i>Critical Care</i> , <b>2017</b> , 21, 79  | 10.8 | 41  |
| 208 | The intensive care medicine research agenda in nutrition and metabolism. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 1239-1256  | 14.5 | 100 |
| 207 | Summary Points and Consensus Recommendations From the International Protein Summit. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 142S-151S  | 3.6  | 55  |
| 206 | Novel, Family-Centered Intervention to Improve Nutrition in Patients Recovering From Critical Illness: A Feasibility Study. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 392-399                                    | 3.6  | 12  |
| 205 | Measuring Family Members' Satisfaction with End-of-Life Care in Long-Term Care: Adaptation of the CANHELP Lite Questionnaire. <i>BioMed Research International</i> , <b>2017</b> , 2017, 4621592                                 | 3    | 8   |
| 204 | Bereaved family members' perceptions of the quality of end-of-life care across four types of inpatient care settings. <i>BMC Palliative Care</i> , <b>2017</b> , 16, 59  | 3    | 13  |
| 203 | Recognizing difficult trade-offs: values and treatment preferences for end-of-life care in a multi-site survey of adult patients in family practices. <i>BMC Medical Informatics and Decision Making</i> , <b>2017</b> , 17, 164 | 3.6  | 7   |
| 202 | Critical Care Nutrition Support Best Practices: Key Differences Between Canadian and American Guidelines. <i>Nutrition in Clinical Practice</i> , <b>2017</b> , 32, 633-644  | 3.6  | 6   |
| 201 | Definition and recommendations for advance care planning: an international consensus supported by the European Association for Palliative Care. <i>Lancet Oncology</i> , <b>2017</b> , 18, e543-e551                             | 21.7 | 467 |
| 200 | Barriers to Goals of Care Discussions With Patients Who Have Advanced Heart Failure: Results of a Multicenter Survey of Hospital-Based Cardiology Clinicians. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 786-793      | 3.3  | 21  |
| 199 | Validation of quality indicators for end-of-life communication: results of a multicentre survey. <i>Cmaj</i> , <b>2017</b> , 189, E980-E989  | 3.5  | 26  |
| 198 | A Randomized trial of Enteral Glutamine to minimize thermal injury (The RE-ENERGIZE Trial): a clinical trial protocol. <i>Scars, Burns &amp; Healing</i> , <b>2017</b> , 3, 2059513117745241                                     | 2.2  | 11  |
| 197 | The authors reply. <i>Critical Care Medicine</i> , <b>2017</b> , 45, e743-e744   | 1.4  |     |
| 196 | Psychometric assessment of the Family Satisfaction in the Intensive Care Unit questionnaire in the United Kingdom. <i>Journal of Critical Care</i> , <b>2017</b> , 38, 346-350   | 4    | 9   |
| 195 | Nutritional risk assessment and cultural validation of the modified NUTRIC score in critically ill patients-A multicenter prospective cohort study. <i>Journal of Critical Care</i> , <b>2017</b> , 37, 45-49                    | 4    | 47  |
| 194 | Nutrition Therapy in Critically Ill Patients Following Cardiac Surgery: Defining and Improving Practice. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2017</b> , 41, 1188-1194  | 4.2  | 25  |
| 193 | Existing equations to estimate lean body mass are not accurate in the critically ill: Results of a multicenter observational study. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 1701-1706                                      | 5.9  | 14  |



|     |   |      |     |
|-----|---|------|-----|
| 192 | Measuring the quality of life of people at the end of life: The McGill Quality of Life Questionnaire-Revised. <i>Palliative Medicine</i> , <b>2017</b> , 31, 120-129  | 5.5  | 48  |
| 191 | Nutritional risk assessment and cultural validation of the modified NUTRIC score in critically ill patients-A multicenter prospective cohort study. <i>Journal of Critical Care</i> , <b>2017</b> , 37, 249   | 4    | 16  |
| 190 | Vasopressor Use for Severe Hypotension-A Multicentre Prospective Observational Study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0167840  | 3.7  | 18  |
| 189 | Discordance between patients' stated values and treatment preferences for end-of-life care: results of a multicentre survey. <i>BMJ Supportive and Palliative Care</i> , <b>2017</b> , 7, 292-299   | 2.2  | 39  |
| 188 | Longitudinal changes in anthropometrics and impact on self-reported physical function after traumatic brain injury. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2017</b> , 19, 29-36 | 2.8  | 3   |
| 187 | Safety of Prolonged Use of Trophic Feeds in the Critically Ill Patient: It Depends on the Nutrition Risk of the Patient!. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 452-4  | 4.2  | 3   |
| 186 | Fish Oil-Containing Emulsions: When Fat Seems to Improve Clinical Outcomes in the Critically Ill. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 305-7  | 4.2  | 4   |
| 185 | Enhanced Protein-Energy Provision via the Enteral Route in Critically Ill Patients (PEP uP Protocol): A Review of Evidence. <i>Nutrition in Clinical Practice</i> , <b>2016</b> , 31, 68-79   | 3.6  | 14  |
| 184 | Combining nutrition and exercise to optimize survival and recovery from critical illness: Conceptual and methodological issues. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 1196-206  | 5.9  | 63  |
| 183 | Should We PERMIT Systematic Underfeeding in All Intensive Care Unit Patients? Integrating the Results of the PERMIT Study in Our Clinical Practice Guidelines. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 156-8         | 4.2  | 12  |
| 182 | Clinical Outcomes Related to Protein Delivery in a Critically Ill Population: A Multicenter, Multinational Observation Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 45-51  | 4.2  | 172 |
| 181 | Barriers to goals of care discussions with hospitalized patients with advanced heart failure: feasibility and performance of a novel questionnaire. <i>ESC Heart Failure</i> , <b>2016</b> , 3, 245-252   | 3.7  | 15  |
| 180 | Effect of Sodium Selenite Administration and Procalcitonin-Guided Therapy on Mortality in Patients With Severe Sepsis or Septic Shock: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , <b>2016</b> , 176, 1266-76                      | 11.5 | 163 |
| 179 | Measuring engagement in advance care planning: a cross-sectional multicentre feasibility study. <i>BMJ Open</i> , <b>2016</b> , 6, e010375  | 3    | 15  |
| 178 | Evaluation of Persistent Organ Dysfunction Plus Death As a Novel Composite Outcome in Cardiac Surgical Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2016</b> , 30, 30-8  | 2.1  | 14  |
| 177 | Authors' Response to Vermeulen et al. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 12-3   | 4.2  | 2   |
| 176 | Translation and adaptation of the NUTRIC Score to identify critically ill patients who benefit the most from nutrition therapy. <i>Clinical Nutrition ESPEN</i> , <b>2016</b> , 14, 31-36   | 1.3  | 19  |
| 175 | Predicting Performance Status 1 Year After Critical Illness in Patients 80 Years or Older: Development of a Multivariable Clinical Prediction Model. <i>Critical Care Medicine</i> , <b>2016</b> , 44, 1718-26                                      | 1.4  | 32  |

|     |   |      |     |
|-----|---|------|-----|
| 174 | Identifying critically-ill patients who will benefit most from nutritional therapy: Further validation of the "modified NUTRIC" nutritional risk assessment tool. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 158-162   | 5.9  | 216 |
| 173 | Revised Questionnaire to Assess Barriers to Adequate Nutrition in the Critically Ill. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2016</b> , 40, 511-8  | 4.2  | 7   |
| 172 | Energy and protein deficits throughout hospitalization in patients admitted with a traumatic brain injury. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 1315-1322  | 5.9  | 63  |
| 171 | A multi-faceted, family-centred nutrition intervention to optimise nutrition intake of critically ill patients: The OPTICS feasibility study. <i>Australian Critical Care</i> , <b>2016</b> , 29, 68-76   | 2.9  | 18  |
| 170 | Higher versus lower blood pressure targets for vasopressor therapy in shock: a multicentre pilot randomized controlled trial. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 542-550  | 14.5 | 86  |
| 169 | The prevalence of medical error related to end-of-life communication in Canadian hospitals: results of a multicentre observational study. <i>BMJ Quality and Safety</i> , <b>2016</b> , 25, 671-9   | 5.4  | 43  |
| 168 | Nutrition support practices in critically ill head-injured patients: a global perspective. <i>Critical Care</i> , <b>2016</b> , 20, 6   | 10.8 | 28  |
| 167 | Development of a Decision Aid for Cardiopulmonary Resuscitation Involving Intensive Care Unit Patients and Health Professionals' Participation Using User-Centered Design and a Wiki Platform for Rapid Prototyping: A Research Protocol. <i>JMIR Research Protocols</i> , <b>2016</b> , 5, e24 | 2    | 9   |
| 166 | High-dose intravenous selenium does not improve clinical outcomes in the critically ill: a systematic review and meta-analysis. <i>Critical Care</i> , <b>2016</b> , 20, 356  | 10.8 | 58  |
| 165 | P1-206: Predictors of Health Outcomes in Older Patients Admitted to the Intensive Care Unit <b>2016</b> , 12, P484-P484   |      |     |
| 164 | Response to Letter to the Editor. <i>Australian Critical Care</i> , <b>2016</b> , 29, 53  | 2.9  | 1   |
| 163 | Enteral versus parenteral nutrition in critically ill patients: an updated systematic review and meta-analysis of randomized controlled trials. <i>Critical Care</i> , <b>2016</b> , 20, 117  | 10.8 | 167 |
| 162 | Volume-Based Feeding in the Critically Ill Patient. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 707-12   | 4.2  | 50  |
| 161 | Metabolic and nutritional support of critically ill patients: consensus and controversies. <i>Critical Care</i> , <b>2015</b> , 19, 35  | 10.8 | 230 |
| 160 | Nutrition therapy for the critically ill surgical patient with aortic aneurysmal rupture: defining and improving current practice. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 104-13  | 4.2  | 7   |
| 159 | Gastric vs Small Bowel Feeding in Critically Ill Neurologically Injured Patients: Results of a Multicenter Observational Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 910-6  | 4.2  | 1   |
| 158 | Intravenous fish oil lipid emulsions in critically ill patients: an updated systematic review and meta-analysis. <i>Critical Care</i> , <b>2015</b> , 19, 167   | 10.8 | 77  |
| 157 | Admission of the very elderly to the intensive care unit: family members' perspectives on clinical decision-making from a multicenter cohort study. <i>Palliative Medicine</i> , <b>2015</b> , 29, 324-35   | 5.5  | 46  |

|     |  |      |     |
|-----|--|------|-----|
| 156 | Enteral glutamine supplementation in critically ill patients: a systematic review and meta-analysis. <i>Critical Care</i> , <b>2015</b> , 19, 294  | 10.8 | 64  |
| 155 | Adequate enteral protein intake is inversely associated with 60-d mortality in critically ill children: a multicenter, prospective, cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 102, 199-206     | 7    | 114 |
| 154 | Recovery after critical illness in patients aged 80 years or older: a multi-center prospective observational cohort study. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 1911-20  | 14.5 | 133 |
| 153 | Working to Shift Clinician Perceptions--Reply. <i>JAMA Internal Medicine</i> , <b>2015</b> , 175, 1578   | 11.5 |     |
| 152 | Clinical Outcomes in Critically Ill Patients Associated With the Use of Complex vs Weight-Only Predictive Energy Equations. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 864-9                         | 4.2  | 8   |
| 151 | Glutamine and antioxidants in the critically ill patient: a post hoc analysis of a large-scale randomized trial. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 401-9                                    | 4.2  | 70  |
| 150 | Implementing the PEP up Protocol in Critical Care Units in Canada: Results of a Multicenter, Quality Improvement Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 698-706                           | 4.2  | 40  |
| 149 | The prevalence of iatrogenic underfeeding in the nutritionally <del>at-risk</del> critically ill patient: Results of an international, multicenter, prospective study. <i>Clinical Nutrition</i> , <b>2015</b> , 34, 659-66      | 5.9  | 120 |
| 148 | Prevalence, risk factors, clinical consequences, and treatment of enteral feed intolerance during critical illness. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 441-8                                 | 4.2  | 128 |
| 147 | Enteral nutrition in critically ill septic patients-less or more?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 140-2  | 4.2  | 9   |
| 146 | biotics: Prevention of evere pneumonia and ndotracheal olonization rial-PROSPECT: protocol for a feasibility randomized pilot trial. <i>Pilot and Feasibility Studies</i> , <b>2015</b> , 1, 19                                  | 1.9  | 12  |
| 145 | The Association Between Nutritional Adequacy and Long-Term Outcomes in Critically Ill Patients Requiring Prolonged Mechanical Ventilation: A Multicenter Cohort Study. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 1569-79 | 1.4  | 124 |
| 144 | Barriers to goals of care discussions with seriously ill hospitalized patients and their families: a multicenter survey of clinicians. <i>JAMA Internal Medicine</i> , <b>2015</b> , 175, 549-56                                 | 11.5 | 239 |
| 143 | International observational study of nutritional support in mechanically ventilated patients following burn injury. <i>Burns</i> , <b>2015</b> , 41, 510-8   | 2.3  | 35  |
| 142 | More questions than answers. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 143  | 4.2  | 5   |
| 141 | Improving End-of-Life Communication and Decision Making: The Development of a Conceptual Framework and Quality Indicators. <i>Journal of Pain and Symptom Management</i> , <b>2015</b> , 49, 1070-80                             | 4.8  | 134 |
| 140 | Evaluation of nutrition deficits in adult and elderly trauma patients. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 449-55   | 4.2  | 27  |
| 139 | Strategies for effective goals of care discussions and decision-making: perspectives from a multi-centre survey of Canadian hospital-based healthcare providers. <i>BMC Palliative Care</i> , <b>2015</b> , 14, 38               | 3    | 22  |

|     |   |      |     |
|-----|---|------|-----|
| 138 | What do Canadians think of advanced care planning? Findings from an online opinion poll. <i>BMJ Supportive and Palliative Care</i> , <b>2015</b> , 5, 40-7  | 2.2  | 62  |
| 137 | Inhibiting the progression of arterial calcification with vitamin K in HemoDialysis patients (iPACK-HD) trial: rationale and study design for a randomized trial of vitamin K in patients with end stage kidney disease. <i>Canadian Journal of Kidney Health and Disease</i> , <b>2015</b> , 2, 17 | 2.3  | 30  |
| 136 | Gastric residual volume in critically ill patients: a dead marker or still alive?. <i>Nutrition in Clinical Practice</i> , <b>2015</b> , 30, 59-71  | 3.6  | 80  |
| 135 | Pharmaconutrition with selenium in critically ill patients: what do we know?. <i>Nutrition in Clinical Practice</i> , <b>2015</b> , 30, 34-43   | 3.6  | 20  |
| 134 | Satisfaction with care and decision making among parents/caregivers in the pediatric intensive care unit: a comparison between English-speaking whites and Latinos. <i>Journal of Critical Care</i> , <b>2015</b> , 30, 236-41  | 4.1  | 10  |
| 133 | Consequences of the REDOXS and METAPLUS Trials: The End of an Era of Glutamine and Antioxidant Supplementation for Critically Ill Patients?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 890-2   | 4.2  | 29  |
| 132 | Still a Place for Metoclopramide as a Prokinetic Drug in Critically Ill Patients?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 763-6   | 4.2  | 8   |
| 131 | Advance care planning: Let's start sooner. <i>Canadian Family Physician</i> , <b>2015</b> , 61, 663-5   | 0.9  | 22  |
| 130 | The Canadian critical care nutrition guidelines in 2013: an update on current recommendations and implementation strategies. <i>Nutrition in Clinical Practice</i> , <b>2014</b> , 29, 29-43  | 3.6  | 187 |
| 129 | Bedside ultrasound is a practical and reliable measurement tool for assessing quadriceps muscle layer thickness. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2014</b> , 38, 886-90  | 4.2  | 141 |
| 128 | Just ask: discussing goals of care with patients in hospital with serious illness. <i>Cmaj</i> , <b>2014</b> , 186, 425-32  | 3.5  | 79  |
| 127 | Should we stop prescribing metoclopramide as a prokinetic drug in critically ill patients?. <i>Critical Care</i> , <b>2014</b> , 18, 502  | 10.8 | 27  |
| 126 | The role of alternative lipid emulsions in critically ill patients: what the evidence shows. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2014</b> , 38, 653-4   | 4.2  | 1   |
| 125 | Close to recommended caloric and protein intake by enteral nutrition is associated with better clinical outcome of critically ill septic patients: secondary analysis of a large international nutrition database. <i>Critical Care</i> , <b>2014</b> , 18, R29                                     | 10.8 | 133 |
| 124 | Improving the provision of enteral nutrition in the intensive care unit: a description of a multifaceted intervention tailored to overcome local barriers. <i>Nutrition in Clinical Practice</i> , <b>2014</b> , 29, 110-7  | 3.6  | 24  |
| 123 | The validation of a questionnaire to assess barriers to enteral feeding in critically ill patients: a multicenter international survey. <i>BMC Health Services Research</i> , <b>2014</b> , 14, 197   | 2.9  | 10  |
| 122 | Parenteral fish oil lipid emulsions in the critically ill: a systematic review and meta-analysis. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2014</b> , 38, 20-8   | 4.2  | 55  |
| 121 | Implementing a multifaceted tailored intervention to improve nutrition adequacy in critically ill patients: results of a multicenter feasibility study. <i>Critical Care</i> , <b>2014</b> , 18, R96  | 10.8 | 10  |

|     |  |      |     |
|-----|--|------|-----|
| 120 | Parenteral glutamine supplementation in critical illness: a systematic review. <i>Critical Care</i> , <b>2014</b> , 18, R76  | 10.8 | 118 |
| 119 | Lessons Learned From Implementing a Novel Feeding Protocol: Results of a Multicenter Evaluation of Educational Strategies. <i>Nutrition in Clinical Practice</i> , <b>2014</b> , 29, 510-517   | 3.6  | 10  |
| 118 | Sodium Selenite Administration in Cardiac Surgery (SUSTAIN CSX-trial): study design of an international multicenter randomized double-blinded controlled trial of high dose sodium-selenite administration in high-risk cardiac surgical patients. <i>Trials</i> , <b>2014</b> , 15, 339     | 2.8  | 22  |
| 117 | Response to "The Canadian Critical Care Nutrition Guidelines in 2013: Importance of Nasojejunal Enteral Feeding Tube Design in Improving Rates of Small Bowel Enteral Feeding in Patients With High Gastric Residual Volumes". <i>Nutrition in Clinical Practice</i> , <b>2014</b> , 29, 561 | 3.6  | 1   |
| 116 | The effects of different IV fat emulsions on clinical outcomes in critically ill patients. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 1168-77   | 1.4  | 45  |
| 115 | What really matters in end-of-life discussions? Perspectives of patients in hospital with serious illness and their families. <i>Cmaj</i> , <b>2014</b> , 186, E679-87   | 3.5  | 93  |
| 114 | Feeding the critically ill patient. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 2600-10  | 1.4  | 94  |
| 113 | Current nutritional therapy in Japanese intensive care units: what did we learn from the International Nutritional Survey?. <i>Journal of the Japanese Society of Intensive Care Medicine</i> , <b>2014</b> , 21, 243-252  | 0    | 2   |
| 112 | The development and validation of a shorter version of the Canadian Health Care Evaluation Project Questionnaire (CANHELP Lite): a novel tool to measure patient and family satisfaction with end-of-life care. <i>Journal of Pain and Symptom Management</i> , <b>2013</b> , 46, 289-97     | 4.8  | 30  |
| 111 | Role of glutamine supplementation in critical illness given the results of the REDOXS study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2013</b> , 37, 442-3  | 4.2  | 26  |
| 110 | Development and psychometric properties of a questionnaire to assess barriers to feeding critically ill patients. <i>Implementation Science</i> , <b>2013</b> , 8, 140   | 8.4  | 8   |
| 109 | Alternative lipid emulsions in the critically ill: a systematic review of the evidence. <i>Intensive Care Medicine</i> , <b>2013</b> , 39, 1683-94   | 14.5 | 42  |
| 108 | Does artificial nutrition improve outcome of critical illness? An alternative viewpoint!. <i>Critical Care</i> , <b>2013</b> , 17, 324   | 10.8 | 10  |
| 107 | Development of Advance Care Planning Research Priorities: A Call to Action. <i>Journal of Palliative Care</i> , <b>2013</b> , 29, 99-106   | 1.8  | 4   |
| 106 | A randomized trial of glutamine and antioxidants in critically ill patients. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 1489-97   | 59.2 | 636 |
| 105 | Critical care nutrition support research: lessons learned from recent trials. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2013</b> , 16, 176-81   | 3.8  | 18  |
| 104 | Enhanced protein-energy provision via the enteral route feeding protocol in critically ill patients: results of a cluster randomized trial. <i>Critical Care Medicine</i> , <b>2013</b> , 41, 2743-53  | 1.4  | 127 |
| 103 | Knowledge translation interventions for critically ill patients: a systematic review*. <i>Critical Care Medicine</i> , <b>2013</b> , 41, 2627-40   | 1.4  | 61  |

|     |  |      |     |
|-----|--|------|-----|
| 102 | Driving perioperative nutrition quality improvement processes forward!. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2013</b> , 37, 83S-98S   | 4.2  | 7   |
| 101 | Comparisons between intragastric and small intestinal delivery of enteral nutrition in the critically ill: a systematic review and meta-analysis. <i>Critical Care</i> , <b>2013</b> , 17, R125              | 10.8 | 45  |
| 100 | The clinical impact and preventability of ventilator-associated conditions in critically ill patients who are mechanically ventilated. <i>Chest</i> , <b>2013</b> , 144, 1453-1460                           | 5.3  | 117 |
| 99  | Skeletal muscle predicts ventilator-free days, ICU-free days, and mortality in elderly ICU patients. <i>Critical Care</i> , <b>2013</b> , 17, R206   | 10.8 | 278 |
| 98  | Failure to engage hospitalized elderly patients and their families in advance care planning. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 778-87   | 11.5 | 324 |
| 97  | Implementation of clinical practice guidelines for ventilator-associated pneumonia: a multicenter prospective study. <i>Critical Care Medicine</i> , <b>2013</b> , 41, 15-23                                 | 1.4  | 59  |
| 96  | The adequacy of timely empiric antibiotic therapy for ventilator-associated pneumonia: an important determinant of outcome. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 322.e7-14                    | 4    | 47  |
| 95  | Antioxidant micronutrients in the critically ill: a systematic review and meta-analysis. <i>Critical Care</i> , <b>2012</b> , 16, R66  | 10.8 | 149 |
| 94  | Relationship of vitamin D deficiency to clinical outcomes in critically ill patients. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2012</b> , 36, 713-20  | 4.2  | 92  |
| 93  | Barriers to feeding critically ill patients: a multicenter survey of critical care nurses. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 727-34  | 4    | 44  |
| 92  | Early supplemental parenteral nutrition in critically ill adults increased infections, ICU length of stay and cost. <i>Evidence-Based Medicine</i> , <b>2012</b> , 17, 86-7                                  |      | 8   |
| 91  | Adding supplemental parenteral nutrition to hypocaloric enteral nutrition: lessons learned from the Casaer Van den Berghe study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2012</b> , 36, 15-7 | 4.2  | 13  |
| 90  | Optimizing nutrition in intensive care units: empowering critical care nurses to be effective agents of change. <i>American Journal of Critical Care</i> , <b>2012</b> , 21, 186-94                          | 1.7  | 34  |
| 89  | Longitudinal changes in procalcitonin in a heterogeneous group of critically ill patients. <i>Critical Care Medicine</i> , <b>2012</b> , 40, 2781-7  | 1.4  | 17  |
| 88  | Nutritional practices and their relationship to clinical outcomes in critically ill children--an international multicenter cohort study*. <i>Critical Care Medicine</i> , <b>2012</b> , 40, 2204-11          | 1.4  | 255 |
| 87  | A multicenter, randomized controlled trial comparing early nasojejunal with nasogastric nutrition in critical illness. <i>Critical Care Medicine</i> , <b>2012</b> , 40, 2342-8                              | 1.4  | 130 |
| 86  | Probiotics in the critically ill: a systematic review of the randomized trial evidence. <i>Critical Care Medicine</i> , <b>2012</b> , 40, 3290-302   | 1.4  | 109 |
| 85  | Not all critically ill obese patients are the same: the influence of prior comorbidities. <i>ISRN Obesity</i> , <b>2012</b> , 2012, 743978   |      | 6   |

|    |  |      |     |
|----|--|------|-----|
| 84 | Optimizing end-of-life care on medical clinical teaching units using the CANHELP questionnaire and a nurse facilitator: a feasibility-study. <i>Canadian Journal of Nursing Research</i> , <b>2012</b> , 44, 41-58                                   | 1.5  | 6   |
| 83 | Persistent organ dysfunction plus death: a novel, composite outcome measure for critical care trials. <i>Critical Care</i> , <b>2011</b> , 15, R98   | 10.8 | 25  |
| 82 | Identifying critically ill patients who benefit the most from nutrition therapy: the development and initial validation of a novel risk assessment tool. <i>Critical Care</i> , <b>2011</b> , 15, R268   | 10.8 | 390 |
| 81 | Impact of <i>Candida</i> species on clinical outcomes in patients with suspected ventilator-associated pneumonia. <i>Canadian Respiratory Journal</i> , <b>2011</b> , 18, 131-6  | 2.1  | 34  |
| 80 | Procalcitonin for reduced antibiotic exposure in the critical care setting: a systematic review and an economic evaluation. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 1792-9   | 1.4  | 168 |
| 79 | Optimal amount of calories for critically ill patients: depends on how you slice the cake!. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 2619-26  | 1.4  | 184 |
| 78 | A phase II randomized placebo-controlled trial of omega-3 fatty acids for the treatment of acute lung injury. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 1655-62  | 1.4  | 154 |
| 77 | Early use of supplemental parenteral nutrition in critically ill patients: results of an international multicenter observational study. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 2691-9   | 1.4  | 82  |
| 76 | Perioperative use of arginine-supplemented diets: a systematic review of the evidence. <i>Journal of the American College of Surgeons</i> , <b>2011</b> , 212, 385-99, 399.e1  | 4.4  | 241 |
| 75 | The success of enteral nutrition and ICU-acquired infections: a multicenter observational study. <i>Clinical Nutrition</i> , <b>2011</b> , 30, 148-55  | 5.9  | 81  |
| 74 | The relationship between <i>Candida</i> species cultured from the respiratory tract and systemic inflammation in critically ill patients with ventilator-associated pneumonia. <i>Canadian Journal of Anaesthesia</i> , <b>2011</b> , 58, 275-84     | 3    | 25  |
| 73 | When early enteral feeding is not possible in critically ill patients: results of a multicenter observational study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2011</b> , 35, 160-8  | 4.2  | 51  |
| 72 | Subglottic secretion drainage for the prevention of ventilator-associated pneumonia: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 1985-91  | 1.4  | 218 |
| 71 | Extreme obesity and outcomes in critically ill patients. <i>Chest</i> , <b>2011</b> , 140, 1198-1206   | 5.3  | 117 |
| 70 | Defining priorities for improving end-of-life care in Canada. <i>Cmaj</i> , <b>2010</b> , 182, E747-52   | 3.5  | 99  |
| 69 | The value of audit and feedback reports in improving nutrition therapy in the intensive care unit: a multicenter observational study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 660-8                                   | 4.2  | 18  |
| 68 | The development and validation of a novel questionnaire to measure patient and family satisfaction with end-of-life care: the Canadian Health Care Evaluation Project (CANHELP) Questionnaire. <i>Palliative Medicine</i> , <b>2010</b> , 24, 682-95 | 5.5  | 58  |
| 67 | Randomized trials in critical care nutrition: look how far we've come! (and where do we go from here?). <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 697-706   | 4.2  | 16  |

|    |  |      |      |
|----|--|------|------|
| 66 | Guidelines, guidelines, guidelines: what are we to do with all of these North American guidelines?.<br><i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 625-43   | 4.2  | 19   |
| 65 | Creating a culture of clinical excellence in critical care nutrition: the 2008 "Best of the Best" award.<br><i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 707-15  | 4.2  | 25   |
| 64 | Understanding adherence to guidelines in the intensive care unit: development of a comprehensive framework. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 616-24  | 4.2  | 49   |
| 63 | Impact of enteral feeding protocols on enteral nutrition delivery: results of a multicenter observational study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 675-84   | 4.2  | 96   |
| 62 | The relationship between organizational culture and implementation of clinical practice guidelines: a narrative review. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 669-74  | 4.2  | 36   |
| 61 | Developing research programs in clinical and translational nutrition. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 97S-105S  | 4.2  | 2    |
| 60 | Attitudes and beliefs related to the Canadian critical care nutrition practice guidelines: an international survey of critical care physicians and dietitians. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 685-96 | 4.2  | 18   |
| 59 | Nutrition therapy for the critically ill surgical patient: we need to do better!. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 644-52  | 4.2  | 81   |
| 58 | Enhanced protein-energy provision via the enteral route in critically ill patients: a single center feasibility trial of the PEP uP protocol. <i>Critical Care</i> , <b>2010</b> , 14, R78   | 10.8 | 108  |
| 57 | The future of critical care nutrition therapy. <i>Critical Care Clinics</i> , <b>2010</b> , 26, 433-41, vii  | 4.5  | 30   |
| 56 | Lost in (knowledge) translation!. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 610-5   | 4.2  | 12   |
| 55 | Bridging the guideline-practice gap in critical care nutrition: a review of guideline implementation studies. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2010</b> , 34, 653-9   | 4.2  | 30   |
| 54 | Nutrition therapy in the critical care setting: what is "best achievable" practice? An international multicenter observational study. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 395-401  | 1.4  | 284  |
| 53 | Satisfaction with End-Of-Life Care: A Longitudinal study of Patients and Their Family Caregivers in the Last months of Life. <i>Journal of Palliative Care</i> , <b>2009</b> , 25, 245-256   | 1.8  | 17   |
| 52 | The physiologic response and associated clinical benefits from provision of early enteral nutrition. <i>Nutrition in Clinical Practice</i> , <b>2009</b> , 24, 305-15  | 3.6  | 200  |
| 51 | Intensive versus conventional glucose control in critically ill patients. <i>New England Journal of Medicine</i> , <b>2009</b> , 360, 1283-97  | 59.2 | 5107 |
| 50 | The relationship between nutritional intake and clinical outcomes in critically ill patients: results of an international multicenter observational study. <i>Intensive Care Medicine</i> , <b>2009</b> , 35, 1728-37                        | 14.5 | 711  |
| 49 | Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. <i>Cmaj</i> , <b>2009</b> , 180, 821-7   | 3.5  | 749  |



|    |   |      |      |
|----|---|------|------|
| 48 | Satisfaction with end-of-life care: a longitudinal study of patients and their family caregivers in the last months of life. <i>Journal of Palliative Care</i> , <b>2009</b> , 25, 245-56   | 1.8  | 10   |
| 47 | Factors predicting adherence to the Canadian Clinical Practice Guidelines for nutrition support in mechanically ventilated, critically ill adult patients. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 301-7  | 4    | 18   |
| 46 | The impact of ventilator-associated pneumonia on the Canadian health care system. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 5-10  | 4    | 94   |
| 45 | Comprehensive evidence-based clinical practice guidelines for ventilator-associated pneumonia: prevention. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 126-37   | 4    | 211  |
| 44 | The safety of targeted antibiotic therapy for ventilator-associated pneumonia: a multicenter observational study. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 82-90   | 4    | 49   |
| 43 | Determinants of outcome in patients with a clinical suspicion of ventilator-associated pneumonia. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 41-9  | 4    | 15   |
| 42 | Ventilator-associated pneumonia caused by multidrug-resistant organisms or <i>Pseudomonas aeruginosa</i> : prevalence, incidence, risk factors, and outcomes. <i>Journal of Critical Care</i> , <b>2008</b> , 23, 18-26                                       | 4    | 102  |
| 41 | Zinc supplementation in critically ill patients: a key pharmacconutrient?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2008</b> , 32, 509-19  | 4.2  | 88   |
| 40 | Prevalence, incidence, and clinical resolution of insulin resistance in critically ill patients: an observational study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2008</b> , 32, 227-35  | 4.2  | 49   |
| 39 | Randomized trial of combination versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 737-44   | 1.4  | 155  |
| 38 | Pharmacconutrition: a new emerging paradigm. <i>Current Opinion in Gastroenterology</i> , <b>2008</b> , 24, 215-22  | 3    | 91   |
| 37 | Implementation of the Canadian Clinical Practice Guidelines for Nutrition Support: a multiple case study of barriers and enablers. <i>Nutrition in Clinical Practice</i> , <b>2007</b> , 22, 449-57   | 3.6  | 562  |
| 36 | Optimizing the dose of glutamine dipeptides and antioxidants in critically ill patients: a phase I dose-finding study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2007</b> , 31, 109-18  | 4.2  | 60   |
| 35 | Refinement, scoring, and validation of the Family Satisfaction in the Intensive Care Unit (FS-ICU) survey. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 271-9  | 1.4  | 1185 |
| 34 | Feeding critically ill patients: what is the optimal amount of energy?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, S535-40   | 1.4  | 95   |
| 33 | What matters most in end-of-life care: perceptions of seriously ill patients and their family members. <i>Cmaj</i> , <b>2006</b> , 174, 627-33  | 3.5  | 444  |
| 32 | REducing Deaths due to OXidative Stress (The REDOXS Study): Rationale and study design for a randomized trial of glutamine and antioxidant supplementation in critically-ill patients. <i>Proceedings of the Nutrition Society</i> , <b>2006</b> , 65, 250-63 | 2.9  | 108  |
| 31 | Reduction of nosocomial pneumonia after major burns by trace element supplementation: aggregation of two randomised trials. <i>Critical Care</i> , <b>2006</b> , 10, R153   | 10.8 | 99   |

|    |   |      |      |
|----|---|------|------|
| 30 | Understanding cardiopulmonary resuscitation decision making: perspectives of seriously ill hospitalized patients and family members. <i>Chest</i> , <b>2006</b> , 130, 419-28   | 5.3  | 141  |
| 29 | Assessment of long-term physical function in acute respiratory distress syndrome (ARDS) patients: comparison of the Charlson Comorbidity Index and the Functional Comorbidity Index. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2006</b> , 85, 574-81 | 2.6  | 58   |
| 28 | Survivors of acute respiratory distress syndrome: relationship between pulmonary dysfunction and long-term health-related quality of life. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1549-56  | 1.4  | 131  |
| 27 | Antioxidant nutrients: a systematic review of trace elements and vitamins in the critically ill patient. <i>Intensive Care Medicine</i> , <b>2005</b> , 31, 327-37  | 14.5 | 358  |
| 26 | End-of-Life Care in Acute Care Hospitals in Canada: A Quality Finish?. <i>Journal of Palliative Care</i> , <b>2005</b> , 21, 142-150  | 1.8  | 46   |
| 25 | End-of-life care in acute care hospitals in Canada: a quality finish?. <i>Journal of Palliative Care</i> , <b>2005</b> , 21, 142-50   | 1.8  | 20   |
| 24 | Does enteral nutrition compared to parenteral nutrition result in better outcomes in critically ill adult patients? A systematic review of the literature. <i>Nutrition</i> , <b>2004</b> , 20, 843-8   | 4.8  | 461  |
| 23 | Validation of the Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients: results of a prospective observational study. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 2260-6                                 | 1.4  | 154  |
| 22 | Translating family satisfaction data into quality improvement. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1922-7   | 1.4  | 79   |
| 21 | Multicentre, cluster-randomized clinical trial of algorithms for critical-care enteral and parenteral therapy (ACCEPT). <i>Cmaj</i> , <b>2004</b> , 170, 197-204  | 3.5  | 82   |
| 20 | Dying in the ICU: perspectives of family members. <i>Chest</i> , <b>2003</b> , 124, 392-7   | 5.3  | 177  |
| 19 | Decision-making in the ICU: perspectives of the substitute decision-maker. <i>Intensive Care Medicine</i> , <b>2003</b> , 29, 75-82   | 14.5 | 226  |
| 18 | The seriously ill hospitalized patient: preferred role in end-of-life decision making?. <i>Journal of Critical Care</i> , <b>2003</b> , 18, 3-10  | 4    | 101  |
| 17 | Nutrition support in the critical care setting: current practice in canadian ICUs--opportunities for improvement?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2003</b> , 27, 74-83   | 4.2  | 206  |
| 16 | Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2003</b> , 27, 355-73  | 4.2  | 1054 |
| 15 | Prevention of ventilator-associated pneumonia: current practice in Canadian intensive care units. <i>Journal of Critical Care</i> , <b>2002</b> , 17, 161-7   | 4    | 67   |
| 14 | Optimizing the benefits and minimizing the risks of enteral nutrition in the critically ill: role of small bowel feeding. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2002</b> , 26, S51-5; discussion S56-7  | 4.2  | 120  |
| 13 | Immunonutrition in the critically ill patient: putting the cart before the horse?. <i>Nutrition in Clinical Practice</i> , <b>2002</b> , 17, 267-72   | 3.6  | 23   |

|    |   |      |     |
|----|---|------|-----|
| 12 | Glutamine supplementation in serious illness: a systematic review of the evidence. <i>Critical Care Medicine</i> , <b>2002</b> , 30, 2022-9   | 1.4  | 583 |
| 11 | Family satisfaction with care in the intensive care unit: results of a multiple center study. <i>Critical Care Medicine</i> , <b>2002</b> , 30, 1413-8  | 1.4  | 775 |
| 10 | Fluid restriction for postoperative patients?. <i>Lancet, The</i> , <b>2002</b> , 359, 1792-3   | 4.0  | 6   |
| 9  | Measuring family satisfaction with care in the intensive care unit: the development of a questionnaire and preliminary results. <i>Journal of Critical Care</i> , <b>2001</b> , 16, 142-9       | 4    | 177 |
| 8  | Should immunonutrition become routine in critically ill patients? A systematic review of the evidence. <i>JAMA - Journal of the American Medical Association</i> , <b>2001</b> , 286, 944-53    | 27.4 | 641 |
| 7  | Immunonutrition in the critically ill patient: more harm than good?. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2001</b> , 25, S51-5; discussion S55-6                             | 4.2  | 47  |
| 6  | In search of the magic nutraceutical: problems with current approaches. <i>Journal of Nutrition</i> , <b>2001</b> , 131, 2591S-5S   | 4.1  | 19  |
| 5  | Dying in Canada: Is It an Institutionalized, Technologically Supported Experience?. <i>Journal of Palliative Care</i> , <b>2000</b> , 16, S10-S16   | 1.8  | 63  |
| 4  | Review: Enteral immunonutrition reduces infection risk, days on ventilation, and hospital stay in critically ill patients. <i>ACP Journal Club</i> , <b>2000</b> , 133, 9                       |      |     |
| 3  | How Well Do Critically Ill Patients Tolerate Early, Intra-gastric Enteral Feeding? Results of a Prospective, Multicenter Trial. <i>Nutrition in Clinical Practice</i> , <b>1999</b> , 14, 23-28 | 3.6  | 23  |
| 2  | Total parenteral nutrition in the critically ill patient: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , <b>1998</b> , 280, 2013-9                                | 27.4 | 425 |
| 1  | Effect of Acid Feeds on Feeding System Contamination. <i>Nutrition in Clinical Practice</i> , <b>1998</b> , 13 Suppl 3S, S33-S37  | 3.6  |     |