

Ingo Eitel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5478753/publications.pdf>

Version: 2024-02-01

131
papers

10,327
citations

44069

48
h-index

33894

99
g-index

131
all docs

131
docs citations

131
times ranked

8380
citing authors

#	ARTICLE	IF	CITATIONS
1	International Expert Consensus Document on Takotsubo Syndrome (Part I): Clinical Characteristics, Diagnostic Criteria, and Pathophysiology. <i>European Heart Journal</i> , 2018, 39, 2032-2046.	2.2	972
2	Clinical Characteristics and Cardiovascular Magnetic Resonance Findings in Stress (Takotsubo) Cardiomyopathy. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 277-86.	7.4	636
3	International Expert Consensus Document on Takotsubo Syndrome (Part II): Diagnostic Workup, Outcome, and Management. <i>European Heart Journal</i> , 2018, 39, 2047-2062.	2.2	521
4	Relationship Between Infarct Size and Outcomes Following Primary PCI. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1674-1683.	2.8	444
5	Prognostic Significance and Determinants of Myocardial Salvage Assessed by Cardiovascular Magnetic Resonance in Acute Reperfused Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2010, 55, 2470-2479.	2.8	406
6	Management of cardiogenic shock. <i>European Heart Journal</i> , 2015, 36, 1223-1230.	2.2	395
7	Comprehensive Prognosis Assessment by CMR Imaging After ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1217-1226.	2.8	314
8	Intracoronary Compared With Intravenous Bolus Abciximab Application in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation</i> , 2008, 118, 49-57.	1.6	286
9	Prognostic Value of Microvascular Obstruction and Infarct Size, as Measured by CMR in STEMI Patients. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 930-939.	5.3	271
10	Relationship between microvascular obstruction and adverse events following primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: an individual patient data pooled analysis from seven randomized trials. <i>European Heart Journal</i> , 2017, 38, 3502-3510.	2.2	271
11	Cardiac MRI Endpoints in Myocardial Infarction Experimental and Clinical Trials. <i>Journal of the American College of Cardiology</i> , 2019, 74, 238-256.	2.8	235
12	Differential diagnosis of suspected apical ballooning syndrome using contrast-enhanced magnetic resonance imaging. <i>European Heart Journal</i> , 2008, 29, 2651-2659.	2.2	219
13	Intracoronary versus intravenous bolus abciximab during primary percutaneous coronary intervention in patients with acute ST-elevation myocardial infarction: a randomised trial. <i>Lancet</i> , The, 2012, 379, 923-931.	13.7	199
14	Angiography after Out-of-Hospital Cardiac Arrest without ST-Segment Elevation. <i>New England Journal of Medicine</i> , 2021, 385, 2544-2553.	27.0	197
15	Impact of High-Dose N-Acetylcysteine Versus Placebo on Contrast-Induced Nephropathy and Myocardial Reperfusion Injury in Unselected Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2010, 55, 2201-2209.	2.8	191
16	T2-weighted cardiovascular magnetic resonance in acute cardiac disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, 13.	3.3	190
17	Cardioprotection by combined intrahospital remote ischaemic preconditioning and postconditioning in ST-elevation myocardial infarction: the randomized LIPSIA CONDITIONING trial. <i>European Heart Journal</i> , 2015, 36, 3049-3057.	2.2	190
18	Long-term excess mortality in takotsubo cardiomyopathy: predictors, causes and clinical consequences. <i>European Journal of Heart Failure</i> , 2016, 18, 650-656.	7.1	189

#	ARTICLE	IF	CITATIONS
19	Randomized Sham-Controlled Trial of Renal Sympathetic Denervation in Mild Resistant Hypertension. <i>Hypertension</i> , 2015, 65, 1202-1208.	2.7	186
20	Prognostic Value and Determinants of a Hypointense Infarct Core in T2-Weighted Cardiac Magnetic Resonance in Acute Reperfused ST-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 354-362.	2.6	176
21	Comparison of newer generation self-expandable vs. balloon-expandable valves in transcatheter aortic valve implantation: the randomized SOLVE-TAVI trial. <i>European Heart Journal</i> , 2020, 41, 1890-1899.	2.2	159
22	Intracoronary Compared With Intravenous Bolus Abciximab Application During Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1447-1454.	2.8	156
23	Cardiac Magnetic Resonance Myocardial Feature Tracking for Optimized Prediction of Cardiovascular Events Following Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1433-1444.	5.3	142
24	Optimized Treatment of ST-Elevation Myocardial Infarction. <i>Circulation Research</i> , 2019, 125, 245-258.	4.5	140
25	Inflammation in takotsubo cardiomyopathy: insights from cardiovascular magnetic resonance imaging. <i>European Radiology</i> , 2010, 20, 422-431.	4.5	139
26	Relation of circulating MicroRNA-133a concentrations with myocardial damage and clinical prognosis in ST-elevation myocardial infarction. <i>American Heart Journal</i> , 2012, 164, 706-714.	2.7	120
27	Standard and Advanced Echocardiography in Takotsubo (Stress) Cardiomyopathy: Clinical and Prognostic Implications. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 57-74.	2.8	97
28	Prevalence and Clinical Significance of Life-Threatening Arrhythmias in Takotsubo Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2148-2150.	2.8	96
29	Long-term prognostic value of myocardial salvage assessed by cardiovascular magnetic resonance in acute reperfused myocardial infarction. <i>Heart</i> , 2011, 97, 2038-2045.	2.9	89
30	General Versus Local Anesthesia With Conscious Sedation in Transcatheter Aortic Valve Implantation. <i>Circulation</i> , 2020, 142, 1437-1447.	1.6	81
31	Incidence, determinants and prognostic relevance of cardiogenic shock in patients with Takotsubo cardiomyopathy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 489-496.	1.0	77
32	Effect of Aspiration Thrombectomy on Microvascular Obstruction in NSTEMI Patients. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1117-1124.	2.8	75
33	Prognostic Significance of Remote Myocardium Alterations Assessed by Quantitative Noncontrast T1 Mapping in ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 411-419.	5.3	75
34	Prognostic Impact of Hyperglycemia in Nondiabetic and Diabetic Patients With ST-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 708-718.	2.6	74
35	Incidence and Clinical Impact of Recurrent Takotsubo Syndrome: Results From the GEIST Registry. <i>Journal of the American Heart Association</i> , 2019, 8, e010753.	3.7	74
36	Left Ventricular Thrombi in Takotsubo Syndrome: Incidence, Predictors, and Management: Results From the GEIST (German Italian Stress Cardiomyopathy) Registry. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	73

#	ARTICLE	IF	CITATIONS
37	Comparison of Sirolimus-Eluting Stenting With Minimally Invasive Bypass Surgery for Stenosis of the Left Anterior Descending Coronary Artery. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 30-38.	2.9	72
38	Takotsubo syndrome: State-of-the-art review by an expert panel – Part 1. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 70-79.	0.8	71
39	Intramyocardial haemorrhage and prognosis after ST-elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 138-146.	1.2	70
40	Endothelin-1 release in acute myocardial infarction as a predictor of long-term prognosis and no-reflow assessed by contrast-enhanced magnetic resonance imaging. <i>American Heart Journal</i> , 2010, 159, 882-890.	2.7	65
41	Intravenous morphine administration and reperfusion success in ST-elevation myocardial infarction: insights from cardiac magnetic resonance imaging. <i>Clinical Research in Cardiology</i> , 2015, 104, 727-734.	3.3	63
42	Assessment of the German and Italian Stress Cardiomyopathy Score for Risk Stratification for In-hospital Complications in Patients With Takotsubo Syndrome. <i>JAMA Cardiology</i> , 2019, 4, 892.	6.1	60
43	Randomized Comparison of Pre-Hospital-Initiated Facilitated Percutaneous Coronary Intervention Versus Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction Very Early After Symptom Onset. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 605-614.	2.9	58
44	Growth-differentiation factor 15 as predictor of mortality in acute reperfused ST-elevation myocardial infarction: insights from cardiovascular magnetic resonance. <i>Heart</i> , 2011, 97, 632-640.	2.9	58
45	Management of arrhythmias in patients with Takotsubo cardiomyopathy: Is the implantation of permanent devices necessary?. <i>Heart Rhythm</i> , 2016, 13, 1979-1986.	0.7	57
46	Mild Hypothermia in Cardiogenic Shock Complicating Myocardial Infarction. <i>Circulation</i> , 2019, 139, 448-457.	1.6	54
47	Prevalence and Prognostic Impact of Diabetes in Takotsubo Syndrome: Insights From the International, Multicenter GEIST Registry. <i>Diabetes Care</i> , 2018, 41, 1084-1088.	8.6	53
48	Intraaortic balloon counterpulsation and microcirculation in cardiogenic shock complicating myocardial infarction: an IABP-SHOCK II substudy. <i>Clinical Research in Cardiology</i> , 2015, 104, 679-687.	3.3	52
49	Reliability of myocardial salvage assessment by cardiac magnetic resonance imaging in acute reperfused myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 263-272.	1.5	49
50	Combined Intrahospital Remote Ischemic Preconditioning and Postconditioning Improves Clinical Outcome in ST-Elevation Myocardial Infarction. <i>Circulation Research</i> , 2019, 124, 1482-1491.	4.5	47
51	Multimodality imaging in takotsubo syndrome: a joint consensus document of the European Association of Cardiovascular Imaging (EACVI) and the Japanese Society of Echocardiography (JSE). <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1184-1207.	1.2	45
52	Prevalence and prognostic relevance of atrial fibrillation in patients with Takotsubo syndrome. <i>International Journal of Cardiology</i> , 2017, 245, 156-161.	1.7	42
53	Optimized Prognosis Assessment in ST-Segment-Elevation Myocardial Infarction Using a Cardiac Magnetic Resonance Imaging Risk Score. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	42
54	Takotsubo syndrome: State-of-the-art review by an expert panel – Part 2. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 153-166.	0.8	42

#	ARTICLE	IF	CITATIONS
55	Sex Differences in Myocardial Salvage and Clinical Outcome in Patients With Acute Reperfused ST-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 119-126.	2.6	38
56	Role of Cardiac Magnetic Resonance to Improve Risk Prediction following Acute ST-elevation Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020, 9, 1041.	2.4	37
57	Optical Coherence Tomography to Evaluate Plaque Burden and Morphology in Patients With Takotsubo Syndrome. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	35
58	Malignancies and outcome in Takotsubo syndrome: a meta-analysis study on cancer and stress cardiomyopathy. <i>Heart Failure Reviews</i> , 2019, 24, 481-488.	3.9	35
59	Prevalence, management, and outcome of adverse rhythm disorders in takotsubo syndrome: insights from the international multicenter GEIST registry. <i>Heart Failure Reviews</i> , 2020, 25, 505-511.	3.9	35
60	Multimodality imaging in takotsubo syndrome: a joint consensus document of the European Association of Cardiovascular Imaging (EACVI) and the Japanese Society of Echocardiography (JSE). <i>Journal of Echocardiography</i> , 2020, 18, 199-224.	0.8	35
61	Genome-wide association study in takotsubo syndrome " Preliminary results and future directions. <i>International Journal of Cardiology</i> , 2017, 236, 335-339.	1.7	34
62	Impact of persistent ST elevation on outcome in patients with Takotsubo syndrome. Results from the German Italian STress Cardiomyopathy (GEIST) registry. <i>International Journal of Cardiology</i> , 2018, 255, 140-144.	1.7	34
63	Prognostic significance and magnetic resonance imaging findings in aborted myocardial infarction after primary angioplasty. <i>American Heart Journal</i> , 2009, 158, 806-813.	2.7	33
64	Prognostic Usefulness of the Ballooning Pattern in Patients With Takotsubo Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016, 118, 1737-1741.	1.6	33
65	Time Delay, Infarct Size, and Microvascular Obstruction After Primary Percutaneous Coronary Intervention for ST-Segment" Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e009879.	3.9	33
66	Association of smoking with myocardial injury and clinical outcome in patients undergoing mechanical reperfusion for ST-elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 39-45.	1.2	32
67	Relationship between diabetes and ischaemic injury among patients with revascularized <sc>ST</sc>" elevation myocardial infarction. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1706-1713.	4.4	32
68	The challenges and impact of microvascular injury in ST-elevation myocardial infarction. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 431-443.	1.5	31
69	Intra-aortic balloon counterpulsation " Basic principles and clinical evidence. <i>Vascular Pharmacology</i> , 2014, 60, 52-56.	2.1	30
70	Frequency and Significance of Myocardial Bridging and Recurrent Segment of the Left Anterior Descending Coronary Artery in Patients With Takotsubo Cardiomyopathy. <i>American Journal of Cardiology</i> , 2014, 114, 1204-1209.	1.6	30
71	Impact of Anesthesia Strategy and Valve Type on Clinical Outcomes After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2021, 77, 2204-2215.	2.8	28
72	ST-segment depression resolution predicts infarct size and reperfusion injury in ST-elevation myocardial infarction. <i>Heart</i> , 2015, 101, 1819-1825.	2.9	26

#	ARTICLE	IF	CITATIONS
73	Current Knowledge and Future Challenges in Takotsubo Syndrome: Part 1 – Pathophysiology and Diagnosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 479.	2.4	26
74	Transient left atrial dysfunction is a feature of Takotsubo syndrome. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 15.	3.3	25
75	Left ventricular myocardial deformation in Takotsubo syndrome: a cardiovascular magnetic resonance myocardial feature tracking study. <i>European Radiology</i> , 2018, 28, 5160-5170.	4.5	25
76	Culprit vessel-related myocardial mechanics and prognostic implications following acute myocardial infarction. <i>Clinical Research in Cardiology</i> , 2020, 109, 339-349.	3.3	25
77	Prognostic value of N-Terminal Pro-B-Type Natriuretic Peptide in Takotsubo syndrome. <i>Clinical Research in Cardiology</i> , 2018, 107, 597-606.	3.3	24
78	Prevalence and long-term prognostic impact of malignancy in patients with Takotsubo syndrome. <i>European Journal of Heart Failure</i> , 2018, 20, 816-818.	7.1	24
79	Intracoronary versus intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: 6-month effects on infarct size and left ventricular function. <i>Clinical Research in Cardiology</i> , 2011, 100, 425-432.	3.3	23
80	Current Knowledge and Future Challenges in Takotsubo Syndrome: Part 2 – Treatment and Prognosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 468.	2.4	23
81	Comprehensive assessment of sex hormones in Takotsubo syndrome. <i>International Journal of Cardiology</i> , 2018, 250, 11-15.	1.7	22
82	Fast manual long-axis strain assessment provides optimized cardiovascular event prediction following myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1262-1270.	1.2	22
83	Biventricular stress-induced (takotsubo) cardiomyopathy with left midventricular and right apical ballooning. <i>International Journal of Cardiology</i> , 2011, 151, e63-e64.	1.7	21
84	Impact of Atrial Fibrillation During ST-Segment Elevation Myocardial Infarction on Infarct Characteristics and Prognosis. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e006955.	2.6	21
85	Antecedent hypertension and myocardial injury in patients with reperfused ST-elevation myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 80.	3.3	20
86	Incidence, determinants and prognostic relevance of dyspnea at admission in patients with Takotsubo syndrome: results from the international multicenter GEIST registry. <i>Scientific Reports</i> , 2020, 10, 13603.	3.3	20
87	QRS complex distortion (Grade 3 ischaemia) as a predictor of myocardial damage assessed by cardiac magnetic resonance imaging and clinical prognosis in patients with ST-elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 194-202.	1.2	19
88	ST-segment resolution and prognosis after facilitated versus primary percutaneous coronary intervention in acute myocardial infarction: a meta-analysis. <i>Clinical Research in Cardiology</i> , 2010, 99, 1-11.	3.3	17
89	Temporal changes within mechanical dyssynchrony and rotational mechanics in Takotsubo syndrome: A cardiovascular magnetic resonance imaging study. <i>International Journal of Cardiology</i> , 2018, 273, 256-262.	1.7	17
90	Impact of Morphine Treatment With and Without Metoclopramide Coadministration on Ticagrelor-Induced Platelet Inhibition in Acute Myocardial Infarction. <i>Circulation</i> , 2020, 141, 1354-1356.	1.6	17

#	ARTICLE	IF	CITATIONS
91	Impact of Morphine Treatment on Infarct Size and Reperfusion Injury in Acute Reperfused ST-Elevation Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020, 9, 735.	2.4	14
92	Prognostic Value of Different CMR-Based Techniques to Assess Left Ventricular Myocardial Strain in Takotsubo Syndrome. <i>Journal of Clinical Medicine</i> , 2020, 9, 3882.	2.4	13
93	Aborted myocardial infarction in intracoronary compared with standard intravenous abciximab administration in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011, 153, 21-25.	1.7	12
94	Impact of Morphine Treatment With and Without Metoclopramide Coadministration on Myocardial and Microvascular Injury in Acute Myocardial Infarction: Insights From the Randomized MonAMI Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e018881.	3.7	12
95	Effects of Baseline Coronary Occlusion and Diabetes Mellitus in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 114, 1145-1150.	1.6	11
96	Impact of Long-Term Statin Pretreatment on Myocardial Damage in ST Elevation Myocardial Infarction (from the AIDA STEMI CMR Substudy). <i>American Journal of Cardiology</i> , 2014, 114, 503-509.	1.6	11
97	Right ventricular strain assessment by cardiovascular magnetic resonance myocardial feature tracking allows optimized risk stratification in Takotsubo syndrome. <i>PLoS ONE</i> , 2018, 13, e0202146.	2.5	11
98	Microcirculation in Patients with Takotsubo Syndrome—The Prospective CIRCUS-TTS Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2127.	2.4	11
99	Comparison of Characteristics of Patients aged ≥ 45 Years Versus <math>< 45</math> Years With ST-Elevation Myocardial Infarction (from the AIDA STEMI CMR Substudy). <i>American Journal of Cardiology</i> , 2016, 117, 1411-1416.	1.6	9
100	Prognostic Impact of Active Mechanical Circulatory Support in Cardiogenic Shock Complicating Acute Myocardial Infarction, Results from the Culprit-Shock Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 1976.	2.4	9
101	Takotsubo Syndrome—Is There a Need for CMR?. <i>Current Heart Failure Reports</i> , 2021, 18, 200-210.	3.3	9
102	New technologies for intensive prevention programs after myocardial infarction: rationale and design of the NET-IPP trial. <i>Clinical Research in Cardiology</i> , 2021, 110, 153-161.	3.3	8
103	1-Year Outcomes With Intracoronary Abciximab in Diabetic Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2016, 68, 727-738.	2.8	7
104	Long-Term Risk Factor Control After Myocardial Infarction—A Need for Better Prevention Programmes. <i>Journal of Clinical Medicine</i> , 2019, 8, 1114.	2.4	6
105	Long-Term Effects of an Intensive Prevention Program After Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2021, 154, 7-13.	1.6	6
106	Intracoronary abciximab in diabetic patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Vascular Pharmacology</i> , 2015, 73, 32-37.	2.1	5
107	Oral anticoagulation in high risk Takotsubo syndrome: when should it be considered and when not?. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 205.	1.7	5
108	Measuring Treatment Effects in Clinical Trials Using Cardiac MRI. <i>Current Cardiovascular Imaging Reports</i> , 2011, 4, 98-107.	0.6	4

#	ARTICLE	IF	CITATIONS
109	Cardioprotection by pre-infarct angina: training the heart to enhance myocardial salvage. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1115-1116.	1.2	3
110	Reprint of "Intra-aortic balloon counterpulsation" Basic principles and clinical evidence. <i>Vascular Pharmacology</i> , 2014, 61, 30-34.	2.1	3
111	Postextrasystolic unmasking of Brugada electrocardiogram. <i>Europace</i> , 2019, 21, 32-32.	1.7	3
112	Pooled Analysis Comparing the Efficacy of Intracoronary Versus Intravenous Abciximab in Smokers Versus Nonsmokers Undergoing Primary Percutaneous Coronary Revascularization for Acute ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2016, 118, 1798-1804.	1.6	2
113	Diagnostic criteria, left ventricular thrombosis, and QT-interval in Takotsubo syndrome. <i>International Journal of Cardiology</i> , 2018, 258, 29.	1.7	2
114	Paravalvular Regurgitation According to Transcatheter Aortic Valve Prosthesis Type. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1277-1279.	5.3	2
115	Stepwise approach for diagnosis and management of Takotsubo syndrome with cardiac imaging tools. <i>Heart Failure Reviews</i> , 2022, 27, 545-558.	3.9	2
116	Incremental value of cardiovascular magnetic resonance imaging in the differential diagnosis of hypertrophic cardiomyopathy. <i>European Heart Journal</i> , 2009, 30, 1939-1939.	2.2	1
117	Reply to the letter regarding the article "Growth differentiation factor-15 in Takotsubo cardiomyopathy: Diagnostic and prognostic value". <i>International Journal of Cardiology</i> , 2014, 177, 39-40.	1.7	1
118	Catheter ablation for atrial fibrillation and left atrial appendage occlusion: to combine in a single procedure?. <i>Europace</i> , 2020, 22, 179-180.	1.7	1
119	Invasive and Echocardiographic Characteristics of a Patient With Severe Pulmonary Valve Regurgitation Pretending Severe Pulmonary Stenosis. <i>Circulation: Heart Failure</i> , 2021, 14, e007486.	3.9	1
120	Impact of Ventricular Stroke Work Indices on Mortality in Heart Failure Patients After Percutaneous Mitral Valve Repair. <i>American Journal of Cardiology</i> , 2021, 147, 101-108.	1.6	1
121	Sex-specific differences and outcome in elderly patients after survived out-of-hospital cardiac arrest. <i>Medizinische Klinik - Intensivmedizin Und Notfallmedizin</i> , 2022, 117, 630-638.	1.1	1
122	Influence of the ratio of mean arterial pressure to right atrial pressure on outcome after successful percutaneous edge-to-edge repair for severe mitral valve regurgitation. <i>IJC Heart and Vasculature</i> , 2021, 37, 100903.	1.1	1
123	Atrial Giant Cell Myocarditis as a Cause of Heart Failure. <i>JACC: Case Reports</i> , 2022, 4, 66-71.	0.6	1
124	Impact of different valve-in-valve positions on the hydrodynamic performance of the newest-generation self-expanding transcatheter heart valve. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 62, .	1.4	1
125	Fractal dimension of the aortic annulus: a novel predictor of paravalvular leak after transcatheter aortic valve implantation. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 2469-2478.	0.6	1
126	Response to Letter Regarding Article, "Intracoronary Compared With Intravenous Bolus Abciximab Application in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention". <i>Circulation</i> , 2009, 119, .	1.6	0

#	ARTICLE	IF	CITATIONS
127	Importance of visualization the myocardium at risk in myocardial infarction. European Heart Journal Cardiovascular Imaging, 2014, 15, 1054-1055.	1.2	0
128	Letter by Stiermaier et al Regarding Article, "Dynamic Edematous Response of the Human Heart to Myocardial Infarction: Implications for Assessing Myocardial Area at Risk and Salvage" Circulation, 2018, 137, 1752-1753.	1.6	0
129	Response by Montone et al to Letter Regarding Article, "Optimized Treatment of ST-Elevation Myocardial Infarction" Circulation Research, 2019, 125, e30.	4.5	0
130	Brugada electrocardiogram pattern and right bundle branch block: Authors'™ reply. Europace, 2019, 21, 1140-1141.	1.7	0
131	Prognostic value of pre-interventional cerebral oxygen saturation in transcatheter aortic valve replacement: a prespecified secondary analysis of the SOLVE"™TAVI trial. British Journal of Anaesthesia, 2022, , .	3.4	0