

Alireza Esteghamati

List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/54789/publications.pdf](https://exaly.com/author-pdf/54789/publications.pdf)

Version: 2025-02-01

259

PR articles

113,427

PR citations

12978

64

PR h-index

791

243

g-index

265

documents

124808

doc citations

16554

65

h-index

197703

citing authors

#	ARTICLE	IF	CITATIONS
1	Burdens of type 2 diabetes and cardiovascular disease attributable to sugar-sweetened beverages in 184 countries. <i>Nature Medicine</i> , 2025, 31, 552-564.	33.0	54
2	Serum levels of advanced glycation end products negatively correlates with activity of Paraoxonase1 and Lecithin-Cholesterol Acyltransferase in diabetic retinopathy; A cross-sectional case-control study. <i>Clinical Biochemistry</i> , 2025, 137, 110925.	1.8	0
3	Advanced Glycation End Products, Advanced Oxidation Protein Products, and Ferric Reducing Ability of Plasma Are Correlates of Uncontrolled Hypertension in Patients With Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2025, 2025, .	5.7	0
4	Nonalcoholic Fatty Liver Disease as a Potential Risk Factor for Cardiovascular Disease in Patients with Type 2 Diabetes: A Prospective Cohort Study. <i>International Journal of Endocrinology</i> , 2024, 2024, .	3.5	5
5	Vitamin D in Type 2 Diabetes and Its Correlation With Heat Shock Protein 70, Ferric Reducing Ability of Plasma, Advanced Oxidation Protein Products and Advanced Glycation End Products. <i>Endocrinology, Diabetes and Metabolism</i> , 2024, 7, .	2.4	4
6	Relationship between advanced glycation end products and advanced oxidation protein products in patients with type 2 diabetes with and without albuminuria: A cross-sectional survey. <i>Health Science Reports</i> , 2024, 7, .	1.6	3
7	Incident type 2 diabetes attributable to suboptimal diet in 184 countries. <i>Nature Medicine</i> , 2023, 29, 982-995.	33.0	144
8	Non-alcoholic fatty liver disease and incidence of microvascular complications of diabetes in patients with type 2 diabetes: a prospective cohort study. <i>Frontiers in Endocrinology</i> , 2023, 14, .	3.9	18
9	The trend of achieving ABC goals in patients with type 2 diabetes between 2010-2014 and 2015-2019. <i>Obesity Medicine</i> , 2023, 41, 100498.	1.1	5
10	Vitamin C supplementation lowers advanced glycation end products (AGEs) and malondialdehyde (MDA) in patients with type 2 diabetes: A randomized, double-blind, placebo-controlled clinical trial. <i>Food Science and Nutrition</i> , 2023, 11, 5967-5977.	3.9	7
11	Lipid profile, oxLDL, and LCAT activity in patients with endometrial carcinoma and type 2 diabetes: The effect of concurrent disease based on a case-control study. <i>Health Science Reports</i> , 2023, 6, .	1.6	7
12	Serum lipoprotein(a) and reclassification of coronary heart disease risk; application of prediction in a cross-sectional analysis of an ongoing Iranian cohort. <i>BMC Public Health</i> , 2023, 23, .	3.1	7
13	COVID-19 infection mortality risk in Iranian patients with type 2 diabetes, hypertension and obesity. <i>Eastern Mediterranean Health Journal</i> , 2022, 28, 221-224.	1.0	4
14	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database. <i>Lancet Planetary Health</i> , The, 2022, 6, e243-e256.	18.4	179
15	Effects of Pentoxifylline on Serum Markers of Diabetic Nephropathy in Type 2 Diabetes. <i>Diabetes Therapy</i> , 2022, 13, 1023-1036.	2.0	11
16	Obesity and Diabetic Complications: A Study from the Nationwide Diabetes Report of the National Program for Prevention and Control of Diabetes (NPPCD-2021) Implications for Action on Multiple Scales. <i>Primary Care Diabetes</i> , 2022, 16, 422-429.	1.8	25
17	Quality of care in type 2 diabetes in Iran; a cross-sectional study using patient-level data. <i>BMC Endocrine Disorders</i> , 2022, 22, .	2.9	8
18	Development of an Accreditation System for Evaluating Biomedical Scientific Associations Through a Participatory Process in Iran. <i>Medical Journal of the Islamic Republic of Iran</i> , 2022, , .	0.4	0

#	ARTICLE	IF	CITATIONS
19	The accuracy of triglyceride-glucose (TyG) index for the screening of metabolic syndrome in adults: A systematic review and meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2677-2688.	3.2	109
20	Development and validation of a risk score for diabetic kidney disease prediction in type 2 diabetes patients: a machine learning approach. <i>Journal of Endocrinological Investigation</i> , 2022, 46, 415-423.	2.8	22
21	Prevalence of diabetes-associated autoantibodies among patients presenting with type 2 diabetes and related metabolic differences. <i>Primary Care Diabetes</i> , 2021, 15, 169-174.	1.8	8
22	Iranian National Clinical Practice Guideline for Exercise in Patients with Diabetes. <i>International Journal of Endocrinology and Metabolism</i> , 2021, 19, .	1.1	4
23	LDL/apo B ratio predict coronary heart disease in Type 2 diabetes independent of ASCVD risk score: A case-cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1477-1485.	3.2	22
24	Type 1 diabetic manifestations in a young man triggered by COVID-19. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, .	0.6	4
25	Uncontrolled hypertension in patients with type 2 diabetes: What are the correlates?. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1776-1785.	2.0	16
26	Effects of a Mediterranean diet on the development of diabetic complications: A longitudinal study from the nationwide diabetes report of the National Program for Prevention and Control of Diabetes (NPPCD 2016-2020). <i>Maturitas</i> , 2021, 153, 61-67.	2.9	43
27	Waist-To-Height Ratio Is a More Accurate Tool for Predicting Hypertension Than Waist-To-Hip Circumference and BMI in Patients With Type 2 Diabetes: A Prospective Study. <i>Frontiers in Public Health</i> , 2021, 9, .	2.7	44
28	Association between visit-to-visit variability of glycemic indices and lipid profile and the incidence of coronary heart disease in adults with type 2 diabetes. <i>Journal of Diabetes and Metabolic Disorders</i> , 2021, 20, 1715-1723.	1.3	2
29	Smoking and Diabetes Control in Adults With Type 1 and Type 2 Diabetes: A Nationwide Study From the 2018 National Program for Prevention and Control of Diabetes of Iran. <i>Canadian Journal of Diabetes</i> , 2020, 44, 246-252.	1.8	27
30	Effects of zinc, vitamin D, and their co-supplementation on mood, serum cortisol, and brain-derived neurotrophic factor in patients with obesity and mild to moderate depressive symptoms: A phase II, 12-wk, 2x2 factorial design, double-blind, randomized, placebo-controlled trial. <i>Nutrition</i> , 2020, 71, 110601.	2.7	38
31	Determinants of glycemic control: Phase 2 analysis from nationwide diabetes report of National Program for Prevention and Control of Diabetes (NPPCD-2018). <i>Primary Care Diabetes</i> , 2020, 14, 222-231.	1.8	25
32	Serum HSP70 level in patients with endometrial cancer with and without diabetes. <i>Gynecological Endocrinology</i> , 2020, 36, 351-355.	1.8	6
33	Advanced glycation end-products and advanced oxidation protein products levels are correlates of duration of type 2 diabetes. <i>Life Sciences</i> , 2020, 260, 118422.	4.5	40
34	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	62.3	14,885
35	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	62.3	7,491
36	DPP4 Inhibitors in the Management of Hospitalized Patients With Type 2 Diabetes: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. <i>Advances in Therapy</i> , 2020, 37, 3660-3675.	3.3	7

#	ARTICLE	IF	CITATIONS
37	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	13.4	34
38	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	62.3	512
39	The urgent need for integrated science to fight COVID-19 pandemic and beyond. <i>Journal of Translational Medicine</i> , 2020, 18, .	6.4	142
40	Nitric oxide and TNF-Î± are correlates of diabetic retinopathy independent of hs-CRP and HbA1c. <i>Endocrine</i> , 2020, 69, 536-541.	2.5	39
41	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000â€“17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 1779-1801.	62.3	107
42	Lp(a) and Apo-lipoproteins as predictors for micro- and macrovascular complications of diabetes: A case-cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1723-1731.	3.2	39
43	Evaluating the effect of type 2 diabetes mellitus on CYP450 enzymes and P-gp activities, before and after glycemic control: A protocol for a caseâ€“control pharmacokinetic study. <i>MethodsX</i> , 2020, 7, 100853.	1.6	11
44	Global, Regional, and National Burden of Calcific Aortic Valve and Degenerative Mitral Valve Diseases, 1990â€“2017. <i>Circulation</i> , 2020, 141, 1670-1680.	18.1	395
45	Inadequate achievement of ABC goals (HbA1c, blood pressure, LDL-C) among patients with type 2 diabetes in an Iranian population, 2012â€“2017. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 619-625.	3.0	6
46	Global, regional, and national burden of chronic kidney disease, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 709-733.	62.3	5,099
47	Global and regional estimates and projections of diabetes-related health expenditure: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. <i>Diabetes Research and Clinical Practice</i> , 2020, 162, 108072.	5.9	745
48	Lipoprotein(a) and Apolipoproteins as Predictors for Diabetic Retinopathy and Its Severity in Adults With Type 2 Diabetes: A Case-Cohort Study. <i>Canadian Journal of Diabetes</i> , 2020, 44, 414-421.	1.8	34
49	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	33.0	71
50	Mapping routine measles vaccination in low- and middle-income countries. <i>Nature</i> , 2020, 589, 415-419.	37.9	115
51	Serum irisin levels in metabolically healthy versus metabolically unhealthy obesity: A case-control study. <i>Medical Journal of the Islamic Republic of Iran</i> , 2020, , .	0.4	1
52	Barriers to initiation of insulin therapy in poorly controlled type 2 diabetes based on self-determination theory. <i>Eastern Mediterranean Health Journal</i> , 2020, 26, 1331-1338.	1.0	7
53	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 913-933.	22.9	347
54	Patient and physician preferences for type 2 diabetes medications: a systematic review. <i>Journal of Diabetes and Metabolic Disorders</i> , 2019, 18, 643-656.	1.3	35

#	ARTICLE	IF	CITATIONS
55	Role of type 2 diabetes and hemodialysis in serum adipolin concentrations: A preliminary study. Hemodialysis International, 2019, 23, 472-478.	1.1	6
56	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 934-947.	22.9	539
57	Insulin pen use and diabetes treatment goals: A study from Iran STEPS 2016 survey. PLoS ONE, 2019, 14, e0221462.	2.3	17
58	The effects of a <i>Melissa officinalis</i> L. based product on metabolic parameters in patients with type 2 diabetes mellitus: A randomized double-blinded controlled clinical trial. Journal of Complementary and Integrative Medicine, 2019, 16, .	1.2	49
59	Inflammatory, oxidative stress and anti-oxidative markers in patients with endometrial carcinoma and diabetes. Cytokine, 2019, 120, 186-190.	3.5	59
60	Comparison of primary versus secondary prevention of cardiovascular disease in patients with type2 diabetes: Focus on achievement of ABC goals. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 1733-1737.	3.0	7
61	Association of non-alcoholic fatty liver disease with microvascular complications of type 2 diabetes. Primary Care Diabetes, 2019, 13, 505-514.	1.8	31
62	Associations of Serum S100B and S100P With the Presence and Classification of Diabetic Peripheral Neuropathy in Adults With Type 2 Diabetes: A Case-Cohort Study. Canadian Journal of Diabetes, 2019, 43, 336-344.e2.	1.8	25
63	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	17.9	4,081
64	Health effects of dietary risks in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	62.3	4,560
65	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	17.9	1,625
66	Definition of an oxidative stress status by combined assessment of Malondialdehyde and Oxidized-LDL: A study in patients with type2 diabetes and control. Meta Gene, 2019, 19, 91-97.	0.7	5
67	Cardiovascular and Renal Benefits of SGLT2 Inhibitors: A Narrative Review. International Journal of Endocrinology and Metabolism, 2019, In Press, .	1.1	35
68	Comparing serum concentration of spexin among patients with metabolic syndrome, healthy overweight/obese, and normal-weight individuals. Medical Journal of the Islamic Republic of Iran, 2019, , .	0.4	7
69	Beneficial Effects of Pentoxifylline Plus Losartan Dual Therapy in Type 2 Diabetes with Nephropathy. American Journal of the Medical Sciences, 2018, 355, 442-448.	0.9	14
70	Pulse pressure and diabetes treatments. Medicine (United States), 2018, 97, e9791.	1.2	9
71	Intercellular adhesion molecule-1 in diabetic patients with and without microalbuminuria. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2018, 12, 365-368.	3.0	28
72	Diabetes Care in Iran: Where We Stand and Where We Are Headed. Annals of Global Health, 2018, 81, 839.	2.2	73

#	ARTICLE	IF	CITATIONS
73	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	62.3	911
74	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	62.3	6,542
75	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	62.3	4,187
76	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	62.3	386
77	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	62.3	11,367
78	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	62.3	428
79	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	62.3	2,721
80	Ambulatory blood pressure monitoring and diabetes complications. <i>Medicine (United States)</i> , 2018, 97, e12185.	1.2	33
81	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	62.3	835
82	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	62.3	2,778
83	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 792.	16.6	260
84	Sitagliptin vs. pioglitazone as add-on treatments in patients with uncontrolled type 2 diabetes on the maximal dose of metformin plus sulfonylurea. <i>Journal of Endocrinological Investigation</i> , 2018, 42, 851-857.	2.8	7
85	Association of extracellular heat shock protein 70 and insulin resistance in type 2 diabetes; independent of obesity and C-reactive protein. <i>Cell Stress and Chaperones</i> , 2018, 24, 69-75.	2.6	20
86	National Prevalence of Self-Reported Coronary Heart Disease and Chronic Stable Angina Pectoris: Factor Analysis of the Underlying Cardiometabolic Risk Factors in the SuRFNCD-2011. <i>Global Heart</i> , 2018, 13, 73.	2.5	19
87	Depressive symptoms among metabolically healthy and unhealthy overweight/obese individuals: a comparative study. <i>Medical Journal of the Islamic Republic of Iran</i> , 2018, , 549-552.	0.4	6
88	GABRIC Diabetes School: an innovative education centre for people with diabetes. <i>Eastern Mediterranean Health Journal</i> , 2018, 24, 99-103.	1.0	2
89	Prevalence of metabolic syndrome in Iran: A 2011 update. <i>Journal of Diabetes</i> , 2017, 9, 518-525.	3.0	35
90	Association of peripheral nesfatin-1 with early stage diabetic nephropathy. <i>Pathophysiology</i> , 2017, 24, 17-22.	2.3	15

#	ARTICLE	IF	CITATIONS
91	The Prevalence of Metabolic Syndrome and Different Obesity Phenotype in Iranian Male Military Personnel. <i>American Journal of Men's Health</i> , 2017, 11, 404-413.	1.8	23
92	Circulating levels of fibroblast growth factor 21 in early-stage diabetic kidney disease. <i>Irish Journal of Medical Science</i> , 2017, 186, 785-794.	1.2	24
93	Retinal nerve fibre layer thickness is reduced in metabolic syndrome. <i>Diabetic Medicine</i> , 2017, 34, 1061-1066.	2.9	40
94	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1-25.	2.3	3,307
95	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	62.3	626
96	Non–high-density lipoprotein fractions are strongly associated with the presence of metabolic syndrome independent of obesity and diabetes: a population-based study among Iranian adults. <i>Journal of Diabetes and Metabolic Disorders</i> , 2017, 16, .	1.3	18
97	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 13-27.	34.6	6,631
98	Diabetes in Iran: Prospective Analysis from First Nationwide Diabetes Report of National Program for Prevention and Control of Diabetes (NPPCD-2016). <i>Scientific Reports</i> , 2017, 7, .	3.4	243
99	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	62.3	669
100	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	62.3	1,828
101	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	62.3	4,202
102	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	62.3	6,881
103	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	62.3	2,151
104	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.	62.3	316
105	Serum 25-hydroxyvitamin D, non-alcoholic fatty liver disease and type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 93-95.	3.2	9
106	Metabolic Syndrome Patients Have Lower Levels of Adropin When Compared With Healthy Overweight/Obese and Lean Subjects. <i>American Journal of Men's Health</i> , 2017, 11, 426-434.	1.8	58
107	The Effect of Coenzyme Q10 Supplementation on Circulating Levels of Novel Adipokine Adipolin/CTR12 in Overweight and Obese Patients with Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 156-162.	1.5	26
108	Cardiovascular risk assessment by FRS and SCORE in Iranian adult population. <i>Journal of Diabetes and Metabolic Disorders</i> , 2017, 16, .	1.3	14

#	ARTICLE	IF	CITATIONS
109	Prediction Of Relapse From Hyperthyroidism Following Antithyroid Medication Withdrawal Using Technetium Thyroid Uptake Scanning. <i>Endocrine Practice</i> , 2017, 23, 466-470.	3.3	3
110	Conflicting interactions of apolipoprotein A and high density lipoprotein cholesterol with microvascular complications of type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 133, 131-141.	5.9	15
111	Depression Improvement Among Patients with HIV and Endocrine Dysfunction After hormone Therapy. <i>Iranian Red Crescent Medical Journal</i> , 2017, 19, .	0.0	0
112	Comment on Fischer et al. Text Message Support for Weight Loss in Patients With Prediabetes: A Randomized Clinical Trial. <i>Diabetes Care</i> 2016;39:1364â€“1370. <i>Diabetes Care</i> , 2016, 39, e206-e206.	6.2	7
113	Nonlinear relation between pulse pressure and coronary heart disease in patients with type 2 diabetes or hypertension. <i>Journal of Hypertension</i> , 2016, 34, 974-980.	2.2	15
114	Biphasic insulin Aspart 30 vs. NPH plus regular human insulin in type 2 diabetes patients; a cost-effectiveness study. <i>BMC Endocrine Disorders</i> , 2016, 16, .	2.9	7
115	Comment on Sharif et al. HDL Cholesterol as a Residual Risk Factor for Vascular Events and All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> 2016;39:1424â€“1430. <i>Diabetes Care</i> , 2016, 39, e189-e189.	6.2	2
116	Absence of a positive correlation between CRP and leptin in rheumatoid arthritis. <i>Heliyon</i> , 2016, 2, e00205.	3.3	9
117	Changing correlations among ADMA, NO and hs-CRP in normoalbuminuric and microalbuminuric patients with type 2 diabetes. <i>Meta Gene</i> , 2016, 10, 95-99.	0.7	2
118	Global, regional, and national levels of maternal mortality, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	62.3	948
119	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	62.3	1,855
120	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	62.3	5,658
121	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	62.3	4,711
122	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1725-1774.	62.3	663
123	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	62.3	483
124	Health in times of uncertainty in the eastern Mediterranean region, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>The Lancet Global Health</i> , 2016, 4, e704-e713.	13.4	181
125	Complex association of serum alanine aminotransferase with the risk of future cardiovascular disease in type 2 diabetes. <i>Atherosclerosis</i> , 2016, 254, 42-51.	1.5	27
126	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016, 3, e361-e387.	7.9	501

#	ARTICLE	IF	CITATIONS
127	Serum fibroblast growth factor 21 concentrations in type 2 diabetic retinopathy patients. <i>Annales D'Endocrinologie</i> , 2016, 77, 586-592.	0.3	22
128	Type 2 Diabetes: Model of Factors Associated with Glycemic Control. <i>Canadian Journal of Diabetes</i> , 2016, 40, 424-430.	1.8	35
129	Fasting hyperinsulinaemia and 2-h glycaemia predict coronary heart disease in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2016, 42, 55-61.	3.5	15
130	Contribution of vitamin D deficiency to the risk of coronary heart disease in subjects with essential hypertension. <i>Atherosclerosis</i> , 2016, 244, 165-171.	1.5	21
131	Non-linear contribution of serum vitamin D to symptomatic diabetic neuropathy: A case-control study. <i>Diabetes Research and Clinical Practice</i> , 2016, 111, 44-50.	5.9	24
132	Oxidized Low-Density Lipoprotein (ox-LDL) to LDL Ratio (ox-LDL/LDL) and ox-LDL to High-Density Lipoprotein Ratio (ox-LDL/HDL):. <i>Clinical Laboratory</i> , 2016, 62, .	0.4	15
133	Complementary and Alternative Medicine for the Treatment of Obesity: A Critical Review. <i>International Journal of Endocrinology and Metabolism</i> , 2015, 13, .	1.1	78
134	Association Of Peripheral 5-Hydroxyindole-3-Acetic Acid, A Serotonin Derivative, with Metabolic Syndrome and Low-Grade Inflammation. <i>Endocrine Practice</i> , 2015, 21, 711-718.	3.3	23
135	Abdominal obesity and gestational diabetes: the interactive role of magnesium. <i>Magnesium Research</i> , 2015, 28, 116-125.	0.8	15
136	The Comparative Effect of Pioglitazone and Metformin on Serum Osteoprotegerin, Adiponectin and Intercellular Adhesion Molecule Concentrations in Patients with Newly Diagnosed Type 2 Diabetes: a Randomized Clinical Trial. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 289-295.	1.5	22
137	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	62.3	5,568
138	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015, 1, 505.	14.4	2,477
139	Vitamin D Deficiency is Associated with Insulin Resistance in Nondiabetics and Reduced Insulin Production in Type 2 Diabetics. <i>Hormone and Metabolic Research</i> , 2015, 47, 273-279.	1.8	38
140	Revising the fasting glucose threshold for detection of cardiovascular risk factors: analysing two representative population-based studies of more than 50â€“000 Iranians in 3 years: The National Survey of Risk Factors for Non-Communicable Diseases of Iran. <i>Annals of Human Biology</i> , 2015, 42, 151-159.	1.2	3
141	Associations of small dense low-density lipoprotein and adiponectin with complications of type 2 diabetes. <i>Endocrine Research</i> , 2015, 40, 14-19.	2.6	4
142	Authorsâ€™ reply. <i>Journal of Cardiology</i> , 2015, 65, 440.	2.1	0
143	Association of osteoprotegerin with peripheral artery disease in patients with type 2 diabetes. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 412-419.	1.5	24
144	An inverse association between serum vitamin D levels with the presence and severity of impaired nerve conduction velocity and large fiber peripheral neuropathy in diabetic subjects. <i>Neurological Sciences</i> , 2015, 36, 1121-1126.	1.7	44

#	ARTICLE	IF	CITATIONS
145	Pulse pressure does not predict the response of diabetic nephropathy to glucose-lowering therapy. <i>Diabetes and Vascular Disease Research</i> , 2015, 12, 150-151.	2.7	1
146	Evaluation of plasma MMP-8, MMP-9 and TIMP-1 identifies candidate cardiometabolic risk marker in metabolic syndrome: results from double-blinded nested case-control study. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 527-538.	9.1	29
147	Assessment of serum 25-hydroxy vitamin D improves coronary heart disease risk stratification in patients with type 2 diabetes. <i>American Heart Journal</i> , 2015, 170, 573-579.e5.	2.9	37
148	Folate therapy improves the stress-to-rest mean LV volume ratio in myocardial perfusion imaging in patients with diabetes. <i>Annals of Nuclear Medicine</i> , 2015, 29, 740-744.	2.0	0
149	Comparative effects of metformin and pioglitazone on fetuin-A and osteoprotegerin concentrations in patients with newly diagnosed diabetes: A randomized clinical trial. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015, 9, 258-265.	3.0	25
150	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	62.3	1,727
151	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	62.3	2,433
152	The lost correlation between heat shock protein 70 (HSPA1A) and plasminogen activator inhibitor-1 in patients with type 2 diabetes and albuminuria. <i>Cell Stress and Chaperones</i> , 2015, 21, 361-365.	2.6	5
153	Hypertension and mortality in the Golestan Cohort Study: A prospective study of 50,000 adults in Iran. <i>Journal of Human Hypertension</i> , 2015, 30, 260-267.	2.6	31
154	Combination of Angiotensin Converting Enzyme Insertion/Deletion (I/D) (rs4646994) and VEGF Polymorphism (+405G/C; rs2010963) Synergistically Associated With the Development, of Albuminuria in Iranian Patients With Type 2 Diabetes. <i>Iranian Red Crescent Medical Journal</i> , 2015, 17, .	0.0	4
155	Relationship Between Neuropathy with Pressure on Foot in Diabetic Patients. <i>Biosciences, Biotechnology Research Asia</i> , 2015, 12, 57-62.	0.5	0
156	Comparison of osteoprotegerin and vascular endothelial growth factor in normoalbuminuric Type 1 diabetic and control subjects. <i>Journal of Endocrinological Investigation</i> , 2014, 36, 474-477.	2.8	5
157	Association of Vaspin with Metabolic Syndrome: The Pivotal Role of Insulin Resistance. <i>Diabetes and Metabolism Journal</i> , 2014, 38, 143.	6.1	30
158	Metabolic syndrome in premenopausal and postmenopausal women with type 2 diabetes: loss of protective effects of premenopausal status. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, .	1.3	27
159	Comparative effects of metformin and pioglitazone on YKL-40 in type 2 diabetes: a randomized clinical trial. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 1211-1218.	2.8	11
160	Serum Uric Acid, the Metabolic Syndrome, and the Risk of Chronic Kidney Disease in Patients with Type 2 Diabetes. <i>Metabolic Syndrome and Related Disorders</i> , 2014, 12, 102-109.	1.9	23
161	Manual or Automated Sphygmomanometer? A Historical Cohort to Quantify Measurement Bias in Blood Pressure Recording. <i>Journal of Clinical Hypertension</i> , 2014, 16, 716-721.	2.0	7
162	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 1005-1070.	62.3	834

#	ARTICLE	IF	CITATIONS
163	The Degree of Resistance of Erythrocyte Membrane Cytoskeletal Proteins to Supra-Physiologic Concentrations of Calcium: An In Vitro Study. <i>Journal of Membrane Biology</i> , 2014, 247, 695-701.	2.5	5
164	Polymorphism of killer cell immunoglobulin-like receptors (KIR) and their HLA ligands in Graves's disease. <i>Molecular Biology Reports</i> , 2014, 41, 5367-5374.	2.5	9
165	The cost of diabetes chronic complications among Iranian people with type 2 diabetes mellitus. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014, 13, .	1.3	34
166	Trends in the prevalence of diabetes and impaired fasting glucose in association with obesity in Iran: 2005-2011. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 319-327.	5.9	215
167	Homocysteine and metabolic syndrome: From clustering to additional utility in prediction of coronary heart disease. <i>Journal of Cardiology</i> , 2014, 64, 290-296.	2.1	39
168	Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	62.3	1,354
169	Risk of coronary heart disease associated with metabolic syndrome and its individual components in Iranian subjects: A matched cohort study. <i>Journal of Clinical Lipidology</i> , 2014, 8, 279-286.	3.1	14
170	Differences in vitamin D concentration between metabolically healthy and unhealthy obese adults: Associations with inflammatory and cardiometabolic markers in 4391 subjects. <i>Diabetes and Metabolism</i> , 2014, 40, 347-355.	3.5	45
171	Pioglitazone and metformin are equally effective in reduction of chemerin in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2014, 5, 327-332.	2.7	22
172	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781.	62.3	10,022
173	The Role of Metabolic Syndrome and Related Clinical Variables in Determining CEA Levels. <i>Advances in Clinical and Experimental Medicine</i> , 2014, 23, 907-912.	1.7	10
174	CA 19-9 is Associated with Poor Glycemic Control in Diabetic Patients: Role of Insulin Resistance. <i>Clinical Laboratory</i> , 2014, 60, .	0.4	21
175	Prostaglandin F2 Alpha Plasma Concentration Predicts Glycemic Control and Oxidation Status in Patients with Type 2 Diabetes Mellitus. <i>Clinical Laboratory</i> , 2014, 60, .	0.4	9
176	Inconsistency in albuminuria predictors in type 2 diabetes: a comparison between neural network and conditional logistic regression. <i>Translational Research</i> , 2013, 161, 397-405.	4.0	17
177	Diabetes induces gender gap on LCAT levels and activity. <i>Life Sciences</i> , 2013, 92, 51-54.	4.5	16
178	Treatment with pioglitazone is associated with decreased preprandial ghrelin levels: A randomized clinical trial. <i>Peptides</i> , 2013, 40, 89-92.	2.8	7
179	Comparative effects of pioglitazone and metformin on oxidative stress markers in newly diagnosed type 2 diabetes patients: A randomized clinical trial. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 501-507.	2.4	46
180	Comparative effects of metformin and pioglitazone on omentin and leptin concentrations in patients with newly diagnosed diabetes: A randomized clinical trial. <i>Regulatory Peptides</i> , 2013, 182, 1-6.	1.5	25

#	ARTICLE	IF	CITATIONS
181	Appearance of leptinâ€“HSP70 correlation, in type 2 diabetes. <i>Meta Gene</i> , 2013, 1, 1-7.	0.7	22
182	Effects of metformin on markers of oxidative stress and antioxidant reserve in patients with newly diagnosed type 2 diabetes: A randomized clinical trial. <i>Clinical Nutrition</i> , 2013, 32, 179-185.	5.3	191
183	Heat shock protein 70 and albuminuria in patients with type 2 diabetes: a matched case control study. <i>Cell Stress and Chaperones</i> , 2013, 18, 815-819.	2.6	25
184	Long-term effects of addition of mineralocorticoid receptor antagonist to angiotensin II receptor blocker in patients with diabetic nephropathy: a randomized clinical trial. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2823-2833.	0.8	54
185	Gender-dependent Effects of Metformin on Vaspin and Adiponectin in Type 2 Diabetes Patients: A Randomized Clinical Trial. <i>Hormone and Metabolic Research</i> , 2013, 45, 319-325.	1.8	9
186	The Inverse Relation of CA-125 to Diabetes, Metabolic Syndrome, and Associated Clinical Variables. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 256-261.	1.9	6
187	Prevalence, awareness and risk factors of hypertension in a large cohort of Iranian adult population. <i>Journal of Hypertension</i> , 2013, 31, 1364-1371.	2.2	123
188	Accuracy of Anthropometric Parameters in Identification of High-risk Patients Predicted With Cardiovascular Risk Models. <i>American Journal of the Medical Sciences</i> , 2013, 346, 26-31.	0.9	10
189	The lost correlation between leptin and CRP in type 2 diabetes. <i>European Cytokine Network</i> , 2013, 24, 53-59.	1.1	9
190	Association of Depression and Anxiety With Diabetes Mellitus Type 2 Concerning Some Sociological Factors. <i>Iranian Red Crescent Medical Journal</i> , 2013, 15, 644-648.	0.0	46
191	Visit-to-visit blood pressure variability is related to albuminuria variability and progression in patients with type 2 diabetes. <i>Journal of Human Hypertension</i> , 2013, 28, 37-43.	2.6	24
192	Gender-specific changes in physical activity pattern in Iran: national surveillance of risk factors of non-communicable diseases (2007â€“2011). <i>International Journal of Public Health</i> , 2013, 59, 231-241.	1.8	62
193	Clinical Lipid Control Success Rate Before and After Percutaneous Coronary Intervention in Iran; a Single Center Study. <i>Iranian Red Crescent Medical Journal</i> , 2013, 15, .	0.0	4
194	Gender Difference in Albuminuria and Ischemic Heart Disease in Type 2 Diabetes. <i>Clinical Medicine and Research</i> , 2012, 10, 51-56.	1.1	17
195	Apolipoproteins A-I and B As Components of Metabolic Syndrome with Respect to Diabetes Status: A Factor Analysis. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 280-285.	1.9	0
196	The dual behavior of heat shock protein 70 and asymmetric dimethylarginine in relation to serum CRP levels in type 2 diabetes. <i>Gene</i> , 2012, 498, 107-111.	2.3	29
197	Appropriate BMI cut-off values for identification of metabolic risk factors: Third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). <i>Annals of Human Biology</i> , 2012, 39, 484-489.	1.2	10
198	Comparing Abilities of Different Lipid Measures in Diagnosis of Insulin Resistance: A Survey of Risk Factors of Non-Communicable Diseases (SuRFNCD-2007) Study. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 63-69.	1.9	3

#	ARTICLE	IF	CITATIONS
199	The Value of Visfatin in the Prediction of Metabolic Syndrome: A Multi-Factorial Analysis. <i>Journal of Cardiovascular Translational Research</i> , 2012, 5, 541-546.	2.1	19
200	Insulin Resistance Is Independently Associated with Liver Aminotransferases in Diabetic Patients Without Ultrasound Signs of Nonalcoholic Fatty Liver Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 111-117.	1.9	25
201	Association of plasma leptin levels and insulin resistance in diabetic women: a cross-sectional analysis in an Iranian population with different results in men and women. <i>Gynecological Endocrinology</i> , 2011, 27, 14-19.	1.8	13
202	Relationship of vascular endothelial growth factor (VEGF) +405 G/C polymorphism and proliferative retinopathy in patients with type 2 diabetes. <i>Translational Research</i> , 2011, 158, 85-91.	4.0	21
203	Serum visfatin is associated with type 2 diabetes mellitus independent of insulin resistance and obesity. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, 154-158.	5.9	48
204	Serum interleukin-1 and interleukin-6 are correlated neither with oxidized low density lipoprotein, nor with low-grade inflammation in patients with type 2 diabetes. <i>European Cytokine Network</i> , 2011, 22, 107-112.	1.1	8
205	Oxidized Low-Density Lipoprotein Is Negatively Correlated With Lecithin-Cholesterol Acyltransferase Activity in Type 2 Diabetes Mellitus. <i>American Journal of the Medical Sciences</i> , 2011, 341, 92-95.	0.9	24
206	Contribution of Serum Leptin to Metabolic Syndrome in Obese and Nonobese Subjects. <i>Archives of Medical Research</i> , 2011, 42, 244-251.	2.5	32
207	Leptin cut-off values for determination of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). <i>Endocrine</i> , 2011, 40, 117-123.	2.5	14
208	Epidemiology and risk factors of the cardiometabolic syndrome in the Middle East. <i>Expert Review of Cardiovascular Therapy</i> , 2011, 9, 309-320.	1.8	13
209	Metformin restores the correlation between serum-oxidized LDL and leptin levels in type 2 diabetic patients. <i>Redox Report</i> , 2011, 16, 193-200.	6.2	14
210	Vascular endothelial growth factor (VEGF) +405 C/G polymorphism is associated with essential hypertension in a population from Tehran of Iran. <i>Molecular Biology Reports</i> , 2011, 39, 6213-6218.	2.5	18
211	The role of vascular endothelial growth factor +405 G/C polymorphism and albuminuria in patients with type 2 diabetes mellitus. <i>Molecular Biology Reports</i> , 2011, 39, 881-886.	2.5	17
212	Association of +45(T/G) and +276(G/T) polymorphisms in the adiponectin gene with coronary artery disease in a population of Iranian patients with type 2 diabetes. <i>Molecular Biology Reports</i> , 2011, 39, 3791-3797.	2.5	35
213	Graves' disease and gene polymorphism of TNF- α , IL-2, IL-6, IL-12, and IFN- γ . <i>Endocrine</i> , 2010, 37, 344-348.	2.5	33
214	Clustering of leptin and physical activity with components of metabolic syndrome in Iranian population: an exploratory factor analysis. <i>Endocrine</i> , 2010, 38, 206-213.	2.5	13
215	Increased serum HSP70 levels are associated with the duration of diabetes. <i>Cell Stress and Chaperones</i> , 2010, 15, 959-964.	2.6	115
216	Serum Oxidized LDL is Associated with Diabetes Duration Independent of Maintaining Optimized Levels of LDL Cholesterol. <i>Lipids</i> , 2010, 45, 321-327.	1.3	70

#	ARTICLE	IF	CITATIONS
217	Physical activity is correlated with serum leptin independent of obesity: results of the national surveillance of risk factors of noncommunicable diseases in Iran (SuRFNCD-2007). <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1730-1735.	9.1	16
218	Clustering of metabolic syndrome components in a Middle Eastern diabetic and non-diabetic population. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, .	3.5	33
219	Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). <i>Nutrition and Metabolism</i> , 2010, 7, 26.	3.7	172
220	Trends of diabetes according to body mass index levels in Iran: results of the national Surveys of Risk Factors of Non-Communicable Diseases (1999-2007). <i>Diabetic Medicine</i> , 2010, 27, 1233-1240.	2.9	22
221	Secular Trends of Obesity in Iran Between 1999 and 2007: National Surveys of Risk Factors of Non-Communicable Diseases. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 209-213.	1.9	72
222	Insulin Resistance and Breast Carcinogenesis: A Cross-Sectional Study Among Iranian Women with Breast Mass. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 411-416.	1.9	5
223	Pattern of tobacco use among the Iranian adult population: results of the national Survey of Risk Factors of Non-Communicable Diseases (SuRFNCD-2007). <i>Tobacco Control</i> , 2010, 19, 125-128.	3.6	156
224	The interleukin-1 family gene polymorphisms and Graves' disease. <i>Annales D'Endocrinologie</i> , 2010, 71, 281-285.	0.3	8
225	ADMA is a correlate of insulin resistance in early-stage diabetes independent of hs-CRP and body adiposity. <i>Annales D'Endocrinologie</i> , 2010, 71, 303-308.	0.3	14
226	Metabolic syndrome is linked to a mild elevation in liver aminotransferases in diabetic patients with undetectable non-alcoholic fatty liver disease by ultrasound. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, .	3.5	31
227	Menopause is an independent predictor of metabolic syndrome in Iranian women. <i>Maturitas</i> , 2010, 65, 262-266.	2.9	164
228	The relationship between ACE gene insertion/deletion polymorphism and diabetic retinopathy in Iranian patients with type 2 diabetes. <i>Ophthalmic Genetics</i> , 2010, 31, 108-113.	1.2	21
229	Serum heat shock protein 70 and oxidized LDL in patients with type 2 diabetes: does sex matter?. <i>Cell Stress and Chaperones</i> , 2010, 16, 195-201.	2.6	28
230	Graves' ophthalmopathy and gene polymorphisms in interleukin-1 β , interleukin-1 γ , interleukin-1 receptor and interleukin-1 receptor antagonist. <i>Clinical and Experimental Ophthalmology</i> , 2009, 37, 614-619.	2.9	31
231	Third national surveillance of risk factors of non-communicable diseases (SuRFNCD-2007) in Iran: methods and results on prevalence of diabetes, hypertension, obesity, central obesity, and dyslipidemia. <i>BMC Public Health</i> , 2009, 9, .	3.1	272
232	The economic costs of diabetes: a population-based study in Tehran, Iran. <i>Diabetologia</i> , 2009, 52, 1520-1527.	7.6	108
233	Insulin resistance is an independent correlate of increased urine albumin excretion: a cross-sectional study in Iranian Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2009, 26, 177-181.	2.9	26
234	Association of CTLA-4 gene polymorphism with Graves' disease and ophthalmopathy in Iranian patients. <i>European Journal of Internal Medicine</i> , 2009, 20, 424-428.	2.7	25

#	ARTICLE	IF	CITATIONS
235	Association between physical activity and insulin resistance in Iranian adults: National Surveillance of Risk Factors of Non-Communicable Diseases (SuRFNCD-2007). <i>Preventive Medicine</i> , 2009, 49, 402-406.	2.8	30
236	Association between physical activity and metabolic syndrome in Iranian adults: national surveillance of risk factors of noncommunicable diseases (SuRFNCD-2007). <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1347-1355.	9.1	32
237	Association of oxidized low-density lipoprotein and transforming growth factor-beta in type 2 diabetic patients: a cross-sectional study. <i>Translational Research</i> , 2009, 153, 86-90.	4.0	12
238	Association of Serum Leptin Levels With Homeostasis Model Assessmentâ€“Estimated Insulin Resistance and Metabolic Syndrome: The Key Role of Central Obesity. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 447-452.	1.9	53
239	Optimal threshold of homeostasis model assessment for insulin resistance in an Iranian population: The implication of metabolic syndrome to detect insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2009, 84, 279-287.	5.9	66
240	The economic costs of diabetes in Iran: some concerns and recommendations. Reply to Khuwaja AK, Khowaja LA, Cosgrove P [letter]. <i>Diabetologia</i> , 2009, 53, 391-392.	7.6	1
241	Metabolic syndrome is independently associated with microalbuminuria in type 2 diabetes. <i>Acta Diabetologica</i> , 2009, 47, 125-130.	2.3	17
242	Association of macroalbuminuria with oxidized LDL and TGF- β 2 in type 2 diabetic patients: a caseâ€“control study. <i>International Urology and Nephrology</i> , 2009, 42, 487-492.	1.4	10
243	Genetic susceptibility to Gravesâ€™ ophthalmopathy: the role of polymorphisms in proinflammatory cytokine genes. <i>Eye</i> , 2009, 24, 1058-1063.	2.1	29
244	Metabolic Syndrome and Insulin Resistance Significantly Correlate with Body Mass Index. <i>Archives of Medical Research</i> , 2008, 39, 803-808.	2.5	49
245	Albuminuria and its correlates in an Iranian type 2 diabetic population. <i>Lipids in Health and Disease</i> , 2008, 7, .	3.8	6
246	HbA1c negatively correlates with LCAT activity in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 38-41.	5.9	29
247	Waist circumference cut-off points for the diagnosis of metabolic syndrome in Iranian adults. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 104-107.	5.9	77
248	Prevalence, Awareness, Treatment, and Risk Factors Associated With Hypertension in the Iranian Population: The National Survey of Risk Factors for Noncommunicable Diseases of Iran. <i>American Journal of Hypertension</i> , 2008, 21, 620-626.	2.0	130
249	Prevalence of Diabetes and Impaired Fasting Glucose in the Adult Population of Iran: National Survey of Risk Factors for Non-Communicable Diseases of Iran. <i>Diabetes Care</i> , 2008, 31, 96-98.	6.2	302
250	HOMA-Estimated Insulin Resistance Is Associated with Hypertension in Iranian Diabetic and Non-Diabetic Subjects. <i>Clinical and Experimental Hypertension</i> , 2008, 30, 297-307.	3.1	14
251	Pre-tibial myxedema is associated with polymorphism in exon 1 of CTLA-4 gene in patients with Gravesâ€™ ophthalmopathy. <i>Archives of Dermatological Research</i> , 2008, 301, 719-723.	1.6	14
252	Title is missing!. <i>Cardiovascular Diabetology</i> , 2006, 5, 15.	9.4	68

#	ARTICLE	IF	CITATIONS
253	Effect of renal transplantation on sperm quality and sex hormone levels. <i>BJU International</i> , 2003, 92, 281-283.	3.2	112
254	Challenges to Lifestyle Medicine for Type 2 Diabetes in Iran: A Synoptic Review. <i>American Journal of Lifestyle Medicine</i> , 0, 19, 534-547.	2.2	1
255	Lipid Accumulation Product Index as a Marker of Metabolic Syndrome in Women With Polycystic Ovary Syndrome: A Systematic Review and Meta-Analysis. <i>Endocrinology, Diabetes and Metabolism</i> , 0, 8, .	2.4	2
256	Association Between Serum Vitamin D and Albuminuria in Type 2 Diabetes Independent of Inflammatory Markers and Renal Function. <i>Endocrinology, Diabetes and Metabolism</i> , 0, 8, .	2.4	0
257	Trends of metabolic syndrome among Iranian patients with diabetes and its association with cardiovascular disease and diabetes complications: a nationwide study of the National Program for Prevention and Control of Diabetes. <i>BMC Endocrine Disorders</i> , 0, 25, .	2.9	0
258	Low Ankle-Brachial Index Is Associated With Albuminuria and Diabetic Kidney Disease in Type 2 Diabetes; A Cross Sectional Study. <i>Endocrinology, Diabetes and Metabolism</i> , 0, 8, .	2.4	0
259	Glycogenic Hepatopathy: A Case Report of an Underdiagnosed Complication of Poorly Controlled Diabetes Mellitus. <i>Clinical Case Reports (discontinued)</i> , 0, 13, .	0.6	0