

Xueyong Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5479312/xueyong-wei-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

1,221
citations

16
h-index

30
g-index

125
ext. papers

1,571
ext. citations

4.1
avg, IF

5
L-index

#	Paper	IF	Citations
109	A review on slip models for gas microflows. <i>Microfluidics and Nanofluidics</i> , 2012 , 13, 845-882	2.8	207
108	Lipid-AuNPs@PDA nanohybrid for MRI/CT imaging and photothermal therapy of hepatocellular carcinoma. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 14266-77	9.5	133
107	Emerging microfluidic devices for cell lysis: a review. <i>Lab on A Chip</i> , 2014 , 14, 1060-73	7.2	102
106	A MEMS resonant accelerometer for low-frequency vibration detection. <i>Sensors and Actuators A: Physical</i> , 2018 , 283, 151-158	3.9	37
105	Hydrothermal synthesis of flower-like In ₂ O ₃ as a chemiresistive isoprene sensor for breath analysis. <i>Sensors and Actuators B: Chemical</i> , 2020 , 309, 127788	8.5	33
104	A low noise capacitive MEMS accelerometer with anti-spring structure. <i>Sensors and Actuators A: Physical</i> , 2019 , 296, 79-86	3.9	33
103	Synchronization of electrically coupled micromechanical oscillators with a frequency ratio of 3:1. <i>Applied Physics Letters</i> , 2018 , 112, 013503	3.4	26
102	A net-shape fabrication process of alumina micro-components using a soft lithography technique. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 193-198	2	25
101	Electrochemical methods for detection of biomarkers of Chronic Obstructive Pulmonary Disease in serum and saliva. <i>Biosensors and Bioelectronics</i> , 2019 , 142, 111453	11.8	21
100	A Sensitivity Tunable Accelerometer Based on Series-Parallel Electromechanically Coupled Resonators Using Mode Localization. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 3-13	2.5	21
99	Multiphysics vibration FE model of piezoelectric macro fibre composite on carbon fibre composite structures. <i>Composites Part B: Engineering</i> , 2019 , 161, 376-385	10	21
98	Sensitivity enhancement of a resonant mass sensor based on internal resonance. <i>Applied Physics Letters</i> , 2018 , 113, 223505	3.4	21
97	Frequency locking in the internal resonance of two electrostatically coupled micro-resonators with frequency ratio 1:3. <i>Mechanical Systems and Signal Processing</i> , 2021 , 146, 106981	7.8	20
96	Study of ZnS Nanostructures Based Electrochemical and Photoelectrochemical Biosensors for Uric Acid Detection. <i>Sensors</i> , 2017 , 17,	3.8	19
95	Temperature dependent electrical resistivity of a single strand of ferromagnetic single crystalline nanowire. <i>Applied Physics Letters</i> , 2009 , 95, 013112	3.4	19
94	A high resolution tilt measurement system based on multi-accelerometers. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017 , 109, 215-222	4.6	16
93	Fabrication of NiAl ₂ O ₃ composite microcomponent by electroforming. <i>Microelectronic Engineering</i> , 2007 , 84, 1256-1259	2.5	16

92	Differential piezoresistive sensing in a bulk-mode micromechanical resonator. <i>Micro and Nano Letters</i> , 2013 , 8, 107-110	0.9	14
91	Effects of phase delay on synchronization in a nonlinear micromechanical oscillator. <i>Applied Physics Letters</i> , 2019 , 114, 233501	3.4	13
90	Large-scale fabrication of ordered metallic hybrid nanostructures. <i>Optics Express</i> , 2008 , 16, 11888-93	3.3	13
89	A MEMS based Fabry-Pérot accelerometer with high resolution. <i>Microsystem Technologies</i> , 2020 , 26, 1961-1969	1.7	13
88	Graded Interlocks for Iontronic Pressure Sensors with High Sensitivity and High Linearity over a Broad Range.. <i>ACS Nano</i> , 2022 ,	16.7	13
87	Programmable synchronization enhanced MEMS resonant accelerometer. <i>Microsystems and Nanoengineering</i> , 2020 , 6, 63	7.7	12
86	Frequency stability improvement for piezoresistive micromechanical oscillators via synchronization. <i>AIP Advances</i> , 2017 , 7, 035204	1.5	11
85	Nanorobotic System iTRo for Controllable 1D Micro/nano Material Twisting Test. <i>Scientific Reports</i> , 2017 , 7, 3077	4.9	11
84	Slip flow and heat transfer in microbearings with fractal surface topographies. <i>International Journal of Heat and Mass Transfer</i> , 2012 , 55, 7223-7233	4.9	11
83	Determination of young's modulus of electrochemically co-deposited Ni-Al ₂ O ₃ nanocomposite. <i>Materials Letters</i> , 2008 , 62, 1916-1918	3.3	11
82	Temperature compensation for MEMS resonant accelerometer based on genetic algorithm optimized backpropagation neural network. <i>Sensors and Actuators A: Physical</i> , 2020 , 316, 112393	3.9	11
81	Nonlinear coupling of flexural mode and extensional bulk mode in micromechanical resonators. <i>Applied Physics Letters</i> , 2016 , 109, 224102	3.4	11
80	Frequency latching in nonlinear micromechanical resonators. <i>Applied Physics Letters</i> , 2017 , 110, 143506	3.4	10
79	Acoustic-Controlled Bubble Generation and Fabrication of 3D Polymer Porous Materials. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 22318-22326	9.5	10
78	Plastic Deformation of Micromachined Silicon Diaphragms with a Sealed Cavity at High Temperatures. <i>Sensors</i> , 2016 , 16, 204	3.8	10
77	A Manganin Thin Film Ultra-High Pressure Sensor for Microscale Detonation Pressure Measurement. <i>Sensors</i> , 2018 , 18,	3.8	9
76	Analytical formulation of modal frequency split in the elliptical mode of SCS micromechanical disk resonators. <i>Journal of Micromechanics and Microengineering</i> , 2014 , 24, 025011	2	9
75	Fabrication of large-area nickel nanobump arrays. <i>Microelectronic Engineering</i> , 2009 , 86, 871-873	2.5	9

74	Nonlinear Dynamics of a Periodically Driven Duffing Resonator Coupled to a Van der Pol Oscillator. <i>Mathematical Problems in Engineering</i> , 2011 , 2011, 1-16	1.1	9
73	Thick photoresists for electroforming metallic microcomponents. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2008 , 222, 37-42	1.3	9
72	Single-electron detection utilizing coupled nonlinear microresonators. <i>Microsystems and Nanoengineering</i> , 2020 , 6, 78	7.7	9
71	A Novel Single-Axis MEMS Tilt Sensor with a High Sensitivity in the Measurement Range from 0 to 360. <i>Sensors</i> , 2018 , 18,	3.8	8
70	Effect of nonlinearity and axial force on frequency drift of a T-shaped tuning fork micro-resonator. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 125012	2	8
69	Anomalous amplitude-frequency dependence in a micromechanical resonator under synchronization. <i>Nonlinear Dynamics</i> , 2021 , 103, 467-479	5	8
68	Synthesis of fluorescent core-shell nanomaterials and strategies to generate white light. <i>Journal of Applied Physics</i> , 2015 , 118, 044305	2.5	7
67	Design and Fabrication of a Nonlinear Micro Impact Oscillator. <i>Procedia Chemistry</i> , 2009 , 1, 855-858		7
66	Impact of Manufacturing Variation on the Performance of Coupled Micro Resonator Array for Mass Detection Sensor. <i>Procedia Chemistry</i> , 2009 , 1, 831-834		7
65	Fabrication of Nickel Nanostructure Arrays Via a Modified Nanosphere Lithography. <i>Nanoscale Research Letters</i> , 2011 , 6, 25	5	7
64	Thermal conductivity and interfacial thermal resistance in the heterostructure of silicon/amorphous silicon dioxide: the strain and temperature effect. <i>Nanotechnology</i> , 2020 , 31, 505703 ³⁻⁴		7
63	Hierarchical Pt-decorated In ₂ O ₃ microspheres with highly enhanced isoprene sensing properties. <i>Ceramics International</i> , 2021 , 47, 9477-9485	5.1	7
62	Focused surface acoustic waves induced microdroplets generation and its application for microgels. <i>Sensors and Actuators B: Chemical</i> , 2019 , 291, 1-8	8.5	6
61	Internal resonance between the extensional and flexural modes in micromechanical resonators. <i>Journal of Applied Physics</i> , 2019 , 126, 164506	2.5	6
60	2011 ,		6
59	Fabrication and quality factor control of a microelectromechanical system resonator with linear differential drive. <i>IET Science, Measurement and Technology</i> , 2010 , 4, 206-213	1.5	6
58	Acoustic valves in microfluidic channels for droplet manipulation. <i>Lab on A Chip</i> , 2021 , 21, 3165-3173	7.2	6
57	Intra-droplet particle enrichment in a focused acoustic field.. <i>RSC Advances</i> , 2020 , 10, 11565-11572	3.7	5

56	Phase switch in the stochastic response of a micromechanical beam resonator. <i>Acta Mechanica</i> , 2018 , 229, 2177-2187	2.1	5
55	Design of SAW sensor for longitudinal strain measurement with improved sensitivity. <i>Microsystem Technologies</i> , 2019 , 25, 351-359	1.7	5
54	A MEMS accelerometer based on synchronizing DETF oscillators 2019 ,		5
53	A Numerical Feasibility Study of Kinetic Energy Harvesting from Lower Limb Prosthetics. <i>Energies</i> , 2019 , 12, 3824	3.1	5
52	Effect of surface roughness on rarefied-gas heat transfer in microbearings. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2012 , 376, 789-794	2.3	5
51	A preliminary study into emergent behaviours in a lattice of interacting nonlinear resonators and oscillators. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2011 , 16, 2945-2956	3.7	5
50	Analysis of manufacturing variation in a coupled microresonators array based on its designed values and measured eigenfrequencies. <i>Micro and Nano Letters</i> , 2010 , 5, 300	0.9	5
49	Analytical Study and Thermal Compensation for Capacitive MEMS Accelerometer With Anti-Spring Structure. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 1389-1400	2.5	5
48	Design and numerical performance analysis of a microgravity accelerometer with quasi-zero stiffness. <i>Smart Materials and Structures</i> , 2020 , 29, 075018	3.4	5
47	Frequency characteristics and thermal compensation of MEMS devices based on geometric anti-spring. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 085014	2	4
46	Research of a Novel Ultra-High Pressure Sensor with High-Temperature Resistance. <i>Micromachines</i> , 2017 , 9,	3.3	4
45	Structural design of microfluidic channels for blood plasma separation. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 7419-26	1.3	4
44	Recent developments in the fabrication of ordered nanostructure arrays based on nanosphere lithography. <i>Recent Patents on Nanotechnology</i> , 2010 , 4, 194-204	1.2	4
43	Construction of core-shell microcapsules focused surface acoustic wave microfluidics. <i>Lab on A Chip</i> , 2020 , 20, 3104-3108	7.2	4
42	Sensitivity improvement of SAW pressure sensors based on finite element analysis 2016 ,		4
41	Comparison Study of Three Readout Methods for a Capacitive MEMS Accelerometer 2018 ,		4
40	A vibrating membrane working electrode for highly sensitive anodic stripping voltammetry. <i>Sensors and Actuators B: Chemical</i> , 2020 , 311, 127948	8.5	3
39	A digital low-frequency geophone based on 4th-order sigma-delta modulator and single-coil velocity feedback. <i>Sensors and Actuators A: Physical</i> , 2020 , 312, 112074	3.9	3

38	Closed-loop capacitive readout based on mode localization effect in weakly-coupled RLC circuits. <i>Sensors and Actuators A: Physical</i> , 2020 , 304, 111904	3.9	3
37	Robot-aided FEM torque sensing within an ultrawide dynamic range. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 2	7.7	3
36	Research on a Micro-Processing Technology for Fabricating Complex Structures in Single-Crystal Quartz. <i>Micromachines</i> , 2020 , 11,	3.3	2
35	Amplitude response of a unilaterally constrained nonlinear micromechanical resonator. <i>Micro and Nano Letters</i> , 2012 , 7, 279	0.9	2
34	Collective Behaviour in a Square Lattice of Driven Duffing Resonators Coupled to van der Pol Oscillators 2010 ,		2
33	Effects of strain on thermal conductivity of silicon dioxide thin films using test method based on 3- μ technique and uniaxial strain setup. <i>Review of Scientific Instruments</i> , 2020 , 91, 084901	1.7	2
32	A high-resolution resonant torque sensor based on MEMS quartz resonator. <i>Sensors and Actuators A: Physical</i> , 2021 , 320, 112579	3.9	2
31	Asymmetric phononic frequency comb in a rhombic micromechanical resonator. <i>Applied Physics Letters</i> , 2021 , 118, 223502	3.4	2
30	Surface acoustic wave (SAW) - induced particle rotation and aggregation in microdroplet 2016 ,		2
29	Experimental Study of pre-Stressed Micromechanical anti-Spring Structures 2019 ,		2
28	A Compact Optical MEMS Pressure Sensor Based on Fabry-Pérot Interference.. <i>Sensors</i> , 2022 , 22,	3.8	2
27	Two-dimensional metamaterials as meta-foams for optimized surface-enhanced solar steam generation. <i>Solar Energy Materials and Solar Cells</i> , 2022 , 243, 111793	6.4	2
26	Seesaw Capacitive Structure as an Electrostatically Actuated Nonlinear Impact Resonator. <i>Sensors and Actuators A: Physical</i> , 2020 , 315, 112279	3.9	1
25	In-plane Dual-axis MEMS Resonant Accelerometer with A Uniform Sensitivity 2020 ,		1
24	Design and simulation of a MEMS Fabry-Pérot accelerometer with ultra-low cross-axis sensitivity. <i>Smart Materials and Structures</i> , 2020 , 29, 085029	3.4	1
23	Thermal conduction in amorphous/crystalline silicon superlattices: a molecular dynamics study of the size, temperature, and strain effect. <i>Materials Research Express</i> , 2019 , 6, 115041	1.7	1
22	Highly luminescent ZnS:Mn/ZnS core shell nanoparticles for solid state lightning 2013 ,		1
21	Synthesis and Characterization of Nanoparticulate Strengthened Nickel Microcomponents. <i>Advances in Science and Technology</i> , 2008 , 54, 299-304	0.1	1

20	Electrochemical co-deposition of Nickel-Alumina Nanocomposite for Microsystem Applications 2007,		1
19	Simulation of Rarefied Gas Flow in Microchannel Based on Vorticity-Stream Function Method 2007,		1
18	Noise Analysis and Performance Improvement of a MEMS Fabry-Pérot Seismic Accelerometer. <i>IEEE Sensors Journal</i> , 2022 , 22, 365-372	4	1
17	Optimal Pt mesoporous layer modified nanocomposite film with highly sensitive detection of ethanol at low temperature. <i>Applied Surface Science</i> , 2022 , 578, 151983	6.7	1
16	Amplitude region for triggering frequency locking in internal resonance response of two nonlinearly coupled micro-resonators. <i>International Journal of Non-Linear Mechanics</i> , 2021 , 130, 103673	2.8	1
15	A MEMS resonant tilt sensor with high sensitivity maintained in the whole 360° measurement range 2016,		1
14	Micromechanical vibration absorber for frequency stability improvement of DETF oscillator. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 045005	2	1
13	A probe-type high-precision micro-force sensor based on quartz DETF resonator. <i>Measurement Science and Technology</i> , 2021 , 32, 115107	2	1
12	Frequency comb in 1:3 internal resonance of coupled micromechanical resonators. <i>Applied Physics Letters</i> , 2022 , 120, 173506	3.4	1
11	MEMS based ultra-high order frequency multiplication utilizing superharmonic synchronization effect. <i>Sensors and Actuators A: Physical</i> , 2021 , 332, 113152	3.9	0
10	Fluorescent labeling based acoustofluidic screening of Japanese encephalitis virus. <i>Sensors and Actuators B: Chemical</i> , 2020 , 322, 128649	8.5	0
9	Capacitance Detection Based on High Order Synchronization Sensing. <i>IEEE Sensors Journal</i> , 2021 , 21, 16780-16789	4	0
8	Phase-delay induced variation of synchronization bandwidth and frequency stability in a micromechanical oscillator. <i>Nonlinear Dynamics</i> , 2021 , 105, 2981-2994	5	0
7	Acid vapor oxidation growth of SnO ₂ nanospheres with ultra-high sensitivity to ethanol detection at low temperature. <i>Journal of Alloys and Compounds</i> , 2022 , 905, 164229	5.7	0
6	Microfluidic acoustic valve for capturing locomotive microorganism without anesthesia. <i>Sensors and Actuators A: Physical</i> , 2022 , 113568	3.9	0
5	Mode interaction induced response flattening in two mechanically coupled micro-resonators. <i>Mechanical Systems and Signal Processing</i> , 2022 , 177, 109164	7.8	0
4	A rapid fluorescent aptasensor for point-of-care detection of C-reactive protein. <i>Talanta</i> , 2022 , 249, 123661		0
3	Effect of Joule heating on the performance of micromechanical piezoresistive oscillator. <i>Sensors and Actuators A: Physical</i> , 2021 , 333, 113234	3.9	

- 2 Effect of regulating compressive strains on thermal transport of silicon-based amorphous silica thin films and interfacial thermal resistance. *Vacuum*, **2021**, 110676 3-7
- 1 Amplifying charge-sensing in micromechanical oscillators based on synchronization. *Sensors and Actuators A: Physical*, **2022**, 339, 113517 3-9