

Huai-Ming Hu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5479541/huai-ming-hu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

211
papers

3,940
citations

28
h-index

50
g-index

225
ext. papers

4,209
ext. citations

3.4
avg, IF

5.18
L-index

#	Paper	IF	Citations
211	Self-assembly of an interlaced triple-stranded molecular braid with an unprecedented topology through hydrogen-bonding interactions. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 3864-7	16.4	182
210	Tuning the triplet energy levels of pyrazolone ligands to match the 5D0 level of europium(III). <i>Inorganic Chemistry</i> , 2005 , 44, 8929-36	5.1	178
209	Ligand and pH-Controlled ZnII Bilayer Coordination Polymers Based on Biphenyl-3,3',4,4'-tetracarboxylate. <i>Crystal Growth and Design</i> , 2007 , 7, 1514-1521	3.5	135
208	Auxiliary ligand-directed structural variation from 2D-BD polythreaded net to 3-fold interpenetrating 3D pillar-layered framework: syntheses, crystal structures and magnetic properties. <i>Dalton Transactions</i> , 2012 , 41, 2560-3	4.3	110
207	Direct asymmetric dearomatization of 2-naphthols by scandium-catalyzed electrophilic amination. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2356-60	16.4	107
206	A novel 1D armed-polyrotaxane chain constructed from a V-shaped tetracarboxylate ligand. <i>CrystEngComm</i> , 2008 , 10, 479	3.3	105
205	An investigation of the self-assembly of neutral, interlaced, triple-stranded molecular braids. <i>Chemistry - A European Journal</i> , 2006 , 12, 6281-9	4.8	104
204	Synthesis and characterization of novel nickel(II) complexes bearing N,P ligands and their catalytic activity in ethylene oligomerization. <i>New Journal of Chemistry</i> , 2002 , 26, 1474-1478	3.6	86
203	Three Novel Heterobimetallic Cd/ZnIIa Coordination Polymers: Syntheses, Crystal Structure, and Luminescence. <i>Crystal Growth and Design</i> , 2008 , 8, 3706-3712	3.5	84
202	Synthesis, Crystal Structure, and Luminescence of Zn/Cd Coordination Polymers with a New Functionalized Terpyridyl Carboxylate Ligand. <i>Crystal Growth and Design</i> , 2014 , 14, 1629-1641	3.5	78
201	Synthesis, Structure, White-Light Emission, and Temperature Recognition Properties of Eu/Tb Mixed Coordination Polymers. <i>Inorganic Chemistry</i> , 2016 , 55, 871-6	5.1	73
200	Four novel Zn(II)/Cd(II) metal-organic frameworks constructed from 4'-(4-pyridyl)-4,2':6',4'-terpyridine: hydrothermal synthesis, crystal structures, and luminescent properties. <i>CrystEngComm</i> , 2010 , 12, 485-492	3.3	66
199	New Examples of Metal Coordination Architectures of 4,4'-Sulfonyldibenzoic Acid: Syntheses, Crystal Structure and Luminescence. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 239-250	2.3	60
198	Effect of pH/metal ion on the structure of metal-organic frameworks based on novel bifunctionalized ligand 4'-carboxy-4,2':6',4'-terpyridine. <i>CrystEngComm</i> , 2013 , 15, 1460	3.3	59
197	Lanthanide coordination polymers constructed from the asymmetrical N-heterocyclic rigid carboxylate: Synthesis, crystal structures, luminescence properties and magnetic properties. <i>Polyhedron</i> , 2019 , 161, 47-55	2.7	58
196	A novel bimetallic cage complex constructed from six V4Co pentatomic rings: hydrothermal synthesis and crystal structure of [(2,2'-Py2NH)2Co]3V8O23. <i>Chemical Communications</i> , 2001 , 1636-7	5.8	50
195	Fluorinated 9,9'-spirobifluorene derivatives as host materials for highly efficient blue organic light-emitting devices. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 2183	7.1	47

194	A series of lanthanide coordination polymers with 4'-(4-carboxyphenyl)-2,2':6',2''-terpyridine: Syntheses, crystal structures and luminescence properties. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 484-488	3.1	46
193	An investigation of the positional isomeric effect of terpyridine derivatives: Self-assembly of novel cadmium coordination architectures driven by N-donor covalence and π - π non-covalent interactions. <i>Polyhedron</i> , 2008 , 27, 1517-1526	2.7	43
192	Vanadium-substituted heteropolyacids immobilized on amine- functionalized mesoporous MCM-41: A recyclable catalyst for selective oxidation of alcohols with H ₂ O ₂ . <i>Materials Research Bulletin</i> , 2014 , 57, 210-220	5.1	40
191	Hydrothermal syntheses and crystal structures of two-dimensional (2D) layered vanadium oxide complexes: M(bipy)(H ₂ O)V ₂ O ₆ (M = Ni, Co, bipy = bipyridine) and [Ni(bipy) ₂ V ₆ O ₁₇]. <i>Dalton Transactions RSC</i> , 2002 , 598		39
190	In situ hydrothermal syntheses, crystal structures and luminescent properties of two novel zinc(II) coordination polymers based on tetrapyridyl ligand. <i>Inorganica Chimica Acta</i> , 2011 , 366, 134-140	2.7	36
189	Synthesis, structure, and catalytic ethylene oligomerization of nickel(II) and cobalt(II) complexes with symmetrical and unsymmetrical 2,9-diaryl-1,10-phenanthroline ligands. <i>Inorganica Chimica Acta</i> , 2009 , 362, 89-96	2.7	35
188	New TTF derivatives with pyridine groups: synthesis, electrochemical studies, crystal structure and formation of conducting LB films. <i>Synthetic Metals</i> , 2003 , 132, 249-255	3.6	33
187	Hydrothermal Syntheses, Crystal Structures, and Luminescence Properties of Lanthanide-Based Coordination Polymers Constructed by Sulfonate Functionalized Imidazophenanthroline Derivative Ligand. <i>Crystal Growth and Design</i> , 2015 , 15, 2318-2329	3.5	32
186	The first example of tetranuclear lanthanide complexes with 2-sulfobenzoate and 1,10-phenanthroline. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 345-348	3.1	31
185	A Novel Mixed-Valence Cu ^I /Cu ^{II} Coordination Polymer: Solvothermal Synthesis, Crystal Structure, and Magnetic Properties of Cu ^I Cu ^{II} (2-Pyrazinecarboxylate) ₂ (H ₂ O)(ClO ₄). <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 3618-3622	2.3	30
184	AsMo ₇ O ₂₇ -bridged dinuclear sandwich-type heteropolymolybdates of Cr(III) and Fe(III): magnetism of [MM'(AsMo ₇ O ₂₇) ₂] ¹²⁻ with MM' = FeFe, CrFe, and CrCr. <i>Inorganic Chemistry</i> , 2009 , 48, 10275-80	5.1	29
183	Two sandwich arsenomolybdates based on the new building block As(iii)Mo(7)O(27)(9-): [Cr(2)(AsMo(7)O(27))(2)] ⁽¹²⁻⁾ and [Cu(2)(AsMo(7)O(27))(2)] ⁽¹⁴⁻⁾ . <i>Dalton Transactions</i> , 2008 , 5698-700	4.3	28
182	A neutral 2D nanosized molecular square grid: the first vanadium(II)coordination polymer of norfloxacin. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 241-243	3.1	28
181	Hydrothermal syntheses, crystal structures and luminescence properties of zinc(II) coordination polymers constructed by bifunctional 4'-(4-carboxyphenyl)-3,2':6',3''-terpyridine. <i>Polyhedron</i> , 2013 , 49, 207-215	2.7	27
180	The effect of organic acid on self-assembly process: Syntheses and characterizations of six novel cadmium(II)/zinc(II) complexes derived from mixed ligands. <i>Inorganica Chimica Acta</i> , 2009 , 362, 3475-3483	2.7	26
179	Syntheses and Molecular Structures of Metallasiloxanes Containing Zn ₃ O ₄ and Zn ₆ Si ₆ O ₁₀ Cores. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 51-53	2.3	26
178	Syntheses, crystal structures and luminescence properties of lanthanide-based coordination polymers constructed from a functionalized terpyridyl carboxylate ligand. <i>CrystEngComm</i> , 2016 , 18, 4613-4626	3.3	26
177	Syntheses, structures and magnetic properties of tetranuclear and trinuclear nickel(II) complexes with β -diketone-functionalized pyridinecarboxylate ligand. <i>Inorganica Chimica Acta</i> , 2010 , 363, 3238-3243	2.7	25

- 176 Two novel cadmium(II) coordination polymers based on bis-functionalized ligand 4⁺-(4-carboxyphenyl)-2,2':6',2''-terpyridine. *Inorganic Chemistry Communication*, **2010**, 13, 715-719 3.1 25
- 175 Assembly of two supramolecular structures by metal complexes with a urea-based pyridyl ligand. *Inorganic Chemistry Communication*, **2007**, 10, 563-566 3.1 25
- 174 Large heteropolymetalate complexes formed from lanthanide (Y, Ce, Pr, Nd, Sm, Eu, Gd), nickel cations and cryptate [As₄W₄O₁₄]₂₈ synthesis and structure characterization. *Journal of Molecular Structure*, **2004**, 690, 95-103 3.4 25
- 173 Two luminescent d¹⁰ metal coordination polymers assembled from a semirigid terpyridyl carboxylate ligand with high selective detecting of Cu²⁺, Cr²⁺, O²⁻ and acetone. *Journal of Solid State Chemistry*, **2017**, 251, 79-89 3.3 24
- 172 The effect of the spacer of bis(biurea) ligands on the structure of A₂L₃-type (A=anion) phosphate complexes. *Chemistry - A European Journal*, **2015**, 21, 2588-93 4.8 24
- 171 Effect of pH on the construction of lead coordination polymers by the diverse coordination modes of sulfonate functionalized imidazophenanthroline derivative ligand. *Polyhedron*, **2014**, 81, 517-524 2.7 24
- 170 Three banana-shaped arsenomolybdates encapsulating a hexanuclear transition-metal central magnetic cluster: [As(III)₂Fe(III)₅MMo₂O₈₅(H₂O)]_n- (M = Fe³⁺, n = 14; M = Ni²⁺ and Mn²⁺, n = 15). *Inorganic Chemistry*, **2011**, 50, 9172-7 5.1 24
- 169 Three Hybrid Organic-Inorganic Assemblies Based on Different Arsenatomolybdates and Cu(II)-Organic Units. *Crystal Growth and Design*, **2009**, 9, 5206-5212 3.5 24
- 168 A novel crystal coexisting with two kinds of polyoxomolybdates: [n-Bu₄N]₈[Mo₆O₁₉]₂[H(Mo₈O₂₆)]. *Journal of Molecular Structure*, **2006**, 784, 244-248 3.4 24
- 167 Controllable Supramolecular Assembly by π-Interactions: Cobalt(II) and Copper(II) Complexes with Benzimidazole Derivatives. *Organometallics*, **2002**, 21, 4350-4355 3.8 23
- 166 Charge-Transfer Salts via Cocrystallization of the Cationic Ferrocenyl Donor with Polyoxometalate Acceptors. *Crystal Growth and Design*, **2010**, 10, 1096-1103 3.5 22
- 165 Bi₂WO₆ hollow microspheres with high specific surface area and oxygen vacancies for efficient photocatalysis N₂ fixation. *Chemical Engineering Journal*, **2021**, 414, 128827 14.7 22
- 164 Two new inorganic-organic hybrids based on Keggin polyoxometalate and methylene blue and application in chemically bulk-modified electrode. *Electrochimica Acta*, **2012**, 69, 315-319 6.7 21
- 163 A cage-like polyanion with a Ag⁺ enwrapped, [AgAs₂Mo₁₅O₅₄]₁₁⁻. *Inorganic Chemistry*, **2011**, 50, 2613-8 5.1 21
- 162 Two novel Zn(II) coordination polymers based on trigonal ligand: 4⁺-(4-pyridyl)-3,2':6',3''-terpyridine. *Inorganic Chemistry Communication*, **2009**, 12, 856-859 3.1 21
- 161 The novel sandwich-type heteropolyoxotungstates [M₂Bi₂(β-B-MW₉O₃₄)₂]₁₄⁻ (M = Co(II), Zn(II)); β-type dimeric heteropolyanions with a transition metal as the central heteroatom and Bi(III) and M as linking atoms. *Dalton Transactions*, **2007**, 3634-9 4.3 21
- 160 Synthesis of a novel three-coordinate copper(I) complex: a structural mimic of the reduced form of type 1 site in copper protein. *Inorganica Chimica Acta*, **2004**, 357, 316-320 2.7 21
- 159 Novel silver(I) complexes derived from tetrakis(methylthio)tetrathiafulvalene and bis(ethylenedithio)tetrathiafulvalene with 3D and 1D structures. *New Journal of Chemistry*, **2002**, 26, 490-494 3.6 21

158	Diruthenium(III,III) diphosphonate with a spin ground state $S = 2$. <i>Dalton Transactions</i> , 2013 , 42, 3429-33	4.3	20
157	A series of metal-organic frameworks constructed with 2,2'-bipyridine-3,3'-dicarboxylate: Syntheses, structures, and physical properties. <i>Inorganica Chimica Acta</i> , 2009 , 362, 2686-2697	2.7	20
156	Syntheses, crystal structures and luminescence of 2,6-bis-(5-phenyl-1H-pyrazol-3-yl)pyridine and its d10 metal complexes. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 1025-1034	1.6	20
155	An unusual asymmetric polyoxomolybdate containing mixed-valence antimony and its derivatives: $[Sb_4VSb_2III Mo_18O_73(H_2O)_2]_{12}$ - and $\{M(H_2O)_2[Sb_4VSb_2III Mo_18O_73(H_2O)_2]_2\}_{22}$ - ($M = MnII, FeII, CuI$ or $CoII$). <i>Inorganic Chemistry</i> , 2008 , 47, 2011-6	5.1	20
154	Solvothermal synthesis, crystal structure and photoluminescent property of a novel 3D cadmium(II) coordination polymer containing $[Cd_5(\beta-OH)_2(\beta-OAc)_2]_{6+}$ cores. <i>Inorganic Chemistry Communication</i> , 2007 , 10, 269-272	3.1	20
153	The structure and magnetic properties of a 3D pillared-layer polymer and two helical chains constructed from flexible ligands. <i>Journal of Molecular Structure</i> , 2008 , 888, 344-353	3.4	20
152	Assembly of a novel Ag(I) supramolecular architecture constructed from flexible ligand containing asymmetrical tricarboxylate. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 28-32	3.1	20
151	A family of entangled coordination polymers constructed from a flexible V-shaped long bicarboxylic acid and auxiliary N-donor ligands: Luminescent sensing. <i>Journal of Solid State Chemistry</i> , 2017 , 249, 87-97	3.3	19
150	Two new cobalt(II) coordination polymers based on 4'-(2-carboxyphenyl)-4,2':6',4'-terpyridine: Syntheses, structures and magnetic properties. <i>Polyhedron</i> , 2015 , 96, 88-94	2.7	19
149	Divanadium-Substituted Phosphotungstate Supported on Magnetic Mesoporous Silica Nanoparticles as Effective and Recyclable Catalysts for the Selective Oxidation of Alcohols. <i>ChemCatChem</i> , 2016 , 8, 3680-3687	5.2	19
148	Three novel coordination polymers based on bifunctionalized ligand 4'-(2-carboxyphenyl)-4,2':6',4'-terpyridine. <i>Inorganica Chimica Acta</i> , 2013 , 397, 117-123	2.7	19
147	A diruthenium soft ferromagnet showing $T(c) = 3.0$ K: $Mn_4(H_2O)_{16}[Ru_2(CO_3)_4]_2[Ru_2(CO_3)_4(H_2O)_2]_1 \cdot 1H_2O$. <i>Dalton Transactions</i> , 2012 , 41, 4748-50	4.3	19
146	Imidazole Coordinated Sandwich-type Antimony Poly-oxotungstates $Na_9\{[Na(H_2O)_2]_3[M(C_3H_4N_2)]_3[SbW_9O_{33}]_2\} \cdot xH_2O$ ($M=NIII, CoII, ZnII, MnII$). <i>Chinese Journal of Chemistry</i> , 2007 , 25, 176-181	4.9	19
145	A new family of lanthanide terpyridine nitrate complexes: Solvothermal syntheses, crystal structures and luminescent properties of $[Ln(pytpy)(NO_3)_2(\beta OCH_3)]_2$. <i>Inorganica Chimica Acta</i> , 2008 , 361, 1922-1928	2.7	19
144	Second-Sphere Coordination of the Tris(5, 5'-diamino-2, 2'-bipyridine)iron Complex With Arene-Carboxylate Ligands Through N-H...O Hydrogen Bonding. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004 , 630, 1564-1572	1.3	18
143	1D silver(I) complex of nitronyl nitroxide with strong spin-spin interaction through silver(I) ion. <i>Chemical Communications</i> , 2002 , 44-5	5.8	18
142	Lanthanide coordination frameworks constructed from 3,3',4,4'-diphenylsulfonetetracarboxylic and 1,10-phenanthroline: synthesis, crystal structures and luminescence properties. <i>Dalton Transactions</i> , 2016 , 45, 15436-15444	4.3	18
141	Dy(III) zig-zag chains assembled in a 3D framework with single-molecule magnet behaviour. <i>Dalton Transactions</i> , 2019 , 48, 814-817	4.3	18

- 140 Single-molecule magnet based on a C-type polyoxomolybdate with an S = 11 ground state: [Fe₅CoMo₂₂As₂O₈₅(H₂O)]¹⁵⁻. *Dalton Transactions*, **2013**, 42, 58-62 4.3 17
- 139 Influence of the Size of Aromatic Chelate Ligands on the Structures of Cadmium(II) Tetracarboxylates Polymers: From 2D Layered Network to 3D Metal-Organic Framework. *Zeitschrift Fur Anorganische Und Allgemeine Chemie*, **2007**, 633, 341-345 1.3 17
- 138 Syntheses and characterization of two novel cadmium(II) coordination polymers derived from pyridyl substituted terpyridine and diphenate mixed ligands. *Journal of Molecular Structure*, **2008**, 889, 244-250 3.4 17
- 137 Direct utilization of air and water as feedstocks in the photo-driven nitrogen reduction reaction over a ternary Z-scheme SiW₉Co₃/PDA/BWO hetero-junction. *Journal of Materials Chemistry A*, **2020**, 8, 16590-16598 13 17
- 136 Fluorinated glycidyl azide polymers as potential energetic binders. *RSC Advances*, **2017**, 7, 47271-47278 3.7 16
- 135 Syntheses, structures and luminescent properties of two new zinc coordination polymers based on 4'-(4-aminephenyl)-4,2':6',4'-terpyridine. *Inorganic Chemistry Communication*, **2014**, 48, 26-29 3.1 16
- 134 Organic/inorganic heteropoly blue based on Dawson-type molybdo-sulfate and organic dye and its characterization and application in electrocatalysis. *Electrochimica Acta*, **2013**, 106, 465-471 6.7 16
- 133 A 3D Zn(II) coordination polymer with a new semi-rigid tripodal ligand tecton showing 4-connected three-fold interpenetrating diamond network and helical character. *Inorganic Chemistry Communication*, **2013**, 34, 51-54 3.1 16
- 132 Cu and Fe-doped monolacunary tungstosilicate catalysts with efficient catalytic activity for benzyl alcohol oxidation and simulation gasoline desulfurization. *Materials Research Bulletin*, **2017**, 85, 152-160 5.1 16
- 131 Double sandwich polyoxometalate and its Fe(III) substituted derivative, [As₂Fe₅Mo₂₁O₈₂]¹⁷⁻ and [As₂Fe₆Mo₂₀O₈₀(H₂O)₂]¹⁶⁻. *Inorganic Chemistry*, **2012**, 51, 2318-24 5.1 16
- 130 Two novel Zn(II) coordination polymers based on a carboxylate functionalized imidazophenanthroline derivative ligand. *Inorganic Chemistry Communication*, **2011**, 14, 1406-1409 3.1 16
- 129 Structural diversity of a series of terpyridyl carboxylate coordination polymers: Luminescent sensor and magnetic properties. *Journal of Solid State Chemistry*, **2018**, 258, 588-601 3.3 16
- 128 Lanthanide coordination compounds with 2,2'-bipyridine-6,6'-dicarboxylate: Synthesis, crystal structure, luminescence and magnetic property. *Inorganica Chimica Acta*, **2015**, 434, 104-112 2.7 15
- 127 Hydrothermal syntheses, crystal structures and luminescence properties of zinc(II) and cadmium(II) coordination polymers based on bifunctional 3,2':6',3''-terpyridine-4'-carboxylic acid. *Journal of Solid State Chemistry*, **2013**, 198, 416-423 3.3 15
- 126 Synthesis and crystal structure of the cryptate complex [Gd(L) (DMF)]⁺ [KSCN]⁻ [CH₃CN]⁺ [3H₂O] (L is a deprotonated phenol-based N803 cryptand). *Polyhedron*, **1997**, 16, 321-325 2.7 15
- 125 A new multi-cobalt-substituted C-shaped polyoxotungstogermanate, [(CoOH₂)Co₂GeW₉O₃₄]₂(GeW₆O₂₆)₂₀. *Inorganic Chemistry Communication*, **2010**, 13, 98-100 3.1 14
- 124 Synthesis and crystal structure of a new charge transfer salt [NBu₄]⁺ [6H][Fe(C₅H₅)₂]⁻ [PMoVMo₁₁O₄₀]₂. *Journal of Molecular Structure*, **2006**, 787, 101-105 3.4 14
- 123 Self-Assembly of an Interlaced Triple-Stranded Molecular Braid with an Unprecedented Topology through Hydrogen-Bonding Interactions. *Angewandte Chemie*, **2005**, 117, 3932-3935 3.6 14

- 122 The crystal and molecular structure of bis(melamine)silver(I) perchlorate, $\text{Ag}(\text{C}_3\text{H}_6\text{N}_6)_2\text{ClO}_4$. *Journal of Chemical Crystallography*, **1999**, 29, 239-242 0.5 14
- 121 Syntheses, structures and luminescence for zinc coordination polymers based on a multifunctional 4'-(3-carboxyphenyl)-3,2':6',3'-terpyridine ligand. *Journal of Solid State Chemistry*, **2016**, 239, 121-130 3.3 14
- 120 Syntheses, structures and magnetic properties of four new coordination polymers based on 4'-(2-carboxy-4,2':6',4'-terpyridine). *Inorganica Chimica Acta*, **2015**, 430, 17-23 2.7 13
- 119 Preparation, crystal structures, EPR and reflectance spectra of two new charge-transfer salts, $[\text{CpFeCpCH}_2\text{N}(\text{CH}_3)_3]_4[\text{XMo}_{12}\text{O}_{40}]\text{hCH}_3\text{CN}$ ($n=0$ for $\text{X}=\text{P}$ or $n=1$ for $\text{X}=\text{Ge}$). *Journal of Organometallic Chemistry*, **2009**, 694, 2210-2216 2.3 13
- 118 A new sandwich polyoxometalate based on Keggin-type monolacunary polyoxotungstoborate anion, $[\text{Zr}(\text{BW}_{11}\text{O}_{39})_2]_{14}$. *Inorganic Chemistry Communication*, **2009**, 12, 853-855 3.1 13
- 117 Effects of the size of aromatic chelate ligands and d10 metal ions on the structures of dicarboxylate complexes: From dinuclear molecule to helical chains and 2D network. *Journal of Molecular Structure*, **2008**, 891, 364-369 3.4 13
- 116 Syntheses, structures and luminescent properties of two new two-fold interpenetrating 2D coordination polymers based on 4'-(4-carboxyphenyl)-4,2':6',4'-terpyridine. *Inorganic Chemistry Communication*, **2015**, 56, 1-4 3.1 12
- 115 Assembly of two novel cadmium(II) supramolecular architectures constructed from pyridine-functionalized 1,10-phenanthroline ligand. *Inorganica Chimica Acta*, **2009**, 362, 3963-3968 2.7 12
- 114 Structural and property characterization of two new charge-transfer salts based on Keggin ions and ferrocene. *Journal of Molecular Structure*, **2009**, 920, 436-440 3.4 12
- 113 A zirconium-containing sandwich-type dimer based on trivacant Keggin and $[\text{GeW}_9\text{O}_{34}]_{10}$ units, $[\text{Zr}_3\text{O}(\text{OH})_2(\text{EGeW}_9\text{O}_{34})(\text{EGeW}_9\text{O}_{34})]_{12}$. *Inorganic Chemistry Communication*, **2009**, 12, 1035-1037 3.1 12
- 112 Syntheses and characterization of five d10 coordination polymers derived from phenanthroline derivative and dicarboxylate mixed ligands. *Inorganica Chimica Acta*, **2010**, 363, 2590-2599 2.7 12
- 111 A Dimeric Fe(III)-Substituted Keggin Tungstogermanate: $\{[\text{EGeFe}_2\text{W}_{10}\text{O}_{38}(\text{OH})_2]_{14}\}$. *Journal of Cluster Science*, **2007**, 18, 205-216 3 12
- 110 A luminescent coordination polymer with potential active site for the sensing of metal cation, anion and nitrobenzene explosive. *Inorganic Chemistry Communication*, **2016**, 71, 19-22 3.1 12
- 109 Syntheses, structures and luminescent properties of Zn/Cd coordination polymers based on 4'-(2-carboxyphenyl)-3,2':6',3'-terpyridine. *Polyhedron*, **2018**, 151, 43-50 2.7 12
- 108 Cadmium(II) coordination polymers constructed from a bis-functionalized ligand 4'-(3-carboxyphenyl)-2,2':6',2'-terpyridine: Synthesis, structure and luminescence. *Polyhedron*, **2017**, 124, 1-11 2.7 11
- 107 Structure and mechanical properties of fluorine-containing glycidyl azide polymer-based energetic binders. *Polymer International*, **2017**, 66, 1318-1323 3.3 11
- 106 Synthesis, crystal structure and luminescence of Ag(I) coordination polymers based on a new sulfonate functionalized terpyridine derivative ligand. *Polyhedron*, **2015**, 91, 52-58 2.7 11
- 105 Syntheses, Structures, and Luminescence Properties of Lanthanide Coordination Polymers with a Polycarboxylic Terpyridyl Derivative Ligand. *ChemPlusChem*, **2014**, 79, 985-994 2.8 11

104	Four new coordination polymers based on carboxyphenyl-substituted dipyrazinylpyridine ligand: Syntheses, structures, magnetic and luminescence properties. <i>Journal of Molecular Structure</i> , 2017 , 1128, 385-390	3.4	11
103	Hydrothermal synthesis and crystal structure of four lead(II) coordination polymers with a carboxylate functionalized imidazophenanthroline derivative ligand. <i>Inorganica Chimica Acta</i> , 2013 , 405, 51-57	2.7	11
102	Deep Oxidative Desulfurization of Refractory Sulfur Compounds with Cesium Salts of Mono-Substituted Phosphomolybdate as Efficient Catalyst. <i>Catalysis Letters</i> , 2017 , 147, 1811-1819	2.8	10
101	Syntheses, structures and magnetic properties for transition metal coordination polymers based on polycarboxylate and isomeric terpyridyl carboxylate ligands. <i>Journal of Solid State Chemistry</i> , 2019 , 272, 210-220	3.3	10
100	Synthesis, crystal structures and luminescent properties of zinc(II) metal-organic frameworks constructed from terpyridyl derivative ligand. <i>Journal of Solid State Chemistry</i> , 2014 , 216, 13-22	3.3	10
99	An unusual fan-type polyanion with a silver cation located at the axial center, $[AgAs^{III}2(As^{III}AsVMo_4O_{18}(OH)_2)_3]^{11-}$. <i>Dalton Transactions</i> , 2013 , 42, 3410-6	4.3	10
98	Two inorganic-organic hybrid materials based on polyoxometalate anions and methylene blue: Preparations, crystal structures and properties. <i>Journal of Solid State Chemistry</i> , 2010 , 183, 2957-2962	3.3	10
97	Syntheses and characterizations of two metal-organic polymers derived from pyridyl substituted terpyridine and 4,5-imidazole dicarboxylate. <i>Journal of Coordination Chemistry</i> , 2008 , 61, 3943-3952	1.6	10
96	Hydrothermal Syntheses, Crystal Structures and Luminescence of Two Novel Metal-organic Frameworks. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007 , 633, 2053-2058	1.3	10
95	A Novel Three-Dimensional Framework: Self-Assembly of $AgNO_3$ and Pyrimidine. <i>Chemistry Letters</i> , 1999 , 28, 221-222	1.7	10
94	Synthesis of 1-(1-ferrocenylethyl)-pyridinium chloride and its hybrid materials with lindquist-type polyoxometalates. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 1863-1868	2.3	9
93	Syntheses, structures and electrochemical properties of two co-crystal copper(II) melamine complexes. <i>Journal of Molecular Structure</i> , 2008 , 892, 163-167	3.4	9
92	Structure and Magnetic Properties of Pyridine Coordinated Sandwich-type Heteropolyanion $\{[Na(H_2O)_2]_3[Ni(C_5H_5N)]_3(AsW_9O_{33})_2\}_9^{11-}$. <i>Chinese Journal of Chemistry</i> , 2005 , 23, 1412-1416	4.9	9
91	Synthesis, structure and luminescent sensor of zinc coordination polymers based on a new functionalized bipyridyl carboxylate ligand. <i>Inorganica Chimica Acta</i> , 2016 , 453, 771-778	2.7	9
90	Syntheses, structures, fluorescence sensing properties and white-light emission of lanthanide coordination polymers assembled from imidazophenanthroline derivative and isophthalate ligands. <i>Journal of Solid State Chemistry</i> , 2019 , 276, 6-18	3.3	8
89	Construction of visible luminescent lanthanide coordination compounds with different stacking modes based on a carboxylate substituted terpyridyl derivative ligand. <i>Inorganica Chimica Acta</i> , 2020 , 506, 119550	2.7	8
88	Copper(II)-Substituted Polyoxotungstates Immobilized on Amine-Functionalized SBA-15: Efficient Heterogeneous Catalysts for Liquid Phase Oxidative Reaction. <i>Catalysis Letters</i> , 2016 , 146, 2468-2477	2.8	8
87	A pure inorganic 1D chain based on $\{Mo_8O_{28}\}$ clusters and Mn(II) ions: $[Mn(H_2O)_2Mo_8O_{28}]_n \cdot nH_2O$. <i>Solid State Sciences</i> , 2016 , 51, 18-23	3.4	8

86	Syntheses, structures and properties of four 3D microporous lanthanide coordination polymers based on 3,5-pyrazoledicarboxylate and oxalate ligands. <i>Journal of Solid State Chemistry</i> , 2014 , 212, 185-190	3.3	8
85	NiII-CdII Heterometallic Coordination Compounds Constructed from Metal-Containing N, N'-Rodlike Building Block [Ni(4-(3-pyridyl)-2,2':6',2'-terpyridine)2]2+ Cation. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1215-1220	1.3	8
84	Luminescence, adsorption and topological analysis of a new two-fold interpenetrating 3D Cd(II) coordination polymer based on a tetracarboxylate ligand. <i>Polyhedron</i> , 2018 , 139, 257-261	2.7	8
83	Synthesis and characterization of an unprecedented 3D lanthanide coordination polymer assembled by cubane-like clusters and a flexible V-shaped dicarboxylate ligand. <i>Inorganic Chemistry Communication</i> , 2015 , 61, 177-180	3.1	7
82	Controllable synthesis of four series of lanthanide coordination polymers: synthesis, structures, luminescent and magnetic properties. <i>CrystEngComm</i> , 2015 , 17, 8289-8299	3.3	7
81	A Zn(II) luminescent polymer as a multifunctional sensor to nitrobenzene, Fe3+ and CrO42- ions. <i>Journal of Coordination Chemistry</i> , 2016 , 69, 2872-2880	1.6	7
80	A new polyanion with Dawson-like constitution: [H2SeW18O60]6- <i>Inorganic Chemistry Communication</i> , 2013 , 35, 122-125	3.1	7
79	Synthesis and structure of a new polyoxometalate-based inorganic-organic hybrid and application as a chemically bulk-modified electrode. <i>Journal of Coordination Chemistry</i> , 2013 , 66, 1529-1537	1.6	7
78	Acetate-Functionalized Zirconium-Substituted Tungstogermanate, [Zr4O2(OH)2(CH3COO)2(HGeW10O37)2]12- <i>Journal of Cluster Science</i> , 2009 , 20, 331-340	3	7
77	A novel extended architecture with 46T topology based on mixed-valence Wells-Dawson arsenotungstate and mixed-ligand Cu(I) units. <i>Journal of Solid State Chemistry</i> , 2010 , 183, 2027-2031	3.3	7
76	Synthesis and structures of three d10 metal coordination polymers constructed from flexible polycarboxylate and 1,10-phenanthroline ligands. <i>Inorganica Chimica Acta</i> , 2010 , 363, 360-367	2.7	7
75	Two New Nitronyl Nitroxide Radicals and Their Complexes with M(hfac)2 [M=Co(II), Ni(II), Mn(II)]: Syntheses, Crystal Structures, and Magnetic Characterizations. <i>Chinese Journal of Chemistry</i> , 2007 , 25, 1259-1266	4.9	7
74	Synthesis and Crystal Structure of the Binuclear Complex [Pr2(C10H8N2O4)2(C10H9N2O4)2(H2O)4]·BH2O·C6H6. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 711-713	4.9	7
73	Solvothermal synthesis and crystal structure of an inorganic-organic hybrid compound [DAMS]2[CdI4] (DAMS = 4-dimethylaminostyryl-1-methyl-pyridinium). <i>Journal of Chemical Crystallography</i> , 2004 , 34, 291-294	0.5	7
72	Synthesis, structure and supramolecular assembly in the crystalline state of a bifunctionalized arylimido derivative of hexamolybdate [n-Bu4N]2[Mo6O17(o,p-(MeO)2C6H3N)2]. <i>Journal of Chemical Crystallography</i> , 2005 , 35, 1005-1010	0.5	7
71	The effects of the coordination orientation and steric hindrance of ligands on the structural diversity of Pb(II) coordination polymers. <i>Inorganica Chimica Acta</i> , 2020 , 510, 119751	2.7	7
70	Construction of lanthanide coordination polymers based on mixed terpyridyl and dicarboxylate ligands: Syntheses, structures and luminescent properties. <i>Journal of Solid State Chemistry</i> , 2020 , 288, 121424	3.3	6
69	Nitro explosive and cation sensing by a luminescent 2D Cu(I) coordination polymer with multiple Lewis basic sites. <i>Inorganic Chemistry Communication</i> , 2016 , 73, 37-40	3.1	6

- 68 Three Organic-Inorganic Hybrids Based on $[MoxOy]_n$ Chains Decorated with Organic Ligands and Transition-Metal Coordination Complexes. *European Journal of Inorganic Chemistry*, **2017**, 2017, 3516-3524 2.3 6
- 67 Synthesis, structure and absorption spectrum of a new charge transfer salt $[Fe(C_5H_5)_2]_4H[GeMo_{12}O_{40}] \cdot CH_3CN \cdot H_2O$. *Journal of Coordination Chemistry*, **2009**, 62, 1951-1958 1.6 6
- 66 A Novel Nickel(II) Complex Adopting a cis-Configuration: Solvothermal Synthesis and Crystal Structure of $[NiL_2(H_2O)_4]$ (L = 1,4-Dihydropyrazine-2,3-dione-5,6-dicarboxylate). *European Journal of Inorganic Chemistry*, **2002**, 2002, 1595-1598 2.3 6
- 65 SYNTHESSES, CRYSTAL STRUCTURES AND ELECTRONIC SPECTRA OF MIXED-LIGAND ZINC(II) COMPLEXES WITH DIIMINES AND DITHIOLATES. *Journal of Coordination Chemistry*, **2000**, 49, 201-209 1.6 6
- 64 Lanthanide coordination polymers based on designed bifunctional 2-(2,2':6',2''-terpyridin-4'-yl)benzenesulfonate ligand: syntheses, structural diversity and highly tunable emission. *Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials*, **2019**, 75, 855-864 1.8 6
- 63 pH-Dependent assembly of three novel inorganic-organic hybrids based on different isopolymolybdates and $Cu/II(bbx)_n$ units. *CrystEngComm*, **2016**, 18, 5320-5326 3.3 6
- 62 Four new Zn/Cd coordination polymers constructed by the asymmetrical N-heterocyclic rigid carboxylate: Synthesis, crystal structure, photoluminescence and sensing properties. *Journal of Solid State Chemistry*, **2019**, 269, 158-166 3.3 6
- 61 Syntheses of a series of lanthanide metal-organic frameworks for efficient UV-light-driven dye degradation: experiment and simulation. *CrystEngComm*, **2021**, 23, 2404-2413 3.3 6
- 60 Selective fluorescence sensors and photocatalysis of four new luminescent coordination complexes. *Journal of Molecular Structure*, **2017**, 1141, 107-114 3.4 5
- 59 A new 2D-3D polycatenated Cd(II) coordination polymer: Syntheses, structure and luminescent sensing. *Polyhedron*, **2018**, 155, 268-274 2.7 5
- 58 Extended architecture formed by linkage of a new type of decamolybdate $\{Mo_{10}O_{34}\}$ unit and Cu_3 cluster. *Inorganic Chemistry Communication*, **2014**, 49, 12-15 3.1 5
- 57 Synthesis, crystal structure and luminescence of zinc(II) coordination polymers based on a flexible bifunctional terpyridyl carboxylic ligand. *Polyhedron*, **2014**, 83, 92-101 2.7 5
- 56 Syntheses, structures and luminescent properties of lanthanide coordination polymers assembled from imidazophenanthroline derivative and oxalate ligands. *Journal of Solid State Chemistry*, **2017**, 245, 67-73 3.3 5
- 55 Charge-transfer salts based on Lindqvist and Keggin polyoxoanion acceptors and ferrocenyl cationic donors. *New Journal of Chemistry*, **2012**, 36, 1224 3.6 5
- 54 Template self-assembly of cyano-bridged supramolecular complexes $\{[Cu(en)_2][KM(CN)_6]\}_n$ (M = Cr(III), Fe(III), Co(III)). *Journal of Coordination Chemistry*, **2004**, 57, 1519-1527 1.6 5
- 53 catena-Poly[europium(III)-tri-micro-2,3-dimethoxybenzoato]. *Acta Crystallographica Section C: Crystal Structure Communications*, **2004**, 60, m197-9 5
- 52 Synthesis and crystal structure of a novel charge transfer salt, $(TMT-TTF)_4[HPMo_{12}O_{40}]$. *Journal of Molecular Structure*, **2005**, 751, 17-21 3.4 5
- 51 Tetrakis(μ -2,3-dimethoxybenzoato)bis[(2,2'-bipyridine)(2,3-dimethoxybenzoato)lanthanum(III)]. *Acta Crystallographica Section C: Crystal Structure Communications*, **2001**, 57, 1048-50 5

50	Hydrothermal Synthesis, Crystal Structures and Magnetic Properties of two Bimetallic Cage Cluster Vanadate Complexes [Co(phen) ₂] ₂ V ₄ O ₁₂ and [Co(2,2'-bipy) ₂] ₂ V ₄ O ₁₂ . <i>Journal of Coordination Chemistry</i> , 2002 , 55, 1327-1335	1.6	5
49	Structural investigation of one- and three-dimensional lanthanide(III) coordination polymers based on functionalized terpyridine carboxylate and aromatic dicarboxylate ligands. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019 , 75, 422-432	0.8	5
48	Photocatalytic performance of mesoporous composites of TiO ₂ /rO ₂ and phosphotungstic acid. <i>Journal of Materials Science</i> , 2020 , 55, 3195-3211	4.3	5
47	New highly luminescent europium(III) complex covalently bonded with titania-based host via using a terpyridine carboxylate derivative linker for fluorescence sensing. <i>Journal of Luminescence</i> , 2020 , 227, 117545	3.8	5
46	Solvothermal syntheses, crystal structures and luminescence properties of Zn(II) coordination compounds based on imidazophenanthroline carboxylate derivative ligand. <i>Journal of Solid State Chemistry</i> , 2019 , 277, 1-8	3.3	4
45	A 3D cadmium(II) coordination polymer constructed from new β-diketone-functionalized pyridinecarboxylate and 4,4'-bipyridine ligands. <i>Inorganic Chemistry Communication</i> , 2014 , 44, 143-147	3.1	4
44	Two Coordination Polymers based on a Carboxylate-β-Functionalized Imidazophenanthroline Derivative Ligand and Phthalic Acid: Syntheses, Structures and Magnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 184-188	1.3	4
43	Syntheses, Structures, and Luminescent Properties of Two Cadmium(II) Coordination Compounds based on a Sulfonate Functionalized Terpyridine Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 1772-1776	1.3	4
42	Synthesis, structure, and characterization of a silver(I) coordination polymer with β-bridging 2,2'-bipyridyl-3,3'-dicarboxylate. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 2147-2154	1.6	4
41	A one-dimensional assembly of a Keggin tungstogermanate and sodium-pyridine-2-carboxylic acid: NaH ₃ (C ₆ H ₅ N ₂) ₄ [GeW ₁₂ O ₄₀] · 7H ₂ O. <i>Journal of Coordination Chemistry</i> , 2008 , 61, 2499-2505	1.6	4
40	Novel 3-D Supramolecular Architectures Constructed from Zn ²⁺ ions, Oxybis(4-benzoate) and Di(2-pyridyl)amine Ligands. <i>Chinese Journal of Chemistry</i> , 2007 , 25, 1641-1645	4.9	4
39	Synthesis and characterization of the organoimidopolyoxomolybdates [n-Bu ₄ N] ₂ [Mo ₆ O ₁₇ (?NAr) ₂] (Ar = 2-ethyl-6-methylphenyl and 2-isopropyl-6-methylphenyl). <i>Journal of Coordination Chemistry</i> , 2006 , 59, 1739-1747	1.6	4
38	A one-dimensional coordination polymer of copper(II) with 2-pyrazinecarboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005 , 61, m499-m501		4
37	SYNTHESIS, CRYSTAL STRUCTURE AND MAGNETIC PROPERTIES OF A THIOCYANATE BRIDGED ONE-DIMENSIONAL CHAIN COPPER(II) COMPLEX: [[[232-tet)Cu(NCS)](C104)] _n . <i>Journal of Coordination Chemistry</i> , 1999 , 47, 531-540	1.6	4
36	A pure inorganic 2-D framework based on paradodecatungstate and Mn ²⁺ ions: syntheses, structure, and properties. <i>Journal of Coordination Chemistry</i> , 2015 , 68, 2324-2333	1.6	3
35	A series of transition metal coordination polymers with mixed ligands: Specific sensing and removal of metal ions. <i>Inorganica Chimica Acta</i> , 2017 , 466, 470-477	2.7	3
34	Pyridinium [2,6-bis-(5-phenyl-1H-pyrazol-3-yl-N)]pyridine-N]tetra-nitrato-μ ₂ ,O';μ ₂ -samarium(III) pyridine monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m945-6		3
33	Structural and Spectral Characterization of Two Charge-Transfer Salts Formed by Ferrocenyl and Polyoxometalate Units. <i>Journal of Cluster Science</i> , 2010 , 21, 211-221	3	3

- 32 A two-dimensional coordination polymer containing linear trinuclear copper(II) clusters. *Acta Crystallographica Section E: Structure Reports Online*, **2007**, 63, m2190-m2190 3
- 31 Preparation, Crystal Structure and Theoretical Calculation of 4-(4,6-Dimethylpyrimidin-2-yl)-3-thio-allophanic Acid Methyl Ester. *Chinese Journal of Chemistry*, **2006**, 24, 219-223 4.9 3
- 30 Bis[tetraaqua(1,10-phenanthroline- κ N,N \prime)cobalt(II)] 1,2,4,5-benzenetetracarboxylate. *Acta Crystallographica Section E: Structure Reports Online*, **2005**, 61, m925-m927 3
- 29 Non-linear optical absorption of $[\{Ni(mnt)_2\}_2]^{2+}$ and its unique counter ion, a disodium triple-decker dication $[Na_2(\text{benzo-15-crown-5})_3(H_2O)_2]^{2+}$. *Inorganica Chimica Acta*, **1999**, 293, 89-94 2.7 3
- 28 Novel luminescent europium-centered hybrid material covalently grafted with organically modified titania via 2-substituted imidazophenanthroline for fluorescence sensing. *Journal of Rare Earths*, **2021**, 39, 666-673 3.7 3
- 27 A large, X-shaped polyoxometalate $[AsFeMoO]$ assembled from $[AsMoO]$ and $[FeMoO]$ moieties. *Dalton Transactions*, **2018**, 47, 15661-15665 4.3 3
- 26 Two 2D frameworks of inorganic-organic hybrids based on Keggin-type tungstogermanates and $\{CuI(CuII)\text{-}bimb\}_n$ polymer chains. *Inorganic Chemistry Communication*, **2018**, 95, 12-16 3.1 3
- 25 Synthesis, structures and properties of two novel charge-transfer complexes with the ratio of ferrocenyl:POM of 1:1, $(Bu_4N)[CpFeCpCH_2N(C_2H_5)_3][M_6O_{19}]$ (M=Mo, W). *Solid State Sciences*, **2010**, 12, 1332-1336 3.4 2
- 24 Crystal structure and fluorescence of the supramolecular complex $[Dy(H_2L)(HL)(H_2O)_3][D.5dipy] \cdot 2H_2O$. *Journal of Coordination Chemistry*, **2007**, 60, 125-130 1.6 2
- 23 A novel dimeric polyanion based on mono-manganese substituted Keggin-type phosphotungstate: $(MnPW_{11}O_{39})_{210}$. *Inorganic Chemistry Communication*, **2016**, 68, 76-79 3.1 2
- 22 Electrospinning Fabrication of Nanofiber Films for Visual Detection of the Fe^{3+} Ion. *ACS Applied Polymer Materials*, **2021**, 3, 4504-4511 4.3 2
- 21 A sandwich-type tungstoantimonate containing trinuclear nickel ions modified with aminopyrazine ligand. *Inorganic Chemistry Communication*, **2015**, 56, 13-16 3.1 1
- 20 Structural diversity and near-infrared luminescence of lanthanide coordination polymers with different flexibility and coordination orientation based on bipyridyl carboxylate and dicarboxylate ligands. *Journal of Solid State Chemistry*, **2020**, 292, 121654 3.3 1
- 19 Crystal Structures and Luminescent Properties of Two Zinc(II) Coordination Compounds with a β -Diketone Derivative Ligand. *Zeitschrift Fur Anorganische Und Allgemeine Chemie*, **2013**, 639, 1850-1854 4.3 1
- 18 Diaqua-(2,2'-bipyridine-6,6'-dicarboxylato)nickel(II). *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, m718 1
- 17 Preparation, Crystal Structure and Theoretical Calculation of N-(Pyrimidin-2-yl)-N \prime -methoxycarbonyl-thiourea. *Chinese Journal of Chemistry*, **2007**, 25, 510-514 4.9 1
- 16 Bis[2-[N,N-bis(2-aminoethyl)amino]ethanaminium}nickel(II) hexacyanidoferrate(II). *Acta Crystallographica Section E: Structure Reports Online*, **2007**, 63, m1208-m1210 1
- 15 Crystal structure and fluorescence properties of the supramolecule complex $[Dy(H_2L)(HL)(H_2O)_3][D.5dipy] \cdot 2H_2O$. *Journal of Coordination Chemistry*, **2006**, 59, 1785-1791 1.6 1

14	(Nitrate)(1,10-phenanthroline-2,9-dipicolinato-N-oxide-O)copper(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005 , 61, m441-m442		1
13	Fabricating Ag/PW12/Zr-mTiO ₂ Composite via Doping and Interface Engineering: An Efficient Catalyst with Bifunctionality in Photo- and Electro-Driven Nitrogen Reduction Reactions. <i>Advanced Sustainable Systems</i> , 2100307	5.9	1
12	The effect of pH on visible and near-infrared luminescent lanthanide coordination compounds based on a conjugated pyridine carboxylate ligand. <i>Inorganica Chimica Acta</i> , 2021 , 514, 120024	2.7	1
11	Three interpenetrating coordination polymers with 3D honeycomb networks derived from versatile ligand: 4'-(4-pyridyl)-4,2':6',4'-terpyridine. <i>Journal of Molecular Structure</i> , 2018 , 1171, 38-44	3.4	1
10	The effect of pH on the coordination sphere of Pb(II) ions and structural diversity of Pb(II) coordination polymers. <i>Journal of Solid State Chemistry</i> , 2021 , 303, 122475	3.3	1
9	Designing Core-Shell Insoluble-SiW ₁₁ Fe@Bi ₂ O ₃ Z-Scheme Heterojunction for Photo-Driven Nitrogen Reduction Reaction and Evaluating the Impact of Oxygen toward Nitrogen Reduction. <i>Advanced Materials Interfaces</i> , 2102031	4.6	1
8	Influences of reaction temperature and pH on structural diversity of visible and near-infrared lanthanide coordination compounds based on bipyridyl carboxylate and oxalate ligands. <i>Journal of Solid State Chemistry</i> , 2020 , 292, 121691	3.3	0
7	Amorphization and defect engineering in constructing ternary composite Ag/PW10V ₂ /am-TiO ₂ for enhanced photocatalytic nitrogen fixation. <i>New Journal of Chemistry</i> , 2022 , 46, 1731-1740	3.6	0
6	Cadmium(II) and cobalt(II) coordination compounds based on a benzenesulfonic terpyridine ligand: Syntheses, structures, luminescent sensing and magnetic properties. <i>Journal of Solid State Chemistry</i> , 2021 , 298, 122148	3.3	0
5	Synthesis, Crystal Structure, and Magnetic Properties of Two Manganese(II) and Cobalt(II) Coordination Polymers Based on Biphenyl-3,3',4,4'-tetracarboxylic Acid. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 1355-1359	1.3	
4	Synthesis and Crystal Structure of a New Dinuclear Iron(III) Complex: [Fe ₂ O(PhCO ₂) ₂ (2,2'-bpy) ₂ (N ₃) ₂][H ₂ O]. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010 , 636, 2471-2474	1.3	
3	Synthesis and X-Ray Structure Determination of Diferrocenyl Disulfide. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2003 , 33, 997-1007		
2	MethylN-[4-(4,6-dimethylpyrimidin-2-ylamino)thiocarbonyl]carbamate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005 , 61, o4013-o4015		
1	Three new cadmium(II) coordination compounds based on 2-(pyridin-3-yl)-1H-imidazo[4,5-f][1,10]phenanthroline: syntheses, structures and luminescence. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2020 , 75, 843-849	1	