

Jatin P Shah

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5479902/jatin-p-shah-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

414
papers

27,031
citations

94
h-index

144
g-index

436
ext. papers

30,819
ext. citations

6.3
avg, IF

6.77
L-index

| # | Paper | IF | Citations |
|-----|--|-------|-----------|
| 414 | Head and Neck cancers-major changes in the American Joint Committee on cancer eighth edition cancer staging manual. <i>Ca-A Cancer Journal for Clinicians</i> , 2017 , 67, 122-137 | 220.7 | 772 |
| 413 | Patterns of cervical lymph node metastasis from squamous carcinomas of the upper aerodigestive tract. <i>American Journal of Surgery</i> , 1990 , 160, 405-9 | 2.7 | 626 |
| 412 | Estimating risk of recurrence in differentiated thyroid cancer after total thyroidectomy and radioactive iodine remnant ablation: using response to therapy variables to modify the initial risk estimates predicted by the new American Thyroid Association staging system. <i>Thyroid</i> , 2010 , 20, 1341-9 | 6.2 | 606 |
| 411 | Current concepts in management of oral cancer--surgery. <i>Oral Oncology</i> , 2009 , 45, 394-401 | 4.4 | 449 |
| 410 | Initial results from a prospective cohort study of 5583 cases of thyroid carcinoma treated in the united states during 1996. U.S. and German Thyroid Cancer Study Group. An American College of Surgeons Commission on Cancer Patient Care Evaluation study. <i>Cancer</i> , 2000 , 89, 202-17 | 6.4 | 397 |
| 409 | The mutational landscape of adenoid cystic carcinoma. <i>Nature Genetics</i> , 2013 , 45, 791-8 | 36.3 | 311 |
| 408 | Prognostic factors in differentiated carcinoma of the thyroid gland. <i>American Journal of Surgery</i> , 1992 , 164, 658-61 | 2.7 | 311 |
| 407 | Primary mucosal malignant melanoma of the head and neck. <i>Head and Neck</i> , 2002 , 24, 247-57 | 4.2 | 291 |
| 406 | Craniofacial surgery for malignant skull base tumors: report of an international collaborative study. <i>Cancer</i> , 2003 , 98, 1179-87 | 6.4 | 282 |
| 405 | High incidence of head and neck squamous cell carcinoma in patients with Fanconi anemia. <i>JAMA Otolaryngology</i> , 2003 , 129, 106-12 | | 270 |
| 404 | Concurrent cetuximab, cisplatin, and concomitant boost radiotherapy for locoregionally advanced, squamous cell head and neck cancer: a pilot phase II study of a new combined-modality paradigm. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1072-8 | 2.2 | 264 |
| 403 | The indications for elective treatment of the neck in cancer of the major salivary glands. <i>Cancer</i> , 1992 , 69, 615-9 | 6.4 | 263 |
| 402 | TNM staging of cancers of the head and neck: striving for uniformity among diversity. <i>Ca-A Cancer Journal for Clinicians</i> , 2005 , 55, 242-58; quiz 261-2, 264 | 220.7 | 255 |
| 401 | Intensity-modulated radiation therapy for the treatment of oropharyngeal carcinoma: the Memorial Sloan-Kettering Cancer Center experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 363-73 | 4 | 246 |
| 400 | Postoperative complications of salvage total laryngectomy. <i>Cancer</i> , 2005 , 103, 2073-81 | 6.4 | 234 |
| 399 | Complications of craniofacial resection for malignant tumors of the skull base: report of an International Collaborative Study. <i>Head and Neck</i> , 2005 , 27, 445-51 | 4.2 | 229 |
| 398 | Impact of lymph node metastasis in differentiated carcinoma of the thyroid: a matched-pair analysis. <i>Head and Neck</i> , 1996 , 18, 127-32 | 4.2 | 229 |

| | | | |
|-----|--|-----|-----|
| 397 | Natural History and Tumor Volume Kinetics of Papillary Thyroid Cancers During Active Surveillance. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017 , 143, 1015-1020 | 3.9 | 219 |
| 396 | Malignancy rate in thyroid nodules classified as Bethesda category III (AUS/FLUS). <i>Thyroid</i> , 2014 , 24, 832-8 | 4.2 | 215 |
| 395 | Clinical utility of 18F-FDG PET/CT in assessing the neck after concurrent chemoradiotherapy for Locoregional advanced head and neck cancer. <i>Journal of Nuclear Medicine</i> , 2008 , 49, 532-40 | 8.9 | 215 |
| 394 | Thyroid lobectomy for treatment of well differentiated intrathyroid malignancy. <i>Surgery</i> , 2012 , 151, 571-6 | 3.6 | 214 |
| 393 | Prognostic factors and risk group analysis in follicular carcinoma of the thyroid. <i>Surgery</i> , 1995 , 118, 1131-6; discussion 1136-8 | 3.6 | 213 |
| 392 | Prospective functional voice assessment in patients undergoing thyroid surgery. <i>Annals of Surgery</i> , 2002 , 236, 823-32 | 7.8 | 209 |
| 391 | Poorly differentiated thyroid carcinomas defined on the basis of mitosis and necrosis: a clinicopathologic study of 58 patients. <i>Cancer</i> , 2006 , 106, 1286-95 | 6.4 | 201 |
| 390 | Prognostic indicators of outcomes in patients with distant metastases from differentiated thyroid carcinoma. <i>Journal of the American College of Surgeons</i> , 2003 , 197, 191-7 | 4.4 | 198 |
| 389 | Salvage re-irradiation for recurrent head and neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 68, 731-40 | 4 | 197 |
| 388 | Craniofacial resection for malignant paranasal sinus tumors: Report of an International Collaborative Study. <i>Head and Neck</i> , 2005 , 27, 575-84 | 4.2 | 196 |
| 387 | Early stage squamous cell cancer of the oral tongue--clinicopathologic features affecting outcome. <i>Cancer</i> , 2012 , 118, 101-11 | 6.4 | 188 |
| 386 | Differentiated carcinoma of the thyroid with extrathyroidal extension. <i>American Journal of Surgery</i> , 1995 , 170, 467-70 | 2.7 | 186 |
| 385 | Failure at the primary site following multimodality treatment in advanced head and neck cancer. <i>Head & Neck</i> , 1984 , 6, 720-3 | | 186 |
| 384 | A new American Joint Committee on Cancer staging system for cutaneous squamous cell carcinoma: creation and rationale for inclusion of tumor (T) characteristics. <i>Journal of the American Academy of Dermatology</i> , 2011 , 64, 1051-9 | 4.5 | 183 |
| 383 | Primary tumor staging for oral cancer and a proposed modification incorporating depth of invasion: an international multicenter retrospective study. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 1138-48 | 3.9 | 176 |
| 382 | Treatment of nasal cavity and paranasal sinus cancer with modern radiotherapy techniques in the postoperative setting--the MSKCC experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 691-702 | 4 | 176 |
| 381 | Combination therapy of advanced head and neck cancer: induction of remissions with diamminedichloroplatinum (II), bleomycin and radiation therapy. <i>Cancer</i> , 1978 , 41, 460-7 | 6.4 | 169 |
| 380 | Proposal for the 8th edition of the AJCC/UICC staging system for nasopharyngeal cancer in the era of intensity-modulated radiotherapy. <i>Cancer</i> , 2016 , 122, 546-58 | 6.4 | 164 |

| | | | |
|-----|---|------|-----|
| 379 | Failure in the neck following multimodality treatment for advanced head and neck cancer. <i>Head & Neck</i> , 1984 , 6, 724-9 | | 163 |
| 378 | Paracrine regulation of pancreatic cancer cell invasion by peripheral nerves. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 107-18 | 9.7 | 161 |
| 377 | Lymph node density is a significant predictor of outcome in patients with oral cancer. <i>Cancer</i> , 2009 , 115, 5700-10 | 6.4 | 161 |
| 376 | Risk group stratification and prognostic factors in papillary carcinoma of thyroid. <i>Annals of Surgical Oncology</i> , 1996 , 3, 534-8 | 3.1 | 161 |
| 375 | Low-risk differentiated thyroid cancer: the need for selective treatment. <i>Annals of Surgical Oncology</i> , 1997 , 4, 328-33 | 3.1 | 156 |
| 374 | Primary mucosal melanoma of the head and neck: a proposal for microstaging localized, Stage I (lymph node-negative) tumors. <i>Cancer</i> , 2004 , 100, 1657-64 | 6.4 | 156 |
| 373 | Cyclooxygenase-2: a novel molecular target for the prevention and treatment of head and neck cancer. <i>Head and Neck</i> , 2002 , 24, 792-9 | 4.2 | 156 |
| 372 | Improved outcomes in patients with osteogenic sarcoma of the head and neck. <i>Cancer</i> , 2002 , 95, 1495-503 | 3.4 | 156 |
| 371 | Long-term regional control and survival in patients with "low-risk," early stage oral tongue cancer managed by partial glossectomy and neck dissection without postoperative radiation: the importance of tumor thickness. <i>Cancer</i> , 2013 , 119, 1168-76 | 6.4 | 152 |
| 370 | Hypopharyngeal cancer patient care evaluation. <i>Laryngoscope</i> , 1997 , 107, 1005-17 | 3.6 | 152 |
| 369 | Mucosal melanomas of the head and neck. <i>American Journal of Surgery</i> , 1977 , 134, 531-5 | 2.7 | 151 |
| 368 | Oral tongue cancer gene expression profiling: Identification of novel potential prognosticators by oligonucleotide microarray analysis. <i>BMC Cancer</i> , 2009 , 9, 11 | 4.8 | 149 |
| 367 | Quality of life of maxillectomy patients using an obturator prosthesis. <i>Head and Neck</i> , 1996 , 18, 323-34 | 4.2 | 148 |
| 366 | Failure at distant sites following multimodality treatment for advanced head and neck cancer. <i>Head & Neck</i> , 1984 , 6, 730-3 | | 148 |
| 365 | Head and Neck Cancers, Version 1.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 847-55; quiz 856 | 7.3 | 144 |
| 364 | The Molecular Landscape of Recurrent and Metastatic Head and Neck Cancers: Insights From a Precision Oncology Sequencing Platform. <i>JAMA Oncology</i> , 2017 , 3, 244-255 | 13.4 | 141 |
| 363 | Intensity-modulated radiotherapy in the treatment of oropharyngeal cancer: an update of the Memorial Sloan-Kettering Cancer Center experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 291-8 | 4 | 139 |
| 362 | The impact of distant metastases at presentation on prognosis in patients with differentiated carcinoma of the thyroid gland. <i>Thyroid</i> , 2012 , 22, 884-9 | 6.2 | 139 |

| | | | |
|-----|--|------|-----|
| 361 | FDG-PET detected thyroid incidentalomas: need for further investigation?. <i>Annals of Surgical Oncology</i> , 2007 , 14, 239-47 | 3.1 | 136 |
| 360 | Genome-wide appraisal of thyroid cancer progression. <i>American Journal of Pathology</i> , 2002 , 161, 1549-56 | 5.8 | 134 |
| 359 | Complications of craniofacial resection for tumors involving the anterior skull base. <i>Head and Neck</i> , 1994 , 16, 307-12 | 4.2 | 131 |
| 358 | A comparison of intensity-modulated radiation therapy and concomitant boost radiotherapy in the setting of concurrent chemotherapy for locally advanced oropharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 66, 966-74 | 4 | 128 |
| 357 | Cytokine gene transfer enhances herpes oncolytic therapy in murine squamous cell carcinoma. <i>Human Gene Therapy</i> , 2001 , 12, 253-65 | 4.8 | 125 |
| 356 | Locally invasive, well-differentiated thyroid cancer. 22 years experience at Memorial Sloan-Kettering Cancer Center. <i>American Journal of Surgery</i> , 1981 , 142, 480-3 | 2.7 | 125 |
| 355 | Acupuncture for pain and dysfunction after neck dissection: results of a randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2565-70 | 2.2 | 124 |
| 354 | Results of surgical salvage after failure of definitive radiation therapy for early-stage squamous cell carcinoma of the glottic larynx. <i>JAMA Otolaryngology</i> , 2006 , 132, 59-66 | | 123 |
| 353 | An International Multi-Institutional Validation of Age 55 Years as a Cutoff for Risk Stratification in the AJCC/UICC Staging System for Well-Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 373-80 | 6.2 | 122 |
| 352 | Squamous cell carcinoma of the tongue in young patients: a matched-pair analysis. <i>Head and Neck</i> , 1998 , 20, 363-8 | 4.2 | 121 |
| 351 | Implications for clinical staging of metastatic cutaneous squamous carcinoma of the head and neck based on a multicenter study of treatment outcomes. <i>Cancer</i> , 2006 , 106, 1078-83 | 6.4 | 121 |
| 350 | Decision making in the management of recurrent head and neck cancer. <i>Head and Neck</i> , 2014 , 36, 144-51 | 4.2 | 119 |
| 349 | Management of well-differentiated thyroid carcinoma presenting within a thyroglossal duct cyst. <i>Journal of Surgical Oncology</i> , 2002 , 79, 134-9; discussion 140-1 | 2.8 | 119 |
| 348 | Lobectomy versus total thyroidectomy for differentiated carcinoma of the thyroid: a matched-pair analysis. <i>American Journal of Surgery</i> , 1993 , 166, 331-5 | 2.7 | 119 |
| 347 | Dynamic contrast-enhanced magnetic resonance imaging as a predictor of outcome in head-and-neck squamous cell carcinoma patients with nodal metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 1837-44 | 4 | 117 |
| 346 | Concurrent cisplatin and radiation versus cetuximab and radiation for locally advanced head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 915-22 | 4 | 117 |
| 345 | Genome-wide profiling of papillary thyroid cancer identifies MUC1 as an independent prognostic marker. <i>Cancer Research</i> , 2004 , 64, 3780-9 | 10.1 | 117 |
| 344 | Diagnostic accuracy of 18F-FDG PET in restaging patients with medullary thyroid carcinoma and elevated calcitonin levels. <i>Journal of Nuclear Medicine</i> , 2007 , 48, 501-7 | 8.9 | 115 |

| | | | |
|-----|--|-------|-----|
| 343 | CO2 laser cordectomy for early-stage glottic carcinoma: a long-term follow-up of 156 cases. <i>Laryngoscope</i> , 2002 , 112, 370-4 | 3.6 | 115 |
| 342 | Head and neck cancers, version 2.2013. Featured updates to the NCCN guidelines. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 917-23 | 7.3 | 114 |
| 341 | Thyroid carcinoma, version 2.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 1671-80; quiz 1680 | 7.3 | 113 |
| 340 | Treatment of cancer of the head and neck. <i>Ca-A Cancer Journal for Clinicians</i> , 1995 , 45, 352-68 | 220.7 | 113 |
| 339 | Concurrent chemotherapy and intensity-modulated radiotherapy for locoregionally advanced laryngeal and hypopharyngeal cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, 459-68 | 4 | 111 |
| 338 | Influence of extracapsular nodal spread extent on prognosis of oral squamous cell carcinoma. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1192-9 | 4.2 | 110 |
| 337 | Maxillectomy and its classification. <i>Head and Neck</i> , 1997 , 19, 309-14 | 4.2 | 110 |
| 336 | The impact of microscopic extrathyroid extension on outcome in patients with clinical T1 and T2 well-differentiated thyroid cancer. <i>Surgery</i> , 2011 , 150, 1242-9 | 3.6 | 107 |
| 335 | Results of selective neck dissection in management of the node-positive neck. <i>JAMA Otolaryngology</i> , 2002 , 128, 1180-4 | | 107 |
| 334 | Improvement in survival of patients with oral cavity squamous cell carcinoma: An international collaborative study. <i>Cancer</i> , 2013 , 119, 4242-8 | 6.4 | 106 |
| 333 | Encapsulated papillary thyroid carcinoma: a clinico-pathologic study of 106 cases with emphasis on its morphologic subtypes (histologic growth pattern). <i>Thyroid</i> , 2009 , 19, 119-27 | 6.2 | 106 |
| 332 | Postoperative radiation therapy for squamous cell carcinomas of the oral cavity and oropharynx: impact of therapy on patients with positive surgical margins. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993 , 25, 17-21 | 4 | 104 |
| 331 | Supraomohyoid neck dissection. <i>American Journal of Surgery</i> , 1996 , 172, 650-3 | 2.7 | 102 |
| 330 | Elective and therapeutic selective neck dissection. <i>Oral Oncology</i> , 2006 , 42, 14-25 | 4.4 | 101 |
| 329 | Outcomes and prognostic variables in adenoid cystic carcinoma of the head and neck: a recent experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1365-72 | 4 | 100 |
| 328 | Incidence of inadvertent parathyroid removal during thyroidectomy. <i>Laryngoscope</i> , 2002 , 112, 608-11 | 3.6 | 100 |
| 327 | Pulmonary metastasectomy for head and neck cancers. <i>Annals of Surgical Oncology</i> , 1999 , 6, 572-8 | 3.1 | 100 |
| 326 | Changing concepts in the surgical management of the cervical node metastasis. <i>Oral Oncology</i> , 2003 , 39, 429-35 | 4.4 | 98 |

| | | | |
|-----|--|-----|----|
| 325 | Posterior triangle metastases of squamous cell carcinoma of the upper aerodigestive tract. <i>American Journal of Surgery</i> , 1993 , 166, 395-8 | 2.7 | 98 |
| 324 | Solitary fibrous tumors of the head and neck: a clinicopathologic and radiologic review. <i>JAMA Otolaryngology</i> , 2006 , 132, 517-25 | | 97 |
| 323 | Survival outcomes after treatment of cancer of the oral cavity (1985-2015). <i>Oral Oncology</i> , 2019 , 90, 1154-121 | 4.1 | 95 |
| 322 | Correlation of osteoradionecrosis and dental events with dosimetric parameters in intensity-modulated radiation therapy for head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e207-13 | 4 | 94 |
| 321 | Follicular variant of papillary thyroid carcinoma: genome-wide appraisal of a controversial entity. <i>Genes Chromosomes and Cancer</i> , 2004 , 40, 355-64 | 5 | 94 |
| 320 | Fine-needle aspiration biopsy of salivary gland lesions in a selected patient population. <i>JAMA Otolaryngology</i> , 2004 , 130, 773-8 | | 89 |
| 319 | Second malignant neoplasms in patients successfully treated with multimodality treatment for advanced head and neck cancer. <i>Head & Neck</i> , 1984 , 6, 734-7 | | 89 |
| 318 | Clinicopathologic differences in malignant melanoma arising in oral squamous and sinonasal respiratory mucosa of the upper aerodigestive tract. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 997-1002 | 5 | 89 |
| 317 | Prognostic nomogram for refining the prognostication of the proposed 8th edition of the AJCC/UICC staging system for nasopharyngeal cancer in the era of intensity-modulated radiotherapy. <i>Cancer</i> , 2016 , 122, 3307-3315 | 6.4 | 88 |
| 316 | Long term results of primary radiotherapy with/without neck dissection for squamous cell cancer of the base of tongue. <i>Head and Neck</i> , 1998 , 20, 668-73 | 4.2 | 88 |
| 315 | Prognostic factors of recurrence in encapsulated Hurthle cell carcinoma of the thyroid gland: a clinicopathologic study of 50 cases. <i>Cancer</i> , 2006 , 106, 1669-76 | 6.4 | 88 |
| 314 | Intensity-modulated radiotherapy in postoperative treatment of oral cavity cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1096-103 | 4 | 87 |
| 313 | The role of comprehensive neck dissection with preservation of the spinal accessory nerve in the clinically positive neck. <i>American Journal of Surgery</i> , 1994 , 168, 499-502 | 2.7 | 87 |
| 312 | Dermatofibrosarcoma protuberans of the head and neck. <i>Annals of Surgical Oncology</i> , 2000 , 7, 696-704 | 3.1 | 86 |
| 311 | New TNM staging criteria for head and neck tumors. <i>Journal of Surgical Oncology</i> , 2003 , 21, 30-42 | | 85 |
| 310 | Head and neck soft tissue sarcomas: a multivariate analysis of outcomes. <i>Annals of Surgical Oncology</i> , 2004 , 11, 619-28 | 3.1 | 84 |
| 309 | Inhibition of cyclooxygenase-2 expression. An approach to preventing head and neck cancer. <i>Annals of the New York Academy of Sciences</i> , 1999 , 889, 62-71 | 6.5 | 84 |
| 308 | Nomograms for preoperative prediction of prognosis in patients with oral cavity squamous cell carcinoma. <i>Cancer</i> , 2014 , 120, 214-21 | 6.4 | 83 |

| | | | |
|-----|--|------|----|
| 307 | Clinical and pathologic prognostic features in acinic cell carcinoma of the parotid gland. <i>Cancer</i> , 2009 , 115, 2128-37 | 6.4 | 83 |
| 306 | Neck dissection: then and now. <i>Auris Nasus Larynx</i> , 2006 , 33, 365-74 | 2.2 | 83 |
| 305 | Basaloid squamous cell carcinoma of the head and neck. <i>Laryngoscope</i> , 2000 , 110, 1479-82 | 3.6 | 82 |
| 304 | Tumor metabolism and perfusion in head and neck squamous cell carcinoma: pretreatment multimodality imaging with 1H magnetic resonance spectroscopy, dynamic contrast-enhanced MRI, and [18F]FDG-PET. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 299-307 | 4 | 81 |
| 303 | Second primary malignancy of the aerodigestive tract in patients treated for cancer of the oral cavity and larynx. <i>Head and Neck</i> , 2005 , 27, 1042-8 | 4.2 | 80 |
| 302 | Amplification of the 3q26.3 locus is associated with progression to invasive cancer and is a negative prognostic factor in head and neck squamous cell carcinomas. <i>American Journal of Pathology</i> , 2002 , 161, 365-71 | 5.8 | 80 |
| 301 | Survival from Differentiated Thyroid Cancer: What Has Age Got to Do with It?. <i>Thyroid</i> , 2015 , 25, 1106-14 | 6.2 | 79 |
| 300 | Postoperative radiotherapy for oral cavity cancers: impact of anatomic subsite on treatment outcome. <i>Head and Neck</i> , 1990 , 12, 470-5 | 4.2 | 78 |
| 299 | Analysis of prognostic factors in 146 patients with anterior skull base sarcoma: an international collaborative study. <i>Cancer</i> , 2007 , 110, 1033-41 | 6.4 | 77 |
| 298 | The role of pectoralis major muscle flap in salvage total laryngectomy. <i>JAMA Otolaryngology</i> , 2009 , 135, 1019-23 | | 76 |
| 297 | A Proposal to Redefine Close Surgical Margins in Squamous Cell Carcinoma of the Oral Tongue. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017 , 143, 555-560 | 3.9 | 75 |
| 296 | Combined chemotherapy and radiotherapy versus surgery and postoperative radiotherapy for advanced hypopharyngeal cancer. <i>Head and Neck</i> , 1996 , 18, 405-11 | 4.2 | 74 |
| 295 | Patterns and incidence of neural invasion in patients with cancers of the paranasal sinuses. <i>JAMA Otolaryngology</i> , 2009 , 135, 173-9 | | 73 |
| 294 | Angiogenesis inhibition by an oncolytic herpes virus expressing interleukin 12. <i>Clinical Cancer Research</i> , 2004 , 10, 4509-16 | 12.9 | 73 |
| 293 | Anterior skull base surgery for malignant tumors: a multivariate analysis of 27 years of experience. <i>Head and Neck</i> , 2003 , 25, 515-20 | 4.2 | 73 |
| 292 | Unresectable carcinoma of the paranasal sinuses: outcomes and toxicities. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 763-9 | 4 | 72 |
| 291 | Impact of the time interval between surgery and postoperative radiation therapy on locoregional control in advanced head and neck cancer. <i>Journal of Surgical Oncology</i> , 1990 , 43, 203-8 | 2.8 | 72 |
| 290 | Craniofacial resection for malignant tumors of ethmoid and anterior skull base. <i>Archives of Otolaryngology</i> , 1977 , 103, 514-7 | | 72 |

| | | | |
|-----|--|-----|----|
| 289 | Defining a Valid Age Cutoff in Staging of Well-Differentiated Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 410-5 | 3.1 | 71 |
| 288 | Minimum nodal yield in oral squamous cell carcinoma: defining the standard of care in a multicenter international pooled validation study. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3049-55 | 3.1 | 71 |
| 287 | The impact of nodal status on outcome in older patients with papillary thyroid cancer. <i>Surgery</i> , 2014 , 156, 137-46 | 3.6 | 71 |
| 286 | Histological aggressiveness of fluorodeoxyglucose positron-emission tomogram (FDG-PET)-detected incidental thyroid carcinomas. <i>Annals of Surgical Oncology</i> , 2007 , 14, 3210-5 | 3.1 | 71 |
| 285 | Role of fine-needle aspiration biopsy and frozen section analysis in the surgical management of thyroid tumors. <i>Annals of Surgical Oncology</i> , 2001 , 8, 92-100 | 3.1 | 71 |
| 284 | Detailed Analysis of Clinicopathologic Factors Demonstrate Distinct Difference in Outcome and Prognostic Factors Between Surgically Treated HPV-Positive and Negative Oropharyngeal Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4411-21 | 3.1 | 70 |
| 283 | Prognostic factors for malignant melanoma of the squamous mucosa of the head and neck. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 883-92 | 6.7 | 70 |
| 282 | Craniofacial resection for tumors involving the anterior skull base. <i>Otolaryngology - Head and Neck Surgery</i> , 1992 , 106, 387-93 | 5.5 | 70 |
| 281 | Prognostic implications of papillary thyroid carcinoma with tall-cell features. <i>Thyroid</i> , 2014 , 24, 662-70 | 6.2 | 69 |
| 280 | Predictors of survival and recurrence after temporal bone resection for cancer. <i>Head and Neck</i> , 2012 , 34, 1231-9 | 4.2 | 69 |
| 279 | Effective treatment of head and neck squamous cell carcinoma by an oncolytic herpes simplex virus. <i>Journal of the American College of Surgeons</i> , 2001 , 193, 12-21 | 4.4 | 69 |
| 278 | Craniofacial resections for tumors involving the base of the skull. <i>American Journal of Surgery</i> , 1987 , 154, 352-8 | 2.7 | 69 |
| 277 | First bite syndrome: incidence, risk factors, treatment, and outcomes. <i>Laryngoscope</i> , 2012 , 122, 1773-8 | 3.6 | 68 |
| 276 | Malignant minor salivary gland tumors of the larynx. <i>JAMA Otolaryngology</i> , 2006 , 132, 767-70 | | 67 |
| 275 | Anterior cranial base reconstruction using free tissue transfer: changing trends. <i>Head and Neck</i> , 2003 , 25, 89-96 | 4.2 | 67 |
| 274 | Accelerated concomitant boost radiotherapy and chemotherapy for advanced nasopharyngeal carcinoma. <i>Journal of Clinical Oncology</i> , 2001 , 19, 1105-10 | 2.2 | 67 |
| 273 | Poorly Differentiated Carcinoma of the Thyroid Gland: Current Status and Future Prospects. <i>Thyroid</i> , 2019 , 29, 311-321 | 6.2 | 67 |
| 272 | Clinical significance of molecular expression profiles of Hithle cell tumors of the thyroid gland analyzed via tissue microarrays. <i>American Journal of Pathology</i> , 2002 , 160, 175-83 | 5.8 | 66 |

| | | | |
|-----|--|------|----|
| 271 | A phase 2 study of bevacizumab with cisplatin plus intensity-modulated radiation therapy for stage III/IVB head and neck squamous cell cancer. <i>Cancer</i> , 2012 , 118, 5008-14 | 6.4 | 63 |
| 270 | Intensity-modulated radiotherapy for head and neck cancer of unknown primary: toxicity and preliminary efficacy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1100-7 | 4 | 63 |
| 269 | Oncolytic herpesvirus effectively treats murine squamous cell carcinoma and spreads by natural lymphatics to treat sites of lymphatic metastases. <i>Human Gene Therapy</i> , 2002 , 13, 1213-23 | 4.8 | 63 |
| 268 | Mammary analog secretory carcinoma of the thyroid gland: A primary thyroid adenocarcinoma harboring ETV6-NTRK3 fusion. <i>Modern Pathology</i> , 2016 , 29, 985-95 | 9.8 | 62 |
| 267 | Growing incidence of thyroid carcinoma in recent years: Factors underlying overdiagnosis. <i>Head and Neck</i> , 2018 , 40, 855-866 | 4.2 | 62 |
| 266 | High cell carcinoma: a 60-year experience. <i>Annals of Surgical Oncology</i> , 2002 , 9, 197-203 | 3.1 | 61 |
| 265 | The results of selective use of radioactive iodine on survival and on recurrence in the management of papillary thyroid cancer, based on Memorial Sloan-Kettering Cancer Center risk group stratification. <i>Thyroid</i> , 2013 , 23, 683-94 | 6.2 | 60 |
| 264 | Desmoid tumors of the head and neck—a clinical study of a rare entity. <i>Head and Neck</i> , 2000 , 22, 814-21 | 4.2 | 60 |
| 263 | Mandibulotomy approach to oropharyngeal tumors. <i>American Journal of Surgery</i> , 1985 , 150, 466-9 | 2.7 | 60 |
| 262 | Undetectable thyroglobulin after total thyroidectomy in patients with low- and intermediate-risk papillary thyroid cancer—is there a need for radioactive iodine therapy?. <i>Surgery</i> , 2012 , 152, 1096-105 | 3.6 | 58 |
| 261 | Prognostic implication of sentinel lymph node biopsy in cutaneous head and neck melanoma. <i>Head and Neck</i> , 2010 , 32, 1686-92 | 4.2 | 58 |
| 260 | Resection and immediate microvascular reconstruction in the management of osteoradionecrosis of the mandible. <i>Head and Neck</i> , 1997 , 19, 406-11 | 4.2 | 58 |
| 259 | Planned neck dissection following chemoradiotherapy for advanced head and neck cancer: is it necessary for all?. <i>Head and Neck</i> , 2006 , 28, 166-75 | 4.2 | 58 |
| 258 | Effective intravenous therapy of murine pulmonary metastases with an oncolytic herpes virus expressing interleukin 12. <i>Clinical Cancer Research</i> , 2004 , 10, 251-259 | 12.9 | 58 |
| 257 | Soft tissue sarcomas of the head and neck: an update. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2001 , 22, 2-18 | 2.8 | 58 |
| 256 | Alteration of p53 pathway in squamous cell carcinoma of the head and neck: impact on treatment outcome in patients treated with larynx preservation intent. <i>Journal of Clinical Oncology</i> , 2002 , 20, 2980-7 | 2.2 | 56 |
| 255 | Radiotherapy after surgical resection for head and neck mucosal melanoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2010 , 33, 281-5 | 2.7 | 56 |
| 254 | Intensity-modulated radiation therapy in oropharyngeal carcinoma: effect of tumor volume on clinical outcomes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 1851-7 | 4 | 55 |

| | | | |
|-----|---|------|----|
| 253 | High rates of regional failure in squamous cell carcinoma of the hard palate and maxillary alveolus. <i>Head and Neck</i> , 2011 , 33, 824-30 | 4.2 | 55 |
| 252 | Changes in the 8th Edition of the American Joint Committee on Cancer (AJCC) Staging of Head and Neck Cancer: Rationale and Implications. <i>Current Oncology Reports</i> , 2019 , 21, 52 | 6.3 | 54 |
| 251 | Craniofacial resection for malignant neoplasms of the skull base: an overview. <i>Journal of Surgical Oncology</i> , 1998 , 69, 275-84 | 2.8 | 54 |
| 250 | High-dose-rate interstitial brachytherapy in recurrent and previously irradiated head and neck cancers--preliminary results. <i>Brachytherapy</i> , 2007 , 6, 157-63 | 2.4 | 54 |
| 249 | Sentinel lymph node biopsy for cutaneous head and neck melanomas. <i>JAMA Otolaryngology</i> , 2002 , 128, 285-91 | | 54 |
| 248 | Full thickness chest wall resection for recurrent breast carcinoma involving the bony chest wall. <i>Cancer</i> , 1975 , 35, 567-73 | 6.4 | 54 |
| 247 | Preliminary evaluation of the reliability and validity of the Shame and Stigma Scale in head and neck cancer. <i>Head and Neck</i> , 2013 , 35, 172-83 | 4.2 | 53 |
| 246 | Current role of the radial forearm free flap in mandibular reconstruction. <i>Plastic and Reconstructive Surgery</i> , 1997 , 99, 1012-7 | 2.7 | 50 |
| 245 | Nectin-1 expression by squamous cell carcinoma is a predictor of herpes oncolytic sensitivity. <i>Molecular Therapy</i> , 2007 , 15, 103-13 | 11.7 | 50 |
| 244 | Conservation surgery for radiation-failure carcinoma of the glottic larynx. <i>Head and Neck</i> , 1990 , 12, 326-31 | 4.1 | 50 |
| 243 | Management of the clinically negative neck in early-stage head and neck cancers after transoral resection. <i>Head and Neck</i> , 2011 , 33, 1210-9 | 4.2 | 49 |
| 242 | Encapsulated thyroid tumors of follicular cell origin with high grade features (high mitotic rate/tumor necrosis): a clinicopathologic and molecular study. <i>Human Pathology</i> , 2010 , 41, 172-80 | 3.7 | 49 |
| 241 | Patterns of failure in differentiated carcinoma of the thyroid based on risk groups. <i>Head and Neck</i> , 1998 , 20, 26-30 | 4.2 | 49 |
| 240 | Postoperative nomograms predictive of survival after surgical management of malignant tumors of the major salivary glands. <i>Annals of Surgical Oncology</i> , 2014 , 21, 637-42 | 3.1 | 48 |
| 239 | A phase 1 study of everolimus + weekly cisplatin + intensity modulated radiation therapy in head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 479-86 | 4 | 48 |
| 238 | Microvascular reconstruction of the skull base: a clinical approach to surgical defect classification and flap selection. <i>Skull Base</i> , 2007 , 17, 5-15 | | 48 |
| 237 | Cancer of the oral cavity: a comparison between institutions in a developing and a developed nation. <i>Head and Neck</i> , 2004 , 26, 31-8 | 4.2 | 48 |
| 236 | Larynx preservation with combined chemotherapy and radiation therapy in advanced hypopharynx cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 1994 , 111, 31-7 | 5.5 | 48 |

| | | | |
|-----|---|------|----|
| 235 | Prediction of survival in patients with head and neck cancer using the histoculture drug response assay. <i>Head and Neck</i> , 2002 , 24, 437-42 | 4.2 | 47 |
| 234 | The role of operations for distantly metastatic well-differentiated thyroid carcinoma. <i>Surgery</i> , 2002 , 131, 636-43 | 3.6 | 47 |
| 233 | Anterior and middle cranial fossa skull base reconstruction using microvascular free tissue techniques: surgical complications and functional outcomes. <i>Annals of Plastic Surgery</i> , 2008 , 60, 514-20 | 1.7 | 46 |
| 232 | Cervical Lymph Node Metastasis in High-Grade Transformation of Head and Neck Adenoid Cystic Carcinoma: A Collective International Review. <i>Advances in Therapy</i> , 2016 , 33, 357-68 | 4.1 | 45 |
| 231 | Treatment of the neck in carcinoma of the parotid gland. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3042-8 | 3.1 | 45 |
| 230 | Factors predicting outcome in malignant minor salivary gland tumors of the oropharynx. <i>JAMA Otolaryngology</i> , 2010 , 136, 1240-7 | | 44 |
| 229 | Analysis of postoperative complications of open partial laryngectomy. <i>Head and Neck</i> , 2009 , 31, 338-45 | 4.2 | 44 |
| 228 | Treatment of anaplastic thyroid carcinoma in vitro with a mutant vaccinia virus. <i>Surgery</i> , 2007 , 142, 976-83; discussion 976-83 | 3.6 | 44 |
| 227 | A standardized regimen of antibiotics prevents infectious complications in skull base surgery. <i>Laryngoscope</i> , 2005 , 115, 1347-57 | 3.6 | 44 |
| 226 | Pretreatment neutrophil-to-lymphocyte ratio and mutational burden as biomarkers of tumor response to immune checkpoint inhibitors. <i>Nature Communications</i> , 2021 , 12, 729 | 17.4 | 44 |
| 225 | Correlation of a priori DCE-MRI and (1)H-MRS data with molecular markers in neck nodal metastases: Initial analysis. <i>Oral Oncology</i> , 2012 , 48, 717-22 | 4.4 | 43 |
| 224 | Surgical management of metastases to the thyroid gland. <i>Annals of Surgical Oncology</i> , 2011 , 18, 800-4 | 3.1 | 43 |
| 223 | Craniofacial surgery for esthesioneuroblastoma: report of an international collaborative study. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2012 , 73, 208-20 | 1.5 | 43 |
| 222 | Craniofacial resection for malignant melanoma of the skull base: report of an international collaborative study. <i>JAMA Otolaryngology</i> , 2006 , 132, 73-8 | | 43 |
| 221 | Thyroid isthmusectomy for well-differentiated thyroid cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 767-70 | 3.1 | 42 |
| 220 | Distant Metastases in Patients with Carcinoma of the Major Salivary Glands. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4014-9 | 3.1 | 41 |
| 219 | Multi-organ distant metastases confer worse disease-specific survival in differentiated thyroid cancer. <i>Thyroid</i> , 2014 , 24, 1594-9 | 6.2 | 41 |
| 218 | Enhanced nectin-1 expression and herpes oncolytic sensitivity in highly migratory and invasive carcinoma. <i>Clinical Cancer Research</i> , 2005 , 11, 4889-97 | 12.9 | 41 |

| | | | |
|-----|---|-----|----|
| 217 | Poorly differentiated thyroid carcinoma presenting with gross extrathyroidal extension: 1986-2009 Memorial Sloan-Kettering Cancer Center experience. <i>Thyroid</i> , 2013 , 23, 997-1002 | 6.2 | 40 |
| 216 | The role of pretreatment percutaneous endoscopic gastrostomy in facilitating therapy of head and neck cancer and optimizing the body mass index of the obese patient. <i>Journal of Parenteral and Enteral Nutrition</i> , 2009 , 33, 404-10 | 4.2 | 40 |
| 215 | Management issues in massive pediatric facial plexiform neurofibroma with neurofibromatosis type 1. <i>Head and Neck</i> , 2002 , 24, 207-11 | 4.2 | 40 |
| 214 | Microscopic Positive Margins in Differentiated Thyroid Cancer Is Not an Independent Predictor of Local Failure. <i>Thyroid</i> , 2015 , 25, 993-8 | 6.2 | 39 |
| 213 | The prognosis of N2b and N2c lymph node disease in oral squamous cell carcinoma is determined by the number of metastatic lymph nodes rather than laterality: evidence to support a revision of the American Joint Committee on Cancer staging system. <i>Cancer</i> , 2014 , 120, 1968-74 | 6.4 | 39 |
| 212 | Parathyroid carcinoma: challenges in diagnosis and treatment. <i>Hematology/Oncology Clinics of North America</i> , 2012 , 26, 1221-38 | 3.1 | 39 |
| 211 | A prospective phase II trial of concomitant chemotherapy and radiotherapy with delayed accelerated fractionation in unresectable tumors of the head and neck. <i>Head and Neck</i> , 1998 , 20, 497-503 | 4.2 | 39 |
| 210 | Postoperative intensity-modulated radiation therapy for cancers of the paranasal sinuses, nasal cavity, and lacrimal glands: technique, early outcomes, and toxicity. <i>Head and Neck</i> , 2008 , 30, 925-32 | 4.2 | 39 |
| 209 | Clinical nodal stage is an independently significant predictor of distant failure in patients with squamous cell carcinoma of the larynx. <i>Annals of Surgery</i> , 2003 , 238, 412-21; discussion 421-2 | 7.8 | 39 |
| 208 | Comparing primary tumors and metastatic nodes in head and neck cancer using intravoxel incoherent motion imaging: a preliminary experience. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 346-52 | 2.2 | 38 |
| 207 | Incidence and significance of Delphian node metastasis in papillary thyroid cancer. <i>Annals of Surgery</i> , 2011 , 253, 988-91 | 7.8 | 38 |
| 206 | Nomogram for deciding adjuvant treatment after surgery for oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2008 , 30, 1352-60 | 4.2 | 38 |
| 205 | Identification of novel prognosticators of outcome in squamous cell carcinoma of the head and neck. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3965-72 | 2.2 | 38 |
| 204 | Conservation surgery for recurrent carcinoma of the glottic larynx. <i>American Journal of Surgery</i> , 1996 , 172, 662-4 | 2.7 | 38 |
| 203 | Comparative evaluation of fixation methods after mandibulotomy for oropharyngeal tumors. <i>American Journal of Surgery</i> , 1993 , 166, 431-4 | 2.7 | 38 |
| 202 | Patterns of regional and distant metastasis in esthesioneuroblastoma. <i>Laryngoscope</i> , 2016 , 126, 1556-61 | 3.6 | 38 |
| 201 | Observation of clinically negative central compartment lymph nodes in papillary thyroid carcinoma. <i>Surgery</i> , 2013 , 154, 1166-72; discussion 1172-3 | 3.6 | 37 |
| 200 | Complications after craniofacial resection for malignant tumors: are complication trends changing?. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 140, 218-23 | 5.5 | 36 |

| | | | |
|-----|--|------|----|
| 199 | Nerve-sparing therapy with oncolytic herpes virus for cancers with neural invasion. <i>Clinical Cancer Research</i> , 2007 , 13, 6479-85 | 12.9 | 36 |
| 198 | Combination of mutated herpes simplex virus type 1 (G207 virus) with radiation for the treatment of squamous cell carcinoma of the head and neck. <i>European Journal of Cancer</i> , 2005 , 41, 313-22 | 7.5 | 36 |
| 197 | Accuracy of administrative and clinical registry data in reporting postoperative complications after surgery for oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 851-61 | 4.2 | 35 |
| 196 | Imaging of lymph node micrometastases using an oncolytic herpes virus and [F]FEAU PET. <i>PLoS ONE</i> , 2009 , 4, e4789 | 3.7 | 35 |
| 195 | Functional status after primary surgical therapy for squamous cell carcinoma of the base of the tongue. <i>Head and Neck</i> , 2002 , 24, 111-4 | 4.2 | 35 |
| 194 | Long-term local control rates of patients with adenoid cystic carcinoma of the head and neck managed by surgery and postoperative radiation. <i>Laryngoscope</i> , 2017 , 127, 2265-2269 | 3.6 | 34 |
| 193 | Operative management of locally advanced, differentiated thyroid cancer. <i>Surgery</i> , 2016 , 160, 738-46 | 3.6 | 34 |
| 192 | Identification of angiogenesis/metastases genes predicting chemoradiotherapy response in patients with laryngopharyngeal carcinoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 1369-76 | 2.2 | 34 |
| 191 | AJCC stage groupings for head and neck cancer: should we look at alternatives? A report of the Head and Neck Sites Task Force. <i>Head and Neck</i> , 2001 , 23, 607-12 | 4.2 | 34 |
| 190 | Elective neck dissection in oral squamous cell carcinoma: Past, present and future. <i>Oral Oncology</i> , 2019 , 90, 87-93 | 4.4 | 32 |
| 189 | Predictors of outcome for advanced-stage supraglottic laryngeal cancer. <i>Head and Neck</i> , 2009 , 31, 1489-95 | 4.5 | 32 |
| 188 | Average arterial input function for quantitative dynamic contrast enhanced magnetic resonance imaging of neck nodal metastases. <i>BMC Medical Physics</i> , 2009 , 9, 4 | | 32 |
| 187 | Neck dissection: past, present, future. <i>Surgical Oncology Clinics of North America</i> , 2005 , 14, 461-77, vi | 2.7 | 32 |
| 186 | Classification of GLOSSECTOMIES: Proposal for tongue cancer resections. <i>Head and Neck</i> , 2019 , 41, 821-827 | 4.7 | 32 |
| 185 | Oncologic outcomes after completion thyroidectomy for patients with well-differentiated thyroid carcinoma. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1374-8 | 3.1 | 31 |
| 184 | Cost-effectiveness analysis of papillary thyroid cancer surveillance. <i>Cancer</i> , 2015 , 121, 4132-40 | 6.4 | 31 |
| 183 | Squamous cell carcinoma of the oral tongue in the pediatric age group: a matched-pair analysis of survival. <i>JAMA Otolaryngology</i> , 2010 , 136, 697-701 | | 31 |
| 182 | Central lymph node characteristics predictive of outcome in patients with differentiated thyroid cancer. <i>Thyroid</i> , 2014 , 24, 1790-5 | 6.2 | 30 |

| | | | |
|-----|---|------|----|
| 181 | Long-term regional control in the observed neck following definitive chemoradiation for node-positive oropharyngeal squamous cell cancer. <i>International Journal of Cancer</i> , 2013 , 133, 1214-21 | 7.5 | 30 |
| 180 | Double-blind, placebo-controlled, randomized trial of granulocyte-colony stimulating factor during postoperative radiotherapy for squamous head and neck cancer. <i>Cancer Journal (Sudbury, Mass)</i> , 2006 , 12, 182-8 | 2.2 | 30 |
| 179 | Innervation of the trapezius muscle by the intra-operative measurement of motor action potentials. <i>Head and Neck</i> , 1993 , 15, 216-21 | 4.2 | 30 |
| 178 | Stage migration with the new American Joint Committee on Cancer (AJCC) staging system (8th edition) for differentiated thyroid cancer. <i>Surgery</i> , 2019 , 165, 6-11 | 3.6 | 30 |
| 177 | Phase II trial of bevacizumab + cetuximab + cisplatin with concurrent intensity-modulated radiation therapy for patients with stage III/IVB head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E566-70 | 4.2 | 29 |
| 176 | Changing trends in well differentiated thyroid carcinoma over eight decades. <i>International Journal of Surgery</i> , 2012 , 10, 618-23 | 7.5 | 29 |
| 175 | The evolving role of selective neck dissection for head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1195-202 | 3.5 | 29 |
| 174 | Patient Reflections on Decision Making for Laryngeal Cancer Treatment. <i>Otolaryngology - Head and Neck Surgery</i> , 2017 , 156, 299-304 | 5.5 | 28 |
| 173 | Craniofacial resection for malignant tumors involving the skull base in the elderly: an international collaborative study. <i>Cancer</i> , 2011 , 117, 563-71 | 6.4 | 28 |
| 172 | Keynote comment: why the lack of progress for oral cancer?. <i>Lancet Oncology, The</i> , 2006 , 7, 356-7 | 21.7 | 28 |
| 171 | Lateral Neck Lymph Node Characteristics Prognostic of Outcome in Patients with Clinically Evident N1b Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3530-6 | 3.1 | 27 |
| 170 | Kimura disease: diagnostic challenges and clinical management. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2012 , 33, 259-62 | 2.8 | 27 |
| 169 | Outcome of craniofacial surgery in children and adolescents with malignant tumors involving the skull base: an international collaborative study. <i>Head and Neck</i> , 2009 , 31, 308-17 | 4.2 | 27 |
| 168 | Craniofacial resection for cranial base malignancies involving the infratemporal fossa. <i>Operative Neurosurgery</i> , 2005 , 57, 339-47; discussion 339-47 | 1.6 | 27 |
| 167 | Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization. <i>Surgery</i> , 2000 , 128, 888-93;discussion 893-4 | 3.6 | 27 |
| 166 | The role of adjuvant treatment in early-stage oral cavity squamous cell carcinoma: An international collaborative study. <i>Cancer</i> , 2018 , 124, 2948-2955 | 6.4 | 26 |
| 165 | Treatment of aggressive thyroid cancer with an oncolytic herpes virus. <i>International Journal of Cancer</i> , 2004 , 112, 525-32 | 7.5 | 26 |
| 164 | Pretreatment peripheral blood leukocytes are independent predictors of survival in oral cavity cancer. <i>Cancer</i> , 2020 , 126, 994-1003 | 6.4 | 26 |

| | | | |
|-----|---|-----|----|
| 163 | Management of the neck in maxillary sinus carcinomas. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2015 , 23, 107-14 | 2 | 25 |
| 162 | Papillary Thyroid Cancer-Aggressive Variants and Impact on Management: A Narrative Review. <i>Advances in Therapy</i> , 2020 , 37, 3112-3128 | 4.1 | 25 |
| 161 | Selective neck dissection in surgically treated head and neck squamous cell carcinoma patients with a clinically positive neck: Systematic review. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 395-403 | 3.6 | 25 |
| 160 | Surgical approaches to the oral cavity primary and neck. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S15-8 | 4 | 25 |
| 159 | Salvage laryngectomy for unsuccessful larynx preservation therapy. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 1995 , 104, 936-41 | 2.1 | 25 |
| 158 | Thyroid Differentiated and Anaplastic Carcinoma 2017 , 881-898 | | 25 |
| 157 | Neck recurrence in clinically node-negative oral cancer: 27-year experience at a single institution. <i>Oral Oncology</i> , 2018 , 78, 94-101 | 4.4 | 24 |
| 156 | Selective neck dissection in node-positive squamous cell carcinoma of the head and neck. <i>Otolaryngology - Head and Neck Surgery</i> , 2012 , 147, 707-15 | 5.5 | 24 |
| 155 | Oral rehabilitation of the cancer patient: A formidable challenge. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1729-1735 | 2.8 | 23 |
| 154 | Nomogram for predicting malignancy in thyroid nodules using clinical, biochemical, ultrasonographic, and cytologic features. <i>Surgery</i> , 2010 , 148, 1120-7; discussion 1127-8 | 3.6 | 23 |
| 153 | High-dose-rate intraoperative radiation therapy for recurrent head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 1140-6 | 4 | 23 |
| 152 | Prognostic value of vascular invasion in well-differentiated papillary thyroid carcinoma. <i>Thyroid</i> , 2015 , 25, 503-8 | 6.2 | 22 |
| 151 | Guideline familiarity predicts variation in self-reported use of routine surveillance PET/CT by physicians who treat head and neck cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 69-77 | 7.3 | 22 |
| 150 | A predictive nomogram for recurrence of carcinoma of the major salivary glands. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 698-705 | 3.9 | 22 |
| 149 | Viable tumor in postchemoradiation neck dissection specimens as an indicator of poor outcome. <i>Head and Neck</i> , 2011 , 33, 1387-93 | 4.2 | 22 |
| 148 | Papillary microcarcinoma of the thyroid. <i>Journal of Surgical Oncology</i> , 2007 , 95, 532-3 | 2.8 | 22 |
| 147 | Management of Invasive Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1156-66 | 6.2 | 22 |
| 146 | TALK score: Development and validation of a prognostic model for predicting larynx preservation outcome. <i>Laryngoscope</i> , 2012 , 122, 1043-50 | 3.6 | 21 |

| | | | |
|-----|--|------|----|
| 145 | Outcome of craniofacial resection in patients 70 years of age and older. <i>Head and Neck</i> , 2007 , 29, 89-94 | 4.2 | 21 |
| 144 | Management of unresectable malignant tumors at the skull base using concomitant chemotherapy and radiotherapy with accelerated fractionation. <i>Skull Base</i> , 1994 , 4, 127-31 | | 21 |
| 143 | Comparable outcomes for patients with pT1a and pT1b differentiated thyroid cancer: Is there a need for change in the AJCC classification system?. <i>Surgery</i> , 2014 , 156, 1484-9; discussion 1489-90 | 3.6 | 20 |
| 142 | Prognostic significance of regulators of cell cycle and apoptosis, p16(INK4a), p53, and bcl-2 in primary mucosal melanomas of the head and neck. <i>Head and Neck Pathology</i> , 2012 , 6, 184-90 | 3.3 | 20 |
| 141 | SCCRO (DCUN1D1) induces extracellular matrix invasion by activating matrix metalloproteinase 2. <i>Clinical Cancer Research</i> , 2008 , 14, 6780-9 | 12.9 | 20 |
| 140 | Intraoral presentation of Rosai-Dorfman disease: a case report and review of the literature. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2002 , 93, 699-704 | | 20 |
| 139 | Chemotherapy of head and neck cancer: combination treatment with cyclophosphamide, adriamycin, methotrexate, and bleomycin. <i>Medical and Pediatric Oncology</i> , 1977 , 3, 301-9 | | 20 |
| 138 | Cervical lymph node metastasis in adenoid cystic carcinoma of oral cavity and oropharynx: A collective international review. <i>Auris Nasus Larynx</i> , 2016 , 43, 477-84 | 2.2 | 20 |
| 137 | Malignant tumors of the skull base. <i>Neurosurgical Focus</i> , 2002 , 13, e6 | 4.2 | 19 |
| 136 | Combination gene therapy using multiple immunomodulatory genes transferred by a defective infectious single-cycle herpes virus in squamous cell cancer. <i>Cancer Gene Therapy</i> , 2000 , 7, 1279-85 | 5.4 | 19 |
| 135 | Long-term functional and esthetic outcomes after fibula free flap reconstruction of the mandible. <i>Head and Neck</i> , 2019 , 41, 2123-2132 | 4.2 | 18 |
| 134 | Depth of invasion alone as an indication for postoperative radiotherapy in small oral squamous cell carcinomas: An International Collaborative Study. <i>Head and Neck</i> , 2019 , 41, 1935-1942 | 4.2 | 18 |
| 133 | Salvage surgery for recurrent larynx cancer. <i>Head and Neck</i> , 2019 , 41, 3906-3915 | 4.2 | 18 |
| 132 | Disease-related death in patients who were considered free of macroscopic disease after initial treatment of well-differentiated thyroid carcinoma. <i>Thyroid</i> , 2011 , 21, 501-4 | 6.2 | 18 |
| 131 | Changing trends in smoking and alcohol consumption in patients with oral cancer treated at Memorial Sloan-Kettering Cancer Center from 1985 to 2009. <i>JAMA Otolaryngology</i> , 2012 , 138, 817-22 | | 18 |
| 130 | The role of the head and neck surgeon in contemporary multidisciplinary treatment programs for advanced head and neck cancer. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2010 , 18, 79-82 | 2 | 18 |
| 129 | A phase II trial of bryostatin-1 in patients with metastatic or recurrent squamous cell carcinoma of the head and neck. <i>Investigational New Drugs</i> , 2002 , 20, 123-7 | 4.3 | 18 |
| 128 | Influence of bone invasion on outcomes after marginal mandibulectomy in squamous cell carcinoma of the oral cavity. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 252-257 | 3.6 | 17 |

| | | | |
|-----|---|-----|----|
| 127 | Pattern of neck recurrence after lateral neck dissection for cervical metastases in papillary thyroid cancer. <i>Surgery</i> , 2016 , 159, 1565-1571 | 3.6 | 17 |
| 126 | Sentinel Lymph Node Biopsy for Cutaneous Head and Neck Melanoma: Mapping the Parotid Gland. <i>Annals of Surgical Oncology</i> , 2016 , 23, 9001-9009 | 3.1 | 17 |
| 125 | Outcomes of temporal bone resection for locally advanced parotid cancer. <i>Skull Base</i> , 2011 , 21, 389-96 | | 17 |
| 124 | Utility of a herpes oncolytic virus for the detection of neural invasion by cancer. <i>Neoplasia</i> , 2008 , 10, 347-53 | 3.3 | 17 |
| 123 | Hard palate resection, microvascular reconstruction, and prosthetic restoration: a 14-year retrospective analysis. <i>Head and Neck</i> , 2003 , 25, 671-80 | 4.2 | 17 |
| 122 | MUC1 plays a role in tumor maintenance in aggressive thyroid carcinomas. <i>Surgery</i> , 2005 , 138, 994-1001; discussion 1001-2 | 3.6 | 17 |
| 121 | Is open surgery for head and neck cancers truly declining?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 2793-802 | 3.5 | 16 |
| 120 | Outcomes of a head and neck cancer screening clinic. <i>Oral Oncology</i> , 2013 , 49, 1136-40 | 4.4 | 16 |
| 119 | A new care paradigm in geriatric head and neck surgical oncology. <i>Journal of Surgical Oncology</i> , 2013 , 108, 187-91 | 2.8 | 16 |
| 118 | Tissue microarray evidence of association between p16 and phosphorylated eIF4E in tonsillar squamous cell carcinoma. <i>Head and Neck</i> , 2011 , 33, 1340-5 | 4.2 | 16 |
| 117 | Advances in multimodality therapy for laryngeal cancer. <i>Ca-A Cancer Journal for Clinicians</i> , 1998 , 48, 211-28 | 2.7 | 16 |
| 116 | Polymorphous adenocarcinoma of salivary glands. <i>Oral Oncology</i> , 2019 , 95, 52-58 | 4.4 | 15 |
| 115 | Thyroid cancer: surgery for the primary tumor. <i>Oral Oncology</i> , 2013 , 49, 654-8 | 4.4 | 15 |
| 114 | Cause-specific mortality in patients with mucoepidermoid carcinoma of the major salivary glands. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2396-404 | 3.1 | 15 |
| 113 | Outcome of resection of infratemporal fossa tumors. <i>Head and Neck</i> , 2013 , 35, 1567-72 | 4.2 | 15 |
| 112 | The origin of regional failure in oral cavity squamous cell carcinoma with pathologically negative neck metastases. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 1130-7 | 3.9 | 15 |
| 111 | Nomogram to aid selection of patients for short-stay thyroidectomy based on risk of postoperative hypocalcemia. <i>JAMA Otolaryngology</i> , 2011 , 137, 1154-60 | | 15 |
| 110 | Long-term neck control rates after complete response to chemoradiation in patients with advanced head and neck cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2008 , 31, 465-9 | 2.7 | 15 |

| | | | |
|-----|---|-----|----|
| 109 | Should multifocality be an indication for completion thyroidectomy in papillary thyroid carcinoma?. <i>Surgery</i> , 2020 , 167, 10-17 | 3.6 | 15 |
| 108 | Attenuated multimutated herpes simplex virus-1 effectively treats prostate carcinomas with neural invasion while preserving nerve function. <i>FASEB Journal</i> , 2008 , 22, 1839-48 | 0.9 | 14 |
| 107 | Chromosomal aberrations in patients with head and neck squamous cell carcinoma do not vary based on severity of tobacco/alcohol exposure. <i>BMC Genetics</i> , 2002 , 3, 22 | 2.6 | 14 |
| 106 | Cervical Lymph Node Metastasis in Adenoid Cystic Carcinoma of the Larynx: A Collective International Review. <i>Advances in Therapy</i> , 2016 , 33, 553-79 | 4.1 | 14 |
| 105 | Host Factors Independently Associated With Prognosis in Patients With Oral Cavity Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020 , 146, 699-707 | 3.9 | 13 |
| 104 | The 3 Bs of cancer care amid the COVID-19 pandemic crisis: "Be safe, be smart, be kind"-A multidisciplinary approach increasing the use of radiation and embracing telemedicine for head and neck cancer. <i>Cancer</i> , 2020 , 126, 4092-4104 | 6.4 | 13 |
| 103 | Effectiveness of routine ultrasonographic surveillance of patients with low-risk papillary carcinoma of the thyroid. <i>Surgery</i> , 2016 , 159, 1390-5 | 3.6 | 13 |
| 102 | Incidental findings of thyroid tissue in cervical lymph nodes: old controversy not yet resolved?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 2867-75 | 3.5 | 13 |
| 101 | Outcome of patients with early T1 and T2 squamous cell carcinoma of the base of tongue managed by conventional surgery with adjuvant postoperative radiation. <i>Head and Neck</i> , 2013 , 35, 999-1006 | 4.2 | 13 |
| 100 | Preoperative neck ultrasound in clinical node-negative differentiated thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3686-93 | 5.6 | 13 |
| 99 | Optimizing perioperative management of geriatric patients with head and neck cancer. <i>Head and Neck</i> , 2014 , 36, 743-9 | 4.2 | 13 |
| 98 | Surgical management of squamous cell carcinoma of the soft palate: factors predictive of outcome. <i>Head and Neck</i> , 2012 , 34, 1071-80 | 4.2 | 13 |
| 97 | Thyroid carcinoma: epidemiology, histology, and diagnosis. <i>Clinical Advances in Hematology and Oncology</i> , 2015 , 13, 3-6 | 0.6 | 13 |
| 96 | Comparison of the American Joint Committee on Cancer N1 versus N2a nodal categories for predicting survival and recurrence in patients with oral cancer: Time to acknowledge an arbitrary distinction and modify the system. <i>Head and Neck</i> , 2016 , 38, 135-9 | 4.2 | 13 |
| 95 | The impact of COVID-19 on Head and Neck surgery, education, and training. <i>Head and Neck</i> , 2020 , 42, 1344-1347 | 4.2 | 12 |
| 94 | Soft tissue sarcoma of the head & neck: nomogram validation and analysis of staging systems. <i>Journal of Surgical Oncology</i> , 2015 , 111, 690-5 | 2.8 | 12 |
| 93 | Improvement in survival during the past 4 decades among patients with anterior skull base cancer. <i>Head and Neck</i> , 2012 , 34, 1212-7 | 4.2 | 12 |
| 92 | Clinical ethics consultation in patients with head and neck cancer. <i>Head and Neck</i> , 2013 , 35, 1647-51 | 4.2 | 12 |

| | | | |
|----|--|-----|----|
| 91 | Spectral karyotyping analysis of head and neck squamous cell carcinoma. <i>Laryngoscope</i> , 2001 , 111, 1545-50 | 3.6 | 12 |
| 90 | Squamous cell carcinoma of the tonsil managed by conventional surgery and postoperative radiation. <i>Head and Neck</i> , 2015 , 37, 800-7 | 4.2 | 11 |
| 89 | Distant metastasis of salivary gland cancer: Incidence, management, and outcomes. <i>Cancer</i> , 2020 , 126, 2153-2162 | 6.4 | 11 |
| 88 | Nomogram for selecting thyroid nodules for ultrasound-guided fine-needle aspiration biopsy based on a quantification of risk of malignancy. <i>Head and Neck</i> , 2013 , 35, 1022-5 | 4.2 | 11 |
| 87 | The 2009 American Thyroid Association guidelines modestly reduced radioactive iodine use for thyroid cancers less than 1 cm. <i>Thyroid</i> , 2014 , 24, 1549-50 | 6.2 | 11 |
| 86 | Induction chemotherapy in the management of head and neck cancer. <i>Journal of Surgical Oncology</i> , 2010 , 101, 292-8 | 2.8 | 11 |
| 85 | Prevalence of lymph nodes in the apex of level V: a plea against the necessity to dissect the apex of level V in mucosal head and neck cancer. <i>Head and Neck</i> , 2005 , 27, 963-9; discussion 969 | 4.2 | 11 |
| 84 | Treatment of large tracheal defects after resection: Laryngotracheal release and tracheal replacement. <i>Auris Nasus Larynx</i> , 2016 , 43, 602-8 | 2.2 | 11 |
| 83 | Management and outcome of clinically evident neck recurrence in patients with papillary thyroid cancer. <i>Clinical Endocrinology</i> , 2017 , 87, 566-571 | 3.4 | 10 |
| 82 | Individualized Risk Estimation for Postoperative Complications After Surgery for Oral Cavity Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2015 , 141, 960-8 | 3.9 | 10 |
| 81 | Incidence of Occult Lymph Node Metastasis in Primary Larynx Squamous Cell Carcinoma, by Subsite, T Classification and Neck Level: A Systematic Review. <i>Cancers</i> , 2020 , 12, | 6.6 | 10 |
| 80 | Selective use of radioactive iodine in intermediate-risk papillary thyroid cancer. <i>JAMA Otolaryngology</i> , 2012 , 138, 1141-6 | | 10 |
| 79 | Folded forehead flap for reconstruction of full-thickness defects of the cheek. <i>Head & Neck</i> , 1980 , 2, 248-52 | | 10 |
| 78 | Intraoperative and postanesthesia care unit fluid administration as risk factors for postoperative complications in patients with head and neck cancer undergoing free tissue transfer. <i>Head and Neck</i> , 2020 , 42, 14-24 | 4.2 | 10 |
| 77 | A systematic review of validated tools assessing functional and aesthetic outcomes following fibula free flap reconstruction of the mandible. <i>Head and Neck</i> , 2019 , 41, 248-255 | 4.2 | 10 |
| 76 | Re: Extent of surgery affects papillary thyroid cancer. <i>Annals of Surgery</i> , 2008 , 247, 1082-3; author reply 1083-4 | 7.8 | 9 |
| 75 | Craniofacial surgery for nonmelanoma skin malignancy: report of an international collaborative study. <i>Head and Neck</i> , 2007 , 29, 1136-43 | 4.2 | 9 |
| 74 | Genome-wide screening for radiation response factors in head and neck cancer. <i>Laryngoscope</i> , 2000 , 110, 1251-6 | 3.6 | 9 |

| | | | |
|----|--|-----|---|
| 73 | Isthmusectomy in selected patients with well-differentiated thyroid carcinoma. <i>Head and Neck</i> , 2020 , 42, 43-49 | 4.2 | 9 |
| 72 | An evidence-based analysis of the management of N0 neck in patients with cancer of the parotid gland. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 899-908 | 3.5 | 8 |
| 71 | An oral cavity carcinoma nomogram to predict benefit of adjuvant radiotherapy. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 554-9 | 3.9 | 8 |
| 70 | Quality of Life after Skull Base Surgery: The Patient's Predicament. <i>Skull Base</i> , 2010 , 20, 3-4 | | 8 |
| 69 | Head and neck surgery in crisis: preparing for the future. <i>JAMA Otolaryngology</i> , 2005 , 131, 556-60 | | 8 |
| 68 | Mucosal Melanoma of the Head and Neck 2017 , 163-169 | | 8 |
| 67 | Unambiguous advanced radiologic extranodal extension determined by MRI predicts worse outcomes in nasopharyngeal carcinoma: Potential improvement for future editions of N category systems. <i>Radiotherapy and Oncology</i> , 2021 , 157, 114-121 | 5.3 | 8 |
| 66 | Do we need a different staging system for tongue and gingivobuccal complex squamous cell cancers?. <i>Oral Oncology</i> , 2018 , 78, 64-71 | 4.4 | 7 |
| 65 | Surgical technique refinements in head and neck oncologic surgery. <i>Journal of Surgical Oncology</i> , 2010 , 101, 661-8 | 2.8 | 7 |
| 64 | Role of Fine-Needle Aspiration Biopsy and Frozen Section Analysis in the Surgical Management of Thyroid Tumors 2001 , 8, 92 | | 7 |
| 63 | Immediate Intraoperative Repair of the Recurrent Laryngeal Nerve in Thyroid Surgery. <i>Laryngoscope</i> , 2021 , 131, 1429-1435 | 3.6 | 7 |
| 62 | Head and neck paragangliomas: 30-year experience. <i>Head and Neck</i> , 2020 , 42, 2486-2495 | 4.2 | 7 |
| 61 | Undetectable Thyroglobulin Levels in Poorly Differentiated Thyroid Carcinoma Patients Free of Macroscopic Disease After Initial Treatment: Are They Useful?. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4193-7 | 3.1 | 6 |
| 60 | Validation and assessment of discordance of the 8th edition AJCC (American Joint Committee on Cancer) clinical and pathologic staging systems in patients with p16+ oropharyngeal cancer treated with surgery and adjuvant radiation at a single institution. <i>Oral Oncology</i> , 2018 , 83, 140-146 | 4.4 | 6 |
| 59 | A novel tumor: specimen index for assessing adequacy of resection in early stage oral tongue cancer. <i>Oral Oncology</i> , 2014 , 50, 213-20 | 4.4 | 6 |
| 58 | Well differentiated thyroid cancer: are we over treating our patients?. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 129-32 | 3.6 | 6 |
| 57 | Secondary skull base malignancies in survivors of retinoblastoma: the memorial sloan kettering cancer center experience. <i>Skull Base</i> , 2011 , 21, 103-8 | | 6 |
| 56 | Epstein-Barr virus in squamous carcinoma of the anterior nasal cavity. <i>Annals of Diagnostic Pathology</i> , 2000 , 4, 7-10 | 2.2 | 6 |

| | | | |
|----|--|-----|---|
| 55 | Role of RAI in the management of incidental N1a disease in papillary thyroid cancer. <i>Clinical Endocrinology</i> , 2016 , 84, 292-295 | 3.4 | 6 |
| 54 | Impact of Flap Reconstruction on Radiotoxicity After Salvage Surgery and Reirradiation for Recurrent Head and Neck Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 850-857 | 3.1 | 5 |
| 53 | Exploiting biology in selecting treatment for differentiated cancer of the thyroid gland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008 , 265, 1155-60 | 3.5 | 5 |
| 52 | Management of oral and oropharyngeal cancers. <i>Oral Diseases</i> , 2003 , 9, 109-11 | 3.5 | 5 |
| 51 | Recurrent differentiated thyroid carcinoma: Biological implications of age, method of detection, and site and extent of recurrence 2002 , 9, 789 | | 5 |
| 50 | Sex disparities in salivary malignancies: Does female sex impact oncological outcome?. <i>Oral Oncology</i> , 2019 , 94, 86-92 | 4.4 | 4 |
| 49 | Significance and management of incidentally diagnosed metastatic papillary thyroid carcinoma in cervical lymph nodes in neck dissection specimens. <i>Head and Neck</i> , 2019 , 41, 3783-3787 | 4.2 | 4 |
| 48 | Previous External Beam Radiation Treatment Exposure Does Not Confer Worse Outcome for Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017 , 27, 412-417 | 6.2 | 4 |
| 47 | Results of anterior skull base surgery in pediatric and young adult patients. <i>Skull Base</i> , 2010 , 20, 75-81 | | 4 |
| 46 | Concerning the editorial "The future of the TNM staging system in laryngeal cancer: time for a debate?" by Ferlito and Rinaldo. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 155; author reply 157-8 | 3.5 | 4 |
| 45 | Metastatic Squamous Cell Carcinoma to the Cervical Lymph Nodes From an Unknown Primary Cancer: Management in the HPV Era. <i>Frontiers in Oncology</i> , 2020 , 10, 593164 | 5.3 | 4 |
| 44 | Is a Prophylactic Central Compartment Neck Dissection Required in Papillary Thyroid Carcinoma Patients with Clinically Involved Lateral Compartment Lymph Nodes?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 512-518 | 3.1 | 4 |
| 43 | Does age influence disease-specific survival in patients with squamous cell carcinomas of the head and neck?. <i>Journal of Surgical Oncology</i> , 2020 , 121, 1058-1066 | 2.8 | 3 |
| 42 | Global On Line Fellowship in head and neck surgery and oncology. <i>Head and Neck</i> , 2020 , 42, 3125-3132 | 4.2 | 3 |
| 41 | New AJCC/UICC staging system for head and neck, and thyroid cancer. <i>Revista Médica Clínica Las Condes</i> , 2018 , 29, 397-404 | 0.2 | 3 |
| 40 | Surgical Management of Low-/Intermediate-Risk Node Negative Thyroid Cancer: A Single-Institution Study Using Propensity Matching Analysis to Compare Thyroid Lobectomy and Total Thyroidectomy. <i>Thyroid</i> , 2021 , | 6.2 | 3 |
| 39 | Head and Neck Cancer Staging and Prognosis: Perspectives of the UICC and the AJCC 2016 , 181-203 | | 3 |
| 38 | Squamous Cell Carcinoma and Its Variants. <i>Advances in Oto-Rhino-Laryngology</i> , 2020 , 84, 124-136 | 1.7 | 3 |

| | | | |
|----|---|-----|---|
| 37 | The hidden curve behind COVID-19 outbreak: the impact of delay in treatment initiation in cancer patients and how to mitigate the additional risk of dying-the head and neck cancer model. <i>Cancer Causes and Control</i> , 2021 , 32, 459-471 | 2.8 | 3 |
| 36 | Are our patients doing better? A single institution experience of an evolving management paradigm for sinonasal mucosal melanoma. <i>Oral Oncology</i> , 2021 , 112, 105006 | 4.4 | 3 |
| 35 | Sarcomas of the mandible. <i>Journal of Surgical Oncology</i> , 2019 , 120, 109-116 | 2.8 | 2 |
| 34 | Staging for Head and Neck Cancer: Purpose, Process and Progress. <i>Indian Journal of Surgical Oncology</i> , 2018 , 9, 116-120 | 0.7 | 2 |
| 33 | Surgery for locally extensive carcinomas of the thyroid gland. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> , 2009 , 20, 7-17 | 0.4 | 2 |
| 32 | Radical neck dissection. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> , 2004 , 15, 152-159 | 1.5 | 2 |
| 31 | Identical laryngeal cancers in two non-twin sibling pairs: case reports and a review of the literature. <i>Journal of Surgical Oncology</i> , 1985 , 29, 118-22 | 2.8 | 2 |
| 30 | Tracheal and Cricotracheal Resection With End-to-End Anastomosis for Locally Advanced Thyroid Cancer: A Systematic Review of the Literature on 656 Patients. <i>Frontiers in Endocrinology</i> , 2021 , 12, 779999 | 5.7 | 2 |
| 29 | Head and Neck Cancer Staging and Prognosis: Perspectives of the UICC and the AJCC 2011 , 135-155 | | 2 |
| 28 | Primary tumor volume as a predictor of distant metastases and survival in patients with sinonasal mucosal melanoma. <i>Head and Neck</i> , 2020 , 42, 3316-3325 | 4.2 | 2 |
| 27 | Nodal characteristics associated with adverse prognosis in oral cavity cancer are linked to host immune status. <i>Journal of Surgical Oncology</i> , 2021 , 123, 141-148 | 2.8 | 2 |
| 26 | Does macroscopic extrathyroidal extension to the strap muscles alone affect survival in papillary thyroid carcinoma?. <i>Surgery</i> , 2021 , | 3.6 | 2 |
| 25 | Current therapeutic options for low-risk papillary thyroid carcinoma: A scoping evidence review. <i>Head and Neck</i> , 2021 , | 4.2 | 2 |
| 24 | Squamous cell carcinoma of the tongue in young patients: A matched-pair analysis 1998 , 20, 363 | | 2 |
| 23 | Level 7 disease does not confer worse outcome than level 6 disease in differentiated thyroid cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 441-5 | 3.1 | 1 |
| 22 | Maxillary swing approach for removal of recurrent nasopharyngeal carcinoma. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> , 2014 , 25, 248-253 | 0.4 | 1 |
| 21 | The magnanimous professional life and tragic demise of J. H. Douglas, MD. <i>Laryngoscope</i> , 2005 , 115, 1499-504 | 3.6 | 1 |
| 20 | Mucoepidermoid carcinoma: Evaluating the prognostic impact of primary tumor site. <i>Oral Oncology</i> , 2021 , 123, 105602 | 4.4 | 1 |

| | | | |
|----|--|-----|---|
| 19 | ThyroidEx: Development and Preliminary Validation of a Thyroid Surgery Expectations Measure. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 165, 267-274 | 5.5 | 1 |
| 18 | John Wayne Clinical Research Lecture: New Avenues for Uplifting the Global Quality of Care in Surgical Oncology. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5820-5828 | 3.1 | 1 |
| 17 | Hotte Cell Carcinoma of the Thyroid Gland: Systematic Review and Meta-analysis. <i>Advances in Therapy</i> , 2021 , 38, 5144-5164 | 4.1 | 1 |
| 16 | Maxillectomy and its classification 1997 , 19, 309 | | 1 |
| 15 | Functional status after primary surgical therapy for squamous cell carcinoma of the base of the tongue 2002 , 24, 111 | | 1 |
| 14 | Distant metastasis in oral squamous cell carcinoma: Does the neutrophil-to-lymphocyte ratio act as a surrogate of the host immune status?. <i>Oral Oncology</i> , 2021 , 124, 105641 | 4.4 | 0 |
| 13 | Staging of human papilloma virus related cancers of the oropharynx. <i>Journal of Surgical Oncology</i> , 2021 , 124, 931-934 | 2.8 | 0 |
| 12 | Assessing the quality of life of head and neck healthcare workers during the COVID-19 pandemic-A self-reported global cross-sectional questionnaire study by the International Federation of Head and Neck Oncologic Societies. <i>Journal of Surgical Oncology</i> , 2021 , 124, 476-482 | 2.8 | 0 |
| 11 | Predictors of surgical complications in patients with sinonasal malignancy. <i>Journal of Surgical Oncology</i> , 2021 , 124, 731-739 | 2.8 | 0 |
| 10 | Young non-smokers with oral cancer: What are we missing and why?. <i>Oral Oncology</i> , 2022 , 127, 105803 | 4.4 | 0 |
| 9 | Can technology conquer biology in craniofacial surgery for malignant tumors. <i>Journal of Oral Biology and Craniofacial Research</i> , 2014 , 4, 1 | 2.6 | |
| 8 | Editorial comment. <i>Head and Neck</i> , 2000 , 22, 454-5 | 4.2 | |
| 7 | Predictors of distant metastases in sinonasal and skull base cancer patients treated with surgery. <i>Oral Oncology</i> , 2021 , 122, 105575 | 4.4 | |
| 6 | Nomogram for prediction of prognosis in patients treated for oral cavity squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 5562-5562 | 2.2 | |
| 5 | Reply to the Letter to the Editor regarding "Significance and management of incidentally diagnosed metastatic papillary thyroid carcinoma in cervical lymph nodes in neck dissection specimens". <i>Head and Neck</i> , 2020 , 42, 3100 | 4.2 | |
| 4 | Safety and Feasibility of Surgery for Oropharyngeal Cancers During the SARS-CoV-2-Pandemic. <i>Frontiers in Oncology</i> , 2021 , 11, 651123 | 5.3 | |
| 3 | Flexible fiber-based CO laser vs monopolar cautery for resection of oral cavity lesions: A single center randomized controlled trial assessing pain and quality of life following surgery. <i>Laryngoscope Investigative Otolaryngology</i> , 2021 , 6, 690-698 | 2.8 | |
| 2 | Surgical Management of Low-/Intermediate-Risk Node Negative Thyroid Cancer: A Single-Institution Study Using Propensity Matching Analysis to Compare Thyroid Lobectomy and Total Thyroidectomy. <i>VideoEndocrinology</i> , 2022 , 9, 5-6 | 1.6 | |

- 1 The Selective Role of Open and Endoscopic Approaches for Sinonasal Malignant Tumours..
Advances in Therapy, **2022**, 1 4.1