

Weiping Teng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5480396/publications.pdf>

Version: 2024-02-01

124
papers

5,761
citations

126708

33
h-index

88477

70
g-index

127
all docs

127
docs citations

127
times ranked

5728
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of the transition from more than adequate iodine to adequate iodine on national changes in the prevalence of thyroid disorders: repeat national cross-sectional surveys in China. <i>European Journal of Endocrinology</i> , 2022, 186, 115-122.	1.9	8
2	Postprandial Glycemic Dips Are Associated With Metabolic Disorders and CVD Risk in Euglycemic Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1631-e1642.	1.8	4
3	The expression of anti-protein disulfide isomerase A3 autoantibody is associated with the increased risk of miscarriage in euthyroid women with thyroid autoimmunity. <i>International Immunopharmacology</i> , 2022, 104, 108507.	1.7	3
4	Impaired Sensitivity to Thyroid Hormones Is Associated with Hyperuricemia, Obesity, and Cardiovascular Disease Risk in Subjects with Subclinical Hypothyroidism. <i>Thyroid</i> , 2022, 32, 376-384.	2.4	32
5	Serum Antithyroglobulin Antibody Levels Are Associated with Diabetic Retinopathy among Euthyroid Type 2 Diabetes Patients: A Hospital-Based, Retrospective Study. <i>Journal of Diabetes Research</i> , 2022, 1-10.	1.0	2
6	Iodine deficiency is associated with increased thyroid hormone sensitivity in individuals with elevated TSH. <i>European Thyroid Journal</i> , 2022, 11, .	1.2	2
7	Histological, functional and transcriptomic alterations in the hippocampus in a mouse model of thyroid hormone resistance. <i>European Thyroid Journal</i> , 2022, , .	1.2	3
8	Developmental Hypothyroidism Influences the Development of the Entorhinal-Dentate Gyrus Pathway of Rat Offspring. <i>Endocrinology and Metabolism</i> , 2022, 37, 290-302.	1.3	1
9	Gender-Specific Associations Between Metabolic Disorders and Thyroid Nodules: A Cross-Sectional Population-Based Study from China. <i>Thyroid</i> , 2022, 32, 571-580.	2.4	7
10	Concentration-dependent Differences in Urinary Iodine Measurements Between Inductively Coupled Plasma Mass Spectrometry and the Sandell-Kolthoff Method. <i>Biological Trace Element Research</i> , 2021, 199, 2489-2495.	1.9	9
11	Reference Intervals of the Ratio of Urine Iodine to Creatinine in Pregnant Women in an Iodine-Replete Area of China. <i>Biological Trace Element Research</i> , 2021, 199, 62-69.	1.9	8
12	Exposure to the Chinese Great Famine in Early Life and Thyroid Function and Disorders in Adulthood: A Cross-Sectional Study. <i>Thyroid</i> , 2021, 31, 563-571.	2.4	17
13	Generation and Characterization of a New Resistance to Thyroid Hormone Mouse Model with Thyroid Hormone Receptor Alpha Gene Mutation. <i>Thyroid</i> , 2021, 31, 678-691.	2.4	5
14	Estimated change in prevalence of abnormal thyroid-stimulating hormone levels in China according to the application of the kit-recommended or NACB standard reference interval. <i>EClinicalMedicine</i> , 2021, 32, 100723.	3.2	4
15	The Iodine Status and Prevalence of Thyroid Disorders Among Women of Childbearing Age in China: National Cross-sectional Study. <i>Endocrine Practice</i> , 2021, 27, 1028-1033.	1.1	8
16	Maternal Subclinical Hypothyroidism in Rats Impairs Spatial Learning and Memory in Offspring by Disrupting Balance of the TrkA/p75NTR Signal Pathway. <i>Molecular Neurobiology</i> , 2021, 58, 4237-4250.	1.9	9
17	Reference Intervals for Serum Thyroid-Stimulating Hormone Based on a Recent Nationwide Cross-Sectional Study and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021, 12, 660277.	1.5	7
18	Effects of iodine excess on serum thyrotropin-releasing hormone levels and type 2 deiodinase in the hypothalamus of Wistar rats. <i>British Journal of Nutrition</i> , 2021, , 1-30.	1.2	3

#	ARTICLE	IF	CITATIONS
19	The Positive Association between Subclinical Hypothyroidism and Newly-Diagnosed Hypertension Is More Explicit in Female Individuals Younger than 65. <i>Endocrinology and Metabolism</i> , 2021, 36, 778-789.	1.3	4
20	The Relationship and Gender Disparity Between Thyroid Nodules and Metabolic Syndrome Components Based on a Recent Nationwide Cross-Sectional Study and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021, 12, 736972.	1.5	10
21	Changes in the prevalence of obesity and hypertension and demographic risk factor profiles in China over 10 years: two national cross-sectional surveys. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 15, 100227.	1.3	25
22	The Type 2 Deiodinase Thr92Ala Polymorphism Is Associated with Higher Body Mass Index and Fasting Glucose Levels: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2021, 2021, 1-8.	0.9	4
23	Combined Effects of Dyslipidemia and High Adiposity on the Estimated Glomerular Filtration Rate in a Middle-Aged Chinese Population. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 4513-4522.	1.1	3
24	The Detection of Thyroid Nodules in Prediabetes Population and Analysis of Related Factors. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 4875-4882.	1.2	3
25	Divergence of Iodine and Thyroid Hormones in the Fetal and Maternal Parts of Human-Term Placenta. <i>Biological Trace Element Research</i> , 2020, 195, 27-38.	1.9	16
26	The Effect of Increased Iodine Intake on Serum Thyrotropin: A Cross-Sectional, Chinese Nationwide Study. <i>Thyroid</i> , 2020, 30, 1810-1819.	2.4	18
27	Functional analysis of thyroid peroxidase gene mutations resulting in congenital hypothyroidism. <i>Clinical Endocrinology</i> , 2020, 93, 499-507.	1.2	8
28	<p>Serum CA125 Level Is Associated with Diabetic Retinopathy in Chinese Patients with Type 2 Diabetes</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 1803-1812.	1.1	5
29	U-Shaped Associations Between Urinary Iodine Concentration and the Prevalence of Metabolic Disorders: A Cross-Sectional Study. <i>Thyroid</i> , 2020, 30, 1053-1065.	2.4	23
30	Thyocyte-derived exosome-targeted dendritic cells stimulate strong CD4+ T lymphocyte responses. <i>Molecular and Cellular Endocrinology</i> , 2020, 506, 110756.	1.6	11
31	An Inverse Relationship Between Iodine Intake and Thyroid Antibodies: A National Cross-Sectional Survey in Mainland China. <i>Thyroid</i> , 2020, 30, 1656-1665.	2.4	21
32	A negative association between urinary iodine concentration and the prevalence of hyperuricemia and gout: a cross-sectional and population-based study in Mainland China. <i>European Journal of Nutrition</i> , 2020, 59, 3659-3668.	1.8	10
33	Efficacy and Safety of Long-Term Universal Salt Iodization on Thyroid Disorders: Epidemiological Evidence from 31 Provinces of Mainland China. <i>Thyroid</i> , 2020, 30, 568-579.	2.4	185
34	The role of protein disulphide-isomerase A3 as autoantigen in the pathogenesis of autoimmune thyroiditis and related brain damage in adult mice. <i>Clinical Immunology</i> , 2020, 212, 108350.	1.4	8
35	The Correlation Between Metabolic Disorders And Tpoab/Tgab: A Cross-Sectional Population-Based Study. <i>Endocrine Practice</i> , 2020, 26, 869-882.	1.1	17
36	Prevalence of diabetes recorded in mainland China using 2018 diagnostic criteria from the American Diabetes Association: national cross sectional study. <i>BMJ</i> , The, 2020, 369, m997.	3.0	809

#	ARTICLE	IF	CITATIONS
37	Maternal Thyroid Dysfunction and Gestational Anemia Risk: Meta-Analysis and New Data. <i>Frontiers in Endocrinology</i> , 2020, 11, 201.	1.5	13
38	The Presence of Serum TgAb Suggests Lower Risks for Glucose and Lipid Metabolic Disorders in Euthyroid General Population From a National Survey. <i>Frontiers in Endocrinology</i> , 2020, 11, 139.	1.5	16
39	Experimental evidence for alpha enolase as one potential autoantigen in the pathogenesis of both autoimmune thyroiditis and its related encephalopathy. <i>International Immunopharmacology</i> , 2020, 85, 106563.	1.7	4
40	Association between Urinary Iodine Concentration and Thyroid Nodules in Adults: A Cross-Sectional Study in China. <i>BioMed Research International</i> , 2020, 2020, 1-8.	0.9	3
41	Smoking Is Positively Associated with Antithyroperoxidase Antibodies and Antithyroglobulin Antibodies in Populations with Mildly Deficient Iodine Intake. <i>Biological Trace Element Research</i> , 2019, 187, 383-391.	1.9	6
42	Circulating Exosomes Activate Dendritic Cells and Induce Unbalanced CD4+ T Cell Differentiation in Hashimoto Thyroiditis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4607-4618.	1.8	28
43	Growth arrest-specific protein 6 (Gas6) attenuates inflammatory injury and apoptosis in iodine-induced NOD.H-2h4 mice. <i>International Immunopharmacology</i> , 2019, 73, 333-342.	1.7	10
44	Decreased expression of Fc γ 3RII in active Graves' disease patients. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22904.	0.9	4
45	Sphk1/S1P/S1PR1 Signaling is Involved in the Development of Autoimmune Thyroiditis in Patients and NOD.H-2h4 Mice. <i>Thyroid</i> , 2019, 29, 700-713.	2.4	13
46	The association between cigarette smoking and serum thyroid stimulating hormone, thyroid peroxidase antibodies and thyroglobulin antibodies levels in Chinese residents: A cross-sectional study in 10 cities. <i>PLoS ONE</i> , 2019, 14, e0225435.	1.1	21
47	Implantation failure in rats with subclinical hypothyroidism is associated with LIF/STAT3 signaling. <i>Endocrine Connections</i> , 2019, 8, 718-727.	0.8	12
48	Estrogen receptor β 2 activation stimulates the development of experimental autoimmune thyroiditis through up-regulation of Th17-type responses. <i>Clinical Immunology</i> , 2018, 190, 41-52.	1.4	19
49	Subclinical hypothyroidism in pregnant rats impaired learning and memory of their offspring by promoting the p75NTR signal pathway. <i>Endocrine Connections</i> , 2018, 7, 688-697.	0.8	14
50	Myeloid related proteins are up-regulated in autoimmune thyroid diseases and activate toll-like receptor 4 and pro-inflammatory cytokines in vitro. <i>International Immunopharmacology</i> , 2018, 59, 217-226.	1.7	10
51	Physiological low-dose oestrogen promotes the development of experimental autoimmune thyroiditis through the up-regulation of Th1/Th17 responses. <i>Journal of Reproductive Immunology</i> , 2018, 126, 23-31.	0.8	10
52	Phagocytosis Deficiency of Macrophages in NOD.H-2h4 Mice Accelerates the Severity of Iodine-Induced Autoimmune Thyroiditis. <i>Biological Trace Element Research</i> , 2018, 184, 196-205.	1.9	4
53	Effect of Iodine Nutrition on Pregnancy Outcomes in an Iodine-Sufficient Area in China. <i>Biological Trace Element Research</i> , 2018, 182, 231-237.	1.9	45
54	Iron Deficiency May Predict Greater Risk for Hypothyroxinemia: A Retrospective Cohort Study of Pregnant Women in China. <i>Thyroid</i> , 2018, 28, 968-975.	2.4	23

#	ARTICLE	IF	CITATIONS
55	Serum Trace Elements Profile in Gravesâ€™ Disease Patients with or without Orbitopathy in Northeast China. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	17
56	Thyrotropin Regulates eNOS Expression in the Endothelium by PGRN Through Akt Pathway. <i>Frontiers in Endocrinology</i> , 2018, 9, 353.	1.5	9
57	Cytokine Secretion and Pyroptosis of Thyroid Follicular Cells Mediated by Enhanced NLRP3, NLRP1, NLRC4, and AIM2 Inflammasomes Are Associated With Autoimmune Thyroiditis. <i>Frontiers in Immunology</i> , 2018, 9, 1197.	2.2	89
58	Marginal Iodine Deficiency Affects Dendritic Spine Development by Disturbing the Function of Rac1 Signaling Pathway on Cytoskeleton. <i>Molecular Neurobiology</i> , 2017, 54, 437-449.	1.9	11
59	Glycyrrhizin, a Direct HMGB1 Antagonist, Ameliorates Inflammatory Infiltration in a Model of Autoimmune Thyroiditis via Inhibition of TLR2-HMGB1 Signaling. <i>Thyroid</i> , 2017, 27, 722-731.	2.4	40
60	Iodine Storage and Metabolism of Mild to Moderate Iodine-Deficient Pregnant Rats. <i>Thyroid</i> , 2017, 27, 846-851.	2.4	4
61	Role of the tumour necrosis factorâ€like weak inducer of apoptosis (<sc>TWEAK</sc>)/fibroblast growth factorâ€inducible 14 (Fn14) axis in autoimmune thyroid disease. <i>Clinical Endocrinology</i> , 2017, 87, 783-790.	1.2	4
62	Maternal marginal iodine deficiency limits dendritic growth of cerebellar purkinje cells in rat offspring by NFâ€B signaling and MAP1B. <i>Environmental Toxicology</i> , 2017, 32, 1241-1251.	2.1	3
63	Correlation between Prenatal Exposure to Polybrominated Diphenyl Ethers (PBDEs) and Infant Birth Outcomes: A Meta-Analysis and an Experimental Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 268.	1.2	25
64	Increased Circulating Th17 but Decreased CD4⁺Foxp3⁺ Treg and CD19⁺CD1d^{hi}CD5⁺ Breg Subsets in New-Onset Gravesâ€™ Disease. <i>BioMed Research International</i> , 2017, 2017, 1-8.	0.9	37
65	The<i>Type 2 Deiodinase Thr92Ala Polymorphism</i> Is Associated with Worse Glycemic Control in Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	1.0	25
66	Circulating Betatrophin Is Increased in Patients with Overt and Subclinical Hypothyroidism. <i>BioMed Research International</i> , 2016, 2016, 1-6.	0.9	26
67	Increased Toll-Like Receptors Activity and TLR Ligands in Patients with Autoimmune Thyroid Diseases. <i>Frontiers in Immunology</i> , 2016, 7, 578.	2.2	47
68	Effect of Thyrotropin on Osteopontin, Integrin Î±vÎ²3, and VCAM-1 in the Endothelium via Activation of Akt. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1484.	1.8	5
69	CXCR4 antagonist AMD3100 ameliorates thyroid damage in autoimmune thyroiditis in NOD.H-2h4 mice. <i>Molecular Medicine Reports</i> , 2016, 13, 3604-3612.	1.1	8
70	Developmental Hypothyroxinemia and Hypothyroidism Reduce Parallel Fiberâ€Purkinje Cell Synapses in Rat Offspring by Downregulation of Neurexin1/Cbln1/GluD2 Tripartite Complex. <i>Biological Trace Element Research</i> , 2016, 173, 465-474.	1.9	3
71	Perinatal Iron Deficiency-Induced Hypothyroxinemia Impairs Early Brain Development Regardless of Normal Iron Levels in the Neonatal Brain. <i>Thyroid</i> , 2016, 26, 891-900.	2.4	20
72	Effect of Prolonged Iodine Overdose on Type 2 Iodothyronine Deiodinase Ubiquitination-Related Enzymes in the Rat Pituitary. <i>Biological Trace Element Research</i> , 2016, 174, 377-386.	1.9	8

#	ARTICLE	IF	CITATIONS
73	Iodine Status and Prevalence of Thyroid Disorders After Introduction of Mandatory Universal Salt Iodization for 16 Years in China: A Cross-Sectional Study in 10 Cities. <i>Thyroid</i> , 2016, 26, 1125-1130.	2.4	225
74	The Urine Iodine to Creatinine as an Optimal Index of Iodine During Pregnancy in an Iodine Adequate Area in China. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1290-1298.	1.8	62
75	Maternal Hypothyroxinemia-Induced Neurodevelopmental Impairments in the Progeny. <i>Molecular Neurobiology</i> , 2016, 53, 1613-1624.	1.9	50
76	Treatment with Iodine in Pregnant Rats with Marginal Iodine Deficiency Improves Cell Migration in the Developing Brain of the Progeny. <i>Molecular Neurobiology</i> , 2016, 53, 2212-2221.	1.9	6
77	Effects of Maternal Marginal Iodine Deficiency on Dendritic Morphology in the Hippocampal CA1 Pyramidal Neurons in Rat Offspring. <i>NeuroMolecular Medicine</i> , 2016, 18, 203-215.	1.8	7
78	Different Degrees of Iodine Deficiency Inhibit Differentiation of Cerebellar Granular Cells in Rat Offspring, via BMP-Smad1/5/8 Signaling. <i>Molecular Neurobiology</i> , 2016, 53, 4606-4617.	1.9	5
79	Elevated Thyroid Peroxidase Antibody Increases Risk of Post-partum Depression by Decreasing Prefrontal Cortex BDNF and 5-HT Levels in Mice. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 307.	1.8	25
80	Coumestrol inhibits autoantibody production through modulating Th1 response in experimental autoimmune thyroiditis. <i>Oncotarget</i> , 2016, 7, 52797-52809.	0.8	15
81	Association of single nucleotide polymorphism rs3792876 in SLC22A4 gene with autoimmune thyroid disease in a Chinese Han population. <i>BMC Medical Genetics</i> , 2015, 16, 76.	2.1	6
82	Hypothyroxinemia induced by maternal mild iodine deficiency impairs hippocampal myelinated growth in lactational rats. <i>Environmental Toxicology</i> , 2015, 30, 1264-1274.	2.1	12
83	Lower Serum 25-Hydroxyvitamin D Level is Associated With 3 Types of Autoimmune Thyroid Diseases. <i>Medicine (United States)</i> , 2015, 94, e1639.	0.4	51
84	Incidence Density and Risk Factors of Diabetic Retinopathy Within Type 2 Diabetes: A Five-Year Cohort Study in China (Report 1). <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7899-7909.	1.2	45
85	Use of the Monocyte-to-Lymphocyte Ratio to Predict Diabetic Retinopathy. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 10009-10019.	1.2	64
86	The Correlation between Polybrominated Diphenyl Ethers (PBDEs) and Thyroid Hormones in the General Population: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0126989.	1.1	50
87	Subclinical Hypothyroidism and Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0135233.	1.1	150
88	High Body Mass Index Is an Indicator of Maternal Hypothyroidism, Hypothyroxinemia, and Thyroid-Peroxidase Antibody Positivity during Early Pregnancy. <i>BioMed Research International</i> , 2015, 1-7.	0.9	48
89	Prevalence of Hyperuricemia and Gout in Mainland China from 2000 to 2014: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2015, 2015, 1-12.	0.9	397
90	Iron Deficiency, An Independent Risk Factor for Isolated Hypothyroxinemia in Pregnant and Nonpregnant Women of Childbearing Age in China. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1594-1601.	1.8	68

#	ARTICLE	IF	CITATIONS
91	Effects of Isolated Positive Maternal Thyroglobulin Antibodies on Brain Development of Offspring in an Experimental Autoimmune Thyroiditis Model. <i>Thyroid</i> , 2015, 25, 551-558.	2.4	16
92	Expression of Iodotyrosine Deiodinase in Thyroid and Other Organs in Iodine-Deficient and Iodine-Excess Rats. <i>Biological Trace Element Research</i> , 2015, 167, 272-279.	1.9	12
93	Optimal and Safe Upper Limits of Iodine Intake for Early Pregnancy in Iodine-Sufficient Regions: A Cross-Sectional Study of 7190 Pregnant Women in China. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1630-1638.	1.8	203
94	Maternal Subclinical Hypothyroidism Impairs Neurodevelopment in Rat Offspring by Inhibiting the CREB Signaling Pathway. <i>Molecular Neurobiology</i> , 2015, 52, 432-441.	1.9	31
95	Tg in Adults as a Sensitive Biomarker of Iodine Status: A 5-Year Follow up Population Study in Different Levels of Iodine Intake Regions. <i>PLoS ONE</i> , 2015, 10, e0135553.	1.1	9
96	Prevalence of Goiter and Thyroid Nodules before and after Implementation of the Universal Salt Iodization Program in Mainland China from 1985 to 2014: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e109549.	1.1	58
97	Effects of Increased Iodine Intake on Thyroid Disorders. <i>Endocrinology and Metabolism</i> , 2014, 29, 240.	1.3	86
98	Developmental hypothyroxinaemia and hypothyroidism limit dendritic growth of cerebellar Purkinje cells in rat offspring: involvement of microtubule-associated protein 2 (MAP2) and stathmin. <i>Neuropathology and Applied Neurobiology</i> , 2014, 40, 398-415.	1.8	23
99	Developmental Hypothyroxinemia and Hypothyroidism Reduce Proliferation of Cerebellar Granule Neuron Precursors in Rat Offspring by Downregulation of the Sonic Hedgehog Signaling Pathway. <i>Molecular Neurobiology</i> , 2014, 49, 1143-1152.	1.9	23
100	Sustained high levels of serum leptin rather than IL-6 observed in patients with postpartum thyroiditis during their first postpartum year. <i>Endocrine</i> , 2014, 47, 512-518.	1.1	2
101	Effect of Iodine Excess on Th1, Th2, Th17, and Treg Cell Subpopulations in the Thyroid of NOD.H-2h4 Mice. <i>Biological Trace Element Research</i> , 2014, 159, 288-296.	1.9	20
102	Iron deficiency without anemia causes maternal hypothyroxinemia in pregnant rats. <i>Nutrition Research</i> , 2014, 34, 604-612.	1.3	23
103	Increased differentiation of Th22 cells in Hashimoto's thyroiditis. <i>Endocrine Journal</i> , 2014, 61, 1181-1190.	0.7	24
104	Hypothyroidism in pregnancy. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 228-237.	5.5	113
105	Neurotoxicity of developmental hypothyroxinemia and hypothyroidism in rats: Impairments of long-term potentiation are mediated by phosphatidylinositol 3-kinase signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2013, 271, 257-265.	1.3	24
106	Maternal marginal iodine deficiency affects the expression of relative proteins during brain development in rat offspring. <i>Journal of Endocrinology</i> , 2013, 217, 21-29.	1.2	15
107	Prolonged high iodine intake is associated with inhibition of type 2 deiodinase activity in pituitary and elevation of serum thyrotropin levels. <i>British Journal of Nutrition</i> , 2012, 107, 674-682.	1.2	38
108	Effect of maternal excessive iodine intake on neurodevelopment and cognitive function in rat offspring. <i>BMC Neuroscience</i> , 2012, 13, 121.	0.8	26

#	ARTICLE	IF	CITATIONS
109	Regulatory T cells but not T helper 17 cells are modulated in an animal model of Graves'™ hyperthyroidism. <i>Clinical and Experimental Medicine</i> , 2012, 12, 39-46.	1.9	27
110	The relationship between serum thyrotropin and components of metabolic syndrome. <i>Endocrine Journal</i> , 2011, 58, 23-30.	0.7	109
111	Dynamic Changes of CD4+CD25+ Regulatory T Cells in NOD.H-2h4 Mice with Iodine-Induced Autoimmune Thyroiditis. <i>Biological Trace Element Research</i> , 2011, 143, 292-301.	1.9	12
112	More than adequate iodine intake may increase subclinical hypothyroidism and autoimmune thyroiditis: a cross-sectional study based on two Chinese communities with different iodine intake levels. <i>European Journal of Endocrinology</i> , 2011, 164, 943-950.	1.9	141
113	Abnormalities of maternal thyroid function during pregnancy affect neuropsychological development of their children at 25-30 months. <i>Clinical Endocrinology</i> , 2010, 72, 825-829.	1.2	342
114	Selenium upregulates CD4⁺CD25⁺ regulatory T cells in iodine-induced autoimmune thyroiditis model of NOD.H-2^{h4} mice. <i>Endocrine Journal</i> , 2010, 57, 595-601.	0.7	73
115	Dynamic Changes of IgG Subtypes of Thyroid Peroxidase Antibody in Patients with Postpartum Thyroiditis. <i>Gynecologic and Obstetric Investigation</i> , 2010, 69, 24-29.	0.7	7
116	The Effect of Maternal Subclinical Hypothyroidism During Pregnancy on Brain Development in Rat Offspring. <i>Thyroid</i> , 2010, 20, 909-915.	2.4	47
117	Experimental study on the effects of chronic iodine excess on thyroid function, structure, and autoimmunity in autoimmune-prone NOD.H-2h4 mice. <i>Clinical and Experimental Medicine</i> , 2009, 9, 51-59.	1.9	66
118	Circulating lymphocyte subsets and regulatory T cells in patients with postpartum thyroiditis during the first postpartum year. <i>Clinical and Experimental Medicine</i> , 2009, 9, 263-267.	1.9	13
119	Influence of iodine on the reference interval of TSH and the optimal interval of TSH: results of a follow-up study in areas with different iodine intakes. <i>Clinical Endocrinology</i> , 2008, 69, 136-141.	1.2	78
120	Antithyropoxidase and Antithyroglobulin Antibodies in a Five-Year Follow-Up Survey of Populations with Different Iodine Intakes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1751-1757.	1.8	143
121	Chronic iodine excess does not increase the incidence of hyperthyroidism: a prospective community-based epidemiological survey in China. <i>European Journal of Endocrinology</i> , 2007, 156, 403-408.	1.9	42
122	Effect of Iodine Intake on Thyroid Diseases in China. <i>New England Journal of Medicine</i> , 2006, 354, 2783-2793.	13.9	624
123	Genome-Wide Scan of Graves'™ Disease: Evidence for Linkage on Chromosome 5q31 in Chinese Han Pedigrees. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1798-1803.	1.8	53
124	A Predictive Role of Autoantibodies Against the Epitope aa168-183 of ENO1 in the Occurrence of Miscarriage Related to Thyroid Autoimmunity. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	3