## Shao-Chun Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5481504/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Single Amino Acid Substitution in Elongation Factor G Can Confer Low-Level Gentamicin Resistance in <i>Neisseria gonorrhoeae</i> . Antimicrobial Agents and Chemotherapy, 2022, 66, e0025122.	1.4	4
2	The Accuracy of Molecular Detection Targeting the Mutation C2611T for Detecting Moderate-Level Azithromycin Resistance in Neisseria gonorrhoeae: A Systematic Review and Meta-Analysis. Antibiotics, 2021, 10, 1027.	1.5	6
3	Antimicrobial Susceptibility of Ertapenem in Neisseria gonorrhoeae Isolates Collected Within the China Gonococcal Resistance Surveillance Programme (China-GRSP) 2018. Infection and Drug Resistance, 2021, Volume 14, 4183-4189.	1.1	5
4	Widespread Use of High-dose Ceftriaxone Therapy for Uncomplicated Gonorrhea Without Reported Ceftriaxone Treatment Failure: Results From 5 Years of Multicenter Surveillance Data in China. Clinical Infectious Diseases, 2020, 70, 99-105.	2.9	24
5	<p>Disk-Diffusion Testing Is an Inappropriate Screening Tool for Cephalosporin-Resistant Gonorrhoea Strains in Clinical Practice in China</p> . Infection and Drug Resistance, 2020, Volume 13, 2417-2423.	1.1	3
6	Enhancing gonorrhea surveillance in China by testing females in gynecology clinics: Lessons learned from a pilot survey. PLoS ONE, 2020, 15, e0238710.	1.1	2
7	Surveillance and molecular epidemiology of Neisseria gonorrhoeae isolates in Shenzhen, China, 2010–2017. Journal of Global Antimicrobial Resistance, 2020, 23, 269-274.	0.9	10
8	Sustained transmission of the ceftriaxone-resistant Neisseria gonorrhoeae FC428 clone in China. Journal of Antimicrobial Chemotherapy, 2020, 75, 2499-2502.	1.3	27
9	Impact of the gonococcal FC428 <i>penA</i> allele 60.001 on ceftriaxone resistance and biological fitness. Emerging Microbes and Infections, 2020, 9, 1219-1229.	3.0	15
10	Gonococcal urethritis caused by a multidrug resistant <i>Neisseria gonorrhoeae</i> strain with high-level resistance to spectinomycin in China. Emerging Microbes and Infections, 2020, 9, 517-519.	3.0	3
11	<p>Comparison of Microdilution Method with Agar Dilution Method for Antibiotic Susceptibility Test of <em>Neisseria gonorrhoeae</em></p> . Infection and Drug Resistance, 2020, Volume 13, 1775-1780.	1.1	7
12	Co-Infection of Chlamydia trachomatis and Neisseria gonorrhoeae on Adult Conjunctivitis: A Case Report. International Journal of Dermatology and Venereology, 2020, 3, 56-57.	0.1	0
13	Evaluation of Drugs with Therapeutic Potential for Susceptibility of Neisseria Gonorrhoeae Isolates from 8 Provinces in China from 2018. Infection and Drug Resistance, 2020, Volume 13, 4475-4486.	1.1	1
14	Evaluation of the accuracy of molecular assays targeting the mutation A2059G for detecting high-level azithromycin resistance in <em>Neisseria gonorrhoeae</em> : a systematic review and meta-analysis. Infection and Drug Resistance, 2019, Volume 12, 95-104.	1.1	7
15	Gentamicin susceptibility of <em>Neisseria gonorrhoeae</em> isolates from 7 provinces in China. Infection and Drug Resistance, 2019, Volume 12, 2471-2476.	1.1	9
16	Identification of Internationally Disseminated Ceftriaxone-Resistant <i>Neisseria gonorrhoeae</i> Strain FC428, China. Emerging Infectious Diseases, 2019, 25, 1427-1429.	2.0	49
17	A Whole-genome Sequencing Analysis of Neisseria gonorrhoeae Isolates in China: An Observational Study. EClinicalMedicine, 2019, 7, 47-54.	3.2	45
18	Cephalosporin-Resistant <i>Neisseria gonorrhoeae</i> Clone, China. Emerging Infectious Diseases, 2018, 24, 804-806	2.0	16

SHAO-CHUN CHEN

#	Article	IF	CITATIONS
19	Susceptibility of Neisseria gonorrhoeae to azithromycin and ceftriaxone in China: A retrospective study of national surveillance data from 2013 to 2016. PLoS Medicine, 2018, 15, e1002499.	3.9	84
20	First nationwide study regarding ceftriaxone resistance and molecular epidemiology of <i>Neisseria gonorrhoeae</i> in China. Journal of Antimicrobial Chemotherapy, 2016, 71, 92-99.	1.3	47
21	Worldwide Susceptibility Rates of Neisseria gonorrhoeae Isolates to Cefixime and Cefpodoxime: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e87849.	1.1	17
22	Antimicrobial resistance, genetic resistance determinants for ceftriaxone and molecular epidemiology of Neisseria gonorrhoeae isolates in Nanjing, China. Journal of Antimicrobial Chemotherapy, 2014, 69, 2959-2965.	1.3	35
23	Characterisation of bla TEM genes and types of β-lactamase plasmids in Neisseria gonorrhoeae – the prevalent and conserved bla TEM-135 has not recently evolved and existed in the Toronto plasmid from the origin. BMC Infectious Diseases, 2014, 14, 454.	1.3	57
24	Evaluation of Abbott RealTime CT/NG Assay for Detection of Chlamydia trachomatis and Neisseria gonorrhoeae in Cervical Swabs from Female Sex Workers in China. PLoS ONE, 2014, 9, e89658.	1.1	6
25	Prevalence and Molecular Epidemiological Typing of Penicillinase-Producing Neisseria gonorrhoeae and Their blaTEM-135 Gene Variants in Nanjing, China. Sexually Transmitted Diseases, 2013, 40, 872-876.	0.8	20
26	A Dual Point-of-Care Test Shows Good Performance in Simultaneously Detecting Nontreponemal and Treponemal Antibodies in Patients With Syphilis: A Multisite Evaluation Study in China. Clinical Infectious Diseases, 2013, 56, 659-665.	2.9	73
27	Difference in Distribution of Chlamydia trachomatis Genotypes among Different Provinces: a Pilot Study from Four Provinces in China. Japanese Journal of Infectious Diseases, 2013, 66, 69-71.	0.5	7
28	Seropositivity and Risk Factors for Herpes Simplex Virus Type 2 Infection among Female Sex Workers in Guangxi, China. PLoS ONE, 2013, 8, e69697.	1.1	0
29	Prevalence and Risk Factors of HSV-2 Infection and HSV-2/HIV Coinfection in Men Who Have Sex With Men in China. Sexually Transmitted Diseases, 2012, 39, 354-358.	0.8	13
30	A Pericentrin-Related Protein Homolog in Aspergillus nidulans Plays Important Roles in Nucleus Positioning and Cell Polarity by Affecting Microtubule Organization. Eukaryotic Cell, 2012, 11, 1520-1530.	3.4	14
31	Localization and function of calmodulin in live-cells of Aspergillus nidulans. Fungal Genetics and Biology, 2010, 47, 268-278.	0.9	24
32	The important role of actinin-like protein (AcnA) in cytokinesis and apical dominance of hyphal cells in Aspergillus nidulans. Microbiology (United Kingdom), 2009, 155, 2714-2725.	0.7	26