

Kenichi Harada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5483044/publications.pdf>

Version: 2024-02-01

121
papers

5,881
citations

57758

44
h-index

79698

73
g-index

123
all docs

123
docs citations

123
times ranked

5339
citing authors

#	ARTICLE	IF	CITATIONS
1	Th2 and regulatory immune reactions are increased in immunoglobulin G4-related sclerosing pancreatitis and cholangitis. <i>Hepatology</i> , 2007, 45, 1538-1546.	7.3	633
2	IgG4-related Sclerosing Cholangitis With and Without Hepatic Inflammatory Pseudotumor, and Sclerosing Pancreatitis-associated Sclerosing Cholangitis. <i>American Journal of Surgical Pathology</i> , 2004, 28, 1193-1203.	3.7	536
3	Pathological classification of intrahepatic cholangiocarcinoma based on a new concept. <i>World Journal of Hepatology</i> , 2010, 2, 419.	2.0	268
4	Hepatocellular carcinoma arising in non- α -alcoholic steatohepatitis. <i>Pathology International</i> , 2001, 51, 127-131.	1.3	181
5	Application of a new histological staging and grading system for primary biliary cirrhosis to liver biopsy specimens: Interobserver agreement. <i>Pathology International</i> , 2010, 60, 167-174.	1.3	177
6	Fractalkine and CX3CR1 are involved in the recruitment of intraepithelial lymphocytes of intrahepatic bile ducts. <i>Hepatology</i> , 2005, 41, 506-516.	7.3	149
7	Lipopolysaccharide Activates Nuclear Factor-KappaB through Toll-Like Receptors and Related Molecules in Cultured Biliary Epithelial Cells. <i>Laboratory Investigation</i> , 2003, 83, 1657-1667.	3.7	141
8	Interaction between Toll-like receptors and natural killer cells in the destruction of bile ducts in primary biliary cirrhosis. <i>Hepatology</i> , 2011, 53, 1270-1281.	7.3	110
9	CX3CL1 (fractalkine): A signpost for biliary inflammation in primary biliary cirrhosis. <i>Hepatology</i> , 2010, 51, 567-575.	7.3	97
10	Monocyte chemotactic protein-1, -2, and -3 are distinctively expressed in portal tracts and granulomata in primary biliary cirrhosis: implications for pathogenesis. <i>Journal of Pathology</i> , 2001, 193, 102-109.	4.5	94
11	Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is <i>Propionibacterium acnes</i> involved in granuloma formation?. <i>Hepatology</i> , 2001, 33, 530-536.	7.3	94
12	Clinicopathologic study of mixed adenoneuroendocrine carcinomas of hepatobiliary organs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 281-289.	2.8	91
13	Amplification and sequence analysis of partial bacterial 16S ribosomal RNA gene in gallbladder bile from patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2000, 33, 9-18.	3.7	88
14	Peptide antibiotic human beta-defensin-1 and -2 contribute to antimicrobial defense of the intrahepatic biliary tree. <i>Hepatology</i> , 2004, 40, 925-932.	7.3	88
15	Endotoxin tolerance in human intrahepatic biliary epithelial cells is induced by upregulation of IRAK-M. <i>Liver International</i> , 2006, 26, 935-942.	3.9	87
16	The challenges of primary biliary cholangitis: What is new and what needs to be done. <i>Journal of Autoimmunity</i> , 2019, 105, 102328.	6.5	86
17	Polycystic Kidney Rat Is a Novel Animal Model of Caroli's Disease Associated with Congenital Hepatic Fibrosis. <i>American Journal of Pathology</i> , 2001, 158, 1605-1612.	3.8	83
18	Significance of immunoglobulin G4 (IgG4)-positive cells in extrahepatic cholangiocarcinoma: Molecular mechanism of IgG4 reaction in cancer tissue. <i>Hepatology</i> , 2012, 56, 157-164.	7.3	83

#	ARTICLE	IF	CITATIONS
19	Biliary epithelial cells and primary biliary cirrhosis: The role of liver-infiltrating mononuclear cells. <i>Hepatology</i> , 2008, 47, 958-965.	7.3	82
20	Innate immune response to double-stranded RNA in biliary epithelial cells is associated with the pathogenesis of biliary atresia. <i>Hepatology</i> , 2007, 46, 1146-1154.	7.3	81
21	Safety, Tolerability, and Preliminary Efficacy of the Anti-Fibrotic Small Molecule PRI-724, a CBP/ β^2 -Catenin Inhibitor, in Patients with Hepatitis C Virus-related Cirrhosis: A Single-Center, Open-Label, Dose Escalation Phase 1 Trial. <i>EBioMedicine</i> , 2017, 23, 79-87.	6.1	76
22	Th1 cytokine-induced downregulation of PPAR γ^3 in human biliary cells relates to cholangitis in primary biliary cirrhosis. <i>Hepatology</i> , 2005, 41, 1329-1338.	7.3	74
23	Autophagy and senescence in fibrosing cholangiopathies. <i>Journal of Hepatology</i> , 2015, 62, 934-945.	3.7	74
24	Incidence of and risk factors for hepatocellular carcinoma in primary biliary cirrhosis: National data from Japan. <i>Hepatology</i> , 2013, 57, 1942-1949.	7.3	72
25	Multistep carcinogenesis of perihilar cholangiocarcinoma arising in the intrahepatic large bile ducts. <i>World Journal of Hepatology</i> , 2009, 1, 35.	2.0	71
26	Natural killer cells regulate T cell immune responses in primary biliary cirrhosis. <i>Hepatology</i> , 2015, 62, 1817-1827.	7.3	67
27	Scavenger cells with Gram-positive bacterial lipoteichoic acid infiltrate around the damaged interlobular bile ducts of primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2001, 35, 156-163.	3.7	64
28	Autoreactive T-Cell Responses in Primary Biliary Cirrhosis Are Proinflammatory Whereas Those of Controls Are Regulatory. <i>Gastroenterology</i> , 2006, 131, 606-618.	1.3	64
29	Pathology of peripheral intrahepatic cholangiocarcinoma with reference to tumorigenesis. <i>Hepatology Research</i> , 2008, 38, 325-334.	3.4	64
30	Epithelial \rightarrow mesenchymal transition induced by biliary innate immunity contributes to the sclerosing cholangiopathy of biliary atresia. <i>Journal of Pathology</i> , 2009, 217, 654-664.	4.5	63
31	Inflammatory features of pancreatic cancer highlighted by monocytes/macrophages and CD4 $^{+}$ T cells with clinical impact. <i>Cancer Science</i> , 2015, 106, 672-686.	3.9	61
32	Intrahepatic Cholangiocarcinoma With Predominant β -Ductal Plate Malformation Pattern. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1629-1635.	3.7	59
33	Acute presentation of autoimmune hepatitis: a multicentre study with detailed histological evaluation in a large cohort of patients. <i>Journal of Clinical Pathology</i> , 2017, 70, 961-969.	2.0	58
34	Distinct costimulation dependent and independent autoreactive T-cell clones in primary biliary cirrhosis. <i>Gastroenterology</i> , 2003, 125, 1379-1387.	1.3	56
35	Cholangiocytes with Mesenchymal Features Contribute to Progressive Hepatic Fibrosis of the Polycystic Kidney Rat. <i>American Journal of Pathology</i> , 2007, 171, 1859-1871.	3.8	55
36	Biliary Innate Immunity: Function and Modulation. <i>Mediators of Inflammation</i> , 2010, 2010, 1-9.	3.0	55

#	ARTICLE	IF	CITATIONS
37	Pathological diagnosis of flat epithelial lesions of the biliary tract with emphasis on biliary intraepithelial neoplasia. <i>Journal of Gastroenterology</i> , 2014, 49, 64-72.	5.1	54
38	Helicobacter Genus DNA Fragments Are Commonly Detectable in Bile from Patients with Extrahepatic Biliary Diseases and Associated with Their Pathogenesis. <i>Digestive Diseases and Sciences</i> , 2005, 50, 862-867.	2.3	53
39	Proposal of a new disease concept "biliary diseases with pancreatic counterparts". Anatomical and pathological bases. <i>Histology and Histopathology</i> , 2014, 29, 1-10.	0.7	51
40	IL-8 expression by biliary epithelial cells is associated with neutrophilic infiltration and reactive bile ductules. <i>Liver International</i> , 2007, 27, 672-680.	3.9	50
41	Hepatitis B and C Virus Infection is a Risk Factor for the Development of Cholangiocarcinoma. <i>Internal Medicine</i> , 2014, 53, 651-654.	0.7	49
42	Hydrophobic bile acids suppress expression of AE2 in biliary epithelial cells and induce bile duct inflammation in primary biliary cholangitis. <i>Journal of Autoimmunity</i> , 2016, 75, 150-160.	6.5	48
43	What Are the Precursor and Early Lesions of Peripheral Intrahepatic Cholangiocarcinoma?. <i>International Journal of Hepatology</i> , 2014, 2014, 1-9.	1.1	46
44	Clinicopathological significance of <sc>S</sc>100 protein expression in cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1422-1429.	2.8	45
45	Hilar cholangiocarcinoma and pancreatic ductal adenocarcinoma share similar histopathologies, immunophenotypes, and development-related molecules. <i>Human Pathology</i> , 2013, 44, 811-821.	2.0	44
46	Expression of Bcl-2 familial proteins is reduced in small bile duct lesions of primary biliary cirrhosis. <i>Human Pathology</i> , 2000, 31, 179-184.	2.0	43
47	Pathologic significance of immunoglobulin G4â€positive plasma cells in extrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2012, 43, 2149-2156.	2.0	42
48	Increased expression of WAF1 in intrahepatic bile ducts in primary biliary cirrhosis relates to apoptosis. <i>Journal of Hepatology</i> , 2001, 34, 500-506.	3.7	40
49	Frequent molecular identification ofCampylobacter but notHelicobacter genus in bile and biliary epithelium in hepatolithiasis. <i>Journal of Pathology</i> , 2001, 193, 218-223.	4.5	40
50	TheÂAsian Pacific Association for the Study of the Liver clinical practice guidance: the diagnosis and management of patients with autoimmune hepatitis. <i>Hepatology International</i> , 2021, 15, 223-257.	4.2	37
51	Histological Characterization of Biliary Intraepithelial Neoplasia with respect to Pancreatic Intraepithelial Neoplasia. <i>International Journal of Hepatology</i> , 2014, 2014, 1-7.	1.1	36
52	Cellâ€kinetic study of proliferating bile ductules in various hepatobiliary diseases. <i>Liver</i> , 1998, 18, 277-284.	0.1	33
53	Pathological spectrum of intrahepatic cholangiocarcinoma arising in nonâ€biliary chronic advanced liver diseases. <i>Pathology International</i> , 2011, 61, 298-305.	1.3	33
54	Intraductal papillary neoplasm of the bile duct accompanying biliary mixed adenoneuroendocrine carcinoma. <i>World Journal of Gastroenterology</i> , 2013, 19, 3161.	3.3	31

#	ARTICLE	IF	CITATIONS
55	Immunohistochemical analysis of cell-matrix adhesion molecules and their ligands in the portal tracts of primary biliary cirrhosis. , 2000, 190, 93-99.		30
56	Molecular mechanisms of cholangiopathy in primary biliary cirrhosis. Medical Molecular Morphology, 2006, 39, 55-61.	1.0	30
57	Cholangiocarcinoma with respect to IgG4 Reaction. International Journal of Hepatology, 2014, 2014, 1-8.	1.1	30
58	Are bile duct lesions of primary biliary cirrhosis distinguishable from those of autoimmune hepatitis and chronic viral hepatitis? Interobserver histological agreement on trimmed bile ducts. Journal of Gastroenterology, 2005, 40, 164-170.	5.1	29
59	Induction of innate immune response and absence of subsequent tolerance to dsRNA in biliary epithelial cells relate to the pathogenesis of biliary atresia. Liver International, 2008, 28, 614-621.	3.9	29
60	Artificial intelligence/neural network system for the screening of nonalcoholic fatty liver disease and nonalcoholic steatohepatitis. Hepatology Research, 2021, 51, 554-569.	3.4	28
61	Hematopoiesis by iPSC-derived hematopoietic stem cells of aplastic anemia that escape cytotoxic T-cell attack. Blood Advances, 2018, 2, 390-400.	5.2	27
62	Spontaneous occurrence of chronic non-suppurative destructive cholangitis and antimitochondrial autoantibodies in MRL/lpr mice: Possible animal model for primary biliary cirrhosis. Pathology International, 2001, 51, 418-424.	1.3	25
63	The simultaneous inhibition of the mTOR and MAPK pathways with Gnetin-C induces apoptosis in acute myeloid leukemia. Cancer Letters, 2017, 400, 127-136.	7.2	25
64	Notch1-Hes1 signalling axis in the tumourigenesis of biliary neuroendocrine tumours. Journal of Clinical Pathology, 2013, 66, 386-391.	2.0	24
65	Monocyte chemoattractant protein-1 derived from biliary innate immunity contributes to hepatic fibrogenesis. Journal of Clinical Pathology, 2011, 64, 660-665.	2.0	23
66	Histological characteristics of biliary intraepithelial neoplasia-3 and intraepithelial spread of cholangiocarcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2013, 462, 421-427.	2.8	22
67	Treatment of Retinoblastoma –Intact Hepatocellular Carcinoma With Cyclin-Dependent Kinase 4/6 Inhibitor Combination Therapy. Hepatology, 2021, 74, 1971-1993.	7.3	22
68	Florid duct lesion in primary biliary cirrhosis shows highly proliferative activities. Journal of Hepatology, 1993, 19, 216-221.	3.7	21
69	Characterization of biliary intraepithelial lymphocytes at different anatomical levels of intrahepatic bile ducts under normal and pathological conditions: Numbers of CD4 ⁺ CD28 ⁺ intraepithelial lymphocytes are increased in primary biliary cirrhosis. Pathology International, 2006, 56, 17-24.	1.3	21
70	Prevalence and risk factors of hepatocellular carcinoma in Japanese patients with primary biliary cirrhosis. Hepatology Research, 2014, 44, 133-140.	3.4	21
71	Challenges and difficulties in pathological diagnosis of autoimmune hepatitis. Hepatology Research, 2017, 47, 963-971.	3.4	21
72	Extrahepatic Malignancies in Primary Biliary Cirrhosis: A Comparative Study at Two European Centers. Clinical Reviews in Allergy and Immunology, 2015, 48, 254-262.	6.5	19

#	ARTICLE	IF	CITATIONS
73	Adult bile duct strictures: differentiating benign biliary stenosis from cholangiocarcinoma. <i>Medical Molecular Morphology</i> , 2016, 49, 189-202.	1.0	19
74	Immunohistochemical characteristics and malignant progression of hepatic cystic neoplasms in comparison with pancreatic counterparts. <i>Human Pathology</i> , 2012, 43, 2177-2186.	2.0	18
75	Serum C16:1n7/C16:0 ratio as a diagnostic marker for non-alcoholic steatohepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1829-1835.	2.8	18
76	Anti-tumor Activity of the Small Molecule Inhibitor PRI-724 Against β -Catenin-activated Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2020, 40, 5211-5219.	1.1	18
77	Autoimmune hepatitis associated with bile duct injury resembling chronic non-suppurative destructive cholangitis. <i>Pathology International</i> , 2002, 52, 478-482.	1.3	17
78	Innate Immunity in the Pathogenesis of Cholangiopathy: A Recent Update. <i>Inflammation and Allergy: Drug Targets</i> , 2012, 11, 478-483.	1.8	17
79	Clinical features of cystatin A expression in patients with pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2017, 108, 2122-2129.	3.9	16
80	IgG4-related stomach muscle lesion with a renal pseudotumor and multiple renal rim-like lesions: A rare manifestation of IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 188-192.	1.8	16
81	Fatty acid-driven modifications in T-cell profiles in non-alcoholic fatty liver disease patients. <i>Journal of Gastroenterology</i> , 2020, 55, 701-711.	5.1	16
82	Clinicopathological Significance of Serum Fractalkine in Primary Biliary Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 3037-3043.	2.3	15
83	PPAR γ ligand attenuates portal inflammation in the MRL-lpr mouse: a new strategy to restrain cholangiopathy in primary biliary cirrhosis. <i>Medical Molecular Morphology</i> , 2013, 46, 153-159.	1.0	15
84	Type1 and type2 memory T cells imbalance shown by expression of intrahepatic chemokine receptors relates to pathogenesis of primary biliary cirrhosis. <i>Hepatology Research</i> , 2002, 24, 290-299.	3.4	14
85	Association of Single Nucleotide Polymorphisms in STAT3 with Hand-Foot Skin Reactions in Patients with Metastatic Renal Cell Carcinoma Treated with Multiple Tyrosine Kinase Inhibitors: A Retrospective Analysis in Japanese Patients. <i>Targeted Oncology</i> , 2016, 11, 93-99.	3.6	14
86	Characterization of Peribiliary Gland-constituting Cells Based on Differential Expression of Trophoblast Cell Surface Protein 2 in Biliary Tract. <i>American Journal of Pathology</i> , 2018, 188, 2059-2073.	3.8	14
87	Sclerosing and obstructive cholangiopathy in biliary atresia: mechanisms and association with biliary innate immunity. <i>Pediatric Surgery International</i> , 2017, 33, 1243-1248.	1.4	13
88	Mucin-producing biliary papillomatosis associated with gastrobiliary fistula. <i>Journal of Gastroenterology</i> , 1999, 34, 141-144.	5.1	12
89	Utility of virtual touch quantification in the diagnosis of pancreatic ductal adenocarcinoma. <i>Clinical Imaging</i> , 2017, 42, 64-67.	1.5	12
90	Clinical trial of autologous adipose tissue-derived regenerative (stem) cells therapy for exploration of its safety and efficacy. <i>Regenerative Therapy</i> , 2021, 18, 97-101.	3.0	12

#	ARTICLE	IF	CITATIONS
91	Novel artificial intelligent/neural network system for staging of nonalcoholic steatohepatitis. <i>Hepatology Research</i> , 2021, 51, 1044-1057.	3.4	9
92	Association between sarcopenia based on psoas muscle index and the response to nivolumab in metastatic renal cell carcinoma: A retrospective study. <i>Investigative and Clinical Urology</i> , 2022, 63, 415.	2.0	9
93	Expression of fatty-acid-binding protein 5 in intrahepatic and extrahepatic cholangiocarcinoma: the possibility of different energy metabolisms in anatomical location. <i>Medical Molecular Morphology</i> , 2020, 53, 42-49.	1.0	8
94	Diversity in cell differentiation, histology, phenotype and vasculature of mass-forming intrahepatic cholangiocarcinomas. <i>Histopathology</i> , 2021, 79, 731-750.	2.9	8
95	Monitoring of Heat Shock Response and Phenotypic Changes in Hepatocellular Carcinoma After Heat Treatment. <i>Anticancer Research</i> , 2019, 39, 5393-5401.	1.1	7
96	Impact of pegfilgrastim as primary prophylaxis for metastatic castration-resistant prostate cancer patients undergoing cabazitaxel treatment: an open-label study in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 766-771.	1.3	6
97	Restorative effect of adipose tissue-derived stem cells on impaired hepatocytes through Notch signaling in non-alcoholic steatohepatitis mice. <i>Stem Cell Research</i> , 2021, 54, 102425.	0.7	6
98	Regenerative Therapy for Liver Cirrhosis Based on Intrahepatic Arterial Infusion of Autologous Subcutaneous Adipose Tissue-Derived Regenerative (Stem) Cells: Protocol for a Confirmatory Multicenter Uncontrolled Clinical Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17904.	1.0	6
99	Premalignant lesions in gastric cancer. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 6-12.	0.8	5
100	Diagnostic usefulness of KL-6 concentration of bile in biliary tract cancer. <i>Molecular and Clinical Oncology</i> , 2018, 8, 561-566.	1.0	5
101	A fatal case of progressive steatohepatitis, possibly chemotherapy-associated steatohepatitis related to gemcitabine. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 191-194.	0.8	3
102	AID, p53 and MLH1 expression in early gastric neoplasms and the correlation with the background mucosa. <i>Oncology Letters</i> , 2015, 10, 737-743.	1.8	3
103	Expression of methylation-modulated tumor-related genes in endoscopically resected early esophageal squamous neoplasia. <i>Oncology Letters</i> , 2017, 14, 737-742.	1.8	3
104	Expression of doublecortin and CaM kinase-like 1 protein in serrated neoplasia of the colorectum. <i>Biomedical Reports</i> , 2018, 8, 47-50.	2.0	3
105	Pancreatic body adenocarcinoma with neuroendocrine tumor characteristics: A case report. <i>Oncology Letters</i> , 2014, 7, 1049-1052.	1.8	2
106	Protein expression of Fragile Histidine Triad and cyclooxygenase-2 in serrated neoplasia of the colorectum. <i>Oncology Letters</i> , 2017, 14, 3683-3688.	1.8	2
107	Frequent aberrant p53 and Fhit expression in endoscopically resected superficial hypopharyngeal cancer and esophageal cancer. <i>Oncology Letters</i> , 2017, 14, 587-592.	1.8	2
108	Model-based assessment of pharmacokinetic changes of sunitinib, tacrolimus, and everolimus in a patient with metastatic renal cell carcinoma after renal transplantation. <i>Drug Metabolism and Pharmacokinetics</i> , 2020, 35, 405-409.	2.2	2

#	ARTICLE	IF	CITATIONS
109	IgG4-related Sclerosing Cholangitis Complicated with Cholangiocarcinoma and Detected by Forkhead Box P3 Immunohistochemical Staining. Internal Medicine, 2021, 60, 859-866.	0.7	2
110	IgG4-Related Kidney Diseases and Conditions: Renal Pelvic and Ureteral Diseases. , 2016, , 145-157.		2
111	A Resected Case of Follicular Cholangitis That Was Positive on ¹⁸ F-fluorodeoxyglucose-positron Emission Tomography. Internal Medicine, 2020, 59, 2123-2128.	0.7	2
112	Prognostic Value of Squamous Differentiation in Upper Tract Urothelial Carcinoma Treated With Radical Nephroureterectomy. Anticancer Research, 2022, 42, 263-269.	1.1	2
113	A case of systemic juvenile idiopathic arthritis with erythematodes, chilblasts, and polyarthralgia. A case of systemic juvenile idiopathic arthritis with erythematodes, chilblasts, and polyarthralgia. Pathology International, 1959, 9, 1023-1029.	1.3	1
114	Monocyte chemotactic protein-1, -2, and -3 are distinctively expressed in portal tracts and granulomata in primary biliary cirrhosis: implications for pathogenesis. , 2001, 193, 102.		1
115	Safety and Efficacy of Bis-Glyceryl Ascorbate (Amitose DGA) to Prevent Hand-Foot Skin Reaction in Patients With Renal Cell Carcinoma Receiving Sunitinib Therapy: Protocol for a Phase I/II, Uncontrolled, Single-Arm, Open-Label Trial. JMIR Research Protocols, 2019, 8, e14636.	1.0	1
116	Association of Clinical Features with Human Leukocyte Antigen in Japanese Patients with Ulcerative Colitis. Yonago Acta Medica, 2018, 61, 027-032.	0.7	1
117	Sclerosing Cholangitis. , 2014, , 147-152.		0
118	Epidemiology and Natural History in Japan. , 2014, , 201-213.		0
119	IgG4-Related Diseases and the Liver. , 2016, , 307-326.		0
120	The Pathologist's Approach to Reviewing Liver Histology. , 2020, , 151-165.		0
121	Hilar cholangiocarcinoma with extensive immunoglobulin G4 reaction. International Journal of Clinical and Experimental Pathology, 2021, 14, 987-992.	0.5	0