

Eric Gaffet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5483148/eric-gaffet-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

5,149
citations

39
h-index

68
g-index

186
ext. papers

5,495
ext. citations

3.5
avg. IF

5.24
L-index

#	Paper	IF	Citations
164	The SCCS Notes of Guidance for the testing of cosmetic ingredients and their safety evaluation, 11th revision, 30-31 March 2021, SCCS/1628/21. <i>Regulatory Toxicology and Pharmacology</i> , 2021 , 127, 105052	3.4	5
163	Review of core/shell nanostructures presenting good hyperthermia properties for cancer therapy. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 6429-6443	7.8	1
162	The SCCS scientific advice on the safety of nanomaterials in cosmetics. <i>Regulatory Toxicology and Pharmacology</i> , 2021 , 126, 105046	3.4	1
161	Les nanomatériaux manufacturés dans l'environnement professionnel : un aperçu de l'état de l'art. <i>Archives Des Maladies Professionnelles Et De L'environnement</i> , 2021 , 82, 51-68	0.1	0
160	Layer-by-Layer Self-Assembly of Polyelectrolytes on Superparamagnetic Nanoparticle Surfaces. <i>ACS Omega</i> , 2020 , 5, 4770-4777	3.9	5
159	The SCCS guidance on the safety assessment of nanomaterials in cosmetics. <i>Regulatory Toxicology and Pharmacology</i> , 2020 , 112, 104611	3.4	6
158	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on the safety of cosmetic ingredient salicylic acid (CAS 69-72-7). <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 108, 104376	3.4	
157	Opinion of the Scientific Committee on consumer safety (SCCS) - Final opinion on the safety of fragrance ingredient Acetylated Vetiver Oil (AVO) - (Vetiveria zizanioides root extract acetylated) - Submission III. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 107, 104389	3.4	1
156	Opinion of the Scientific Committee on Consumer safety (SCCS) - Opinion on Ethylzingerone - 'Hydroxyethoxyphenyl Butanone' (HEPB) - Cosmetics Europe No P98 - CAS No 569646-79-3 - Submission II (eye irritation). <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 107, 104393	3.4	0
155	Scientific opinion on the proposed amendment of the EU specifications for titanium dioxide (E'171) with respect to the inclusion of additional parameters related to its particle size distribution. <i>EFSA Journal</i> , 2019 , 17, e05760	2.3	15
154	Doxorubicin-Loaded Thermoresponsive Superparamagnetic Nanocarriers for Controlled Drug Delivery and Magnetic Hyperthermia Applications. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30610-30620	9.5	46
153	A Facile Approach for Doxorubicine Delivery in Cancer Cells by Responsive and Fluorescent Core/Shell Quantum Dots. <i>Bioconjugate Chemistry</i> , 2018 , 29, 2248-2256	6.3	12
152	Opinion of the scientific committee on consumer safety (SCCS) - Opinion on the safety of cosmetic ingredient phenylene bis-diphenyltriazine (CAS No 55514-22-2) - S86. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 99, 129-130	3.4	
151	Effect of heat treatments on the microstructure of an ultrafine-grained Al-Zn-Mg alloy produced by powder metallurgy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 71-78	5.3	7
150	One-step consolidation and precipitation hardening of an ultrafine-grained Al-Zn-Mg alloy powder by Spark Plasma Sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 227-234	5.3	16
149	Efficient synthetic access to thermo-responsive core/shell nanoparticles. <i>Nanotechnology</i> , 2017 , 28, 125601	9.1	10
148	Opinion of the scientific committee on consumer safety (SCCS) - Final version of the opinion on Ethylzingerone - 'Hydroxyethoxyphenyl Butanone' (HEPB) - Cosmetics Europe No P98 - in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 88, 330-331	3.4	0

147	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the Opinion on Vitamin A (retinol, retinyl acetate and retinyl palmitate) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 84, 102-104	3.4	14
146	Opinion of the scientific committee on consumer safety (SCCS) - Final opinion on Polyaminopropyl Biguanide (PHMB) in cosmetic products - Submission III. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 88, 328-329	3.4	2
145	Functional responsive superparamagnetic core/shell nanoparticles and their drug release properties. <i>RSC Advances</i> , 2017 , 7, 26243-26249	3.7	11
144	Thermo-responsive magnetic FeO@P(MEOMA-OEGMA) NPs and their applications as drug delivery systems. <i>International Journal of Pharmaceutics</i> , 2017 , 532, 738-747	6.5	24
143	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on decamethylcyclopentasiloxane (cyclopentasiloxane, D5) in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 83, 117-118	3.4	4
142	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on Eco G+ in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 82, 157	3.4	
141	Opinion of the Scientific Committee on Consumer Safety (SCCS) - Final version of the opinion on Phenoxyethanol in cosmetic products. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 82, 156	3.4	4
140	Spark Plasma Sintering. <i>Advances in Applied Ceramics</i> , 2014 , 113, 65-66	2.3	8
139	Control of FeAl Composition Produced by SPS Reactive Sintering from Mechanically Activated Powder Mixture. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-11	3.2	5
138	Hallmarks of mechanochemistry: from nanoparticles to technology. <i>Chemical Society Reviews</i> , 2013 , 42, 7571-637	58.5	761
137	Nanomatériaux : Une revue des définitions, des applications et des effets sur la santé. Comment implémenter un développement sûr. <i>Comptes Rendus Physique</i> , 2011 , 12, 648-658	1.4	12
136	Analysis of Ball-Milled ZrAlNiCu Bulk Metallic Glass Powders. <i>Advanced Engineering Materials</i> , 2011 , 13, 616-620	3.5	1
135	Dense MoSi ₂ produced by reactive flash sintering: Control of Mo/Si agglomerates prepared by high-energy ball milling. <i>Powder Technology</i> , 2011 , 208, 526-531	5.2	22
134	Powder Metallurgical Processes for NiTi Shape Memory Alloys. <i>Materials Science Forum</i> , 2010 , 636-637, 928-933	0.4	0
133	On the mechanically induced crystallization of FCC phases by mechanical milling in ZrAlNiCu bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2010 , 504, S264-S266	5.7	5
132	High yield fabrication of fluorescent nanodiamonds. <i>Nanotechnology</i> , 2009 , 20, 235602	3.4	267
131	The transformation behaviour of bulk nanostructured NiTi alloys. <i>Smart Materials and Structures</i> , 2009 , 18, 115003	3.4	4
130	High yield fabrication of fluorescent nanodiamonds. <i>Nanotechnology</i> , 2009 , 20, 359801-359801	3.4	31

129	X-Ray Diffraction Study of NiTi Produced by Mechanically Activated Reactive Extrusion Synthesis (MARES). <i>Materials Science Forum</i> , 2008 , 587-588, 625-629	0.4	2
128	Reactive sintering of molybdenum disilicide by spark plasma sintering from mechanically activated powder mixtures: Processing parameters and properties. <i>Journal of Alloys and Compounds</i> , 2008 , 465, 344-355	5.7	35
127	Mechanically activated reactive forging synthesis (MARFOS) of NiTi. <i>Intermetallics</i> , 2008 , 16, 889-895	3.5	12
126	Nonparametric Estimation of Multiplicative Counting Process Intensity Functions with an Application to the Beijing SARS Epidemic. <i>Communications in Statistics - Theory and Methods</i> , 2008 , 37, 294-306	0.5	9
125	Ni ₄ Ti ₃ Precipitation during Ageing of MARES NiTi Shape Memory Alloys Studied by FEG-SEM. <i>Microscopy and Microanalysis</i> , 2008 , 14, 13-16	0.5	2
124	Mechanically activated reactive extrusion synthesis (MARES) of NiTi. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 336-341	5.3	6
123	Thermal stability of FeAl intermetallics prepared by SHS sintering. <i>International Journal of Self-Propagating High-Temperature Synthesis</i> , 2008 , 17, 183-188	0.7	2
122	In situ synchrotron investigation of MoSi ₂ formation mechanisms during current-activated SHS sintering. <i>Acta Materialia</i> , 2007 , 55, 6051-6063	8.4	21
121	Assisted self-sustaining combustion reaction in the FeSi system: Mechanical and chemical activation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 456, 270-277	5.3	14
120	Reaction mechanism for SHS of MoSi ₂ from mechanically activated powder mixtures. <i>International Journal of Self-Propagating High-Temperature Synthesis</i> , 2007 , 16, 79-86	0.7	
119	Main recent contributions to SHS from France. <i>International Journal of Self-Propagating High-Temperature Synthesis</i> , 2007 , 16, 235-255	0.7	5
118	Mechanical Milling 2007 , 455-471		3
117	Correlation between milling parameters and microstructure characteristics of nanocrystalline copper powder prepared via a high energy planetary ball mill. <i>Journal of Alloys and Compounds</i> , 2007 , 432, 103-110	5.7	46
116	High-energy ball milling of Al ₂ O ₃ /TiO ₂ powders. <i>Journal of Alloys and Compounds</i> , 2007 , 434-435, 489-493	3.7	21
115	Bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2007 , 434-435, 358-361	5.7	24
114	Reactive extrusion synthesis of mechanically activated Ti ₅ BNi powders. <i>Intermetallics</i> , 2007 , 15, 1623-1633	3.5	22
113	Spark Plasma Sintering à partir de poudres mécaniquement activées : compréhension des transitions de phase au cours d'un frittage réactif. <i>Materiaux Et Techniques</i> , 2007 , 95, 269-280	0.6	0
112	Microstructural and Mechanical Characterization of Mechanically-Activated Plasma-Sprayed Nanostructured Al ₂ O ₃ -TiO ₂ and Al ₂ O ₃ -ZrO ₂ Coatings. <i>Advances in Science and Technology</i> , 2006 , 45, 1224-1229	0.1	

111	Mechanical Activation as a New Method for SHS. <i>Advances in Science and Technology</i> , 2006 , 45, 979-988	0.1	11
110	Microstructural Transformations of Al ₂ O ₃ -TiO ₂ and Al ₂ O ₃ -ZrO ₂ Powders Induced by High-Energy Ball-Milling. <i>Advances in Science and Technology</i> , 2006 , 45, 303-308	0.1	
109	Structure, magnetic and Mössbauer studies of mechanically alloyed Fe ₂₀ wt.% Ni powders. <i>Journal of Alloys and Compounds</i> , 2006 , 417, 32-38	5.7	35
108	Structure and composition heterogeneity of a FeAl alloy prepared by one-step synthesis and consolidation processing and their influence on grain size characterization. <i>Journal of Alloys and Compounds</i> , 2006 , 420, 158-164	5.7	20
107	Combustion wave structure during the MoSi ₂ synthesis by Mechanically-Activated Self-propagating High-temperature Synthesis (MASHS): In situ time-resolved investigations. <i>Intermetallics</i> , 2006 , 14, 521-529	3.5	54
106	Synthesis of bulk FeAl nanostructured materials by HVOF spray forming and Spark Plasma Sintering. <i>Intermetallics</i> , 2006 , 14, 1208-1213	3.5	46
105	Unaggregated silicon nanocrystals obtained by ball milling. <i>Journal of Crystal Growth</i> , 2005 , 275, 589-597	1.6	23
104	X-ray diffraction and Mössbauer studies of mechanically alloyed Fe ₁₀ Ni nanostructured powders. <i>Journal of Magnetism and Magnetic Materials</i> , 2005 , 294, e145-e149	2.8	11
103	Neural computation to predict magnetic properties of mechanically alloyed Fe ₁₀ %Ni and Fe ₂₀ %Ni nanocrystalline. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005 , 119, 164-170	3.1	5
102	Mechanically Activated Powder Metallurgy: A Suitable Way to Dense Nanostructured Materials 2005 , 537-544		
101	Time-resolved XRD experiments for a fine description of mechanisms induced during reactive sintering. <i>Science of Sintering</i> , 2005 , 37, 27-34	0.7	7
100	Effect of Microstructure on the High Temperature Oxidation and Pesting Behaviour of MoSi ₂ . <i>Materials Science Forum</i> , 2004 , 461-464, 439-446	0.4	6
99	Spark plasma synthesis from mechanically activated powders: a versatile route for producing dense nanostructured iron aluminides. <i>Scripta Materialia</i> , 2004 , 50, 691-696	5.6	84
98	Friction mode and shock mode effect on magnetic properties of mechanically alloyed Fe-based nanocrystalline materials. <i>Journal of Materials Science</i> , 2004 , 39, 5139-5142	4.3	9
97	X-ray diffraction line profile analysis of iron ball milled powders. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 366, 229-238	5.3	160
96	Milling conditions effect on structure and magnetic properties of mechanically alloyed Fe ₁₀ % Ni and Fe ₂₀ % Ni alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 381, 363-371	5.3	58
95	Electrochemical behavior of nanocrystalline iron aluminide obtained by mechanically activated field activated pressure assisted synthesis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 369, 49-55	5.3	21
94	Dense nanostructured materials obtained by spark plasma sintering and field activated pressure assisted synthesis starting from mechanically activated powder mixtures. <i>Science of Sintering</i> , 2004 , 36, 155-164	0.7	31

93	Structure and magnetic properties of nanocrystalline mechanically alloyed Fe ₁₀ % Ni and Fe ₂₀ % Ni. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 360, 299-305	5.3	82
92	From Nanostructured Powders to Dense Nanostructured Materials : Mechanically Activated Powder Metallurgy. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2003 , 15-16, 259-266	0.2	11
91	Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl. <i>Journal of Materials Research</i> , 2003 , 18, 2331-2338	2.5	10
90	Activation mécanique des procédés de la métallurgie des poudres: une solution vers l'élaboration de nanomatériaux. <i>Annales De Chimie: Science Des Matériaux</i> , 2002 , 27, 47-59	2.1	14
89	A new experimental setup for the time resolved x-ray diffraction study of self-propagating high-temperature synthesis. <i>Review of Scientific Instruments</i> , 2002 , 73, 422-428	1.7	25
88	Simultaneous Synthesis and Consolidation of Nanostructured MoSi ₂ . <i>Journal of Materials Research</i> , 2002 , 17, 542-549	2.5	12
87	The mechanically activated combustion reaction in the Fe ₃ Si system: in situ time-resolved synchrotron investigations. <i>Intermetallics</i> , 2002 , 10, 271-282	3.5	24
86	Investigations of the formation mechanism of nanostructured NbAl ₃ via MASHS reaction. <i>Intermetallics</i> , 2002 , 10, 377-389	3.5	41
85	One-Step Synthesis and Consolidation of Nanophase Iron Aluminide. <i>Journal of the American Ceramic Society</i> , 2001 , 84, 910-914	3.8	32
84	Role of the Microstructure on the High Temperature Oxidation Properties of the Intermetallic Compound NbAl ₃ . <i>Materials Science Forum</i> , 2001 , 369-372, 793-800	0.4	4
83	Mechanical activation effect on the self-sustaining combustion reaction in the Mo ₃ Si system. <i>Journal of Alloys and Compounds</i> , 2001 , 314, 240-250	5.7	100
82	Synthesis of nanocrystalline NbAl ₃ by mechanical and field activation. <i>Intermetallics</i> , 2001 , 9, 571-580	3.5	39
81	Simultaneous IR and time-resolved X-ray diffraction measurements for studying self-sustained reactions. <i>Journal of Synchrotron Radiation</i> , 2000 , 7, 27-33	2.4	15
80	Reactivity of Cu ₃ Si of different genesis towards copper(I) chloride. <i>Thermochimica Acta</i> , 2000 , 351, 71-77	2.9	7
79	Enhancement of self-sustaining reaction Cu ₃ Si phase formation starting from mechanically activated powders. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 284, 301-306	5.3	44
78	Elaboration of the Cu ₃ Si compound using a mechanically activated annealing process. <i>Journal of Materials Science</i> , 2000 , 35, 3221-3226	4.3	5
77	In-situ time-resolved X-ray diffraction experiments applied to self-sustained reactions from mechanically activated mixtures. <i>European Physical Journal Special Topics</i> , 2000 , 10, Pr10-89-Pr10-99		2
76	Magnetic Properties Study Of Nanocrystalline Cobalt and Cobalt-Based Alloys. <i>Journal of Metastable and Nanocrystalline Materials</i> , 1999 , 7, 41-48	0.2	9

75	Nanocrystalline FeAl Synthesis by MASHS with In Situ and Post Mortem Characterizations. <i>Materials Science Forum</i> , 1999 , 312-314, 287-292	0.4	6
74	Compressibility of Ball-Milled Nanocrystalline Materials Determined at High Pressure: First Results. <i>Journal of Metastable and Nanocrystalline Materials</i> , 1999 , 2-6, 587-592	0.2	
73	Mechanically Activated Self-Propagating High Temperature Synthesis (MASHS) Applied to the MoSi ₂ and FeSi ₂ Phase Formation. <i>Materials Science Forum</i> , 1999 , 312-314, 281-286	0.4	2
72	Magnetic hyperfine temperature dependence in FeBi crystalline alloys. <i>Solid State Communications</i> , 1999 , 111, 323-327	1.6	15
71	In situ synchrotron characterization of mechanically activated self-propagating high-temperature synthesis applied in MoBi system. <i>Acta Materialia</i> , 1999 , 47, 2113-2123	8.4	49
70	Mechanically activated synthesis studied by X-ray diffraction in the FeAl system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 262, 279-288	5.3	124
69	Enhancement of self-sustaining reaction by mechanical activation: case of an FeSi system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 264, 94-107	5.3	43
68	Synthesis of niobium aluminides using mechanically activated self-propagating high-temperature synthesis and mechanically activated annealing process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 265, 117-128	5.3	68
67	In-situ time resolved X-ray diffraction study of the formation of the nanocrystalline NbAl ₃ phase by mechanically activated self-propagating high-temperature synthesis reaction. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 272, 334-341	5.3	43
66	In situ time-resolved diffraction coupled with a thermal i.r. camera to study mechanically activated SHS reaction: case of FeAl binary system. <i>Acta Materialia</i> , 1999 , 47, 619-629	8.4	67
65	Mechanical activation conditions of the Fe ₂ O ₃ and V ₂ O ₃ mixture powders in order to obtain a nanometric vanadium spinel ferrite. <i>Powder Technology</i> , 1999 , 105, 155-161	5.2	5
64	Some recent developments in mechanical activation and mechanosynthesis. <i>Journal of Materials Chemistry</i> , 1999 , 9, 305-314		153
63	Activation mécanique d'oxydes de fer et de vanadium en vue d'une synthèse de ferrite de vanadium nanométrique similaire au composé issu de la chimie douce. <i>Comptes Rendus De L'Académie Des Sciences - Series IIc: Chemistry</i> , 1998 , 1, 183-189		
62	Preparation of Nanocrystalline Copper by Hot and Cold Compaction: Characterization of Mechanical and Electrochemical Properties. <i>Materials Science Forum</i> , 1998 , 269-272, 843-848	0.4	8
61	Mechanically Activated SHS Reaction in the Fe-Al System: In Situ Time Resolved Diffraction Using Synchrotron Radiation. <i>Materials Science Forum</i> , 1998 , 269-272, 379-384	0.4	23
60	Développements récents de l'étude en temps réel par diffraction des rayons X couplée à une thermographie infrarouge : application au suivi de la réaction MASHS dans les systèmes FeAl, et MoSi ₂ . <i>European Physical Journal Special Topics</i> , 1998 , 08, Pr5-497-Pr5-504		4
59	Structural study of FeSi nanostructured materials. <i>Journal of Alloys and Compounds</i> , 1997 , 259, 241-248	5.7	42
58	Mechanochemistry and Mechanical Activation. <i>Materials Science Forum</i> , 1996 , 225-227, 511-520	0.4	61

57	Nanocrystalline and Amorphous Mechanically Alloyed Ni - Al - M (M=Fe, Zr) Phases. <i>Materials Science Forum</i> , 1996 , 225-227, 429-434	0.4	6
56	Nanocrystalline Fe ₂ Ni solid solutions prepared by mechanical alloying. <i>Scripta Materialia</i> , 1996 , 7, 411-420		44
55	Nanostructural materials formation by mechanical alloying: Morphologic analysis based on transmission and scanning electron microscopic observations. <i>Materials Characterization</i> , 1996 , 36, 185-190	3.8	41
54	The physics of mechanical alloying in a modified horizontal rod mill: Mathematical treatment. <i>Acta Materialia</i> , 1996 , 44, 725-734	8.4	54
53	Optimisation of the Mechanical Shock Transfer in a Modified Horizontal Rod Mill. <i>Materials Science Forum</i> , 1996 , 225-227, 255-262	0.4	1
52	Study of an Al Composite Reinforced with Nanometric SiC Particles, Produced by Mechanical Alloying. <i>Materials Science Forum</i> , 1996 , 225-227, 763-768	0.4	3
51	Shock Transfer in Ball-Milling: Nanocomposite Mechanical Approach. <i>Materials Science Forum</i> , 1996 , 225-227, 249-254	0.4	2
50	Corrosion Behaviour of Nickel Coating Obtained by Ball Milling. <i>Materials Science Forum</i> , 1996 , 225-227, 825-830	0.4	4
49	Electrochemical Investigation of Nanocrystalline Ni Obtained by Different Preparation. <i>Materials Science Forum</i> , 1996 , 235-238, 961-966	0.4	3
48	Interfaces and Defects in Nanocrystalline Oxides. <i>Materials Science Forum</i> , 1996 , 235-238, 601-606	0.4	1
47	Effects of High Energy Ball Milling on Ceramic Oxides. <i>Materials Science Forum</i> , 1996 , 235-238, 103-108	0.4	25
46	Bulk Synthesis of Nanometer-Sized Materials by Combination of Mechanical Alloying and Compaction. <i>Materials Science Forum</i> , 1995 , 179-181, 351-356	0.4	
45	Modification Induced by Milling on Liquid Phase Sintering. <i>Materials Science Forum</i> , 1995 , 179-181, 391-396	0.4	2
44	Nanophase Formation Activated by Mechanical Alloying. <i>Materials Science Forum</i> , 1995 , 179-181, 159-164	0.4	1
43	Physics of Mechanical Alloying in Planetary Ball Mill and the Horizontal Rod Mill: Kinematic Approach. <i>Materials Science Forum</i> , 1995 , 179-181, 339-344	0.4	7
42	The physics of mechanical alloying in a planetary ball mill: Mathematical treatment. <i>Acta Metallurgica Et Materialia</i> , 1995 , 43, 1087-1098		249
41	Structure of nanosized refractory oxide powders. <i>Scripta Materialia</i> , 1995 , 6, 667-670		18
40	Structural investigation of mechanically alloyed (NiAl) _{1-x} (M) _x (M = Fe, Zr) nanocrystalline and amorphous phases. <i>Scripta Materialia</i> , 1995 , 5, 393-409		10

39	Mössbauer Effect Study of Disorder Induced by Mechanical Alloying in the Fe-Si System. <i>Materials Science Forum</i> , 1995 , 179-181, 109-114	0.4	5
38	Formation of Nanostructural Materials Induced by Mechanical Processings (Overview). <i>Materials Transactions, JIM</i> , 1995 , 36, 198-209		74
37	. <i>IEEE Transactions on Magnetics</i> , 1994 , 30, 4887-4889	2	12
36	Mechanical alloying in a planetary ball mill : kinematic description. <i>European Physical Journal Special Topics</i> , 1994 , 04, C3-291-C3-296		8
35	A mathematical and experimental dynamical phase diagram for ball-milled Ni ₁₀ Zr ₇ . <i>Journal of Alloys and Compounds</i> , 1994 , 209, 351-361	5.7	98
34	Nanocrystalline MoSi ₂ phase formation induced by mechanically activated annealing. <i>Journal of Alloys and Compounds</i> , 1994 , 205, 27-34	5.7	56
33	Transitions de phases sous sollicitations mécaniques : élaboration par mécano-synthèse de matériaux nanostructurés (alliages métalliques, semi-conducteurs, céramiques). <i>Revue De Metallurgie</i> , 1994 , 91, 757-770		14
32	Mössbauer effect evidence for disordering induced by mechanical alloying in the Fe-Si system. <i>European Physical Journal Special Topics</i> , 1994 , 04, C3-285-C3-290		2
31	Far from equilibrium phase transition induced by solid-state reaction in the Fe ₂ Si system. <i>Journal of Alloys and Compounds</i> , 1993 , 194, 339-360	5.7	96
30	Solid state reaction induced by post-milling annealing in the Fe ₂ Si system. <i>Journal of Alloys and Compounds</i> , 1993 , 198, 143-154	5.7	47
29	Mechanism of mechanical alloying phase formation and related magnetic and mechanical properties in the Fe ₂ Si system. <i>Journal of Alloys and Compounds</i> , 1993 , 198, 155-164	5.7	48
28	Far-from-equilibrium phase transition induced by mechanical alloying in the Cu ₂ Fe system. <i>Journal of Alloys and Compounds</i> , 1993 , 194, 23-30	5.7	64
27	Oxydes céramiques élaborés par voie mécano-chimique. <i>Revue De Metallurgie</i> , 1993 , 90, 219-226		18
26	Identification by DSC and DTA of the oxygen and carbon contamination due to the use of ethanol during mechanical alloying of Cu-Fe powders. <i>Journal of Materials Science</i> , 1993 , 28, 2669-2676	4.3	9
25	Stabilized Zirconias Prepared by Mechanical Alloying. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 2884-2888	3.8	74
24	Chemically disordered Ni ₃ Al synthesized by rapid solidification: an experimental investigation of the quenching parameters. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993 , 160, 251-259	5.3	3
23	Metastable Phase Transition Induced by Ball-Milling in the Ge-Si System. <i>Materials Science Forum</i> , 1992 , 88-90, 375-382	0.4	23
22	Metastable Phase Transition Induced by Mechanical Alloying in a Si (B/C) Mixture. <i>Materials Science Forum</i> , 1992 , 88-90, 383-390	0.4	6

21	Structure and properties of Cu, Ni and Fe powders milled in a planetary ball mill. <i>Scripta Metallurgica Et Materialia</i> , 1992 , 26, 1743-1748		57
20	Crystal to Non-Equilibrium Phase Transition Induced by Ball-Milling. <i>Materials Science Forum</i> , 1992 , 88-90, 51-58	0.4	22
19	Far from equilibrium crystalline to amorphous phase transition induced by mechanical alloying in the Fe-Si system. <i>European Physical Journal Special Topics</i> , 1992 , 02, C3-73-C3-78		2
18	Planetary ball-milling: an experimental parameter phase diagram. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 132, 181-193	5.3	58
17	Phase transition induced by ball milling in germanium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 136, 161-169	5.3	64
16	Ball milling: an E-v-T parameter phase diagram. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 135, 291-293	5.3	16
15	Metastable phase transformations induced by ball-milling in the Cu?W system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 134, 1380-1384	5.3	150
14	Crystal-to-amorphous phase transition induced by mechanical alloying in the Ge?Si system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991 , 149, 85-94	5.3	25
13	CRYSTAL TO NON EQUILIBRIUM PHASE TRANSITION INDUCED BY BALL-MILLING IN SILICON AND THE IMMISCIBLE Si (Sn, Zn) SYSTEMS. <i>Journal De Physique Colloque</i> , 1990 , 51, C4-139-C4-150		2
12	Amorphization during Cold Rolling of NiZr Multilayer Composites. <i>Europhysics Letters</i> , 1990 , 12, 63-68	1.6	13
11	Crystal-amorphous phase transition induced by ball-milling in silicon. <i>Journal of the Less Common Metals</i> , 1990 , 157, 201-222		183
10	Laser surface alloying of ni film on al-based alloy. <i>Acta Metallurgica</i> , 1989 , 37, 3205-3215		25
9	Dynamic equilibrium induced by ball milling in the Ni?Zr system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1989 , 119, 185-197	5.3	33
8	Laser surface alloying of Ni film on Al-based alloy. <i>Applied Surface Science</i> , 1989 , 43, 248-255	6.7	7
7	A calorimetric study of mechanically induced phase transformations in Ni?Zr alloys. <i>Journal of the Less Common Metals</i> , 1989 , 153, 299-310		11
6	Amorphization of a metalloid-rich ferritic steel by a continuous CO2 laser: A microstructural investigation. <i>Materials Science and Engineering</i> , 1988 , 98, 291-294		6
5	Ball milling amorphization mechanism of Ni?Zr alloys. <i>Journal of the Less Common Metals</i> , 1988 , 145, 251-260		21
4	Amorphization by solid state diffusion in granular system. <i>Journal of the Less Common Metals</i> , 1988 , 140, 49-55		5

- | | | |
|---|---|-----|
| 3 | A simple model for the crystal-to-amorphous phase transition under laser annealing conditions. <i>Materials Science and Engineering</i> , 1986 , 82, L13-L17 | 1 |
| 2 | MoSi ₂ Formation Mechanisms during a Spark Plasma Synthesis from Mechanically Activated Powder Mixture. <i>Ceramic Transactions</i> , 355-365 | 0.1 |
| 1 | Production of Dense Nanostructured Materials using Fapas and SPS Techniques. <i>Ceramic Transactions</i> , 235-249 | 0.1 |