

Le-Thu T Nguyen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5483606/publications.pdf>

Version: 2024-02-01

26
papers

1,001
citations

516710

16
h-index

580821

25
g-index

26
all docs

26
docs citations

26
times ranked

1390
citing authors

#	ARTICLE	IF	CITATIONS
1	Poly(L-glutamic acid) via catalytical hydrogenation for the fabrication of carbon nanotube nanocomposites. <i>Materials Research</i> , 2021, 24, .	1.3	4
2	Organic Photocatalysts Based on Dithieno[3,2-b:2',3'-d]pyrrole for Photoinduced Metal-Free Atom Transfer Radical Polymerization. <i>Macromolecular Research</i> , 2021, 29, 791-799.	2.4	0
3	Macromolecular design of a reversibly crosslinked shape-memory material with thermo-healability. <i>Polymer</i> , 2020, 188, 122144.	3.8	18
4	A reversible healable epoxy network containing dynamic weak covalent crosslinks. <i>Polymer Degradation and Stability</i> , 2020, 182, 109384.	5.8	8
5	Tailoring the Hard-Soft Interface with Dynamic Diels-Alder Linkages in Polyurethanes: Toward Superior Mechanical Properties and Healability at Mild Temperature. <i>Chemistry of Materials</i> , 2019, 31, 2347-2357.	6.7	78
6	Efficient synthesis of a rod-coil conjugated graft copolymer by combination of thiol-maleimide chemistry and MOF-catalyzed photopolymerization. <i>European Polymer Journal</i> , 2019, 116, 190-200.	5.4	7
7	Synthesis of a Novel Fluorescent Cyanide Chemosensor Based on Photoswitching Poly(pyrene-1-ylmethyl-methacrylate-random-methyl methacrylate-random-methacrylate spirooxazine). <i>Macromolecular Research</i> , 2019, 27, 25-32.	2.4	16
8	Synthesis of poly(3-hexylthiophene) based rod-coil conjugated block copolymers via photoinduced metal-free atom transfer radical polymerization. <i>Polymer Chemistry</i> , 2018, 9, 2484-2493.	3.9	21
9	Poly(μ -caprolactone) networks with tunable thermoresponsive shape memory via a facile photo-initiated thiol-ene pathway. <i>Journal of Materials Science</i> , 2018, 53, 2236-2252.	3.7	15
10	Study of Diels-Alder reactions between furan and maleimide model compounds and the preparation of a healable thermo-reversible polyurethane. <i>Journal of Polymer Science Part A</i> , 2018, 56, 1806-1814.	2.3	34
11	Synthesis of allyl end-block functionalized poly(μ -caprolactone)s and their facile post-functionalization via thiol-ene reaction. <i>Journal of Polymer Science Part A</i> , 2017, 55, 928-939.	2.3	8
12	Synthesis and optical investigation of amphiphilic diblock copolymers containing regioregular poly(3-hexylthiophene) via post-polymerization modification. <i>Synthetic Metals</i> , 2016, 217, 172-184.	3.9	5
13	Synthesis and characterization of three-arm star-shaped conjugated poly(3-hexylthiophene)s: impact of the core structure on optical properties. <i>Polymer International</i> , 2015, 64, 1649-1659.	3.1	4
14	Synthesis and characterization of diblock copolymers based on poly(3-hexylthiophene) and photo-responsive poly(methyl methacrylate-random-2-methyl methaspirooxazine). <i>Designed Monomers and Polymers</i> , 2015, 18, 271-283.	1.6	7
15	The impact of different multi-walled carbon nanotubes on the X-band microwave absorption of their epoxy nanocomposites. <i>Chemistry Central Journal</i> , 2015, 9, 10.	2.6	61
16	Healable shape memory (thio)urethane thermosets. <i>Polymer Chemistry</i> , 2015, 6, 3143-3154.	3.9	60
17	Thermally mendable material based on a furyl-telechelic semicrystalline polymer and a maleimide crosslinker. <i>Journal of Polymer Research</i> , 2015, 22, 1.	2.4	19
18	Efficient microencapsulation of a liquid isocyanate with in situ shell functionalization. <i>Polymer Chemistry</i> , 2015, 6, 1159-1170.	3.9	42

#	ARTICLE	IF	CITATIONS
19	One-Pot Thermo-Remendable Shape Memory Polyurethanes. <i>Macromolecules</i> , 2014, 47, 2010-2018.	4.8	194
20	Autonomous Self-Healing of Epoxy Thermosets with Thiol-Isocyanate Chemistry. <i>Advanced Functional Materials</i> , 2014, 24, 5575-5583.	14.9	92
21	Kinetic comparison of 13 homogeneous thiol-X reactions. <i>Polymer Chemistry</i> , 2013, 4, 5527.	3.9	99
22	Functionalization of polyurethanes by incorporation of alkyne side-groups to oligodiols and subsequent thiol-yne post-modification. <i>European Polymer Journal</i> , 2013, 49, 3573-3581.	5.4	17
23	One-pot, additive-free preparation of functionalized polyurethanes via amine-thiol-ene conjugation. <i>Polymer Chemistry</i> , 2013, 4, 2449.	3.9	89
24	Providing polyurethane foams with functionality: a kinetic comparison of different click and coupling reaction pathways. <i>Polymer Chemistry</i> , 2013, 4, 1546-1556.	3.9	29
25	Multi-Block Polyurethanes via RAFT End-Group Switching and Their Characterization by Advanced Hyphenated Techniques. <i>Macromolecules</i> , 2012, 45, 6353-6362.	4.8	17
26	Metal-Free Functionalization of Linear Polyurethanes by Thiol-Maleimide Coupling Reactions. <i>Macromolecules</i> , 2011, 44, 7874-7878.	4.8	57