

Andrew D Yurochko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5483767/publications.pdf>

Version: 2024-02-01

62
papers

3,655
citations

156536

32
h-index

150775

59
g-index

64
all docs

64
docs citations

64
times ranked

3042
citing authors

#	ARTICLE	IF	CITATIONS
1	CD34 ⁺ Hematopoietic Progenitor Cell Subsets Exhibit Differential Ability To Maintain Human Cytomegalovirus Latency and Persistence. <i>Journal of Virology</i> , 2021, 95, .	1.5	8
2	Using a Phosphoproteomic Screen to Profile Early Changes During HCMV Infection of Human Monocytes. <i>Methods in Molecular Biology</i> , 2021, 2244, 233-246.	0.4	2
3	Overview of Human Cytomegalovirus Pathogenesis. <i>Methods in Molecular Biology</i> , 2021, 2244, 1-18.	0.4	39
4	Human Cytomegalovirus Host Interactions: EGFR and Host Cell Signaling Is a Point of Convergence Between Viral Infection and Functional Changes in Infected Cells. <i>Frontiers in Microbiology</i> , 2021, 12, 660901.	1.5	6
5	Collection and Isolation of CD14 ⁺ Primary Human Monocytes Via Dual Density Gradient Centrifugation as a Model System to Study Human Cytomegalovirus Infection and Pathogenesis. <i>Methods in Molecular Biology</i> , 2021, 2244, 103-113.	0.4	4
6	Human Cytomegalovirus miRNAs Regulate TGF- β 2 to Mediate Myelosuppression while Maintaining Viral Latency in CD34 ⁺ Hematopoietic Progenitor Cells. <i>Cell Host and Microbe</i> , 2020, 27, 104-114.e4.	5.1	41
7	HCMV-induced signaling through gB β -EGFR engagement is required for viral trafficking and nuclear translocation in primary human monocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 19507-19516.	3.3	18
8	The Differentiation of Human Cytomegalovirus Infected-Monocytes Is Required for Viral Replication. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 368.	1.8	26
9	Human Cytomegalovirus Infection Suppresses CD34 ⁺ Progenitor Cell Engraftment in Humanized Mice. <i>Microorganisms</i> , 2020, 8, 525.	1.6	6
10	Human Cytomegalovirus US28 Ligand Binding Activity Is Required for Latency in CD34 ⁺ Hematopoietic Progenitor Cells and Humanized NSG Mice. <i>MBio</i> , 2019, 10, .	1.8	40
11	OR14H1 is a receptor for the human cytomegalovirus pentameric complex and defines viral epithelial cell tropism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7043-7052.	3.3	97
12	Human Cytomegalovirus Encodes a Novel FLT3 Receptor Ligand Necessary for Hematopoietic Cell Differentiation and Viral Reactivation. <i>MBio</i> , 2018, 9, .	1.8	43
13	HCMV Infection and Apoptosis: How Do Monocytes Survive HCMV Infection?. <i>Viruses</i> , 2018, 10, 533.	1.5	29
14	Human Cytomegalovirus Requires Epidermal Growth Factor Receptor Signaling To Enter and Initiate the Early Steps in the Establishment of Latency in CD34 ⁺ Human Progenitor Cells. <i>Journal of Virology</i> , 2017, 91, .	1.5	85
15	New Mechanism by Which Human Cytomegalovirus MicroRNAs Negate the Proinflammatory Response to Infection. <i>MBio</i> , 2017, 8, .	1.8	4
16	EphA2 Expression Regulates Inflammation and Fibroproliferative Remodeling in Atherosclerosis. <i>Circulation</i> , 2017, 136, 566-582.	1.6	50
17	Human Cytomegalovirus Utilizes a Nontraditional Signal Transducer and Activator of Transcription 1 Activation Cascade via Signaling through Epidermal Growth Factor Receptor and Integrins To Efficiently Promote the Motility, Differentiation, and Polarization of Infected Monocytes. <i>Journal of Virology</i> , 2017, 91, .	1.5	31
18	Integrins as Herpesvirus Receptors and Mediators of the Host Signalosome. <i>Annual Review of Virology</i> , 2016, 3, 215-236.	3.0	51

#	ARTICLE	IF	CITATIONS
19	Viral binding-induced signaling drives a unique and extended intracellular trafficking pattern during infection of primary monocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 8819-8824.	3.3	31
20	Human Cytomegalovirus Promotes Survival of Infected Monocytes via a Distinct Temporal Regulation of Cellular Bcl-2 Family Proteins. <i>Journal of Virology</i> , 2016, 90, 2356-2371.	1.5	35
21	HCMV Reprogramming of Infected Monocyte Survival and Differentiation: A Goldilocks Phenomenon. <i>Viruses</i> , 2014, 6, 782-807.	1.5	80
22	Overview of Human Cytomegalovirus Pathogenesis. <i>Methods in Molecular Biology</i> , 2014, 1119, 15-28.	0.4	68
23	Analysis of Cytomegalovirus Binding/Entry-Mediated Events. <i>Methods in Molecular Biology</i> , 2014, 1119, 113-121.	0.4	8
24	The HCMV gH/gL/UL128-131 Complex Triggers the Specific Cellular Activation Required for Efficient Viral Internalization into Target Monocytes. <i>PLoS Pathogens</i> , 2013, 9, e1003463.	2.1	74
25	The ULbê² Region of the Human Cytomegalovirus Genome Confers an Increased Requirement for the Viral Protein Kinase UL97. <i>Journal of Virology</i> , 2013, 87, 6359-6376.	1.5	23
26	Human Cytomegalovirus Stimulates Monocyte-to-Macrophage Differentiation via the Temporal Regulation of Caspase 3. <i>Journal of Virology</i> , 2012, 86, 10714-10723.	1.5	57
27	A Quantitative Evaluation of Cell Migration by the Phagokinetic Track Motility Assay. <i>Journal of Visualized Experiments</i> , 2012, , e4165.	0.2	13
28	Human cytomegalovirus induction of a unique signalsome during viral entry into monocytes mediates distinct functional changes: a strategy for viral dissemination. <i>Journal of Leukocyte Biology</i> , 2012, 92, 743-752.	1.5	60
29	Human Cytomegalovirus-Regulated Paxillin in Monocytes Links Cellular Pathogenic Motility to the Process of Viral Entry. <i>Journal of Virology</i> , 2011, 85, 1360-1369.	1.5	50
30	PI3K-Dependent Upregulation of Mcl-1 by Human Cytomegalovirus Is Mediated by Epidermal Growth Factor Receptor and Inhibits Apoptosis in Short-Lived Monocytes. <i>Journal of Immunology</i> , 2010, 184, 3213-3222.	0.4	91
31	Cytomegalovirus Infection Leads to Microvascular Dysfunction and Exacerbates Hypercholesterolemia-Induced Responses. <i>American Journal of Pathology</i> , 2010, 177, 2134-2144.	1.9	22
32	Activation of EGFR on monocytes is required for human cytomegalovirus entry and mediates cellular motility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22369-22374.	3.3	177
33	NF-ÎB and phosphatidylinositol 3-kinase activity mediates the HCMV-induced atypical M1/M2 polarization of monocytes. <i>Virus Research</i> , 2009, 144, 329-333.	1.1	68
34	Human CMV infection of endothelial cells induces an angiogenic response through viral binding to EGF receptor and Î² ₁ and Î² ₃ integrins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5531-5536.	3.3	102
35	Transcriptome Analysis of NF-ÎB- and Phosphatidylinositol 3-Kinase-Regulated Genes in Human Cytomegalovirus-Infected Monocytes. <i>Journal of Virology</i> , 2008, 82, 1040-1046.	1.5	47
36	Transcriptome Analysis Reveals Human Cytomegalovirus Reprograms Monocyte Differentiation toward an M1 Macrophage. <i>Journal of Immunology</i> , 2008, 181, 698-711.	0.4	174

#	ARTICLE	IF	CITATIONS
37	Human Cytomegalovirus Modulation of Signal Transduction. <i>Current Topics in Microbiology and Immunology</i> , 2008, 325, 205-220.	0.7	43
38	The Human Cytomegalovirus Virion Possesses an Activated Casein Kinase II That Allows for the Rapid Phosphorylation of the Inhibitor of NF- κ B, I κ B ζ . <i>Journal of Virology</i> , 2007, 81, 5305-5314.	1.5	30
39	Roles of Phosphatidylinositol 3-Kinase and NF- κ B in Human Cytomegalovirus-Mediated Monocyte Diapedesis and Adhesion: Strategy for Viral Persistence. <i>Journal of Virology</i> , 2007, 81, 7683-7694.	1.5	57
40	Prolonged activation of NF- κ B by human cytomegalovirus promotes efficient viral replication and late gene expression. <i>Virology</i> , 2006, 346, 15-31.	1.1	51
41	Human Cytomegalovirus (HCMV) Infection of Endothelial Cells Promotes Naïve Monocyte Extravasation and Transfer of Productive Virus To Enhance Hematogenous Dissemination of HCMV. <i>Journal of Virology</i> , 2006, 80, 11539-11555.	1.5	112
42	Human Cytomegalovirus IE1-72 Activates Ataxia Telangiectasia Mutated Kinase and a p53/p21-Mediated Growth Arrest Response. <i>Journal of Virology</i> , 2005, 79, 11467-11475.	1.5	62
43	Human Cytomegalovirus Induces Monocyte Differentiation and Migration as a Strategy for Dissemination and Persistence. <i>Journal of Virology</i> , 2004, 78, 4444-4453.	1.5	193
44	Activation of the NF- κ B Pathway in Human Cytomegalovirus-Infected Cells Is Necessary for Efficient Transactivation of the Major Immediate-Early Promoter. <i>Journal of Virology</i> , 2004, 78, 4498-4507.	1.5	135
45	HCMV activates PI(3)K in monocytes and promotes monocyte motility and transendothelial migration in a PI(3)K-dependent manner. <i>Journal of Leukocyte Biology</i> , 2004, 76, 65-76.	1.5	76
46	The role of MKK1/2 kinase activity in human cytomegalovirus infection. <i>Journal of General Virology</i> , 2001, 82, 493-497.	1.3	75
47	Immunological Methods for the Detection of Human Cytomegalovirus. , 2000, 33, 1-20.		3
48	Role of Human Cytomegalovirus Immediate-Early Proteins in Cell Growth Control. <i>Journal of Virology</i> , 2000, 74, 8028-8037.	1.5	108
49	Monocyte-induced cytokine expression in cultured human retinal pigment epithelial cells. <i>Experimental Eye Research</i> , 1995, 60, 533-543.	1.2	52
50	Productive Infection of Human Endometrial Stromal Cells by Human Cytomegalovirus. <i>Virology</i> , 1994, 202, 247-257.	1.1	19
51	Tumor growth changes the contribution of granulocyte-macrophage colony-stimulating factor during macrophage-mediated suppression of allorecognition. <i>Immunobiology</i> , 1992, 185, 427-439.	0.8	6
52	Regulation of Macrophage Infiltration and Activation in Sites of Chronic Inflammation. <i>Annals of the New York Academy of Sciences</i> , 1992, 664, 93-102.	1.8	10
53	Macrophages stimulated by receptor-ligand interactions exhibit differences in cell-cycle kinetics during tumor growth: stimulation at Mac-1 and Mac-3 receptors alters DNA synthesis. <i>Immunology Letters</i> , 1992, 31, 217-225.	1.1	4
54	Characterization of an immediate-early gene induced in adherent monocytes that encodes I κ B-like activity. <i>Cell</i> , 1991, 65, 1281-1289.	13.5	761

#	ARTICLE	IF	CITATIONS
55	Tumor modulation of autoreactivity: Decreased macrophage and autoreactive T cell interactions. Cellular Immunology, 1990, 127, 105-119.	1.4	18
56	Two-color flow cytometric analysis of the expression of MAC and MHC Class II antigens on macrophages during tumor growth. Cytometry, 1990, 11, 725-735.	1.8	10
57	Normal and tumor-bearing host macrophage responses: variability in accessory function, surface markers, and cell-cycle kinetics. Immunology Letters, 1990, 24, 21-29.	1.1	8
58	Normal and Tumor-Bearing Host Splenic Macrophage Responses to Lipopolysaccharide. Immunological Investigations, 1990, 19, 41-55.	1.0	8
59	Tumor-induced alteration in macrophage accessory cell activity on autoreactive T cells. Cancer Immunology, Immunotherapy, 1989, 30, 170-176.	2.0	20
60	Changes in Macrophage Populations: Phenotypic Differences between Normal and Tumor-Bearing Host Macrophages. Immunobiology, 1989, 178, 416-435.	0.8	25
61	Tumor-Induced Variations in a High Molecular Weight Inhibitory Monokine. Immunobiology, 1989, 178, 361-379.	0.8	7
62	Human Cytomegalovirus Manipulates Syntaxin 6 for Successful Trafficking and Subsequent Infection of Monocytes. Journal of Virology, 0, , .	1.5	1