Flix Antunes Soares

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5484366/felix-antunes-soares-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers3,568
citations32
h-index45
g-index200
ext. papers4,082
ext. citations4.1
avg, IF5
L-index

#	Paper	IF	Citations
186	Behavioral effects of traumatic brain injury: Use of guanosine 2022 , 501-513		
185	extract provides increased resistance against oxidative stress and protection against Amyloid beta-induced toxicity compared to caffeine in. <i>Nutritional Neuroscience</i> , 2021 , 24, 697-709	3.6	13
184	Antimicrobial and Toxicity Evaluation of Imidazolium-Based Dicationic Ionic Liquids with Dicarboxylate Anions. <i>Pharmaceutics</i> , 2021 , 13,	6.4	1
183	Moderate-intensity functional training improves mitochondrial capability and redox state in peripheral blood mononuclear cells of metabolic syndrome women. <i>Sport Sciences for Health</i> , 2021 , 17, 91-101	1.3	1
182	Haloperidol Interactions with the dop-3 Receptor in Caenorhabditis elegans. <i>Molecular Neurobiology</i> , 2021 , 58, 304-316	6.2	2
181	Oxidative stress is involved in LLLT mechanism of action on skin healing in rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2021 , 54, e10293	2.8	3
180	Neuroprotective effects of rutin on ASH neurons in model of Huntingtonß disease. <i>Nutritional Neuroscience</i> , 2021 , 1-14	3.6	5
179	Diclofenac Administration after Physical Training Blunts Adaptations of Peripheral Systems and Leads to Losses in Exercise Performance: In Vivo and In Silico Analyses. <i>Antioxidants</i> , 2021 , 10,	7.1	1
178	Caenorhabditis elegans as a model for studies on quinolinic acid-induced NMDAR-dependent glutamatergic disorders. <i>Brain Research Bulletin</i> , 2021 , 175, 90-98	3.9	1
177	Diphenyl diselenide protects a Caenorhabditis elegans model for Huntington® disease by activation of the antioxidant pathway and a decrease in protein aggregation. <i>Metallomics</i> , 2020 , 12, 114	1 2 1-1715	8 ⁵
176	The role of mitochondrial bioenergetics and oxidative stress in depressive behavior in recurrent concussion model in mice. <i>Life Sciences</i> , 2020 , 257, 117991	6.8	2
175	The insertion of functional groups in organic selenium compounds promote changes in mitochondrial parameters and raise the antibacterial activity. <i>Bioorganic Chemistry</i> , 2020 , 98, 103727	5.1	4
174	A single muscle contusion promotes an immediate alteration in mitochondrial bioenergetics response in skeletal muscle fibres with different metabolism. <i>Free Radical Research</i> , 2020 , 54, 137-149	4	2
173	Chronic exposure to methylmercury induces puncta formation in cephalic dopaminergic neurons in Caenorhabditis elegans. <i>NeuroToxicology</i> , 2020 , 77, 105-113	4.4	15
172	The effects of manganese overexposure on brain health. <i>Neurochemistry International</i> , 2020 , 135, 1046	8 . 4	30
171	Rutin protects Huntington® disease through the insulin/IGF1 (IIS) signaling pathway and autophagy activity: Study in Caenorhabditis elegans model. <i>Food and Chemical Toxicology</i> , 2020 , 141, 111323	4.7	22
170	Caenorhabitidis elegans as an animal model in toxicological studies 2020 , 533-544		

(2019-2020)

169	Acetaminophen Oxidation and Inflammatory Markers - A Review of Hepatic Molecular Mechanisms and Preclinical Studies. <i>Current Drug Targets</i> , 2020 , 21, 1225-1236	3	
168	Diphenyl diselenide blunts swimming training on mitochondrial liver redox adaptation mechanisms of aged animals. <i>Sport Sciences for Health</i> , 2020 , 16, 281-290	1.3	
167	Combined platelet-rich plasma and cold water immersion treatment minimize the damage following a skeletal muscle stretch injury in rats. <i>Platelets</i> , 2020 , 31, 1039-1051	3.6	1
166	Toxicological evaluation of naringin-loaded nanocapsules in vitro and in vivo. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 188, 110754	6	6
165	SOD activity of new copper II complexes with ligands derived from pyridoxal and toxicity in Caenorhabditis elegans. <i>Journal of Inorganic Biochemistry</i> , 2020 , 204, 110950	4.2	10
164	Effects of caffeine on brain antioxidant status and mitochondrial respiration in acetaminophen-intoxicated mice. <i>Toxicology Research</i> , 2020 , 9, 726-734	2.6	1
163	N,NRbis-(2-mercaptoethyl) isophthalamide induces developmental delay in by promoting DAF-16 nuclear localization. <i>Toxicology Reports</i> , 2020 , 7, 930-937	4.8	4
162	Guanosine protects against behavioural and mitochondrial bioenergetic alterations after mild traumatic brain injury. <i>Brain Research Bulletin</i> , 2020 , 163, 31-39	3.9	4
161	Relevance of Mitochondrial Dysfunction in the Reserpine-Induced Experimental Fibromyalgia Model. <i>Molecular Neurobiology</i> , 2020 , 57, 4202-4217	6.2	5
160	Simvastatin-loaded nanoemulsions: development, characterization, stability study and toxicity assays. <i>Therapeutic Delivery</i> , 2020 , 497-505	3.8	3
159	Guarana (Mart.) protects against amyloid-leoxicity in through heat shock protein response activation. <i>Nutritional Neuroscience</i> , 2020 , 23, 444-454	3.6	4
158	Diclofenac attenuates inflammation through TLR4 pathway and improves exercise performance after exhaustive swimming. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 264-271	4.6	6
157	MPMT-OX up-regulates GABAergic transmission and protects against seizure-like behavior in Caenorhabditis elegans. <i>NeuroToxicology</i> , 2019 , 74, 272-281	4.4	3
156	Role of Astrocytes in Manganese Neurotoxicity Revisited. <i>Neurochemical Research</i> , 2019 , 44, 2449-2459	4.6	13
155	A rather than A adenosine receptor as a possible target of Guanosine effects on mitochondrial dysfunction following Traumatic Brain Injury in rats. <i>Neuroscience Letters</i> , 2019 , 704, 141-144	3.3	8
154	Guanosine protects against Ca-induced mitochondrial dysfunction in rats. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 1438-1446	7.5	6
153	Guanosine Attenuates Behavioral Deficits After Traumatic Brain Injury by Modulation of Adenosinergic Receptors. <i>Molecular Neurobiology</i> , 2019 , 56, 3145-3158	6.2	17
152	Lead (Pb) exposure induces dopaminergic neurotoxicity in : Involvement of the dopamine transporter. <i>Toxicology Reports</i> , 2019 , 6, 833-840	4.8	28

151	Ilex paraguariensis Attenuates Changes in Mortality, Behavioral and Biochemical Parameters Associated to Methyl Malonate or Malonate Exposure in Drosophila melanogaster. <i>Neurochemical</i> <i>Research</i> , 2019 , 44, 2202-2214	4.6	4
150	Guanosine Prevents against Glutamatergic Excitotoxicity in C. elegans. <i>Neuroscience</i> , 2019 , 414, 265-27	723.9	3
149	Physicochemical characterization and evaluation of in vitro and in vivo toxicity of goldenberry extract nanoemulsion. <i>Ciencia Rural</i> , 2019 , 49,	1.3	3
148	Sex-Specific Response of Caenorhabditis elegans to Methylmercury Toxicity. <i>Neurotoxicity Research</i> , 2019 , 35, 208-216	4.3	9
147	6-Hydroxydopamine induces different mitochondrial bioenergetics response in brain regions of rat. <i>NeuroToxicology</i> , 2019 , 70, 1-11	4.4	9
146	Antibacterial and antioxidant effects of L. extract and its fractions. <i>Journal of Traditional and Complementary Medicine</i> , 2019 , 9, 383-392	4.6	14
145	High-intensity interval training improves inflammatory and adipokine profiles in postmenopausal women with metabolic syndrome. <i>Archives of Physiology and Biochemistry</i> , 2019 , 125, 85-91	2.2	15
144	Metabolic effects of manganese in the nematode Caenorhabditis elegans through DAergic pathway and transcription factors activation. <i>NeuroToxicology</i> , 2018 , 67, 65-72	4.4	13
143	Impact of Anions on the Partition Constant, Self-Diffusion, Thermal Stability, and Toxicity of Dicationic Ionic Liquids. <i>ACS Omega</i> , 2018 , 3, 734-743	3.9	7
142	Multiple mechanistic action of Rosmarinus officinalis L. extract against ethanol effects in an acute model of intestinal damage. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 98, 454-459	7.5	3
141	Quinolinic acid and glutamatergic neurodegeneration in Caenorhabditis elegans. <i>NeuroToxicology</i> , 2018 , 67, 94-101	4.4	10
140	Comparison of the Toxic Effects of Quinolinic Acid and 3-Nitropropionic Acid in C. elegans: Involvement of the SKN-1 Pathway. <i>Neurotoxicity Research</i> , 2018 , 33, 259-267	4.3	12
139	Caffeine and acetaminophen association: Effects on mitochondrial bioenergetics. <i>Life Sciences</i> , 2018 , 193, 234-241	6.8	13
138	The antibacterial and anti-biofilm activity of gold-complexed sulfonamides against methicillin-resistant Staphylococcus aureus. <i>Microbial Pathogenesis</i> , 2018 , 123, 440-448	3.8	16
137	Comparing the Effects of Ferulic Acid and Sugarcane Aqueous Extract in In Vitro and In Vivo Neurotoxic Models. <i>Neurotoxicity Research</i> , 2018 , 34, 640-648	4.3	10
136	Ilex paraguariensis modulates fat metabolism in Caenorhabditis elegans through purinergic system (ADOR-1) and nuclear hormone receptor (NHR-49) pathways. <i>PLoS ONE</i> , 2018 , 13, e0204023	3.7	9
135	Molecular docking, and anti-biofilm activity of gold-complexed sulfonamides on Pseudomonas aeruginosa. <i>Microbial Pathogenesis</i> , 2018 , 125, 393-400	3.8	11
134	Cryotherapy: biochemical alterations involved in reduction of damage induced by exhaustive exercise. <i>Brazilian Journal of Medical and Biological Research</i> , 2018 , 51, e7702	2.8	3

133	Mechanisms involved in anti-aging effects of guarana (Paullinia cupana) in Caenorhabditis elegans. Brazilian Journal of Medical and Biological Research, 2018 , 51, e7552	2.8	10
132	Silymarin recovers 6-hydroxydopamine-induced motor deficits in mice. <i>Food and Chemical Toxicology</i> , 2018 , 118, 549-556	4.7	4
131	Diclofenac pretreatment modulates exercise-induced inflammation in skeletal muscle of rats through the TLR4/NF- B pathway. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 757-764	3	11
130	(p-ClPhSe) Reduces Hepatotoxicity Induced by Monosodium Glutamate by Improving Mitochondrial Function in Rats. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 2877-2886	4.7	12
129	Reversal of bioenergetics dysfunction by diphenyl diselenide is critical to protection against the acetaminophen-induced acute liver failure. <i>Life Sciences</i> , 2017 , 180, 42-50	6.8	7
128	Synthesis and electrochemical and antioxidant properties of chalcogenocyanate oxadiazole and 5-heteroarylchalcogenomethyl-1H-tetrazole derivatives. <i>New Journal of Chemistry</i> , 2017 , 41, 5875-5883	3.6	12
127	Regulation of Mitochondrial Function and Glutamatergic System Are the Target of Guanosine Effect in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 1318-1328	5.4	17
126	Neurodegeneration Induced by Metals in Caenorhabditis elegans. <i>Advances in Neurobiology</i> , 2017 , 18, 355-383	2.1	11
125	Synthesis and Antitumoral Lung Carcinoma A549 and Antioxidant Activity Assays Of New Chiral EAryl-Chalcogenium Azide Compounds. <i>ChemistrySelect</i> , 2017 , 2, 8423-8430	1.8	5
124	Antioxidant protection by Eselenoamines against thioacetamide-induced oxidative stress and hepatotoxicity in mice. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017 , 31, e21974	3.4	4
123	Brain infusion of Esynuclein oligomers induces motor and non-motor Parkinson disease-like symptoms in mice. <i>Behavioural Brain Research</i> , 2017 , 333, 150-160	3.4	18
122	Guanosine Protects Against Traumatic Brain Injury-Induced Functional Impairments and Neuronal Loss by Modulating Excitotoxicity, Mitochondrial Dysfunction, and Inflammation. <i>Molecular Neurobiology</i> , 2017 , 54, 7585-7596	6.2	24
121	Synthesis and antioxidant properties of organosulfur and organoselenium compounds derived from 5-substituted-1,3,4-oxadiazole/thiadiazole-2-thiols. <i>Tetrahedron Letters</i> , 2017 , 58, 87-91	2	25
120	Functional and biochemical adaptations of elite level futsal players from Brazil along a training season. <i>Medicina (Lithuania)</i> , 2017 , 53, 285-293	3.1	4
119	Homeostatic effect of p-chloro-diphenyl diselenide on glucose metabolism and mitochondrial function alterations induced by monosodium glutamate administration to rats. <i>Amino Acids</i> , 2016 , 48, 137-48	3.5	16
118	Guarana (Mart.) attenuates methylmercury-induced toxicity in. <i>Toxicology Research</i> , 2016 , 5, 1629-1638	2.6	17
117	Eco-friendly synthesis and antioxidant activity of new trifluoromethyl-substituted N-(pyrimidin-2-yl)benzo[d]thiazol-2-amines and some N-derivatives. <i>Monatshefte Fil Chemie</i> , 2016 , 147, 2185-2194	1.4	4
116	Novel ibuprofenate- and docusate-based ionic liquids: emergence of antimicrobial activity. <i>RSC Advances</i> , 2016 , 6, 100476-100486	3.7	23

115	Platelet-rich plasma reduces the oxidative damage determined by a skeletal muscle contusion in rats. <i>Platelets</i> , 2016 , 27, 784-790	3.6	25
114	Extracellular dopamine and alterations on dopamine transporter are related to reserpine toxicity in Caenorhabditis elegans. <i>Archives of Toxicology</i> , 2016 , 90, 633-45	5.8	13
113	Diclofenac pretreatment effects on the toll-like receptor 4/nuclear factor kappa B-mediated inflammatory response to eccentric exercise in rat liver. <i>Life Sciences</i> , 2016 , 148, 247-53	6.8	24
112	A neuronal disruption in redox homeostasis elicited by ammonia alters the glycine/glutamate (GABA) cycle and contributes to MMA-induced excitability. <i>Amino Acids</i> , 2016 , 48, 1373-89	3.5	8
111	Reversible reprotoxic effects of manganese through DAF-16 transcription factor activation and vitellogenin downregulation in Caenorhabditis elegans. <i>Life Sciences</i> , 2016 , 151, 218-223	6.8	15
110	The Impact of Previous Physical Training on Redox Signaling after Traumatic Brain Injury in Rats: A Behavioral and Neurochemical Approach. <i>Journal of Neurotrauma</i> , 2016 , 33, 1317-30	5.4	25
109	Creatine and the Liver: Metabolism and Possible Interactions. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 12-8	3.2	29
108	Rosmarinus officinalis L. increases Caenorhabditis elegans stress resistance and longevity in a DAF-16, HSF-1 and SKN-1-dependent manner. <i>Brazilian Journal of Medical and Biological Research</i> , 2016 , 49, e5235	2.8	16
107	Peumus boldus (Boldo) Aqueous Extract Present Better Protective Effect than Boldine Against Manganese-Induced Toxicity in D. melanogaster. <i>Neurochemical Research</i> , 2016 , 41, 2699-2707	4.6	22
106	High Intensity Interval Training Reduces the Levels of Serum Inflammatory Cytokine on Women with Metabolic Syndrome. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016 , 124, 597-601	2.3	28
105	Protective effects of novel organic selenium compounds against oxidative stress in the nematode. <i>Toxicology Reports</i> , 2015 , 2, 961-967	4.8	20
104	Fumonisin B1 facilitates seizures induced by pentylenetetrazol in mice. <i>Neurotoxicology and Teratology</i> , 2015 , 51, 61-7	3.9	14
103	Response of oxidative stress and inflammatory biomarkers to a 12-week aerobic exercise training in women with metabolic syndrome. <i>Sports Medicine - Open</i> , 2015 , 1, 19	6.1	50
102	An active lifestyle induces positive antioxidant enzyme modulation in peripheral blood mononuclear cells of overweight/obese postmenopausal women. <i>Life Sciences</i> , 2015 , 121, 152-7	6.8	15
101	Changes in Purines Concentration in the Cerebrospinal Fluid of Pregnant Women Experiencing Pain During Active Labor. <i>Neurochemical Research</i> , 2015 , 40, 2262-9	4.6	4
100	Free radical scavenging in vitro and biological activity of diphenyl diselenide-loaded nanocapsules: DPDS-NCS antioxidant and toxicological effects. <i>International Journal of Nanomedicine</i> , 2015 , 10, 5663-	7 ō ·3	7
99	Lifespan Extension Induced by Caffeine in Caenorhabditis elegans is Partially Dependent on Adenosine Signaling. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 220	5.3	26
98	Protective Effects of Aqueous Extract of Luehea divaricata against Behavioral and Oxidative Changes Induced by 3-Nitropropionic Acid in Rats. <i>Evidence-based Complementary and Alternative Medicine</i> 2015, 2015, 723431	2.3	12

(2014-2015)

97	Centella asiatica and Its Fractions Reduces Lipid Peroxidation Induced by Quinolinic Acid and Sodium Nitroprusside in Rat Brain Regions. <i>Neurochemical Research</i> , 2015 , 40, 1197-210	4.6	12
96	Age- and manganese-dependent modulation of dopaminergic phenotypes in a C. elegans DJ-1 genetic model of Parkinson ß disease. <i>Metallomics</i> , 2015 , 7, 289-98	4.5	35
95	Effect of diselenide administration in thioacetamide-induced acute neurological and hepatic failure in mice. <i>Toxicology Research</i> , 2015 , 4, 707-717	2.6	9
94	Weight loss is not mandatory for exercise-induced effects on health indices in females with metabolic syndrome. <i>Biology of Sport</i> , 2015 , 32, 109-14	4.3	6
93	Synthesis, Structure Elucidation, Antioxidant and Antimicrobial Activity of Novel 2-(5-Trifluoromethyl-1H-pyrazol-1-yl)-5-(5-trihalomethyl-1H-pyrazol-1-yl-1-carbonyl)pyridines. <i>Journal of the Brazilian Chemical Society</i> , 2015 ,	1.5	2
92	POSITIVE EFFECTS OF RESISTANCE TRAINING ON INFLAMMATORY PARAMETERS IN MEN WITH METABOLIC SYNDROME RISK FACTORS. <i>Nutricion Hospitalaria</i> , 2015 , 32, 792-8	1	3
91	Neuroprotective effect of diphenyl diselenide in a experimental stroke model: maintenance of redox system in mitochondria of brain regions. <i>Neurotoxicity Research</i> , 2014 , 26, 317-30	4.3	25
90	Moderate swimming exercise and caffeine supplementation reduce the levels of inflammatory cytokines without causing oxidative stress in tissues of middle-aged rats. <i>Amino Acids</i> , 2014 , 46, 1187-9	5 ^{3.5}	26
89	Co-exposure of the organic nanomaterial fullerene Cliwith benzo[a]pyrene in Danio rerio (zebrafish) hepatocytes: evidence of toxicological interactions. <i>Aquatic Toxicology</i> , 2014 , 147, 76-83	5.1	51
88	Diphenyl diselenide supplemented diet reduces depressive-like behavior in hypothyroid female rats. <i>Physiology and Behavior</i> , 2014 , 124, 116-22	3.5	20
87	Diphenyl-diselenide suppresses amyloid-[peptide in Caenorhabditis elegans model of Alzheimerß disease. <i>Neuroscience</i> , 2014 , 278, 40-50	3.9	25
86	Caffeine suppresses exercise-enhanced long-term and location memory in middle-aged rats: Involvement of hippocampal Akt and CREB signaling. <i>Chemico-Biological Interactions</i> , 2014 , 223, 95-101	5	8
85	Luehea divaricata Mart. anticholinesterase and antioxidant activity in a Caenorhabditis elegans model system. <i>Industrial Crops and Products</i> , 2014 , 62, 265-271	5.9	9
84	Caffeine supplementation modulates oxidative stress markers in the liver of trained rats. <i>Life Sciences</i> , 2014 , 96, 40-5	6.8	32
83	A Study on the Quality and Identity of Brazilian Pampa Biome Honey: Evidences for Its Beneficial Effects against Oxidative Stress and Hyperglycemia. <i>International Journal of Food Science</i> , 2014 , 2014, 470214	3.4	13
82	Caffeine intake may modulate inflammation markers in trained rats. <i>Nutrients</i> , 2014 , 6, 1678-90	6.7	21
81	Diphenyl diselenide modulates gene expression of antioxidant enzymes in the cerebral cortex, hippocampus and striatum of female hypothyroid rats. <i>Neuroendocrinology</i> , 2014 , 100, 45-59	5.6	14
80	EAminolevulinate dehydratase activity in lung cancer patients and its relationship with oxidative stress. <i>Biomedicine and Pharmacotherapy</i> , 2014 , 68, 603-9	7.5	10

79	Seleno- and telluro-xylofuranosides attenuate Mn-induced toxicity in C. elegans via the DAF-16/FOXO pathway. <i>Food and Chemical Toxicology</i> , 2014 , 64, 192-9	4.7	24
78	Differential genotoxicity of diphenyl diselenide (PhSe)2 and diphenyl ditelluride (PhTe)2. <i>PeerJ</i> , 2014 , 2, e290	3.1	19
77	Purple grape juice as a protector against acute x-irradiation induced alterations on mobility, anxiety, and feeding behaviour in mice. <i>Nutricion Hospitalaria</i> , 2014 , 29, 812-21	1	7
76	Guaran[[Paullinia cupana Kunth] effects on LDL oxidation in elderly people: an in vitro and in vivo study. <i>Lipids in Health and Disease</i> , 2013 , 12, 12	4.4	32
75	The influence of Bauhinia forficata Link subsp. pruinosa tea on lipid peroxidation and non-protein SH groups in human erythrocytes exposed to high glucose concentrations. <i>Journal of Ethnopharmacology</i> , 2013 , 148, 81-7	5	28
74	Treadmill exercise protects against pentylenetetrazol-induced seizures and oxidative stress after traumatic brain injury. <i>Journal of Neurotrauma</i> , 2013 , 30, 1278-87	5.4	36
73	The protective effects of guaranlextract (Paullinia cupana) on fibroblast NIH-3T3 cells exposed to sodium nitroprusside. <i>Food and Chemical Toxicology</i> , 2013 , 53, 119-25	4.7	47
72	Cryotherapy reduces skeletal muscle damage after ischemia/reperfusion in rats. <i>Journal of Anatomy</i> , 2013 , 222, 223-30	2.9	12
71	Evaluation of in vitro antioxidant effect of new mono and diselenides. <i>Toxicology in Vitro</i> , 2013 , 27, 14	33 3 %	50
70	Protective action of ethanolic extract of Rosmarinus officinalis L. in gastric ulcer prevention induced by ethanol in rats. <i>Food and Chemical Toxicology</i> , 2013 , 55, 48-55	4.7	92
69	Antioxidant effect of organic purple grape juice on exhaustive exercise. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 558-65	3	14
68	Valeriana officinalis attenuates the rotenone-induced toxicity in Drosophila melanogaster. <i>NeuroToxicology</i> , 2013 , 37, 118-26	4.4	75
67	Effects of diphenyl diselenide on methylmercury toxicity in rats. <i>BioMed Research International</i> , 2013 , 2013, 983821	3	29
66	HPLC analysis of phenolics compounds and antioxidant capacity of leaves of Vitex megapotamica (Sprengel) Moldenke. <i>Molecules</i> , 2013 , 18, 8342-57	4.8	20
65	Respostas bioquínicas e filicas ao treinamento realizado dentro e fora da gua em atletas de futsal. <i>Motriz Revista De Educacao Fisica</i> , 2013 , 19, 432-440	0.9	1
64	Behavioral and metabolic effects of the atypical antipsychotic ziprasidone on the nematode Caenorhabditis elegans. <i>PLoS ONE</i> , 2013 , 8, e74780	3.7	12
63	New therapeutic approach: diphenyl diselenide reduces mitochondrial dysfunction in acetaminophen-induced acute liver failure. <i>PLoS ONE</i> , 2013 , 8, e81961	3.7	38
62	Swimming training induces liver mitochondrial adaptations to oxidative stress in rats submitted to repeated exhaustive swimming bouts. <i>PLoS ONE</i> , 2013 , 8, e55668	3.7	51

(2011-2012)

61	The combination of organoselenium compounds and guanosine prevents glutamate-induced oxidative stress in different regions of rat brains. <i>Brain Research</i> , 2012 , 1430, 101-11	3.7	17	
60	Effect of different oximes on rat and human cholinesterases inhibited by methamidophos: a comparative in vitro and in silico study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012 , 111, 362-	70 ^{3.1}	8	
59	Acute brain damage induced by acetaminophen in mice: effect of diphenyl diselenide on oxidative stress and mitochondrial dysfunction. <i>Neurotoxicity Research</i> , 2012 , 21, 334-44	4.3	49	
58	Effects of butane-2,3-dione thiosemicarbazone oxime on testicular damage induced by cadmium in mice. <i>Journal of Toxicological Sciences</i> , 2012 , 37, 899-910	1.9	12	
57	The antioxidant properties of different phthalocyanines. <i>Toxicology in Vitro</i> , 2012 , 26, 125-32	3.6	32	
56	Isatin-3-N4-benzilthiosemicarbazone, a non-toxic thiosemicarbazone derivative, protects and reactivates rat and human cholinesterases inhibited by methamidophos in vitro and in silico. <i>Toxicology in Vitro</i> , 2012 , 26, 1030-9	3.6	7	
55	Diphenyl diselenide diet intake improves spatial learning and memory deficits in hypothyroid female rats. <i>International Journal of Developmental Neuroscience</i> , 2012 , 30, 83-9	2.7	25	
54	Could dietary trans fatty acids induce movement disorders? Effects of exercise and its influence on Na+K+-ATPase and catalase activity in rat striatum. <i>Behavioural Brain Research</i> , 2012 , 226, 504-10	3.4	36	
53	Probucol modulates oxidative stress and excitotoxicity in Huntington® disease models in vitro. Brain Research Bulletin, 2012 , 87, 397-405	3.9	40	
52	Inflammatory cytokines in vitro production are associated with Ala16Val superoxide dismutase gene polymorphism of peripheral blood mononuclear cells. <i>Cytokine</i> , 2012 , 60, 30-3	4	32	
51	Diphenyl diselenide prevents methylmercury-induced mitochondrial dysfunction in rat liver slices. <i>Tetrahedron</i> , 2012 , 68, 10437-10443	2.4	14	
50	Antioxidant properties of Taraxacum officinale leaf extract are involved in the protective effect against hepatoxicity induced by acetaminophen in mice. <i>Journal of Medicinal Food</i> , 2012 , 15, 549-56	2.8	49	
49	Cooperation of non-effective concentration of glutamatergic system modulators and antioxidant against oxidative stress induced by quinolinic acid. <i>Neurochemical Research</i> , 2012 , 37, 1993-2003	4.6	7	
48	Organotellurium and organoselenium compounds attenuate Mn-induced toxicity in Caenorhabditis elegans by preventing oxidative stress. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 1903-10	7.8	53	
47	Antioxidant properties of Taraxacum officinale fruit extract are involved in the protective effect against cellular death induced by sodium nitroprusside in brain of rats. <i>Pharmaceutical Biology</i> , 2012 , 50, 883-91	3.8	18	
46	Reduction of acute hepatic damage induced by acetaminophen after treatment with diphenyl diselenide in mice. <i>Toxicologic Pathology</i> , 2012 , 40, 605-13	2.1	11	
45	Antioxidant Activity and phytochemical composition of the leaves of Solanum guaraniticum A. StHil. <i>Molecules</i> , 2012 , 17, 12560-74	4.8	30	
44	Therapeutic cold: An effective kind to modulate the oxidative damage resulting of a skeletal muscle contusion. <i>Free Radical Research</i> , 2011 , 45, 125-38	4	37	

Ş)
1	12
1	13
3	35
1	17
. 5	57
7	7
2	20
. 2	20
2	27
	1 6
9)
. 6	5 1
. 4	1 6
1	13
. 2	20
3	₅ 6
3 5 3 4 3 5 4 4 3 4 4 3 4 4 5 4 5 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6	3 1 1 3 3 3 3 4 5 4 5 4 4 4 4 4 4 4 4 4 4 4 4

(2003-2008)

25	Potentially adverse interactions between haloperidol and valerian. <i>Food and Chemical Toxicology</i> , 2008 , 46, 2369-75	4.7	13	
24	Antioxidant properties of oxime 3-(phenylhydrazono) butan-2-one. <i>Archives of Toxicology</i> , 2008 , 82, 755	5-6.8	18	
23	Naturally occurring compounds affect glutamatergic neurotransmission in rat brain. <i>Neurochemical Research</i> , 2007 , 32, 1950-6	4.6	18	
22	A biochemical and toxicological study with diethyl 2-phenyl-2-tellurophenyl vinylphosphonate in a sub-chronic intraperitoneal treatment in mice. <i>Life Sciences</i> , 2007 , 80, 1865-72	6.8	19	
21	Amnesic effect of GMP depends on its conversion to guanosine. <i>Neurobiology of Learning and Memory</i> , 2006 , 85, 206-12	3.1	26	
20	Diethyl 2-phenyl-2 tellurophenyl vinylphosphonate: an organotellurium compound with low toxicity. <i>Toxicology</i> , 2006 , 224, 100-7	4.4	32	
19	Organic and inorganic forms of selenium inhibited differently fish (Rhamdia quelen) and rat (Rattus norvergicus albinus) delta-aminolevulinate dehydratase. <i>Environmental Research</i> , 2005 , 98, 46-54	7.9	16	
18	Hemolytic effects of sodium selenite and mercuric chloride in human blood. <i>Drug and Chemical Toxicology</i> , 2005 , 28, 397-407	2.3	22	
17	Oxidation of delta-ALA-D and DTT mediated by ascorbic acid: modulation by buffers depends on free iron. <i>Biological and Pharmaceutical Bulletin</i> , 2005 , 28, 1485-9	2.3	6	
16	Hematological changes in rats chronically exposed to oral aluminum. <i>Toxicology</i> , 2005 , 209, 29-37	4.4	24	
15	Effects of chronic administered guanosine on behavioral parameters and brain glutamate uptake in rats. <i>Journal of Neuroscience Research</i> , 2005 , 79, 248-53	4.4	42	
14	Guanosine enhances glutamate transport capacity in brain cortical slices. <i>Cellular and Molecular Neurobiology</i> , 2005 , 25, 913-21	4.6	25	
13	Anticonvulsant effect of GMP depends on its conversion to guanosine. <i>Brain Research</i> , 2004 , 1005, 182-	-63.7	55	
12	Characterization of imido [8-(3)H] guanosine 5Rtriphosphate binding sites to rat brain membranes. <i>Neurochemical Research</i> , 2004 , 29, 805-9	4.6	3	
11	Additive pro-oxidative effects of methylmercury and ebselen in liver from suckling rat pups. <i>Toxicology Letters</i> , 2004 , 146, 227-35	4.4	53	
10	2,3-Dimercaptopropanol, 2,3-dimercaptopropane-1-sulfonic acid, and meso-2,3-dimercaptosuccinic acid inhibit delta-aminolevulinate dehydratase from human erythrocytes in vitro. <i>Environmental Research</i> , 2004 , 94, 254-61	7.9	13	
9	Interaction between metals and chelating agents affects glutamate binding on brain synaptic membranes. <i>Neurochemical Research</i> , 2003 , 28, 1859-65	4.6	29	
8	In vitro effects of selenite and mercuric chloride on liver thiobarbituric acid-reactive substances and non-protein thiols from rats: influences of dietary cholesterol and polyunsaturated and saturated fatty acids. <i>Nutrition</i> , 2003 , 19, 531-5	4.8	12	

7	Extracellular conversion of guanine-based purines to guanosine specifically enhances astrocyte glutamate uptake. <i>Brain Research</i> , 2003 , 972, 84-9	3.7	71
6	2,3-Dimercaptopropane-1-sulfonic acid and meso-2,3-dimercaptosuccinic acid increase mercury-and cadmium-induced inhibition of delta-aminolevulinate dehydratase. <i>Toxicology</i> , 2003 , 184, 85-95	4.4	61
5	Profile of nonprotein thiols, lipid peroxidation and delta-aminolevulinate dehydratase activity in mouse kidney and liver in response to acute exposure to mercuric chloride and sodium selenite. <i>Toxicology</i> , 2003 , 184, 179-87	4.4	60
4	Mechanisms of the inhibitory effects of selenium and mercury on the activity of delta-aminolevulinate dehydratase from mouse liver, kidney and brain. <i>Toxicology Letters</i> , 2003 , 139, 55-66	4.4	46
3	Ebselen protects against methylmercury-induced inhibition of glutamate uptake by cortical slices from adult mice. <i>Toxicology Letters</i> , 2003 , 144, 351-7	4.4	75
2	Effect of undernutrition on GMP-PNP binding and adenylate cyclase activity from rat brain. <i>Cellular and Molecular Neurobiology</i> , 2002 , 22, 365-72	4.6	5
1	Investigations into the mechanism of 2,3-dimercaptopropanol neurotoxicity. <i>Neurochemical Research</i> , 2000 , 25, 1553-8	4.6	15