

Cornelia Brunner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5485654/cornelia-brunner-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

1,564
citations

20
h-index

38
g-index

68
ext. papers

1,933
ext. citations

7.1
avg. IF

4.26
L-index

#	Paper	IF	Citations
59	Differential Requirement of Vav Proteins for Btk-dependent and -Independent Signaling During B Cell Development.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 654181	5.7	0
58	Enhanced cellular migration and prolonged chondrogenic differentiation in decellularized cartilage scaffolds under dynamic culture conditions. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2021 ,	4.4	2
57	Impaired Peyer's patch development in BOB.1/OBF.1-deficient mice. <i>European Journal of Immunology</i> , 2021 , 51, 1860-1863	6.1	1
56	Immune-Stimulatory Effects of Curcumin on the Tumor Microenvironment in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	6
55	The Role of Interleukin-1-Receptor-Antagonist in Bladder Cancer Cell Migration and Invasion. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
54	Prospective longitudinal study of immune checkpoint molecule (ICM) expression in immune cell subsets during curative conventional therapy of head and neck squamous cell carcinoma (HNSCC). <i>International Journal of Cancer</i> , 2021 , 148, 2023-2035	7.5	4
53	Analysis, identification and visualization of subgroups in genomics. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	1
52	Increasing Mean Age of Head and Neck Cancer Patients at a German Tertiary Referral Center. <i>Cancers</i> , 2021 , 13,	6.6	4
51	BOB.1/OBF.1 is required during B-cell ontogeny for B-cell differentiation and germinal center function.. <i>European Journal of Immunology</i> , 2021 ,	6.1	1
50	The Potential of CD16 on Plasma-Derived Exosomes as a Liquid Biomarker in Head and Neck Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
49	NF-B and Its Role in Checkpoint Control. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	24
48	The Emerging Role of Exosomes in Diagnosis, Prognosis, and Therapy in Head and Neck Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	20
47	Adenosine-producing regulatory B cells in head and neck cancer. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1205-1216	7.4	10
46	Characterization and Differentiation of the Tumor Microenvironment (TME) of Orthotopic and Subcutaneously Grown Head and Neck Squamous Cell Carcinoma (HNSCC) in Immunocompetent Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	4
45	CD3 and CD20 immune cell densities in primary tumors, lymph node metastasis, and recurrent disease samples of head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 6551-6551	22.2	0
44	Bradykinin signaling regulates solute permeability and cellular junction organization in lymphatic endothelial cells. <i>Microcirculation</i> , 2020 , 27, e12592	2.9	4
43	Sildenafil triggers tumor lethality through altered expression of HSP90 and degradation of PKD2. <i>Carcinogenesis</i> , 2020 , 41, 1421-1431	4.6	3

42	Adenosine receptor 2B activity promotes autonomous growth, migration as well as vascularization of head and neck squamous cell carcinoma cells. <i>International Journal of Cancer</i> , 2020 , 147, 202-217	7.5	5
41	Circulating Exosomes Inhibit B Cell Proliferation and Activity. <i>Cancers</i> , 2020 , 12,	6.6	7
40	Immune Suppressive Effects of Plasma-Derived Exosome Populations in Head and Neck Cancer. <i>Cancers</i> , 2020 , 12,	6.6	14
39	Immune Checkpoint Expression on Immune Cells of HNSCC Patients and Modulation by Chemo- and Immunotherapy. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
38	Peripheral Cytokine Levels Differ by HPV Status and Change Treatment-Dependently in Patients with Head and Neck Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
37	Antibody Responses to Cancer Antigens Identify Patients with a Poor Prognosis among HPV-Positive and HPV-Negative Head and Neck Squamous Cell Carcinoma Patients. <i>Clinical Cancer Research</i> , 2019 , 25, 7405-7412	12.9	7
36	Immunotherapy for head and neck cancers: an update and future perspectives. <i>Immunotherapy</i> , 2019 , 11, 561-564	3.8	3
35	Patterns of antibody responses to nonviral cancer antigens in head and neck squamous cell carcinoma patients differ by human papillomavirus status. <i>International Journal of Cancer</i> , 2019 , 145, 3436-3444	7.5	4
34	Polyfunctionality of CD4 T lymphocytes is increased after chemoradiotherapy of head and neck squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2018 , 194, 392-402	4.3	7
33	Plasma-derived Exosomes Reverse Epithelial-to-Mesenchymal Transition after Photodynamic Therapy of Patients with Head and Neck Cancer. <i>Oncoscience</i> , 2018 , 5, 75-87	0.8	25
32	The influence of chemotherapy on adenosine-producing B cells in patients with head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2018 , 9, 5834-5847	3.3	9
31	Human NACHT, LRR, and PYD domain-containing protein 3 (NLRP3) inflammasome activity is regulated by and potentially targetable through Bruton tyrosine kinase. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1054-1067.e10	11.5	72
30	Influence of photodynamic therapy on peripheral immune cell populations and cytokine concentrations in head and neck cancer. <i>Photodiagnosis and Photodynamic Therapy</i> , 2017 , 19, 194-201	3.5	26
29	Allele-specific quantitative proteomics unravels molecular mechanisms modulated by cis-regulatory PPAR γ locus variation. <i>Nucleic Acids Research</i> , 2017 , 45, 3266-3279	20.1	5
28	Bruton's Tyrosine Kinase: An Emerging Key Player in Innate Immunity. <i>Frontiers in Immunology</i> , 2017 , 8, 1454	8.4	123
27	MAGE expression in head and neck squamous cell carcinoma primary tumors, lymph node metastases and respective recurrences-implications for immunotherapy. <i>Oncotarget</i> , 2017 , 8, 14719-14733	3.3	16
26	The transcriptional coactivator Bob1 promotes the development of follicular T helper cells via Bcl6. <i>EMBO Journal</i> , 2016 , 35, 881-98	13	30
25	NF- κ B-dependent signals control BOB.1/OBF.1 and Oct2 transcriptional activity in B cells. <i>European Journal of Immunology</i> , 2015 , 45, 3441-53	6.1	6

24	HSP90 supports tumor growth and angiogenesis through PRKD2 protein stabilization. <i>Cancer Research</i> , 2014 , 74, 7125-36	10.1	45
23	TBX3 Directs Cell-Fate Decision toward Mesendoderm. <i>Stem Cell Reports</i> , 2013 , 1, 248-65	8	57
22	The dynactin p150 subunit: cell biology studies of sequence changes found in ALS/MND and Parkinsonian syndromes. <i>Journal of Neural Transmission</i> , 2013 , 120, 785-98	4.3	27
21	Octamer-dependent transcription in T cells is mediated by NFAT and NF- κ B. <i>Nucleic Acids Research</i> , 2013 , 41, 2138-54	20.1	15
20	MyD88 is involved in myeloid as well as lymphoid hematopoiesis independent of the presence of a pathogen. <i>American Journal of Blood Research</i> , 2013 , 3, 124-40	1.6	18
19	Ca ²⁺ activated K channels-new tools to induce cardiac commitment from pluripotent stem cells in mice and men. <i>Stem Cell Reviews and Reports</i> , 2012 , 8, 720-40	6.4	23
18	Cardiomyocyte-specific I κ B kinase (IKK)/NF- κ B activation induces reversible inflammatory cardiomyopathy and heart failure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 11794-9	11.5	115
17	The role of transcription factors in the guidance of granulopoiesis. <i>American Journal of Blood Research</i> , 2012 , 2, 57-65	1.6	32
16	Neutrophil development and function critically depend on Bruton tyrosine kinase in a mouse model of X-linked agammaglobulinemia. <i>Blood</i> , 2011 , 117, 1329-39	2.2	81
15	Protein kinase D2 is a novel regulator of glioblastoma growth and tumor formation. <i>Neuro-Oncology</i> , 2011 , 13, 710-24	1	32
14	NFATc1 affects mouse splenic B cell function by controlling the calcineurin--NFAT signaling network. <i>Journal of Experimental Medicine</i> , 2011 , 208, 823-39	16.6	93
13	The Ca ²⁺ -dependent phosphatase calcineurin controls the formation of the Carma1-Bcl10-Malt1 complex during T cell receptor-induced NF- κ B activation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 7522-34	5.4	77
12	Role of the adipocyte-specific NF- κ B activity in the regulation of IP-10 and T cell migration. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E304-11	6	15
11	Protein kinase D2 is an essential regulator of murine myoblast differentiation. <i>PLoS ONE</i> , 2011 , 6, e14599.7	3.7	14
10	Modulation of calcium-activated potassium channels induces cardiogenesis of pluripotent stem cells and enrichment of pacemaker-like cells. <i>Circulation</i> , 2010 , 122, 1823-36	16.7	89
9	BOB.1/OBF.1 controls the balance of TH1 and TH2 immune responses. <i>EMBO Journal</i> , 2007 , 26, 3191-2023	23	38
8	Btk expression is controlled by Oct and BOB.1/OBF.1. <i>Nucleic Acids Research</i> , 2006 , 34, 1807-15	20.1	17
7	BOB.1/OBF.1 - A Critical Regulator of B Cell Function. <i>Current Immunology Reviews</i> , 2006 , 2, 3-12	1.3	7

6	Myosin light chain 1 atrial isoform (MLC1A) is expressed in pre-B cells under control of the BOB.1/OBF.1 coactivator. <i>Nucleic Acids Research</i> , 2004 , 32, 1577-83	20.1	5
5	Bruton's tyrosine kinase is a Toll/interleukin-1 receptor domain-binding protein that participates in nuclear factor kappaB activation by Toll-like receptor 4. <i>Journal of Biological Chemistry</i> , 2003 , 278, 26258-64	5.4	221
4	Expression of the aldehyde dehydrogenase 2-like gene is controlled by BOB.1/OBF.1 in B lymphocytes. <i>Journal of Biological Chemistry</i> , 2003 , 278, 45231-9	5.4	14
3	B cell-specific transgenic expression of Bcl2 rescues early B lymphopoiesis but not B cell responses in BOB.1/OBF.1-deficient mice. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1205-11	16.6	42
2	Unimpaired activation of c-Jun NH2-terminal kinase (JNK) 1 upon CD40 stimulation in B cells of patients with X-linked agammaglobulinemia. <i>Journal of Clinical Immunology</i> , 2002 , 22, 244-51	5.7	4
1	Bruton's tyrosine kinase is activated upon CD40 stimulation in human B lymphocytes. <i>Immunobiology</i> , 2002 , 206, 432-40	3.4	17