

Elba Mauriz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5487190/elba-mauriz-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27
papers

1,145
citations

16
h-index

31
g-index

31
ext. papers

1,275
ext. citations

5.1
avg, IF

5.01
L-index

#	Paper	IF	Citations
27	Current Trends in SPR Biosensing of SARS-CoV-2 Entry Inhibitors. <i>Chemosensors</i> , 2021 , 9, 330	4	0
26	Critical issues in clinical and biomedical applications of surface plasmon resonance sensing. <i>Comprehensive Analytical Chemistry</i> , 2021 , 95, 339-401	1.9	
25	Plasmonic Biosensors for Single-Molecule Biomedical Analysis. <i>Biosensors</i> , 2021 , 11,	5.9	11
24	Effect of Psychophysiological Stress and Socio-Emotional Competencies on the Clinical Performance of Nursing Students during a Simulation Practice. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
23	Low-Fouling Substrates for Plasmonic Sensing of Circulating Biomarkers in Biological Fluids. <i>Biosensors</i> , 2020 , 10,	5.9	12
22	Clinical Applications of Visual Plasmonic Colorimetric Sensing. <i>Sensors</i> , 2020 , 20,	3.8	21
21	Effect of Facial Skin Temperature on the Perception of Anxiety: A Pilot Study. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	1
20	Recent Progress in Plasmonic Biosensing Schemes for Virus Detection. <i>Sensors</i> , 2020 , 20,	3.8	38
19	Advances in nanoplasmonic biosensors for clinical applications. <i>Analyst, The</i> , 2019 , 144, 7105-7129	5	45
18	Towards the design of universal immunosurfaces for SPR-based assays: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 79, 191-198	14.6	50
17	On-line surface plasmon resonance biosensing of vascular endothelial growth factor signaling in intact-human hepatoma cell lines. <i>Analyst, The</i> , 2014 , 139, 1426-35	5	14
16	Effects of dietary supplementation with lemon verbena extracts on serum inflammatory markers of multiple sclerosis patients. <i>Nutricion Hospitalaria</i> , 2014 , 31, 764-71	1	13
15	. <i>Nutricion Hospitalaria</i> ,	1	
14	Direct surface plasmon resonance immunosensing of pyraclostrobin residues in untreated fruit juices. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 2877-86	4.4	11
13	Proteolytic activity, mycotoxins and andrastin A in <i>Penicillium roqueforti</i> strains isolated from Cabrales, Valdeñ and Bejes-Tresviso local varieties of blue-veined cheeses. <i>International Journal of Food Microbiology</i> , 2009 , 136, 18-25	5.8	56
12	The global regulator LaeA controls penicillin biosynthesis, pigmentation and sporulation, but not roquefortine C synthesis in <i>Penicillium chrysogenum</i> . <i>Biochimie</i> , 2009 , 91, 214-25	4.6	134
11	The heterotrimeric Galpha protein pga1 regulates biosynthesis of penicillin, chrysogenin and roquefortine in <i>Penicillium chrysogenum</i> . <i>Microbiology (United Kingdom)</i> , 2008 , 154, 3567-3578	2.9	31

10	Post-translational enzyme modification by the phosphopantetheinyl transferase is required for lysine and penicillin biosynthesis but not for roquefortine or fatty acid formation in <i>Penicillium chrysogenum</i> . <i>Biochemical Journal</i> , 2008 , 415, 317-24	3.8	38
9	Multi-analyte SPR immunoassays for environmental biosensing of pesticides. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1449-58	4.4	86
8	On-line determination of 3,5,6-trichloro-2-pyridinol in human urine samples by surface plasmon resonance immunosensing. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 2757-65	4.4	20
7	Part per trillion determination of atrazine in natural water samples by a surface plasmon resonance immunosensor. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 207-14	4.4	87
6	Optical immunosensor for fast and sensitive detection of DDT and related compounds in river water samples. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1410-8	11.8	63
5	Single and multi-analyte surface plasmon resonance assays for simultaneous detection of cholinesterase inhibiting pesticides. <i>Sensors and Actuators B: Chemical</i> , 2006 , 118, 399-407	8.5	52
4	Determination of environmental organic pollutants with a portable optical immunosensor. <i>Talanta</i> , 2006 , 69, 359-64	6.2	101
3	Determination of carbaryl in natural water samples by a surface plasmon resonance flow-through immunosensor. <i>Biosensors and Bioelectronics</i> , 2006 , 21, 2129-36	11.8	116
2	Real-time detection of chlorpyrifos at part per trillion levels in ground, surface and drinking water samples by a portable surface plasmon resonance immunosensor. <i>Analytica Chimica Acta</i> , 2006 , 561, 40-47	6.6	129
1	OPTICAL BIOSENSOR DEVICES AS EARLY DETECTORS OF BIOLOGICAL AND CHEMICAL WARFARE AGENTS 2006 , 119-140		