

Yangho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5488282/publications.pdf>

Version: 2024-02-01

208
papers

5,181
citations

76196

40
h-index

138251

58
g-index

212
all docs

212
docs citations

212
times ranked

6058
citing authors

#	ARTICLE	IF	CITATIONS
1	Pre- and postnatal exposure to multiple ambient air pollutants and child behavioral problems at five years of age. <i>Environmental Research</i> , 2022, 206, 112526.	3.7	3
2	Acute lung injury in a worker after inhalation of ethylene phosphorodifluoridite. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2022, , .	0.6	0
3	Prenatal Exposure to Traffic-Related Air Pollution and the DNA Methylation in Cord Blood Cells: MOCEH Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3292.	1.2	6
4	Factors Related to Psychological Well-Being as Moderated by Occupational Class in Korean Self-Employed Workers. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 141.	1.2	0
5	Factors that Affect Depression and Anxiety in Service and Sales Workers Who Interact With Angry Clients. <i>Safety and Health at Work</i> , 2021, 12, 217-224.	0.3	6
6	Associations of Blood Heavy Metals with Uric Acid in the Korean General Population: Analysis of Data from the 2016–2017 Korean National Health and Nutrition Examination Survey. <i>Biological Trace Element Research</i> , 2021, 199, 102-112.	1.9	20
7	Comparison of the physical and mental health problems of unemployed with employees in South Korea. <i>Archives of Environmental and Occupational Health</i> , 2021, 76, 163-172.	0.7	6
8	Comparison of different hybrid modeling methods to estimate intraurban NO ₂ concentrations. <i>Atmospheric Environment</i> , 2021, 244, 117907.	1.9	8
9	Association of Participation in Health Check-ups with Risk Factors for Cardiovascular Diseases. <i>Journal of Korean Medical Science</i> , 2021, 36, e19.	1.1	8
10	Factors related to depressive symptoms in Korean self-employed workers. <i>Annals of Occupational and Environmental Medicine</i> , 2021, 33, e20.	0.3	3
11	Association between prenatal polycyclic aromatic hydrocarbons and infantile allergic diseases modified by maternal glutathione S-transferase polymorphisms: results from the MOCEH birth cohort. <i>Annals of Occupational and Environmental Medicine</i> , 2021, 33, e12.	0.3	5
12	Lung disorders induced by respirable organic chemicals. <i>Journal of Occupational Health</i> , 2021, 63, e12240.	1.0	6
13	Allergic rhinitis is associated with atmospheric SO ₂ : Follow-up study of children from elementary schools in Ulsan, Korea. <i>PLoS ONE</i> , 2021, 16, e0248624.	1.1	13
14	Prenatal heavy metal exposures and atopic dermatitis with gender difference in 6-month-old infants using multipollutant analysis. <i>Environmental Research</i> , 2021, 195, 110865.	3.7	11
15	Indoor particulate matter and blood heavy metals in housewives: A repeated measured study. <i>Environmental Research</i> , 2021, 197, 111013.	3.7	2
16	Factors related to psychological well-being in unskilled manual workers. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2021, 34, 789-804.	0.6	0
17	Association of blepharoptosis with refractive error in the Korean general population. <i>Eye</i> , 2021, 35, 3141-3146.	1.1	2
18	Pre- and postnatal exposure to multiple ambient air pollutants and child behavioral problems at five years of age. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0

#	ARTICLE	IF	CITATIONS
19	Atopic dermatitis in infants: The role of prenatal fish intake and mercury exposure. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
20	Association of weekly working hours with poor psychological well-being and moderation by employment status in Korean workers. <i>Industrial Health</i> , 2021, 59, 249-259.	0.4	2
21	Joint association of prenatal bisphenol-A and phthalates exposure with risk of atopic dermatitis in 6-month-old infants. <i>Science of the Total Environment</i> , 2021, 789, 147953.	3.9	8
22	Cardiovascular age of workers with different employment categories. <i>Archives of Environmental and Occupational Health</i> , 2021, , 1-8.	0.7	1
23	Direct and Indirect Effects of Indoor Particulate Matter on Blood Indicators Related to Anemia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12890.	1.2	10
24	Comparison of occupational health problems of employees and self-employed individuals who work in different fields. <i>Archives of Environmental and Occupational Health</i> , 2020, 75, 98-111.	0.7	13
25	Combined effects of multiple prenatal exposure to pollutants on birth weight: The Mothers and Children's Environmental Health (MOCEH) study. <i>Environmental Research</i> , 2020, 181, 108832.	3.7	35
26	Factors Related to Physical and Mental Health in Workers With Different Categories of Employment. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 511-518.	0.9	5
27	Adverse effects of prenatal mercury exposure on neurodevelopment during the first 3 years of life modified by early growth velocity and prenatal maternal folate level. <i>Environmental Research</i> , 2020, 191, 109909.	3.7	9
28	Association of poor psychological well-being with co-exposure to psychosocial factors at work in Korean regular workers. <i>American Journal of Industrial Medicine</i> , 2020, 63, 928-935.	1.0	0
29	Association of Co-Exposure to Psychosocial Factors With Depression and Anxiety in Korean Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e498-e507.	0.9	5
30	Association of Exposure to a Combination of Ergonomic Risk Factors with Musculoskeletal Symptoms in Korean Workers. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9456.	1.2	5
31	Impact of Environmental Factors on the Prevalence Changes of Allergic Diseases in Elementary School Students in Ulsan, Korea: A Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8831.	1.2	8
32	Psychological well-being of South Korean employees in different occupational classes. <i>Archives of Environmental and Occupational Health</i> , 2020, 76, 1-13.	0.7	1
33	Bus Workers's™ Experiences with and Perceptions of a Health Promotion Program: A Qualitative Study Using a Focus Group Discussion. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1992.	1.2	4
34	Environmental pollutants affecting children's growth and development: Collective results from the MOCEH study, a multi-centric prospective birth cohort in Korea. <i>Environment International</i> , 2020, 137, 105547.	4.8	35
35	Prenatal exposure to mixtures of heavy metals and neurodevelopment in infants at 6 months. <i>Environmental Research</i> , 2020, 182, 109122.	3.7	59
36	Characteristics of a new respiratory syndrome associated with the use of a humidifier disinfectant: humidifier disinfectant-related respiratory syndrome (HDRS). <i>International Journal of Occupational Medicine and Environmental Health</i> , 2020, 33, 829-839.	0.6	8

#	ARTICLE	IF	CITATIONS
37	Factors Related to Subjective Well-being in Workers Who Interact with Angry Clients. <i>Journal of Korean Medical Science</i> , 2020, 35, e248.	1.1	1
38	Comparison of Long Term Follow-up Chest CT Imaging in Adult and Pediatric Patients with Humidifier Disinfectant-related Lung Injury. <i>Journal of Korean Medical Science</i> , 2020, 35, e377.	1.1	1
39	Workers With Different Employment Status Have Different Exposures to Work Stressors and Different Responses to Identical Work Stressors. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e710-e715.	0.9	4
40	Relationship of Occupational Category With Risk of Physical and Mental Health Problems. <i>Safety and Health at Work</i> , 2019, 10, 504-511.	0.3	20
41	Changes of Atmospheric and Blood Concentrations of Lead and Cadmium in the General Population of South Korea from 2008 to 2017. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2096.	1.2	16
42	From Workers to the Working-Age Population: A New Paradigm for the Occupational Health Service. <i>Safety and Health at Work</i> , 2019, 10, 251-253.	0.3	10
43	Nonstandard workers and differential occupational safety and health vulnerabilities. <i>American Journal of Industrial Medicine</i> , 2019, 62, 701-715.	1.0	19
44	Urinary trimethyl tin reflects blood trimethyl tin in workers recycling organotins. <i>Journal of Occupational Health</i> , 2019, 61, 257-260.	1.0	8
45	Measuring Anxiety in Patients With Early-Stage Parkinson's Disease: Rasch Analysis of the State-Trait Anxiety Inventory. <i>Frontiers in Neurology</i> , 2019, 10, 49.	1.1	17
46	Exposure to prenatal secondhand smoke and early neurodevelopment: Mothers and Children's Environmental Health (MOCEH) study. <i>Environmental Health</i> , 2019, 18, 22.	1.7	34
47	Effect of Iron Deficiency on the Increased Blood Divalent Metal Concentrations. , 2019, , .		3
48	Non-Standard Workers Have Poorer Physical and Mental Health Than Standard Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e413-e421.	0.9	12
49	Astigmatism Associated with Allergic Conjunctivitis in Urban School Children. <i>Journal of Ophthalmology</i> , 2019, 2019, 1-8.	0.6	4
50	The Association Between Mercury Exposure and Atopic Dermatitis in Early Childhood. <i>Epidemiology</i> , 2019, 30, S3-S8.	1.2	12
51	The history of occupational health in South Korea. <i>Archives of Environmental and Occupational Health</i> , 2019, 74, 50-57.	0.7	7
52	Cohort profile: Beyond birth cohort study – The Korean Children's Environmental health Study (Ko-CHENS). <i>Environmental Research</i> , 2019, 172, 358-366.	3.7	13
53	Perinatal factors and the development of childhood asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 292-299.	0.5	14
54	Associations between prenatal lead exposure and birth outcomes: Modification by sex and GSTM1/GSTT1 polymorphism. <i>Science of the Total Environment</i> , 2018, 619-620, 176-184.	3.9	22

#	ARTICLE	IF	CITATIONS
55	Prenatal mercury exposure, fish intake and neurocognitive development during first three years of life: Prospective cohort mothers and Children's environmental health (MOCEH) study. <i>Science of the Total Environment</i> , 2018, 615, 1192-1198.	3.9	15
56	Sex, pregnancy, and age-specific differences of blood manganese levels in relation to iron status; what does it mean?. <i>Toxicology Reports</i> , 2018, 5, 28-30.	1.6	6
57	Air pollution exposure during pregnancy and ultrasound and birth measures of fetal growth: A prospective cohort study in Korea. <i>Science of the Total Environment</i> , 2018, 619-620, 834-841.	3.9	33
58	Gender difference in the effects of lead exposure at different time windows on neurobehavioral development in 5-year-old children. <i>Science of the Total Environment</i> , 2018, 615, 1086-1092.	3.9	37
59	Review of carcinogenicity of hexavalent chrome and proposal of revising approval standards for an occupational cancers in Korea. <i>Annals of Occupational and Environmental Medicine</i> , 2018, 30, 7.	0.3	16
60	18 F-FP-CIT dopamine transporter PET findings in cirrhotic patients with parkinsonism. <i>NeuroToxicology</i> , 2018, 64, 78-84.	1.4	6
61	Work Sectors with High Risk for Work-Related Musculoskeletal Disorders in Korean Men and Women. <i>Safety and Health at Work</i> , 2018, 9, 75-78.	0.3	28
62	Prenatal Bisphenol-A exposure affects fetal length growth by maternal glutathione transferase polymorphisms, and neonatal exposure affects child volume growth by sex: From multiregional prospective birth cohort MOCEH study. <i>Science of the Total Environment</i> , 2018, 612, 1433-1441.	3.9	33
63	Association between particulate matter concentration and symptoms of atopic dermatitis in children living in an industrial urban area of South Korea. <i>Environmental Research</i> , 2018, 160, 462-468.	3.7	53
64	Prenatal TVOCs exposure negatively influences postnatal neurobehavioral development. <i>Science of the Total Environment</i> , 2018, 618, 977-981.	3.9	18
65	Health effects of environmental pollution in population living near industrial complex areas in Korea. <i>Environmental Health and Toxicology</i> , 2018, 33, e2018004.	1.8	13
66	Association of Blood Pressure with Blood Lead and Cadmium Levels in Korean Adolescents: Analysis of Data from the 2010-2016 Korean National Health and Nutrition Examination Survey. <i>Journal of Korean Medical Science</i> , 2018, 33, e278.	1.1	29
67	Association of Job Satisfaction and Security With Subjective Health and Well-Being in Korean Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e525-e532.	0.9	17
68	Environmental and Body Concentrations of Heavy Metals at Sites Near and Distant from Industrial Complexes in Ulsan, Korea. <i>Journal of Korean Medical Science</i> , 2018, 33, e33.	1.1	18
69	Cognitive Function and Neuropsychological Comorbidities in Children with Newly Diagnosed Idiopathic Epilepsy. <i>Journal of Korean Medical Science</i> , 2018, 33, e17.	1.1	7
70	Acute copper sulfate poisoning resulting from dermal absorption. <i>American Journal of Industrial Medicine</i> , 2018, 61, 783-788.	1.0	7
71	Preventive Effect of Residential Green Space on Infantile Atopic Dermatitis Associated with Prenatal Air Pollution Exposure. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 102.	1.2	34
72	Self-employed individuals performing different types of work have different occupational safety and health problems. <i>American Journal of Industrial Medicine</i> , 2018, 61, 681-690.	1.0	12

#	ARTICLE	IF	CITATIONS
73	Occupational lung diseases: from old and novel exposures to effective preventive strategies. <i>Lancet Respiratory Medicine</i> , 2017, 5, 445-455.	5.2	105
74	The effect of prenatal TVOC exposure on birth and infantile weight: the Mothers and Children's Environmental Health study. <i>Pediatric Research</i> , 2017, 82, 423-428.	1.1	25
75	Environmental exposures to lead, mercury, and cadmium among South Korean teenagers (KNHANES) Tj ETQq1 1 0.784314 rgBT /Ove	3.7	28
76	Neurodevelopment for the first three years following prenatal mobile phone use, radio frequency radiation and lead exposure. <i>Environmental Research</i> , 2017, 156, 810-817.	3.7	22
77	Response to: Comment on "Environmental exposure to manganese in air: Associations with tremor and motor function" by Bowler et al. 2016. <i>Science of the Total Environment</i> , 2017, 599-600, 1369-1371.	3.9	0
78	Validity of self-reported concentration and memory problems: Relationship with neuropsychological assessment and depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 1026-1036.	0.8	6
79	Gender differences in occupations and complaints of musculoskeletal symptoms: Representative sample of South Korean workers. <i>American Journal of Industrial Medicine</i> , 2017, 60, 342-349.	1.0	22
80	Path analysis of prenatal mercury levels and birth weights in Korean and Taiwanese birth cohorts. <i>Science of the Total Environment</i> , 2017, 605-606, 1003-1010.	3.9	18
81	Associations of prenatal and early childhood mercury exposure with autistic behaviors at 5 years of age: The Mothers and Children's Environmental Health (MOCEH) study. <i>Science of the Total Environment</i> , 2017, 605-606, 251-257.	3.9	13
82	Long Working Hours in Korea: Based on the 2014 Korean Working Conditions Survey. <i>Safety and Health at Work</i> , 2017, 8, 343-346.	0.3	18
83	Stability of cognitive development during the first five years of life in relation to heavy metal concentrations in umbilical cord blood: Mothers' and Children's Environmental Health (MOCEH) birth cohort study. <i>Science of the Total Environment</i> , 2017, 609, 153-159.	3.9	8
84	Vulnerability of employees in businesses with fewer than five workers (micro-enterprises) to occupational safety and health problems. <i>American Journal of Industrial Medicine</i> , 2017, 60, 1056-1065.	1.0	17
85	Blood heavy metal concentrations in pregnant Korean women and their children up to age 5 years: Mothers' and Children's Environmental Health (MOCEH) birth cohort study. <i>Science of the Total Environment</i> , 2017, 605-606, 784-791.	3.9	29
86	Hazards and health problems in occupations dominated by aged workers in South Korea. <i>Annals of Occupational and Environmental Medicine</i> , 2017, 29, 27.	0.3	20
87	Factors affecting heat-related diseases in outdoor workers exposed to extreme heat. <i>Annals of Occupational and Environmental Medicine</i> , 2017, 29, 30.	0.3	18
88	High Maternal Blood Mercury Level Is Associated with Low Verbal IQ in Children. <i>Journal of Korean Medical Science</i> , 2017, 32, 1097.	1.1	19
89	The association between cadmium and lead exposure and blood pressure among workers of a smelting industry: a cross-sectional study. <i>Annals of Occupational and Environmental Medicine</i> , 2017, 29, 47.	0.3	30
90	Modeling the effects of pollutant emissions from large industrial complexes on benzene, toluene, and xylene concentrations in urban areas. <i>Environmental Health and Toxicology</i> , 2017, 32, e2017022.	1.8	4

#	ARTICLE	IF	CITATIONS
91	Maternal Stress and Depressive Symptoms and Infant Development at Six Months: the Mothers and Children's Environmental Health (MOCEH) Prospective Study. Journal of Korean Medical Science, 2016, 31, 843.	1.1	19
92	Effect of Breastfeeding Duration on Cognitive Development in Infants: 3-Year Follow-up Study. Journal of Korean Medical Science, 2016, 31, 579.	1.1	37
93	Medication use associated with exposure to manganese in two Ohio towns. International Journal of Environmental Health Research, 2016, 26, 483-496.	1.3	7
94	Impact of prenatal exposure to polycyclic aromatic hydrocarbons from maternal diet on birth outcomes: a birth cohort study in Korea. Public Health Nutrition, 2016, 19, 2562-2571.	1.1	22
95	Association of Blood Pressure with Exposure to Lead and Cadmium: Analysis of Data from the 2008-2013 Korean National Health and Nutrition Examination Survey. Biological Trace Element Research, 2016, 174, 40-51.	1.9	43
96	Altered executive function in the welders: A functional magnetic resonance imaging study. Neurotoxicology and Teratology, 2016, 56, 26-34.	1.2	17
97	Magnetic resonance imaging of leukoencephalopathy in amnestic workers exposed to organotin. NeuroToxicology, 2016, 57, 128-135.	1.4	7
98	Health care strategy for ensuring work ability in an aging Korea. Annals of Occupational and Environmental Medicine, 2016, 28, 42.	0.3	5
99	Association of Blood Cadmium Level with Metabolic Syndrome After Adjustment for Confounding by Serum Ferritin and Other Factors: 2008-2012 Korean National Health and Nutrition Examination Survey. Biological Trace Element Research, 2016, 171, 6-16.	1.9	35
100	Creating a Culture of Prevention in Occupational Safety and Health Practice. Safety and Health at Work, 2016, 7, 89-96.	0.3	119
101	Environmental exposure to manganese in air: Associations with tremor and motor function. Science of the Total Environment, 2016, 541, 646-654.	3.9	38
102	Multiple assessment methods of prenatal exposure to radio frequency radiation from telecommunication in the Mothers and Children's Environmental Health (MOCEH) study. International Journal of Occupational Medicine and Environmental Health, 2016, 29, 959-972.	0.6	4
103	What Caused Acute Methanol Poisoning and What is the Countermeasure?. Han-guk Saneop Bogeon Hakoeji, 2016, 26, 389-395.	0.1	3
104	Spatial Distribution of Air Pollution in the Ulsan Metropolitan Region. Journal of Korean Society for Atmospheric Environment, 2016, 32, 394-407.	0.2	12
105	A study on the factors affecting the follow-up participation in birth cohorts. Environmental Health and Toxicology, 2016, 31, e2016023.	1.8	5
106	Indoor total volatile organic compounds exposure at 6 months followed by atopic dermatitis at 3 years in children. Pediatric Allergy and Immunology, 2015, 26, 352-358.	1.1	26
107	Maternal Blood Manganese and Early Neurodevelopment: The Mothers and Children's Environmental Health (MOCEH) Study. Environmental Health Perspectives, 2015, 123, 717-722.	2.8	103
108	Oxidative stress in schoolchildren with allergic rhinitis: propensity score matching case-control study. Annals of Allergy, Asthma and Immunology, 2015, 115, 391-395.	0.5	18

#	ARTICLE	IF	CITATIONS
109	Blood Metal Concentrations of Manganese, Lead, and Cadmium in Relation to Serum Ferritin Levels in Ohio Residents. <i>Biological Trace Element Research</i> , 2015, 165, 1-9.	1.9	36
110	Performance IQ in children is associated with blood cadmium concentration in early pregnancy. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015, 30, 107-111.	1.5	47
111	Environmental exposure to manganese in air: Associations with cognitive functions. <i>NeuroToxicology</i> , 2015, 49, 139-148.	1.4	50
112	Effect of maternal job strain during pregnancy on infant neurodevelopment by gender at 6 and 12 months: Mothers and Children's Environmental Health (MOCEH) study. <i>Annals of Occupational and Environmental Medicine</i> , 2015, 27, 8.	0.3	10
113	Altered executive function in the lead-exposed brain: A functional magnetic resonance imaging study. <i>NeuroToxicology</i> , 2015, 50, 1-9.	1.4	14
114	Evidence that cognitive deficit in children is associated not only with iron deficiency, but also with blood lead concentration: A preliminary study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015, 29, 336-341.	1.5	21
115	Meteorological Characteristics in the Ulsan Metropolitan Region: Focus on Air Temperature and Winds. <i>Journal of Korean Society for Atmospheric Environment</i> , 2015, 31, 181-194.	0.2	7
116	Lead-Induced Impairments in the Neural Processes Related to Working Memory Function. <i>PLoS ONE</i> , 2014, 9, e105308.	1.1	11
117	Sex-specific Profiles of Blood Metal Levels Associated with Metal-Iron Interactions. <i>Safety and Health at Work</i> , 2014, 5, 113-117.	0.3	55
118	Postnatal Growth Following Prenatal Lead Exposure and Calcium Intake. <i>Pediatrics</i> , 2014, 134, 1151-1159.	1.0	53
119	Effects of iron therapy on blood lead concentrations in infants. <i>Journal of Trace Elements in Medicine and Biology</i> , 2014, 28, 56-59.	1.5	19
120	Associations between blood mercury levels and subclinical changes in liver enzymes among South Korean general adults: Analysis of 2008-2012 Korean national health and nutrition examination survey data. <i>Environmental Research</i> , 2014, 130, 14-19.	3.7	25
121	Prenatal bisphenol A and birth outcomes: MOCEH (Mothers and Children's Environmental Health) study. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 328-334.	2.1	113
122	Iron Deficiency is Not Associated with Increased Blood Cadmium in Infants. <i>Annals of Occupational and Environmental Medicine</i> , 2014, 26, 3.	0.3	6
123	Gender difference in blood cadmium concentration in the general population: Can it be explained by iron deficiency?. <i>Journal of Trace Elements in Medicine and Biology</i> , 2014, 28, 322-327.	1.5	17
124	PD04 - The environmental risk factors and prevalence of childhood allergic diseases in an industrial city. <i>Clinical and Translational Allergy</i> , 2014, 4, P4.	1.4	0
125	Prenatal exposure to PM10 and NO2 and children's neurodevelopment from birth to 24 months of age: Mothers and Children's Environmental Health (MOCEH) study. <i>Science of the Total Environment</i> , 2014, 481, 439-445.	3.9	108
126	Iron Deficiency Increases Blood Cadmium Levels in Adolescents Surveyed in KNHANES 2010-2011. <i>Biological Trace Element Research</i> , 2014, 159, 52-58.	1.9	11

#	ARTICLE	IF	CITATIONS
127	A cluster of lung injury cases associated with home humidifier use: an epidemiological investigation. Thorax, 2014, 69, 703-708.	2.7	86
128	Iron deficiency increases blood lead levels in boys and pre-menarche girls surveyed in KNHANES 2010-2011. Environmental Research, 2014, 130, 1-6.	3.7	18
129	Iron deficiency increases blood concentrations of neurotoxic metals in children. Korean Journal of Pediatrics, 2014, 57, 345.	1.9	35
130	Association of Diabetes Mellitus with a Combination of Vitamin D Deficiency and Arsenic Exposure in the Korean General Population: Analysis of 2008-2009 Korean National Health and Nutrition Examination Survey Data. Annals of Occupational and Environmental Medicine, 2013, 25, 7.	0.3	6
131	Congratulatory Message for the New International Journal, Annals of Occupational and Environmental Medicine. Annals of Occupational and Environmental Medicine, 2013, 25, 3.	0.3	1
132	Increased erythrocyte lead levels correlate with decreased hemoglobin levels in the Korean general population: analysis of 2008-2010 Korean National Health and Nutrition Examination Survey data. International Archives of Occupational and Environmental Health, 2013, 86, 741-748.	1.1	13
133	Association between blood lead and mercury levels and periodontitis in the Korean general population: analysis of the 2008-2009 Korean National Health and Nutrition Examination Survey data. International Archives of Occupational and Environmental Health, 2013, 86, 607-613.	1.1	15
134	Decreased brain volumes in manganese-exposed welders. NeuroToxicology, 2013, 37, 182-189.	1.4	30
135	Blood Manganese Concentration is Elevated in Infants with Iron Deficiency. Biological Trace Element Research, 2013, 155, 184-189.	1.9	32
136	Blood cadmium, mercury, and lead and metabolic syndrome in South Korea: 2005-2010 Korean National Health and Nutrition Examination Survey. American Journal of Industrial Medicine, 2013, 56, 682-692.	1.0	66
137	Epidemiology of allergic rhinitis in Korean children. Allergy Asthma & Respiratory Disease, 2013, 1, 321.	0.3	25
138	Inappropriate Survey Design Analysis of the Korean National Health and Nutrition Examination Survey May Produce Biased Results. Journal of Preventive Medicine and Public Health, 2013, 46, 96-104.	0.7	88
139	Relationship of maternal vitamin C intake with fetal and infant growth: Mothers and Children's Environmental Health (MOCEH). FASEB Journal, 2013, 27, 847.29.	0.2	0
140	Association of maternal fruit and vegetable intake and blood cadmium concentration with neurobehavioral development of infant at 6 months: Mothers and Children's Environmental Health (MOCEH). FASEB Journal, 2013, 27, 847.28.	0.2	0
141	Prevalence of children's allergic diseases in Ulsan: Local differences and environmental risk factors. , 2012, , .		1
142	A Guillain-Barré Syndrome-Like Neuropathy Associated with Arsenic Exposure. Journal of Occupational Health, 2012, 54, 344-347.	1.0	18
143	A Comparison of the Recognition of Overwork-related Cardiovascular Disease in Japan, Korea, and Taiwan. Industrial Health, 2012, 50, 17-23.	0.4	37
144	The recognition of occupational diseases attributed to heavy workloads: experiences in Japan, Korea, and Taiwan. International Archives of Occupational and Environmental Health, 2012, 85, 791-799.	1.1	49

#	ARTICLE	IF	CITATIONS
145	Toxic Encephalopathy. <i>Safety and Health at Work</i> , 2012, 3, 243-256.	0.3	29
146	Effects of menopause on blood manganese levels in women: Analysis of 2008-2009 Korean National Health and Nutrition Examination Survey data. <i>NeuroToxicology</i> , 2012, 33, 401-405.	1.4	17
147	Iron deficiency is associated with increased levels of blood cadmium in the Korean general population: Analysis of 2008-2009 Korean National Health and Nutrition Examination Survey data. <i>Environmental Research</i> , 2012, 112, 155-163.	3.7	50
148	Association between bone mineral density and blood lead level in menopausal women: Analysis of 2008-2009 Korean national health and nutrition examination survey data. <i>Environmental Research</i> , 2012, 115, 59-65.	3.7	27
149	Associations of blood lead, cadmium, and mercury with estimated glomerular filtration rate in the Korean general population: Analysis of 2008-2010 Korean National Health and Nutrition Examination Survey data. <i>Environmental Research</i> , 2012, 118, 124-129.	3.7	78
150	Association of blood cadmium with hypertension in the Korean general population: Analysis of the 2008-2010 Korean national health and nutrition examination survey data. <i>American Journal of Industrial Medicine</i> , 2012, 55, 1060-1067.	1.0	47
151	Anxiety affecting parkinsonian outcome and motor efficiency in adults of an Ohio community with environmental airborne manganese exposure. <i>International Journal of Hygiene and Environmental Health</i> , 2012, 215, 393-405.	2.1	40
152	Relationship between serum folate status and blood lead concentrations in pregnant women: Mothers and Children's Environmental Health (MOCEH). <i>FASEB Journal</i> , 2012, 26, 630.8.	0.2	0
153	Age- and gender-specific associations between low serum 25-hydroxyvitamin D level and type 2 diabetes in the Korean general population: analysis of 2008-2009 Korean National Health and Nutrition Examination Survey data. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2012, 21, 536-46.	0.3	14
154	Relationship between blood manganese and blood pressure in the Korean general population according to KNHANES 2008. <i>Environmental Research</i> , 2011, 111, 797-803.	3.7	54
155	Altered white matter microstructural integrity revealed by voxel-wise analysis of diffusion tensor imaging in welders with manganese exposure. <i>NeuroToxicology</i> , 2011, 32, 100-109.	1.4	48
156	Iron deficiency increases blood manganese level in the Korean general population according to KNHANES 2008. <i>NeuroToxicology</i> , 2011, 32, 247-254.	1.4	63
157	Motor function in adults of an Ohio community with environmental manganese exposure. <i>NeuroToxicology</i> , 2011, 32, 606-614.	1.4	47
158	Work-related Cerebrovascular and Cardiovascular Diseases (WR-CVDs) in Korea. <i>Industrial Health</i> , 2011, 49, 3-7.	0.4	11
159	Association of serum ferritin with metabolic syndrome and diabetes mellitus in the South Korean general population according to the Korean National Health and Nutrition Examination Survey 2008. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 1416-1424.	1.5	82
160	Association between urinary arsenic and diabetes mellitus in the Korean general population according to KNHANES 2008. <i>Science of the Total Environment</i> , 2011, 409, 4054-4062.	3.9	47
161	Chemical pneumonitis after intravenous injection of isoparaffin: Characteristic clinico-radiologic findings. <i>Clinical Toxicology</i> , 2011, 49, 942-943.	0.8	1
162	Pallidal index measured with three-dimensional T1-weighted gradient echo sequence is a good predictor of manganese exposure in welders. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 1020-1026.	1.9	37

#	ARTICLE	IF	CITATIONS
163	Occupational Reproductive Function Abnormalities and Bladder Cancer in Korea. Journal of Korean Medical Science, 2010, 25, S41.	1.1	8

164



#	ARTICLE	IF	CITATIONS
181	A Case of Acute Organotin Poisoning. <i>Journal of Occupational Health</i> , 2007, 49, 305-310.	1.0	50
182	High signal intensity on magnetic resonance imaging as a predictor of neurobehavioral performance of workers exposed to manganese. <i>NeuroToxicology</i> , 2007, 28, 257-262.	1.4	55
183	Dye-manufacturing workers and bladder cancer in South Korea. <i>Archives of Toxicology</i> , 2007, 81, 381-384.	1.9	20
184	High Pallidal T1 Signal is Rarely Observed in Obstructive Jaundice, but is Frequently Observed in Liver Cirrhosis. <i>Journal of Occupational Health</i> , 2007, 49, 268-272.	1.0	6
185	Dopamine Transporter SPECT of a Liver Cirrhotic with Atypical Parkinsonism. <i>Industrial Health</i> , 2007, 45, 497-500.	0.4	20
186	Neuroimaging in manganism. <i>NeuroToxicology</i> , 2006, 27, 369-372.	1.4	51
187	A retrospective cohort study of Parkinson's disease in Korean shipbuilders. <i>NeuroToxicology</i> , 2006, 27, 445-449.	1.4	29
188	Whole Blood and Red Blood Cell Manganese Reflected Signal Intensities of T1-Weighted Magnetic Resonance Images better than Plasma Manganese in Liver Cirrhotics. <i>Journal of Occupational Health</i> , 2005, 47, 68-73.	1.0	32
189	Correlates of Oxidative Stress and Free-Radical Activity in Serum from Asymptomatic Shipyard Welders. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1541-1548.	2.5	81
190	Blood Manganese Concentration is Elevated in Iron Deficiency Anemia Patients, Whereas Globus Pallidus Signal Intensity is Minimally Affected. <i>NeuroToxicology</i> , 2005, 26, 107-111.	1.4	74
191	Occupations and Parkinson's Disease: A Multi-Center Case-Control Study in South Korea. <i>NeuroToxicology</i> , 2005, 26, 99-105.	1.4	47
192	Pallidal index on MRI as a target organ dose of manganese: Structural equation model analysis. <i>NeuroToxicology</i> , 2005, 26, 351-359.	1.4	46
193	A case of Acute Arsenic Poisoning with Hemolytic Anemia and Acute Renal Failure. <i>Korean Journal of Occupational and Environmental Medicine</i> , 2005, 17, 238.	0.4	0
194	cDNA Array Analysis of Gene Expression Profiles in Brain of Mice Exposed to Manganese. <i>Industrial Health</i> , 2004, 42, 315-320.	0.4	18
195	High Signal Intensities on T1-Weighted MRI as a Biomarker of Exposure to Manganese.. <i>Industrial Health</i> , 2004, 42, 111-115.	0.4	57
196	Occupations and Parkinson's Disease: A Case-Control Study in South Korea. <i>Industrial Health</i> , 2004, 42, 352-358.	0.4	15
197	Evaluation of estrogenicity of major heavy metals. <i>Science of the Total Environment</i> , 2003, 312, 15-21.	3.9	221
198	Effect of Manganese Exposure on MPTP Neurotoxicities. <i>NeuroToxicology</i> , 2003, 24, 657-665.	1.4	30

#	ARTICLE	IF	CITATIONS
199	Calcification Mimicking Manganese-Induced Increased Signal Intensities in T1-Weighted MR Images in a Patient Taking Herbal Medicine: Case Report. <i>NeuroToxicology</i> , 2003, 24, 835-838.	1.4	15
200	Whole Blood Manganese Correlates with High Signal Intensities on T1-Weighted MRI in Patients with Liver Cirrhosis. <i>NeuroToxicology</i> , 2003, 24, 909-915.	1.4	62
201	Evaluation of Activity of Erythrocyte Pyrimidine 5'-Nucleotidase (P5N) in Lead Exposed Workers: With Focus on the Effect on Hemoglobin.. <i>Industrial Health</i> , 2002, 40, 23-27.	0.4	15
202	Evaluation of lead exposure in workers at secondary lead smelters in South Korea: with focus on activity of erythrocyte pyrimidine 5'-nucleotidase (P5N). <i>Science of the Total Environment</i> , 2002, 286, 181-189.	3.9	15
203	Prevalence and Risk Factors of Tinea Pedis in Workers of Shipbuilding Industry. <i>Korean Journal of Occupational and Environmental Medicine</i> , 2002, 14, 408.	0.4	0
204	The Present and the Future of Occupational Health in Korea. <i>Journal of Occupational Health</i> , 1999, 41, 51-56.	1.0	5
205	Performance of Neurobehavioral Tests Among Welders Exposed to Manganese. <i>Korean Journal of Occupational and Environmental Medicine</i> , 1999, 11, 1.	0.4	11
206	The History of Occupational Health Service in Korea.. <i>Industrial Health</i> , 1998, 36, 393-401.	0.4	17
207	An Outbreak of Hematopoietic and Reproductive Disorders Due to Solvents Containing 2-Bromopropane in an Electronic Factory, South Korea: Epidemiological Survey. <i>Journal of Occupational Health</i> , 1997, 39, 138-143.	1.0	73
208	Neuroimaging in Manganese-Induced Parkinsonism. , 0, , .		1