Weijie Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5488531/publications.pdf

Version: 2024-02-01

136950 161849 3,143 68 32 54 h-index citations g-index papers 71 71 71 4994 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Bone-Specific Enhancement of Antibody Therapy for Breast Cancer Metastasis to Bone. ACS Central Science, 2022, 8, 312-321.	11.3	4
2	The bone microenvironment increases phenotypic plasticity of ER+ breast cancer cells. Developmental Cell, 2021, 56, 1100-1117.e9.	7.0	63
3	The bone microenvironment invigorates metastatic seeds for further dissemination. Cell, 2021, 184, 2471-2486.e20.	28.9	131
4	Harnessing the power of antibodies to fight bone metastasis. Science Advances, 2021, 7, .	10.3	18
5	A Wnt-Independent LGR4–EGFR Signaling Axis in Cancer Metastasis. Cancer Research, 2021, 81, 4441-4454.	0.9	11
6	UDP-glucose 6-dehydrogenase regulates hyaluronic acid production and promotes breast cancer progression. Oncogene, 2020, 39, 3089-3101.	5.9	37
7	Bone Tropism in Cancer Metastases. Cold Spring Harbor Perspectives in Medicine, 2020, 10, a036848.	6.2	8
8	Acetylome profiling of Vibrio alginolyticus reveals its role in bacterial virulence. Journal of Proteomics, 2020, 211, 103543.	2.4	39
9	Endoplasmic Reticulum Stress in Bone Metastases. Frontiers in Oncology, 2020, 10, 1100.	2.8	3
10	Protein quality control through endoplasmic reticulum-associated degradation maintains haematopoietic stem cell identity and niche interactions. Nature Cell Biology, 2020, 22, 1162-1169.	10.3	32
11	Unique cellular protrusions mediate breast cancer cell migration by tethering to osteogenic cells. Npj Breast Cancer, 2020, 6, 42.	5.2	14
12	Resistance to natural killer cell immunosurveillance confers a selective advantage to polyclonal metastasis. Nature Cancer, 2020, 1, 709-722.	13.2	77
13	Bone as a New Milieu for Disseminated Tumor Cells: An Overview of Bone Metastasis. , 2020, , 78-95.		0
14	Impact of traditional Chinese medicine treatment on chronic unpredictable mild stress-induced depression-like behaviors: intestinal microbiota and gut microbiome function. Food and Function, 2019, 10, 5886-5897.	4.6	57
15	<p>Long noncoding RNA Linc00460 promotes breast cancer progression by regulating the miR-489-5p/FGF7/AKT axis</p> . Cancer Management and Research, 2019, Volume 11, 5983-6001.	1.9	35
16	Fabrication of doped SmBaCo2O5+δ double perovskites for enhanced solar-driven interfacial evaporation. Ceramics International, 2019, 45, 24903-24908.	4.8	20
17	Protective effect of curcumin against irinotecanâ€ʻinduced intestinal mucosal injury via attenuation of NFâ€ʿîºB activation, oxidative stress and endoplasmic reticulum stress. International Journal of Oncology, 2019, 54, 1376-1386.	3.3	21
18	Porous metal-metalloporphyrin gel as catalytic binding pocket for highly efficient synergistic catalysis. Nature Communications, 2019, 10, 1913.	12.8	38

#	Article	IF	CITATIONS
19	Metastasis Organotropism: Redefining the Congenial Soil. Developmental Cell, 2019, 49, 375-391.	7.0	202
20	ACTN3 is associated with children's physical fitness in Han Chinese. Molecular Genetics and Genomics, 2019, 294, 47-56.	2.1	8
21	A Photostable AlEgen for Specific and Realâ€ŧime Monitoring of Lysosomal Processes. Chemistry - an Asian Journal, 2019, 14, 1662-1666.	3.3	16
22	Bone Metastasis: Find Your Niche and Fit in. Trends in Cancer, 2019, 5, 95-110.	7.4	65
23	Transcriptome profiling reveals key roles of phagosome and NOD-like receptor pathway in spotting diseased Strongylocentrotus intermedius. Fish and Shellfish Immunology, 2019, 84, 521-531.	3.6	27
24	Benzothiazole-Based AlEgen with Tunable Excited-State Intramolecular Proton Transfer and Restricted Intramolecular Rotation Processes for Highly Sensitive Physiological pH Sensing. ACS Sensors, 2018, 3, 920-928.	7.8	136
25	Tumor-suppressive miRNA-135a inhibits breast cancer cell proliferation by targeting ELK1 and ELK3 oncogenes. Genes and Genomics, 2018, 40, 243-251.	1.4	49
26	The Osteogenic Niche Is a Calcium Reservoir of Bone Micrometastases and Confers Unexpected Therapeutic Vulnerability. Cancer Cell, 2018, 34, 823-839.e7.	16.8	93
27	Expression of two non-mutated genetic elements is sufficient to stimulate oncogenic transformation of human mammary epithelial cells. Cell Death and Disease, 2018, 9, 1147.	6.3	10
28	NUDT21 negatively regulates PSMB2 and CXXC5 by alternative polyadenylation and contributes to hepatocellular carcinoma suppression. Oncogene, 2018, 37, 4887-4900.	5.9	83
29	Loss of Estrogen-Regulated <i>MIR135A1</i> at 3p21.1 Promotes Tamoxifen Resistance in Breast Cancer. Cancer Research, 2018, 78, 4915-4928.	0.9	29
30	Amplification of hsa-miR-191/425 locus promotes breast cancer proliferation and metastasis by targeting DICER1. Carcinogenesis, 2018, 39, 1506-1516.	2.8	41
31	Common variants in ZMIZ1 and near NGF confer risk for primary dysmenorrhoea. Nature Communications, 2017, 8, 14900.	12.8	9
32	Electrospinning of fucoidan/chitosan/poly(vinyl alcohol) scaffolds for vascular tissue engineering. Fibers and Polymers, 2017, 18, 922-932.	2.1	26
33	Mapping bone marrow niches of disseminated tumor cells. Science China Life Sciences, 2017, 60, 1125-1132.	4.9	2
34	Comparative transcriptome analysis of tube feet of different colors in the sea urchin Strongylocentrotus intermedius. Genes and Genomics, 2017, 39, 1215-1225.	1.4	13
35	Post-transcriptional regulation of ERBB2 by miR26a/b and HuR confers resistance to tamoxifen in estrogen receptor-positive breast cancer cells. Journal of Biological Chemistry, 2017, 292, 13551-13564.	3.4	34
36	The complete mitochondrial genome sequence of the sea urchin Glyptocidaris crenularis and its phylogenetic analysis. Conservation Genetics Resources, 2017, 9, 63-66.	0.8	1

#	Article	IF	CITATIONS
37	Preparation of chitosan/pumpkin polysaccharide hydrogel for potential application in drug delivery and tissue engineering. Journal of Porous Materials, 2017, 24, 497-506.	2.6	7
38	CCAR1 5′ UTR as a natural miRancer of miR-1254 overrides tamoxifen resistance. Cell Research, 2016, 26, 655-673.	12.0	62
39	Phytochemicals from Camellia nitidissima Chi inhibited the formation of advanced glycation end-products by scavenging methylglyoxal. Food Chemistry, 2016, 205, 204-211.	8.2	54
40	Therapeutic potential of human amniotic membrane-derived mesenchymal stem cells in APP transgenic mice. Oncology Letters, 2016, 12, 1877-1883.	1.8	31
41	Numerical analysis on seepage failures of dike due to water level-up and rainfall using a water–soil-coupled smoothed particle hydrodynamics model. Acta Geotechnica, 2016, 11, 1401-1418.	5.7	43
42	Artemin is hypoxia responsive and promotes oncogenicity and increased tumor initiating capacity in hepatocellular carcinoma. Oncotarget, 2016, 7, 3267-3282.	1.8	25
43	Human growth hormone and human prolactin function as autocrine/paracrine promoters of progression of hepatocellular carcinoma. Oncotarget, 2016, 7, 29465-29479.	1.8	32
44	A Review of the Three-Dimensional Cell Culture Technique: Approaches, Advantages and Applications. Current Stem Cell Research and Therapy, 2016, 11, 370-380.	1.3	20
45	Correlation between the expression of DNMT1, and GSTP1 and APC, and the methylation status of GSTP1 and APC in association with their clinical significance in prostate cancer. Molecular Medicine Reports, 2015, 12, 141-146.	2.4	30
46	Autocrine/Paracrine Human Growth Hormone-stimulated MicroRNA 96-182-183 Cluster Promotes Epithelial-Mesenchymal Transition and Invasion in Breast Cancer. Journal of Biological Chemistry, 2015, 290, 13812-13829.	3.4	79
47	pH-Responsive Iron Manganese Silicate Nanoparticles as <i>T</i> ₁ - <i>T</i> ₂ * Dual-Modal Imaging Probes for Tumor Diagnosis. ACS Applied Materials & Diagnosis. ACS Applied	8.0	52
48	Gd-metallofullerenol nanomaterial as non-toxic breast cancer stem cell-specific inhibitor. Nature Communications, 2015, 6, 5988.	12.8	164
49	Mn(<scp>ii</scp>) mediated degradation of artemisinin based on Fe ₃ O ₄ @MnSiO ₃ -FA nanospheres for cancer therapy in vivo. Nanoscale, 2015, 7, 12542-12551.	5.6	43
50	Extraction, purification, characterization and antioxidant activity of polysaccharides from Piteguo fruit. Industrial Crops and Products, 2015, 77, 467-475.	5.2	37
51	Identification of miR-26 as a key mediator of estrogen stimulated cell proliferation by targeting CHD1, GREB1 and KPNA2. Breast Cancer Research, 2014, 16, R40.	5.0	98
52	Development of a Cross-Linked Polysaccharide of <i>Ligusticum wallichii</i> â€" Squid Skin Collagen Scaffold Fabrication and Property Studies for Tissue-Engineering Applications. International Journal of Polymeric Materials and Polymeric Biomaterials, 2014, 63, 65-72.	3.4	11
53	Optimization of Microwave-Assisted Extraction of Water-Soluble Polysaccharides from Piteguo Fruit by Response Surface Methodology. Food Science and Technology Research, 2014, 20, 755-764.	0.6	2
54	Numerical simulation of flow processes in liquefied soils using a soil–water-coupled smoothed particle hydrodynamics method. Natural Hazards, 2013, 69, 809-827.	3.4	41

#	Article	IF	CITATIONS
55	SPH-based numerical simulations of flow slides in municipal solid waste landfills. Waste Management and Research, 2013, 31, 256-264.	3.9	34
56	Loss of SNAIL Regulated miR-128-2 on Chromosome 3p22.3 Targets Multiple Stem Cell Factors to Promote Transformation of Mammary Epithelial Cells. Cancer Research, 2012, 72, 6036-6050.	0.9	78
57	Combinational biosynthesis and characterization of a fluorescent 82β-phycocyanin of Spirulina platensis. Science Bulletin, 2012, 57, 3294-3299.	1.7	2
58	Run-out analysis of flow-like landslides triggered by the Ms 8.0 2008 Wenchuan earthquake using smoothed particle hydrodynamics. Landslides, 2012, 9, 275-283.	5 . 4	177
59	MicroRNA-7 Inhibits Epithelial-to-Mesenchymal Transition and Metastasis of Breast Cancer Cells via Targeting FAK Expression. PLoS ONE, 2012, 7, e41523.	2.5	169
60	Flow analysis of liquefied soils based on smoothed particle hydrodynamics. Natural Hazards, 2011, 59, 1547-1560.	3.4	32
61	Visual simulation of landslide fluidized movement based on smoothed particle hydrodynamics. Natural Hazards, 2011, 59, 1225-1238.	3.4	30
62	Successful kidney transplantation in highly sensitized patients. Frontiers of Medicine, 2011, 5, 80-85.	3.4	7
63	Pivotal Role of Reduced <i>let-7g</i> Expression in Breast Cancer Invasion and Metastasis. Cancer Research, 2011, 71, 6463-6474.	0.9	141
64	Mapping of QTLs detected in a Brassica napus DH population for resistance to Sclerotinia sclerotiorum in multiple environments. Euphytica, 2010, 173, 25-35.	1.2	75
65	Highly soluble and stable recombinant holo-phycocyanin alpha subunit expressed in Escherichia coli. Biochemical Engineering Journal, 2009, 48, 58-64.	3.6	16
66	Biosynthesis of fluorescent allophycocyanin α-subunits by autocatalysis in Escherichia coli. Biotechnology and Applied Biochemistry, 2009, 52, 135.	3.1	16
67	Combinational biosynthesis of a fluorescent cyanobacterial holo-α-allophycocyanin in Escherichia coli. Biotechnology Letters, 2008, 30, 1001-1004.	2.2	13
68	MagicWand: A Single, Designed Peptide That Assembles to Stable, Ordered α-Helical Fibers. Biochemistry, 2008, 47, 10365-10371.	2.5	68