

# Ana Barros-Timmons

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5488656/ana-barros-timmons-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117  
papers

3,503  
citations

31  
h-index

56  
g-index

122  
ext. papers

4,078  
ext. citations

4.5  
avg, IF

5.59  
L-index

#	Paper	IF	Citations
117	Ionic Liquid Poly(lactic acid) Blends as Green Polymer Electrolyte Membranes. <i>Journal of Physical Chemistry C</i> , <b>2022</b> , 126, 551-562	3.8	0
116	Lignosulfonate-Based Polyurethane Adhesives. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
115	Synthesis of Lignosulfonate-Based Dispersants for Application in Concrete Formulations. <i>Materials</i> , <b>2021</b> , 14,	3.5	2
114	Recycling of polyurethane wastes using different carboxylic acids via acidolysis to produce wood adhesives. <i>Journal of Polymer Science</i> , <b>2021</b> , 59, 697-705	2.4	7
113	Recycling of polyurethane by acidolysis: The effect of reaction conditions on the properties of the recovered polyol. <i>Polymer</i> , <b>2021</b> , 219, 123561	3.9	9
112	Evaluating the hazardous impact of ionic liquids - Challenges and opportunities. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 412, 125215	12.8	29
111	Experimental and numerical analysis of the thermal performance of polyurethane foams panels incorporating phase change material. <i>Energy</i> , <b>2021</b> , 216, 119213	7.9	7
110	Recycling of different types of polyurethane foam wastes via acidolysis to produce polyurethane coatings. <i>Sustainable Materials and Technologies</i> , <b>2021</b> , 29, e00330	5.3	4
109	Lignosulfonate-Based Conducting Flexible Polymeric Membranes for Liquid Sensing Applications. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
108	Poly(l-lactic acid)/lithium ferrite composites: Electrical properties. <i>Polymer</i> , <b>2021</b> , 230, 124100	3.9	2
107	Effects of resin content on mechanical properties of cork-based panels bound with melamine-urea-formaldehyde and polyurethane binders. <i>International Journal of Adhesion and Adhesives</i> , <b>2020</b> , 101, 102632	3.4	2
106	Study of the synthesis parameters of a urea-formaldehyde resin synthesized according to alkaline-acid process. <i>International Journal of Adhesion and Adhesives</i> , <b>2020</b> , 102, 102646	3.4	3
105	Recycling of polyurethane scraps via acidolysis. <i>Chemical Engineering Journal</i> , <b>2020</b> , 395, 125102	14.7	25
104	Adhesion and Immobilization onto Residual Plastics. <i>Polymers</i> , <b>2020</b> , 12,	4.5	2
103	3D Printed Thermoplastic Polyurethane Filled with Polyurethane Foams Residues. <i>Journal of Polymers and the Environment</i> , <b>2020</b> , 28, 1560-1570	4.5	13
102	Laccase-catalyzed oxidative modification of lignosulfonates from acidic sulfite pulping of eucalyptus wood. <i>Holzforchung</i> , <b>2020</b> , 74, 589-596	2	5
101	Effect of different catalysts on the oxyalkylation of eucalyptus Lignoboost kraft lignin. <i>Holzforchung</i> , <b>2020</b> , 74, 567-576	2	5

100	Surface treatment of eucalyptus wood for improved HDPE composites properties. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 48619	2.9	10
99	Development of polyurethane foam incorporating phase change material for thermal energy storage. <i>Journal of Energy Storage</i> , <b>2020</b> , 28, 101177	7.8	16
98	Improvement of viscoelastic, elastic and plastic properties of Poly(L-lactide)/Graphene Oxide-Graft-Poly(L-lactide) nanocomposites by modulation of grafted chain length. <i>Composites Science and Technology</i> , <b>2020</b> , 199, 108350	8.6	1
97	Development of structural layers PVC incorporating phase change materials for thermal energy storage. <i>Applied Thermal Engineering</i> , <b>2020</b> , 179, 115707	5.8	7
96	Biofunctional Polymer Coated Au Nanoparticles Prepared via RAFT-Assisted Encapsulating Emulsion Polymerization and Click Chemistry. <i>Polymers</i> , <b>2020</b> , 12,	4.5	2
95	Grafting Poly(Methyl Methacrylate) (PMMA) from Cork via Atom Transfer Radical Polymerization (ATRP) towards Higher Quality of Three-Dimensional (3D) Printed PMMA/Cork-PMMA Materials. <i>Polymers</i> , <b>2020</b> , 12,	4.5	7
94	Impact of alkaline and strongly acid process on the synthesis of urea-formaldehyde resins and derived composites: a comparison study. <i>European Journal of Wood and Wood Products</i> , <b>2019</b> , 77, 1177-1187	2.1	3
93	3D printed cork/polyurethane composite foams. <i>Materials and Design</i> , <b>2019</b> , 179, 107905	8.1	36
92	Impact of critical micelle concentration of macroRAFT agents on the encapsulation of colloidal Au nanoparticles. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 545, 251-258	9.3	2
91	Impact of the Synthesis Procedure on Urea-Formaldehyde Resins Prepared by Alkaline Acid Process. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 5665-5676	3.9	4
90	Interaction of Cationic, Anionic, and Nonionic MacroRAFT Homo- and Copolymers with Laponite Clay. <i>Langmuir</i> , <b>2019</b> , 35, 11512-11523	4	11
89	Cure and performance of castor oil polyurethane adhesive. <i>International Journal of Adhesion and Adhesives</i> , <b>2019</b> , 95, 102413	3.4	31
88	Insights into the photoluminescence properties of gel-like carbon quantum dots embedded in poly(methyl methacrylate) polymer. <i>Materials Today Communications</i> , <b>2019</b> , 18, 32-38	2.5	6
87	Statistical evaluation of the effect of urea-formaldehyde resins synthesis parameters on particleboard properties. <i>Polymer Testing</i> , <b>2018</b> , 68, 193-200	4.5	6
86	Utilization and characterization of amino resins for the production of wood-based panels with emphasis on particleboards (PB) and medium density fibreboards (MDF). A review. <i>Holzforschung</i> , <b>2018</b> , 72, 653-671	2	15
85	Effect of unrefined crude glycerol composition on the properties of polyurethane foams. <i>Journal of Cellular Plastics</i> , <b>2018</b> , 54, 633-649	1.5	17
84	Polymer@gold Nanoparticles Prepared via RAFT Polymerization for Opto-Biodetection. <i>Polymers</i> , <b>2018</b> , 10,	4.5	18
83	Enzymatic synthesis of poly(glycerol sebacate) pre-polymer with crude glycerol, by-product from biodiesel production <b>2018</b> ,		2

82	Highly flexible glycol-urea-formaldehyde resins. <i>European Polymer Journal</i> , <b>2018</b> , 105, 167-176	5.2	7
81	Blocked melamine-urea-formaldehyde resins and their usage in agglomerated cork panels. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46663	2.9	6
80	Understanding the interactions of imidazolium-based ionic liquids with cell membrane models. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 29764-29777	3.6	19
79	Partial replacement of melamine by benzoguanamine in MUF resins towards improved flexibility of agglomerated cork panels. <i>International Journal of Adhesion and Adhesives</i> , <b>2018</b> , 87, 142-150	3.4	6
78	Polyurethane Foams: Past, Present, and Future. <i>Materials</i> , <b>2018</b> , 11,	3.5	218
77	Thermal Energy Storage and Mechanical Performance of Crude Glycerol Polyurethane Composite Foams Containing Phase Change Materials and Expandable Graphite. <i>Materials</i> , <b>2018</b> , 11,	3.5	27
76	Introducing flexibility in urea-formaldehyde resins: Copolymerization with polyetheramines. <i>Journal of Polymer Science Part A</i> , <b>2018</b> , 56, 1834-1843	2.5	3
75	Enhancement of physical and reaction to fire properties of crude glycerol polyurethane foams filled with expanded graphite. <i>Polymer Testing</i> , <b>2018</b> , 69, 199-207	4.5	40
74	Phase change materials and carbon nanostructures for thermal energy storage: A literature review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 79, 1212-1228	16.2	119
73	Sound absorption properties of polyurethane foams derived from crude glycerol and liquefied coffee grounds polyol. <i>Polymer Testing</i> , <b>2017</b> , 62, 13-22	4.5	50
72	Investigation of the Adsorption of Amphipathic macroRAFT Agents onto Montmorillonite Clay. <i>Langmuir</i> , <b>2017</b> , 33, 9598-9608	4	14
71	Piezoelectric poly(lactide) stereocomplexes with a cholinium organic ionic plastic crystal. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 12134-12142	7.1	9
70	Insights into the physical properties of biobased polyurethane/expanded graphite composite foams. <i>Composites Science and Technology</i> , <b>2017</b> , 138, 24-31	8.6	32
69	Adsorption study of a macro-RAFT agent onto SiO <sub>2</sub> -coated Gd <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> nanorods: Requirements and limitations. <i>Applied Surface Science</i> , <b>2017</b> , 394, 519-527	6.7	9
68	A Comparative Study of Chemical Routes for Coating Gold Nanoparticles via Controlled RAFT Emulsion Polymerization. <i>Particle and Particle Systems Characterization</i> , <b>2017</b> , 34, 1600202	3.1	11
67	Statistical evaluation of the effect of formulation on the properties of crude glycerol polyurethane foams. <i>Polymer Testing</i> , <b>2016</b> , 56, 200-206	4.5	21
66	Biotinylation of optically responsive gold/polyelectrolyte nanostructures. <i>Gold Bulletin</i> , <b>2015</b> , 48, 3-11	1.6	7
65	Bio-based polyurethane foams toward applications beyond thermal insulation. <i>Materials &amp; Design</i> , <b>2015</b> , 76, 77-85		94

64	Studies on PLA grafting onto graphene oxide and its effect on the ensuing composite films. <i>Materials Chemistry and Physics</i> , <b>2015</b> , 166, 122-132	4.4	21
63	Interactions of bioactive molecules & nanomaterials with Langmuir monolayers as cell membrane models. <i>Thin Solid Films</i> , <b>2015</b> , 593, 158-188	2.2	87
62	3D scaffolds from vertically aligned carbon nanotubes/poly(methyl methacrylate) composites via atom transfer radical polymerization. <i>Materials Chemistry and Physics</i> , <b>2015</b> , 149-150, 378-384	4.4	5
61	Rigid polyurethane foams derived from cork liquefied at atmospheric pressure. <i>Polymer International</i> , <b>2015</b> , 64, 250-257	3.3	35
60	Spent coffee grounds as a renewable source for ecopolyols production. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2015</b> , 90, 1480-1488	3.5	28
59	Antimicrobial bacterial cellulose nanocomposites prepared by in situ polymerization of 2-aminoethyl methacrylate. <i>Carbohydrate Polymers</i> , <b>2015</b> , 123, 443-53	10.3	49
58	Ecopolyol Production from Industrial Cork Powder via Acid Liquefaction Using Polyhydric Alcohols. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2014</b> , 2, 846-854	8.3	44
57	Nanostructured bacterial cellulose-poly(4-styrene sulfonic acid) composite membranes with high storage modulus and protonic conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 7864-75	9.5	65
56	Biofunctionalisation of colloidal gold nanoparticles via polyelectrolytes assemblies. <i>Colloid and Polymer Science</i> , <b>2014</b> , 292, 33-50	2.4	44
55	Effect of filler functionalization on thermo-mechanical properties of polyamide-12/carbon nanofibers composites: a study of filler-matrix molecular interactions. <i>Journal of Materials Science</i> , <b>2013</b> , 48, 8427-8437	4.3	5
54	Effect of colloidal silver and gold nanoparticles on the thermal behavior of poly(t-butyl acrylate) composites. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2013</b> , 436, 231-236	5.1	10
53	Processing and characterization of polyurethane nanocomposite foam reinforced with montmorillonite-carbon nanotube hybrids. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2013</b> , 44, 1-7	8.4	87
52	Nanostructured composites obtained by ATRP sleeving of bacterial cellulose nanofibers with acrylate polymers. <i>Biomacromolecules</i> , <b>2013</b> , 14, 2063-73	6.9	67
51	Probing the interaction of oppositely charged gold nanoparticles with DPPG and DPPC Langmuir monolayers as cell membrane models. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2013</b> , 108, 120-6	6	50
50	Biocompatible bacterial cellulose-poly(2-hydroxyethyl methacrylate) nanocomposite films. <i>BioMed Research International</i> , <b>2013</b> , 2013, 698141	3	32
49	Surface modification of alumina nanoparticles with silane coupling agents. <i>Journal of the Brazilian Chemical Society</i> , <b>2010</b> , 21, 2238-2245	1.5	63
48	Preparation and characterization of chitosan/SiO <sub>2</sub> composite films. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2010</b> , 10, 2816-25	1.3	11
47	Electrostatic interactions are not sufficient to account for chitosan bioactivity. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2010</b> , 2, 246-51	9.5	39

46	Graphene oxide modified with PMMA via ATRP as a reinforcement filler. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 9927		381
45	Luminescent SiO <sub>2</sub> -coated Gd <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> nanorods/poly(styrene) nanocomposites by in situ polymerization. <i>Optical Materials</i> , <b>2010</b> , 32, 1622-1628	3.3	11
44	Langmuir monolayers of fractions of cork suberin extract. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2010</b> , 79, 516-20	6	2
43	Weak-gel formation in dispersions of silica particles in a matrix of a non-ionic polysaccharide: Structure and rheological characterization. <i>Carbohydrate Polymers</i> , <b>2010</b> , 82, 1219-1227	10.3	13
42	ZnO nanostructures for photovoltaic cells. <i>Physica Status Solidi (B): Basic Research</i> , <b>2010</b> , 247, 1633-1636	1.3	10
41	Preparation of nanocomposites by reversible addition-fragmentation chain transfer polymerization from the surface of quantum dots in miniemulsion. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 5367-5375	2.5	23
40	Dielectric properties of polystyrene/CTO composite. <i>Journal of Non-Crystalline Solids</i> , <b>2008</b> , 354, 5321-5322	3.2	52
39	Polymer encapsulation effects on the magnetism of EuS nanocrystals. <i>Journal of Materials Chemistry</i> , <b>2008</b> , 18, 4572		23
38	Deposition of <i>Yarrowia lipolytica</i> on plasma prepared teflonlike thin films. <i>Surface Engineering</i> , <b>2008</b> , 24, 23-27	2.6	16
37	Hopping conduction on PPy/SiO <sub>2</sub> nanocomposites obtained via in situ emulsion polymerization. <i>Journal of Materials Science</i> , <b>2008</b> , 43, 3333-3337	4.3	12
36	Functionalization of carbon nanofibers (CNFs) through atom transfer radical polymerization for the preparation of poly(tert-butyl acrylate)/CNF materials: Spectroscopic, thermal, morphological, and physical characterizations. <i>Journal of Polymer Science Part A</i> , <b>2008</b> , 46, 3326-3335	2.5	20
35	Novel SiO <sub>2</sub> /cellulose nanocomposites obtained by in situ synthesis and via polyelectrolytes assembly. <i>Composites Science and Technology</i> , <b>2008</b> , 68, 1088-1093	8.6	86
34	Preparation and characterization of organosilicon thin films for selective adhesion of <i>Yarrowia lipolytica</i> yeast cells. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2007</b> , 82, 360-366	3.5	19
33	Polymer grafting from CdS quantum dots via AGET ATRP in miniemulsion. <i>Small</i> , <b>2007</b> , 3, 1230-6	11	91
32	Preparation and Characterization of Hybrid Organic/Inorganic Nanocomposites by In Situ Miniemulsion Polymerization. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1201-1205	0.4	5
31	Size and shape-tuned overgrowth on Au nanorods regulated by polyallylamine. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2006</b> , 6, 3373-5	1.3	3
30	Cell surface characterization of <i>Yarrowia lipolytica</i> IMUFRJ 50682. <i>Yeast</i> , <b>2006</b> , 23, 867-77	3.4	41
29	Production and characterization of a bioemulsifier from <i>Yarrowia lipolytica</i> . <i>Process Biochemistry</i> , <b>2006</b> , 41, 1894-1898	4.8	125

28	Attachment/detachment of <i>Saccharomyces cerevisiae</i> on plasma deposited organosilicon thin films. <i>European Physical Journal D</i> , <b>2006</b> , 56, B1256-B1262		11
27	Synthesis of SiO <sub>2</sub> -coated Bi <sub>2</sub> S <sub>3</sub> /poly(styrene) nanocomposites by in-situ polymerization. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2006</b> , 6, 414-20	1.3	4
26	Crystallization behaviour of new poly(tetramethyleneterephthalamide) nanocomposites containing SiO <sub>2</sub> fillers with distinct morphologies. <i>Composites Part B: Engineering</i> , <b>2005</b> , 36, 51-59	10	20
25	Selection and Optimization of Culture Medium for Exopolysaccharide Production by <i>Coriolus (Trametes) Versicolor</i> . <i>World Journal of Microbiology and Biotechnology</i> , <b>2005</b> , 21, 1499-1507	4.4	25
24	Polymer encapsulation of CdE (E = S, se) quantum dot ensembles via in-situ radical polymerization in miniemulsion. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2005</b> , 5, 766-71	1.3	31
23	A green-emitting CdSe/poly(butyl acrylate) nanocomposite. <i>Nanotechnology</i> , <b>2005</b> , 16, 1969-1973	3.4	23
22	N-Vinylformamide as a route to amine-containing latexes and microgels. <i>Colloid and Polymer Science</i> , <b>2004</b> , 282, 256-263	2.4	30
21	Nanocompósitos de matriz polimérica: estratégias de síntese de materiais híbridos. <i>Química Nova</i> , <b>2004</b> , 27, 798-806	1.6	50
20	Surface properties of polyethylene after low-temperature plasma treatment. <i>Colloid and Polymer Science</i> , <b>2003</b> , 281, 1025-1033	2.4	115
19	Plasma surface modification of polyethylene. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2003</b> , 222, 125-131	5.1	156
18	Langmuir films from tailor-made semi-amphiphilic alternating (AB) heterocyclic copolymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2002</b> , 198-200, 331-338	5.1	1
17	Langmuir films from semi-amphiphilic sequence-controlled heterocyclic copolymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2002</b> , 198-200, 313-321	5.1	3
16	Studies on the release of polymeric Langmuir-Blodgett multilayers from the solid supports on which they were prepared. <i>Polymer</i> , <b>2002</b> , 43, 3519-3525	3.9	1
15	Optical properties of the synthetic nanocomposites SiO <sub>2</sub> /CdS/poly(styrene-co-maleic anhydride) and SiO <sub>2</sub> /CdS/poly(styrene-co-maleimide). <i>Journal of Nanoscience and Nanotechnology</i> , <b>2002</b> , 2, 177-81	1.3	5
14	Oxypropylation of cork and the use of the ensuing polyols in polyurethane formulations. <i>Biomacromolecules</i> , <b>2002</b> , 3, 57-62	6.9	57
13	Langmuir-Blodgett manipulation of capped cadmium sulfide quantum dots. <i>Thin Solid Films</i> , <b>2001</b> , 389, 272-277	2.2	15
12	Synthetic hollow zinc oxide microparticles. <i>Materials Research Bulletin</i> , <b>2001</b> , 36, 1099-1108	5.1	54
11	The oxypropylation of cork residues: preliminary results. <i>Bioresource Technology</i> , <b>2000</b> , 73, 187-189	11	30

10	Preparation and optical properties of CdSe/polymer nanocomposites. <i>Scripta Materialia</i> , <b>2000</b> , 43, 567-576	3.6	29
9	Langmuir monolayers of lignins obtained with different isolation methods. <i>Thin Solid Films</i> , <b>1999</b> , 354, 215-221	2.2	25
8	Surface Pressure and Surface Potential Isotherms of Ytterbium Bisphthalocyanine Langmuir Monolayers. <i>Langmuir</i> , <b>1999</b> , 15, 3944-3949	4	23
7	Langmuir and Langmuir-Blodgett films of derivatives of olefin maleic anhydride alternating copolymers prepared from olefins containing hydrophilic groups. <i>Polymer</i> , <b>1995</b> , 36, 1707-1714	3.9	4
6	Enhanced compatibility between coconut fibers/PP via chemical modification for 3D printing. <i>Progress in Additive Manufacturing</i> , 1	5	0
5	Organic-Inorganic Nanocomposites Derived from Polysaccharides: Challenges and Opportunities	409-432	
4	PU/Lignocellulosic Composites Produced from Recycled Raw Materials. <i>Journal of Polymers and the Environment</i> , 1	4.5	2
3	PU composites based on different types of textile fibers. <i>Journal of Composite Materials</i> , 002199832110316	3.6	2
2	Polyamide 6/modified pine bark particle composites for additive manufacturing. <i>Journal of Materials Science</i> , 1	4.3	3
1	Insights into PU/EVA Blends Produced Using Industrial Residues Towards Eco-efficient Materials. <i>Journal of Polymers and the Environment</i> , 1	4.5	2