Erik Buskens

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5488779/erik-buskens-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172	12,377	51	110
papers	citations	h-index	g-index
194 ext. papers	14,277 ext. citations	7. 6 avg, IF	5.64 L-index

#	Paper	IF	Citations
172	Letter to the editor, "Validation and clinical value of the MANAGE-PD tool: A clinician-reported tool to identify Parkinson@ disease patients inadequately controlled on oral medications" <i>Parkinsonism and Related Disorders</i> , 2022 , 97, 99-100	3.6	O
171	Expediting workflow in the acute stroke pathway for endovascular thrombectomy in the northern Netherlands: a simulation model <i>BMJ Open</i> , 2022 , 12, e056415	3	O
170	The costs of inappropriate referral pathways in inpatient care for three major noncommunicable diseases in Mongolia: a national registry-based analysis. <i>BMC Health Services Research</i> , 2021 , 21, 1280	2.9	
169	Identifying Frequent Health Care Users and Care Consumption Patterns: Process Mining of Emergency Medical Services Data. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27499	7.6	1
168	Dutch Outcome in Implantable Cardioverter-Defibrillator Therapy: Implantable Cardioverter-Defibrillator-Related Complications in a Contemporary Primary Prevention Cohort. <i>Journal of the American Heart Association</i> , 2021 , 10, e018063	6	2
167	Mapping chronic disease prevalence based on medication use and socio-demographic variables: an application of LASSO on administrative data sources in healthcare in the Netherlands. <i>BMC Public Health</i> , 2021 , 21, 1039	4.1	1
166	More than cost-effectiveness? Applying a second-stage filter to improve policy decision making. <i>Health Expectations</i> , 2021 , 24, 1413-1423	3.7	1
165	Remote Home Monitoring of Older Surgical Cancer Patients: Perspective on Study Implementation and Feasibility. <i>Annals of Surgical Oncology</i> , 2021 , 28, 67-78	3.1	12
164	Development and external validation of prediction models to predict implantable cardioverter-defibrillator efficacy in primary prevention of sudden cardiac death. <i>Europace</i> , 2021 , 23, 887-897	3.9	7
163	Comparison of Parametric Survival Extrapolation Approaches Incorporating General Population Mortality for Adequate Health Technology Assessment of New Oncology Drugs. <i>Value in Health</i> , 2021 , 24, 1294-1301	3.3	3
162	Using a novel concept to measure outcomes in solid organ recipients provided promising results. Journal of Clinical Epidemiology, 2021 , 139, 96-106	5.7	1
161	Quantified health and cost effects of faster endovascular treatment for large vessel ischemic stroke patients in the Netherlands. <i>Journal of NeuroInterventional Surgery</i> , 2021 , 13, 1099-1105	7.8	3
160	Health items with a novel patient-centered approach provided information for preference-based transplant outcome measure. <i>Journal of Clinical Epidemiology</i> , 2020 , 126, 93-105	5.7	4
159	Knowledge, beliefs and attitudes towards dementia risk assessment and reduction among individuals with a parental family history of dementia. <i>Alzheimerls and Dementia</i> , 2020 , 16, e042533	1.2	
158	Demin: Design and baseline results of a cluster randomized controlled trial investigating the uptake and effectiveness of a dementia risk reduction program in middle-aged descendants of people with record diagnosed Alzheimer disease or vascular dementia. <i>Alzheimerls and Dementia</i> ,	1.2	
157	PatientsQand cliniciansQuerspectives on relevant treatment outcomes in depression: qualitative study. <i>BJPsych Open</i> , 2020 , 6, e44	5	5
156	Assessing quality of life in psychosocial and mental health disorders in children: a comprehensive overview and appraisal of generic health related quality of life measures. <i>BMC Pediatrics</i> , 2020 , 20, 329	2.6	3

(2019-2020)

155	Smoking-attributable burden of lung cancer in Mongolia a data synthesis study on differences between men and women. <i>PLoS ONE</i> , 2020 , 15, e0229090	3.7	4
154	Centralising acute stroke care within clinical practice in the Netherlands: lower bounds of the causal impact. <i>BMC Health Services Research</i> , 2020 , 20, 103	2.9	2
153	Informing policy makers on the efficiency of population level tobacco control interventions in Asia: A systematic review of model-based economic evaluations. <i>Journal of Global Health</i> , 2020 , 10, 020437	4.3	1
152	Pathway Design for Acute Stroke Care in the Era of Endovascular Thrombectomy: A Critical Overview of Optimization Efforts. <i>Stroke</i> , 2020 , 51, 3452-3460	6.7	11
151	Uptake and effectiveness of a tailor-made online lifestyle programme targeting modifiable risk factors for dementia among middle-aged descendants of people with recently diagnosed dementia: study protocol of a cluster randomised controlled trial (Demin study). <i>BMJ Open</i> , 2020 ,	3	2
150	10, e039439 Rationale and design for studying organisation of care for intra-arterial thrombectomy in the Netherlands: simulation modelling study. <i>BMJ Open</i> , 2020 , 10, e032754	3	2
149	Optimising acute stroke care organisation: a simulation study to assess the potential to increase intravenous thrombolysis rates and patient gains. <i>BMJ Open</i> , 2020 , 10, e032780	3	3
148	Tracing frequent users of regional care services using emergency medical services data: a networked approach. <i>BMJ Open</i> , 2020 , 10, e036139	3	1
147	Cost-Effectiveness of Treatments in Children With Attention-Deficit/Hyperactivity Disorder: A Continuous-Time Markov Modeling Approach. <i>MDM Policy and Practice</i> , 2019 , 4, 2381468319867629	1.5	3
146	Health-related quality of life and well-being health state values among Dutch oldest old. <i>Patient Preference and Adherence</i> , 2019 , 13, 721-728	2.4	1
145	Neighborhood Socioeconomic Status and Health Care Costs: A Population-Wide Study in the Netherlands. <i>American Journal of Public Health</i> , 2019 , 109, 927-933	5.1	12
144	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. <i>BJPsych Open</i> , 2019 , 5, e12	5	2
143	Superiority of Step-up Approach vs Open Necrosectomy in Long-term Follow-up of Patients With Necrotizing Pancreatitis. <i>Gastroenterology</i> , 2019 , 156, 1016-1026	13.3	78
142	Long-term incidence and risk factors of cardiovascular events in Asian populations: systematic review and meta-analysis of population-based cohort studies. <i>Current Medical Research and Opinion</i> , 2019 , 35, 291-299	2.5	7
141	Use of medicine pricing and reimbursement policies for universal health coverage in Indonesia. <i>PLoS ONE</i> , 2019 , 14, e0212328	3.7	8
140	The implementation of HTA in medicine pricing and reimbursement policies in Indonesia: Insights from multiple stakeholders. <i>PLoS ONE</i> , 2019 , 14, e0225626	3.7	1
139	Personal and Societal Impact of Low Back Pain: The Groningen Spine Cohort. <i>Spine</i> , 2019 , 44, E1443-E14	- 5 13	34
138	The cost-utility of stepped-care algorithms according to depression guideline recommendations - Results of a state-transition model analysis. <i>Journal of Affective Disorders</i> , 2019 , 242, 244-254	6.6	14

137	Stratified treatment recommendation or one-size-fits-all? A health economic insight based on graphical exploration. <i>European Journal of Health Economics</i> , 2019 , 20, 475-482	3.6	1
136	A Scoping Review of Key Health Items in Self-Report Instruments Used Among Solid Organ Transplant Recipients. <i>Patient</i> , 2019 , 12, 171-181	3.7	8
135	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry, the,</i> 2018 , 5, 401-410	23.3	48
134	Head-to-Head Comparison of EQ-5D-3L and EQ-5D-5L Health Values. <i>Pharmacoeconomics</i> , 2018 , 36, 71.	5- <u>7.</u> 45	19
133	The early economic evaluation of novel biomarkers to accelerate their translation into clinical applications. <i>Cost Effectiveness and Resource Allocation</i> , 2018 , 16, 23	2.4	6
132	Functional health state description and valuation by people aged 65 and over: a pilot study. <i>BMC Geriatrics</i> , 2018 , 18, 11	4.1	5
131	Relative contribution of various chronic diseases and multi-morbidity to potential disability among Dutch elderly. <i>BMC Health Services Research</i> , 2018 , 18, 24	2.9	10
130	Molecular imaging with positron emission tomography and computed tomography (PET/CT) for selecting first-line targeted treatment in metastatic breast cancer: a cost-effectiveness study. <i>Oncotarget</i> , 2018 , 9, 19836-19846	3.3	6
129	Functioning and quality of life in Dutch oldest old with diverse levels of dependency. <i>Patient Preference and Adherence</i> , 2018 , 12, 2187-2196	2.4	3
128	Cost-effectiveness of multisystemic therapy versus usual treatment for young people with antisocial problems. <i>Criminal Behaviour and Mental Health</i> , 2017 , 27, 89-102	1.4	12
127	Centralising and optimising decentralised stroke care systems: a simulation study on short-term costs and effects. <i>BMC Medical Research Methodology</i> , 2017 , 17, 5	4.7	9
126	Increased life expectancy as a result of non-hormonal targeted therapies for HER2 or hormone receptor positive metastatic breast cancer: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2017 , 55, 16-25	14.4	7
125	Serious child and adolescent behaviour disorders; a valuation study by professionals, youth and parents. <i>BMC Psychiatry</i> , 2017 , 17, 208	4.2	6
124	Early health technology assessment of magnetic resonance-guided high intensity focused ultrasound ablation for the treatment of early-stage breast cancer. <i>Journal of Therapeutic Ultrasound</i> , 2017 , 5, 23		11
123	Cost-effectiveness of multisystemic therapy versus usual treatment for young people with antisocial problems: a reply to McIntosh. <i>Criminal Behaviour and Mental Health</i> , 2017 , 27, 103-104	1.4	2
122	A framework to accelerate simulation studies of hyperacute stroke systems. <i>Operations Research for Health Care</i> , 2017 , 15, 57-67	1.8	9
121	Continuous-Time Semi-Markov Models in Health Economic Decision Making: An Illustrative Example in Heart Failure Disease Management. <i>Medical Decision Making</i> , 2016 , 36, 59-71	2.5	11
120	Simulation modelling to assess prehospital thrombolysis. <i>Lancet Neurology, The</i> , 2016 , 15, 1305-1306	24.1	

(2013-2016)

119	A cohort study of elderly people in Bloemfontein, South Africa, to determine health-related quality of life and functional abilities. <i>South African Medical Journal</i> , 2016 , 106, 298-301	1.5	7	
118	Do individuals with and without depression value depression differently? And if so, why?. <i>Quality of Life Research</i> , 2015 , 24, 2565-75	3.7	13	
117	Design of stepwise screening for prediabetes and type 2 diabetes based on costs and cases detected. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1010-8	5.7	4	
116	Valuation of depression co-occurring with a somatic condition: feasibility of the time trade-off task. <i>Health Expectations</i> , 2015 , 18, 3147-59	3.7	4	
115	Simulation conceptual modeling for optimizing acute stroke care organization 2015,		1	
114	Increased Intake of Foods with High Nutrient Density Can Help to Break the Intergenerational Cycle of Malnutrition and Obesity. <i>Nutrients</i> , 2015 , 7, 6016-37	6.7	42	
113	Using multicriteria decision analysis to support research priority setting in biomedical translational research projects. <i>BioMed Research International</i> , 2015 , 2015, 191809	3	6	
112	Predictive validity of a frailty measure (GFI) and a case complexity measure (IM-E-SA) on healthcare costs in an elderly population. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 404-11	4.1	27	
111	Evaluation of patient registries supporting reimbursement decisions: the case of oxaliplatin for treatment of stage III colon cancer. <i>Value in Health</i> , 2015 , 18, 84-90	3.3	9	
110	Prehospital factors determining regional variation in thrombolytic therapy in acute ischemic stroke. <i>International Journal of Stroke</i> , 2014 , 9 Suppl A100, 31-5	6.3	3	
109	Improving acute stroke services in the Netherlands. <i>BMJ, The</i> , 2014 , 348, g3957	5.9	1	
108	Selected nutrients and their implications for health and disease across the lifespan: a roadmap. <i>Nutrients</i> , 2014 , 6, 6076-94	6.7	19	
107	Prediction of asymptomatic carotid artery stenosis in the general population: identification of high-risk groups. <i>Stroke</i> , 2014 , 45, 2366-71	6.7	51	
106	A multi-criteria decision analysis perspective on the health economic evaluation of medical interventions. <i>European Journal of Health Economics</i> , 2014 , 15, 709-16	3.6	15	
105	Cost-effectiveness of Multisystemic Therapy for adolescents with antisocial behaviour: study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2013 , 13, 369	4.1	8	
104	The chain of care enabling tPA treatment in acute ischemic stroke: a comprehensive review of organisational models. <i>Journal of Neurology</i> , 2013 , 260, 960-8	5.5	19	
103	Probability elicitation to inform early health economic evaluations of new medical technologies: a case study in heart failure disease management. <i>Value in Health</i> , 2013 , 16, 529-35	3.3	15	
102	Targeted screening for Coeliac Disease among irritable bowel syndrome patients: analysis of cost-effectiveness and value of information. <i>European Journal of Health Economics</i> , 2013 , 14, 947-57	3.6	11	

101	Testing the McSad depression specific classification system in patients with somatic conditions: validity and performance. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 125	3	3
100	Value of information analysis from a societal perspective: a case study in prevention of major depression. <i>Value in Health</i> , 2013 , 16, 490-7	3.3	5
99	Development and measurement properties of the self assessment version of the INTERMED for the elderly to assess case complexity. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 518-22	4.1	37
98	The cost-utility of haemodiafiltration versus haemodialysis in the Convective Transport Study. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1865-73	4.3	28
97	Healthy aging through lifelong vaccination: a tale of two countries. <i>Aging Health</i> , 2013 , 9, 619-627		
96	A simulation-based approach for improving utilization of thrombolysis in acute brain infarction. <i>Medical Care</i> , 2013 , 51, 1101-5	3.1	20
95	Thrombolysis in acute ischemic stroke: a simulation study to improve pre- and in-hospital delays in community hospitals. <i>PLoS ONE</i> , 2013 , 8, e79049	3.7	19
94	Differences in quality of life of hemodialysis patients between dialysis centers. <i>Quality of Life Research</i> , 2012 , 21, 299-307	3.7	12
93	Response to the Letter from Hoogendijk and Van Hout. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 757-758	5.9	
92	Measurement properties of the Groningen Frailty Indicator in home-dwelling and institutionalized elderly people. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 546-51	5.9	198
92 91		5.9 3.3	198 6
	elderly people. Journal of the American Medical Directors Association, 2012 , 13, 546-51		
91	elderly people. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 546-51 Impact of secondary cardiovascular events on health status. <i>Value in Health</i> , 2012 , 15, 175-82 A method for the early health technology assessment of novel biomarker measurement in primary	3.3	6
91 90	elderly people. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 546-51 Impact of secondary cardiovascular events on health status. <i>Value in Health</i> , 2012 , 15, 175-82 A method for the early health technology assessment of novel biomarker measurement in primary prevention programs. <i>Statistics in Medicine</i> , 2012 , 31, 2733-44 The COACH risk engine: a multistate model for predicting survival and hospitalization in patients	3.3	6
91 90 89	elderly people. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 546-51 Impact of secondary cardiovascular events on health status. <i>Value in Health</i> , 2012 , 15, 175-82 A method for the early health technology assessment of novel biomarker measurement in primary prevention programs. <i>Statistics in Medicine</i> , 2012 , 31, 2733-44 The COACH risk engine: a multistate model for predicting survival and hospitalization in patients with heart failure. <i>European Journal of Heart Failure</i> , 2012 , 14, 168-75 Proportion of patients treated with thrombolysis in a centralized versus a decentralized acute	3·3 2·3 12·3	6 15 35
91 90 89 88	Impact of secondary cardiovascular events on health status. <i>Value in Health</i> , 2012 , 15, 175-82 A method for the early health technology assessment of novel biomarker measurement in primary prevention programs. <i>Statistics in Medicine</i> , 2012 , 31, 2733-44 The COACH risk engine: a multistate model for predicting survival and hospitalization in patients with heart failure. <i>European Journal of Heart Failure</i> , 2012 , 14, 168-75 Proportion of patients treated with thrombolysis in a centralized versus a decentralized acute stroke care setting. <i>Stroke</i> , 2012 , 43, 1336-40 A trial-based economic evaluation of 2 nurse-led disease management programs in heart failure.	3·3 2·3 12·3	6 15 35 63
91 90 89 88 87	Impact of secondary cardiovascular events on health status. Value in Health, 2012, 15, 175-82 A method for the early health technology assessment of novel biomarker measurement in primary prevention programs. Statistics in Medicine, 2012, 31, 2733-44 The COACH risk engine: a multistate model for predicting survival and hospitalization in patients with heart failure. European Journal of Heart Failure, 2012, 14, 168-75 Proportion of patients treated with thrombolysis in a centralized versus a decentralized acute stroke care setting. Stroke, 2012, 43, 1336-40 A trial-based economic evaluation of 2 nurse-led disease management programs in heart failure. American Heart Journal, 2011, 162, 1096-104 A stochastic multicriteria model for evidence-based decision making in drug benefit-risk analysis.	3.3 2.3 12.3 6.7	6 15 35 63 28

(2009-2011)

83	Excess mortality and cardiovascular events in patients surviving subarachnoid hemorrhage: a nationwide study in Sweden. <i>Stroke</i> , 2011 , 42, 902-7	6.7	31
82	Changes in quality of life over timeDutch haemodialysis patients and general population compared. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1984-9	4.3	28
81	Cost-effectiveness of magnetic resonance angiography versus intra-arterial digital subtraction angiography to follow-up patients with coiled intracranial aneurysms. <i>Stroke</i> , 2010 , 41, 1736-42	6.7	35
80	Suspected carotid artery stenosis: cost-effectiveness of CT angiography in work-up of patients with recent TIA or minor ischemic stroke. <i>Radiology</i> , 2010 , 256, 585-97	20.5	28
79	Intracranial aneurysms treated with coil placement: test characteristics of follow-up MR angiographymulticenter study. <i>Radiology</i> , 2010 , 256, 209-18	20.5	52
78	A step-up approach or open necrosectomy for necrotizing pancreatitis. <i>New England Journal of Medicine</i> , 2010 , 362, 1491-502	59.2	956
77	Vertebroplasty versus conservative treatment in acute osteoporotic vertebral compression fractures (Vertos II): an open-label randomised trial. <i>Lancet, The</i> , 2010 , 376, 1085-92	40	611
76	Response to Letter by Hadjiev and Mineva. <i>Stroke</i> , 2010 , 41,	6.7	1
75	Prevalence of asymptomatic carotid artery stenosis in the general population: an individual participant data meta-analysis. <i>Stroke</i> , 2010 , 41, 1294-7	6.7	237
74	Thoracolumbar vertebral fractures in Sweden: an analysis of 13,496 patients admitted to hospital. <i>European Journal of Epidemiology</i> , 2010 , 25, 431-7	12.1	52
73	Implementation by simulation; strategies for ultrasound screening for hip dysplasia in the Netherlands. <i>BMC Health Services Research</i> , 2010 , 10, 75	2.9	6
72	Do intraindividual variation in disease progression and the ensuing tight window of opportunity affect estimation of screening benefits?. <i>Medical Decision Making</i> , 2009 , 29, 82-90	2.5	3
71	Prevalence of asymptomatic carotid artery stenosis according to age and sex: systematic review and metaregression analysis. <i>Stroke</i> , 2009 , 40, 1105-13	6.7	144
70	Is centralization of ovarian cancer care warranted? A cost-effectiveness analysis. <i>Gynecologic Oncology</i> , 2009 , 113, 68-74	4.9	23
69	New randomized trial of probiotics in pancreatitis needed? Caution advised. <i>Langenbeckls Archives of Surgery</i> , 2009 , 394, 191-2; author reply 193-4	3.4	4
68	A tutorial on discrete-event simulation for health policy design and decision making: optimizing pediatric ultrasound screening for hip dysplasia as an illustration. <i>Health Policy</i> , 2009 , 93, 143-50	3.2	17
67	Decision analysis to complete diagnostic research by closing the gap between test characteristics and cost-effectiveness. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1248-52	5.7	37
66	The costs of amyotrophic lateral sclerosis, according to type of care. <i>Amyotrophic Lateral Sclerosis</i> and Other Motor Neuron Disorders, 2009 , 10, 27-34		37

65	Nonoperative treatment of thoracic and lumbar spine fractures: a prospective randomized study of different treatment options. <i>Journal of Orthopaedic Trauma</i> , 2009 , 23, 588-94	3.1	67
64	Stent placement in patients with atherosclerotic renal artery stenosis and impaired renal function: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 150, 840-8, W150-1	8	441
63	The cost-effectiveness of atypicals in the UK. Value in Health, 2008, 11, 1007-21	3.3	17
62	Should we reconsider epilepsy surgery? The motivation of patients once rejected. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2008 , 17, 374-7	3.2	9
61	Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 371, 651-659	40	965
60	Modelling approaches: the case of schizophrenia. <i>Pharmacoeconomics</i> , 2008 , 26, 633-48	4.4	36
59	Cost-effectiveness of aspirin treatment in the primary prevention of cardiovascular disease events in subgroups based on age, gender, and varying cardiovascular risk. <i>Circulation</i> , 2008 , 117, 2875-83	16.7	75
58	Growth rates of intracranial aneurysms: exploring constancy. <i>Journal of Neurosurgery</i> , 2008 , 109, 176-85	53.2	62
57	Traumatic thoracic and lumbar spinal fractures: operative or nonoperative treatment: comparison of two treatment strategies by means of surgeon equipoise. <i>Spine</i> , 2008 , 33, 1006-17	3.3	42
56	Guidelines for screening of extracranial carotid artery disease: a comment. <i>Journal of Neuroimaging</i> , 2008 , 18, 105-6	2.8	1
55	Randomized controlled trials of antibiotic prophylaxis in severe acute pancreatitis: relationship between methodological quality and outcome. <i>Pancreatology</i> , 2007 , 7, 531-8	3.8	64
54	The prevalence and incidence of pressure ulcers in hospitalised patients in the Netherlands: a prospective inception cohort study. <i>International Journal of Nursing Studies</i> , 2007 , 44, 927-35	5.8	63
53	A Bayesian decision-support system for diagnosing ventilator-associated pneumonia. <i>Intensive Care Medicine</i> , 2007 , 33, 1379-86	14.5	25
52	Case-matched comparison of the retroperitoneal approach with laparotomy for necrotizing pancreatitis. <i>World Journal of Surgery</i> , 2007 , 31, 1635-42	3.3	55
51	Timing of surgical intervention in necrotizing pancreatitis. <i>Archives of Surgery</i> , 2007 , 142, 1194-201		242
50	Adenotonsillectomy or watchful waiting in patients with mild to moderate symptoms of throat infections or adenotonsillar hypertrophy: a randomized comparison of costs and effects. <i>JAMA Otolaryngology</i> , 2007 , 133, 1083-8		38
49	Alendronate or Alfacalcidol in Glucocorticoid-Induced Osteoporosis. <i>Obstetrical and Gynecological Survey</i> , 2007 , 62, 37-38	2.4	
48	Cost-effectiveness of conventional and endovascular repair of abdominal aortic aneurysms: results of a randomized trial. <i>Journal of Vascular Surgery</i> , 2007 , 46, 883-890	3.5	101

(2005-2007)

47	Prevention of glucocorticoid induced osteoporosis with alendronate or alfacalcidol: relations of change in bone mineral density, bone markers, and calcium homeostasis. <i>Journal of Rheumatology</i> , 2007 , 34, 1051-7	4.1	21
46	Cost-effectiveness analysis in severe mental illness: outcome measures selection. <i>Journal of Mental Health Policy and Economics</i> , 2007 , 10, 101-8	1.3	7
45	Long-term Outcome after Lower Extremity Injuries in Severely Injured Patients. <i>European Journal of Trauma and Emergency Surgery</i> , 2006 , 32, 365-373		10
44	Determinants and prognostic significance of collaterals in patients undergoing coronary revascularization. <i>American Journal of Cardiology</i> , 2006 , 98, 31-5	3	51
43	Alendronate or alfacalcidol in glucocorticoid-induced osteoporosis. <i>New England Journal of Medicine</i> , 2006 , 355, 675-84	59.2	161
42	Clinical effectiveness of first and repeat influenza vaccination in adult and elderly diabetic patients. <i>Diabetes Care</i> , 2006 , 29, 1771-6	14.6	76
41	Direct costs of surgical clipping and endovascular coiling of unruptured intracranial aneurysms. <i>Cerebrovascular Diseases</i> , 2006 , 22, 40-5	3.2	39
40	Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniiliac system: an international multicenter study. <i>Journal of Vascular Surgery</i> , 2006 , 43, 1111-1123; discussion 1123	3.5	125
39	Comparison of the SF-6D and the EQ-5D in patients with coronary heart disease. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 20	3	88
38	Describing computed tomography findings in acute necrotizing pancreatitis with the Atlanta classification: an interobserver agreement study. <i>Pancreas</i> , 2006 , 33, 331-5	2.6	32
37	Minimally invasive Qtep-up approachQversus maximal necrosectomy in patients with acute necrotising pancreatitis (PANTER trial): design and rationale of a randomised controlled multicenter trial [ISRCTN13975868]. <i>BMC Surgery</i> , 2006 , 6, 6	2.3	120
36	Diagnostic performance of duplex ultrasound in patients suspected of carotid artery disease: the ipsilateral versus contralateral artery. <i>Stroke</i> , 2005 , 36, 2105-9	6.7	20
35	Endovascular repair of abdominal aortic aneurysm. <i>Lancet, The</i> , 2005 , 366, 890-1; author reply 891	40	2
34	Modelling the treated course of schizophrenia: development of a discrete event simulation model. <i>Pharmacoeconomics</i> , 2005 , 23 Suppl 1, 17-33	4.4	37
33	Modelling the impact of compliance on the costs and effects of long-acting risperidone in Canada. <i>Pharmacoeconomics</i> , 2005 , 23 Suppl 1, 62-74	4.4	42
32	Results and complications after ileal pouch anal anastomosis: a meta-analysis of 43 observational studies comprising 9,317 patients. <i>Digestive Surgery</i> , 2005 , 22, 69-79	2.5	227
31	Radiofrequency denervation of lumbar facet joints in the treatment of chronic low back pain: a randomized, double-blind, sham lesion-controlled trial. <i>Clinical Journal of Pain</i> , 2005 , 21, 335-44	3.5	187
30	Predicting pressure ulcers: cases missed using a new clinical prediction rule. <i>Journal of Advanced Nursing</i> , 2005 , 49, 16-22	3.1	18

29	Clinical effectiveness of influenza vaccination in persons younger than 65 years with high-risk medical conditions: the PRISMA study. <i>Archives of Internal Medicine</i> , 2005 , 165, 274-80		132
28	Two-year outcomes after conventional or endovascular repair of abdominal aortic aneurysms. <i>New England Journal of Medicine</i> , 2005 , 352, 2398-405	59.2	768
27	Clinical trial registration and the ICMJE. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 157-8; author reply 158	27.4	3
26	Imaging of carotid arteries in symptomatic patients: cost-effectiveness of diagnostic strategies. <i>Radiology</i> , 2004 , 233, 101-12	20.5	97
25	Role of coronary collaterals in off-pump and on-pump coronary bypass surgery. <i>Circulation</i> , 2004 , 110, 1738-42	16.7	40
24	Pressure ulcer risk in hip fracture patients. <i>Acta Orthopaedica</i> , 2004 , 75, 390-3		41
23	Surveillance after endovascular aneurysm repair: diagnostics, complications, and associated costs. <i>Annals of Vascular Surgery</i> , 2004 , 18, 421-7	1.7	64
22	Clinical pulmonary infection score for ventilator-associated pneumonia: accuracy and inter-observer variability. <i>Intensive Care Medicine</i> , 2004 , 30, 217-224	14.5	167
21	Probiotic prophylaxis in patients with predicted severe acute pancreatitis (PROPATRIA): design and rationale of a double-blind, placebo-controlled randomised multicenter trial [ISRCTN38327949]. BMC Surgery, 2004 , 4, 12	2.3	63
20	A randomized trial comparing conventional and endovascular repair of abdominal aortic aneurysms. New England Journal of Medicine, 2004, 351, 1607-18	59.2	1579
20		59.2 4.4	1579
	New England Journal of Medicine, 2004, 351, 1607-18 Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration.		3 ,7
19	New England Journal of Medicine, 2004, 351, 1607-18 Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. Journal of Arthroplasty, 2004, 19, 302-9 Oral decontamination is cost-saving in the prevention of ventilator-associated pneumonia in	4.4	82
19 18	New England Journal of Medicine, 2004, 351, 1607-18 Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. Journal of Arthroplasty, 2004, 19, 302-9 Oral decontamination is cost-saving in the prevention of ventilator-associated pneumonia in intensive care units. Critical Care Medicine, 2004, 32, 126-30 A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. New England	4.4	82
19 18 17	Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. Journal of Arthroplasty, 2004, 19, 302-9 Oral decontamination is cost-saving in the prevention of ventilator-associated pneumonia in intensive care units. Critical Care Medicine, 2004, 32, 126-30 A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. New England Journal of Medicine, 2003, 348, 394-402 Radiofrequency lesioning of dorsal root ganglia for chronic lumbosacral radicular pain: a	4.4 1.4 59.2	82 60 341
19 18 17	Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. Journal of Arthroplasty, 2004, 19, 302-9 Oral decontamination is cost-saving in the prevention of ventilator-associated pneumonia in intensive care units. Critical Care Medicine, 2004, 32, 126-30 A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. New England Journal of Medicine, 2003, 348, 394-402 Radiofrequency lesioning of dorsal root ganglia for chronic lumbosacral radicular pain: a randomised, double-blind, controlled trial. Lancet, The, 2003, 361, 21-6 Randomized comparison between stenting and off-pump bypass surgery in patients referred for	4.4 1.4 59.2 40	82 60 341 123
19 18 17 16	Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. Journal of Arthroplasty, 2004, 19, 302-9 Oral decontamination is cost-saving in the prevention of ventilator-associated pneumonia in intensive care units. Critical Care Medicine, 2004, 32, 126-30 A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. New England Journal of Medicine, 2003, 348, 394-402 Radiofrequency lesioning of dorsal root ganglia for chronic lumbosacral radicular pain: a randomised, double-blind, controlled trial. Lancet, The, 2003, 361, 21-6 Randomized comparison between stenting and off-pump bypass surgery in patients referred for angioplasty. Circulation, 2003, 108, 2870-6 The benefit of STent placement and blood pressure and lipid-lowering for the prevention of progression of renal dysfunction caused by Atherosclerotic ostial stenosis of the Renal artery. The	4.4 1.4 59.2 40 16.7	8 ₂ 6 ₀ 34 ¹ 12 ₃ 6 ₅

LIST OF PUBLICATIONS

11	Risk indicators for pressure ulcers during surgery. <i>Applied Nursing Research</i> , 2002 , 15, 163-73	1.8	61	
10	Early outcome after off-pump versus on-pump coronary bypass surgery: results from a randomized study. <i>Circulation</i> , 2001 , 104, 1761-6	16.7	393	
9	Attributable risk of common and rare determinants of subarachnoid hemorrhage. <i>Stroke</i> , 2001 , 32, 11	7365 ₇	96	
8	Cost-effectiveness of oral anticoagulants versus aspirin in patients after infrainguinal bypass grafting surgery. <i>Journal of Vascular Surgery</i> , 2001 , 34, 254-62	3.5	24	
7	Perimesencephalic hemorrhage and CT angiography: A decision analysis. <i>Stroke</i> , 2000 , 31, 2976-83	6.7	100	
6	The Octopus Study: rationale and design of two randomized trials on medical effectiveness, safety, and cost-effectiveness of bypass surgery on the beating heart. <i>Contemporary Clinical Trials</i> , 2000 , 21, 595-609		33	
5	Quality of life after infrainguinal bypass grafting surgery. Dutch Bypass Oral Anticoagulants or Aspirin (BOA) Study Group. <i>Journal of Vascular Surgery</i> , 1999 , 29, 913-9	3.5	53	
4	Arterial stenting and balloon angioplasty in ostial atherosclerotic renovascular disease: a randomised trial. <i>Lancet, The</i> , 1999 , 353, 282-6	40	477	
3	EuroQol values for economic modeling quality of life after infrainguinal bypass grafting surgery: a rectification. <i>Journal of Vascular Surgery</i> , 1999 , 30, 1162-3	3.5	7	
2	Intensive in-patient and community intervention versus routine care after attempted suicide. A randomised controlled intervention study. <i>British Journal of Psychiatry</i> , 1997 , 171, 35-41	5.4	95	
1	Cost-effectiveness of CT perfusion for patients with acute ischemic stroke (CLEOPATRA)-Study protocol for a healthcare evaluation study. <i>European Stroke Journal</i> ,239698732210925	5.6	О	