

Marco Vigano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5489049/marco-vigano-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

801
citations

19
h-index

26
g-index

63
ext. papers

1,111
ext. citations

4.5
avg, IF

4.43
L-index

#	Paper	IF	Citations
58	Adipose-Derived Stem/Stromal Cells, Stromal Vascular Fraction, and Microfragmented Adipose Tissue 2022 , 47-61		
57	Autologous Microfragmented Adipose Tissue for the Treatment of Knee Osteoarthritis: Real-World Data at Two Years Follow-Up.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
56	Exploratory assessment of serological tests to determine antibody titer against SARS-CoV-2: Appropriateness and limits.. <i>Journal of Clinical Laboratory Analysis</i> , 2022 , e24363	3	0
55	The effects of orthobiologics in the treatment of tendon pathologies: a systematic review of preclinical evidence.. <i>Journal of Experimental Orthopaedics</i> , 2022 , 9, 31	2.3	0
54	Italian Translation, Adaptation, and Validation of the Novel Satisfaction Measure Assessment after Primary Total Joint Arthroplasty: The Goodman Score Questionnaire. <i>Healthcare (Switzerland)</i> , 2022 , 10, 769	3.4	
53	Is CatonDeschamps Index Reliable and Reproducible in Preoperative Assessment of Patellar Height for Patellar Instability Surgery?. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 5251	2.6	
52	A single step, centrifuge-free method to harvest bone marrow highly concentrated in mesenchymal stem cells: results of a pilot trial. <i>International Orthopaedics</i> , 2021 , 1	3.8	1
51	Tendon Cells Derived From The Long Head Of The Biceps And The Supraspinatus Tendons Of Patients Affected By Rotator Cuff Tears Show Different Expression Of Inflammatory Markers. <i>Connective Tissue Research</i> , 2021 , 62, 570-579	3.3	0
50	Amniotic membrane-mesenchymal stromal cells secreted factors and extracellular vesicle-miRNAs: Anti-inflammatory and regenerative features for musculoskeletal tissues. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 1044-1062	6.9	8
49	Cartilage Protective and Immunomodulatory Features of Osteoarthritis Synovial Fluid-Treated Adipose-Derived Mesenchymal Stem Cells Secreted Factors and Extracellular Vesicles-Embedded miRNAs. <i>Cells</i> , 2021 , 10,	7.9	6
48	Adipose-Derived Mesenchymal Stromal Cells Treated with Interleukin 1 Beta Produced Chondro-Protective Vesicles Able to Fast Penetrate in Cartilage. <i>Cells</i> , 2021 , 10,	7.9	1
47	The Gender Impact Assessment among Healthcare Workers in the SARS-CoV-2 Vaccination-An Analysis of Serological Response and Side Effects. <i>Vaccines</i> , 2021 , 9,	5.3	25
46	Autologous microfragmented adipose tissue reduces inflammatory and catabolic markers in supraspinatus tendon cells derived from patients affected by rotator cuff tears. <i>International Orthopaedics</i> , 2021 , 45, 419-426	3.8	7
45	Classification of endplate lesions in the lumbar spine and association with risk factors, biochemistry, and genetics. <i>European Spine Journal</i> , 2021 , 30, 2231-2237	2.7	1
44	miR-103a-3p and miR-22-5p Are Reliable Reference Genes in Extracellular Vesicles From Cartilage, Adipose Tissue, and Bone Marrow Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 632440	5.8	3
43	Epidemiology of Posterior Cruciate Ligament Reconstructions in Italy: A 15-Year Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
42	Effect of the COVID-19 Outbreak on Pediatric PatientsSA admissions to the Emergency Department in an Italian Orthopedic Trauma Hub. <i>Children</i> , 2021 , 8,	2.8	2

41	Remote Management of Patients after Total Joint Arthroplasty via a Web-Based Registry during the COVID-19 Pandemic. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	6
40	Harmonization of six quantitative SARS-CoV-2 serological assays using sera of vaccinated subjects. <i>Clinica Chimica Acta</i> , 2021 , 522, 144-151	6.2	10
39	Management of Osteoarthritis During the COVID-19 Pandemic. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 719-729	6.1	8
38	Pain and Functional Scores in Patients Affected by Knee OA after Treatment with Pulsed Electromagnetic and Magnetic Fields: A Meta-Analysis. <i>Cartilage</i> , 2020 , 1947603520931168	3	4
37	Secreted Factors and EV-miRNAs Orchestrate the Healing Capacity of Adipose Mesenchymal Stem Cells for the Treatment of Knee Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	22
36	Inflammatory priming enhances mesenchymal stromal cell secretome potential as a clinical product for regenerative medicine approaches through secreted factors and EV-miRNAs: the example of joint disease. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 165	8.3	35
35	miRNA Reference Genes in Extracellular Vesicles Released from Amniotic Membrane-Derived Mesenchymal Stromal Cells. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
34	Graft Inclination Angles in Anterior Cruciate Ligament Reconstruction Vary Depending on Femoral Tunnel Reaming Method: Comparison Among Transtibial, Anteromedial Portal, and Outside-In Retrograde Drilling Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020 , 36, 1095-1102	5.4	12
33	A2A adenosine receptors are involved in the reparative response of tendon cells to pulsed electromagnetic fields. <i>PLoS ONE</i> , 2020 , 15, e0239807	3.7	
32	In Vitro Study of Extracellular Vesicles Migration in Cartilage-Derived Osteoarthritis Samples Using Real-Time Quantitative Multimodal Nonlinear Optics Imaging. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
31	Pulsed electromagnetic fields improve the healing process of Achilles tendinopathy: a pilot study in a rat model. <i>Bone and Joint Research</i> , 2020 , 9, 613-622	4.2	2
30	Lymphatic Cannulation for Lymph Sampling and Molecular Delivery. <i>Journal of Immunology</i> , 2019 , 203, 2339-2350	5.3	10
29	In Vitro Induction of Tendon-Specific Markers in Tendon Cells, Adipose- and Bone Marrow-Derived Stem Cells is Dependent on TGFB, BMP-12 and Ascorbic Acid Stimulation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	24
28	miR-22-5p and miR-29a-5p Are Reliable Reference Genes for Analyzing Extracellular Vesicle-Associated miRNAs in Adipose-Derived Mesenchymal Stem Cells and Are Stable under Inflammatory Priming Mimicking Osteoarthritis Condition. <i>Stem Cell Reviews and Reports</i> , 2019 , 15, 743-754	7.3	15
27	Insights into Inflammatory Priming of Adipose-Derived Mesenchymal Stem Cells: Validation of Extracellular Vesicles-Embedded miRNA Reference Genes as A Crucial Step for Donor Selection. <i>Cells</i> , 2019 , 8,	7.9	13
26	Identification of miRNA Reference Genes in Extracellular Vesicles from Adipose Derived Mesenchymal Stem Cells for Studying Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	25
25	Autologous Matrix-Induced Chondrogenesis (AMIC) and AMIC Enhanced by Autologous Concentrated Bone Marrow Aspirate (BMAC) Allow for Stable Clinical and Functional Improvements at up to 9 Years Follow-Up: Results from a Randomized Controlled Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	26
24	Interaction with hyaluronan matrix and miRNA cargo as contributors for in vitro potential of mesenchymal stem cell-derived extracellular vesicles in a model of human osteoarthritic synoviocytes. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 109	8.3	35

23	Human Diseased Articular Cartilage Contains a Mesenchymal Stem Cell-Like Population of Chondroprogenitors with Strong Immunomodulatory Responses. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	21
22	Mesenchymal stem cells in the treatment of articular cartilage degeneration: New biological insights for an old-timer cell. <i>Cytotherapy</i> , 2019 , 21, 1179-1197	4.8	35
21	Autologous Microfragmented Adipose Tissue Reduces the Catabolic and Fibrosis Response in an In Vitro Model of Tendon Cell Inflammation. <i>Stem Cells International</i> , 2019 , 2019, 5620286	5	4
20	Housekeeping Gene Stability in Human Mesenchymal Stem and Tendon Cells Exposed to Tenogenic Factors. <i>Tissue Engineering - Part C: Methods</i> , 2018 , 24, 360-367	2.9	12
19	Intratendinous adipose-derived stromal vascular fraction (SVF) injection provides a safe, efficacious treatment for Achilles tendinopathy: results of a randomized controlled clinical trial at a 6-month follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 2000-2010	5.5	77
18	Vitamin D β Effect on the Proliferation and Inflammation of Human Intervertebral Disc Cells in Relation to the Functional Vitamin D Receptor Gene FokI Polymorphism. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
17	Pulsed Electromagnetic Fields Improve Tenogenic Commitment of Umbilical Cord-Derived Mesenchymal Stem Cells: A Potential Strategy for Tendon Repair-An In Vitro Study. <i>Stem Cells International</i> , 2018 , 2018, 9048237	5	9
16	Evaluation of Different Seeding Methods for Cell-Seeded Collagen Matrix-Supported Autologous Chondrocyte Transplantation. <i>Joints</i> , 2018 , 6, 215-219	1.1	1
15	Rationale and pre-clinical evidences for the use of autologous cartilage micrografts in cartilage repair. <i>Journal of Orthopaedic Surgery and Research</i> , 2018 , 13, 279	2.8	7
14	Silk/Fibroin Microcarriers for Mesenchymal Stem Cell Delivery: Optimization of Cell Seeding by the Design of Experiment. <i>Pharmaceutics</i> , 2018 , 10,	6.4	11
13	Plasma vitamin D and osteo-cartilaginous markers in Italian males affected by intervertebral disc degeneration: Focus on seasonal and pathological trend of type II collagen degradation. <i>Clinica Chimica Acta</i> , 2017 , 471, 87-93	6.2	8
12	Fabrication of Innovative Silk/Alginate Microcarriers for Mesenchymal Stem Cell Delivery and Tissue Regeneration. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	28
11	High Levels of Circulating Type II Collagen Degradation Marker (CTX-II) Are Associated with Specific VDR Polymorphisms in Patients with Adult Vertebral Osteochondrosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	6
10	Validation of the Italian version of the Oxford Ankle Foot Questionnaire for children. <i>Quality of Life Research</i> , 2016 , 25, 117-23	3.7	12
9	Dose-Related and Time-Dependent Development of Collagenase-Induced Tendinopathy in Rats. <i>PLoS ONE</i> , 2016 , 11, e0161590	3.7	16
8	Mesenchymal stem cells as therapeutic target of biophysical stimulation for the treatment of musculoskeletal disorders. <i>Journal of Orthopaedic Surgery and Research</i> , 2016 , 11, 163	2.8	23
7	Onsets of complications and revisions are not increased after simultaneous bilateral unicompartamental knee arthroplasty in comparison with unilateral procedures. <i>International Orthopaedics</i> , 2015 , 39, 871-7	3.8	21
6	In vitro functional response of human tendon cells to different dosages of low-frequency pulsed electromagnetic field. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015 , 23, 3443-53	5.5	29

5	Multidifferentiation potential of human mesenchymal stem cells from adipose tissue and hamstring tendons for musculoskeletal cell-based therapy. <i>Regenerative Medicine</i> , 2015 , 10, 729-43	2.5	27
4	Soft-focused extracorporeal shock waves increase the expression of tendon-specific markers and the release of anti-inflammatory cytokines in an adherent culture model of primary human tendon cells. <i>Ultrasound in Medicine and Biology</i> , 2014 , 40, 1204-15	3.5	30
3	Low frequency pulsed electromagnetic field affects proliferation, tissue-specific gene expression, and cytokines release of human tendon cells. <i>Cell Biochemistry and Biophysics</i> , 2013 , 66, 697-708	3.2	56
2	Simultaneous bilateral total hip arthroplasties do not lead to higher complication or allogeneic transfusion rates compared to unilateral procedures. <i>International Orthopaedics</i> , 2013 , 37, 2125-30	3.8	28
1	Blood management and transfusion strategies in 600 patients undergoing total joint arthroplasty: an analysis of pre-operative autologous blood donation. <i>Blood Transfusion</i> , 2013 , 11, 370-6	3.6	19