

Claudia Sangalli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5489760/publications.pdf>

Version: 2024-02-01

24
papers

1,235
citations

516710

16
h-index

642732

23
g-index

24
all docs

24
docs citations

24
times ranked

1739
citing authors

#	ARTICLE	IF	CITATIONS
1	Myxofibrosarcoma: Prognostic Factors and Survival in a Series of Patients Treated at a Single Institution. <i>Annals of Surgical Oncology</i> , 2011, 18, 720-725.	1.5	199
2	Frontline extended surgery is associated with improved survival in retroperitoneal low- to intermediate-grade soft tissue sarcomas. <i>Annals of Oncology</i> , 2012, 23, 1067-1073.	1.2	180
3	Chordoma. <i>Current Opinion in Oncology</i> , 2007, 19, 367-370.	2.4	144
4	Set-up errors analyses in IMRT treatments for nasopharyngeal carcinoma to evaluate time trends, PTV and PRV margins. <i>Acta Oncol</i> , 2011, 50, 61-71.	1.8	107
5	Preoperative chemo-radiation therapy for localised retroperitoneal sarcoma: A phase II study from the Italian Sarcoma Group. <i>European Journal of Cancer</i> , 2014, 50, 784-792.	2.8	80
6	Head and neck soft tissue sarcomas: prognostic factors and outcome in a series of patients treated at a single institution. <i>Annals of Oncology</i> , 2013, 24, 2181-2189.	1.2	63
7	Feasibility of Preoperative Chemotherapy With or Without Radiation Therapy in Localized Soft Tissue Sarcomas of Limbs and Superficial Trunk in the Italian Sarcoma Group/Grupo Espaol de Investigaci3n en Sarcomas Randomized Clinical Trial: Three Versus Five Cycles of Full-Dose Epirubicin Plus Ifosfamide. <i>Journal of Clinical Oncology</i> , 2015, 33, 3628-3634.	1.6	59
8	Trabectedin and RAdiotherapy in Soft Tissue Sarcoma (TRASTS): Results of a Phase I Study in Myxoid Liposarcoma from Spanish (GEIS), Italian (ISG), French (FSG) Sarcoma Groups. <i>EclinicalMedicine</i> , 2019, 9, 35-43.	7.1	49
9	Effects of Treatment Intensification on Acute Local Toxicity During Radiotherapy for Head and Neck Cancer: Prospective Observational Study Validating CTCAE, Version 3.0, Scoring System. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 330-337.	0.8	48
10	Vascular resection en-bloc with tumor removal and graft reconstruction is safe and effective in soft tissue sarcoma (STS) of the extremities and retroperitoneum. <i>Surgical Oncology</i> , 2016, 25, 125-131.	1.6	41
11	Radiation-Induced Sarcoma of the Head and Neck: A Review of the Literature. <i>Frontiers in Oncology</i> , 2018, 8, 449.	2.8	39
12	Radiation Therapy as Sole Management for Solitary Fibrous Tumors (SFT): A Retrospective Study From the Global SFT Initiative in Collaboration With the Sarcoma Patients EuroNet. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 101, 1226-1233.	0.8	39
13	Extrameningeal solitary fibrous tumorsâ€”surgery alone or surgery plus perioperative radiotherapy: A retrospective study from the global solitary fibrous tumor initiative in collaboration with the Sarcoma Patients EuroNet. <i>Cancer</i> , 2020, 126, 3002-3012.	4.1	39
14	Best practices for the management of thymic epithelial tumors: A position paper by the Italian collaborative group for ThYmic MalignanciEs (TYME). <i>Cancer Treatment Reviews</i> , 2018, 71, 76-87.	7.7	38
15	Rhabdomyosarcoma in adults: analysis of treatment modalities in a prospective single-center series. <i>Medical Oncology</i> , 2019, 36, 59.	2.5	24
16	Adequate Local Control in High-Risk Soft Tissue Sarcoma of the Extremity Treated with Surgery Alone at a Reference Centre: Should Radiotherapy Still be a Standard?. <i>Annals of Surgical Oncology</i> , 2018, 25, 1536-1543.	1.5	22
17	Critical impact of radiotherapy protocol compliance and quality in the treatment of retroperitoneal sarcomas: Results from the EORTC 62092â€”22092 STRASS trial. <i>Cancer</i> , 2022, 128, 2796-2805.	4.1	14
18	Target Coverage in Head and Neck Cancer Treated with Intensity-Modulated Radiotherapy: A Comparison between Conventional and Conformal Techniques. <i>Tumori</i> , 2006, 92, 503-510.	1.1	11

#	ARTICLE	IF	CITATIONS
19	Intraperitoneal Invasion of Retroperitoneal Sarcomas: A Risk Factor for Dismal Prognosis. <i>Annals of Surgical Oncology</i> , 2019, 26, 3535-3541.	1.5	10
20	Treatment strategies and outcomes of primary Myxofibrosarcomas in a large patients cohort. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1723-1729.	1.0	10
21	Completion surgery of residual disease after primary inadequate surgery of retroperitoneal sarcomas can salvage a selected subgroup of patients'sâ€”A propensity score analysis. <i>Journal of Surgical Oncology</i> , 2019, 119, 318-323.	1.7	9
22	Solitary fibrous tumour presenting with a single bone metastasis: report of six cases and literature review. <i>Clinical Sarcoma Research</i> , 2016, 6, 16.	2.3	5
23	Refining the Approach to Patients with Primary Soft Tissue Sarcoma of the Extremities and Trunk Wall: Outcome Improvement Over Time at a Single Institution. <i>Annals of Surgical Oncology</i> , 2022, 29, 3274-3286.	1.5	5
24	The Role of Radiation Therapy in the Treatment of Retroperitoneal Sarcomas. <i>Updates in Surgery Series</i> , 2019, , 121-131.	0.1	0