

S. Morteza Seyed Jafari

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5490306/s-morteza-seyed-jafari-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

785

citations

15

h-index

26

g-index

75

ext. papers

1,175

ext. citations

4.2

avg, IF

4.56

L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 67 | Humoral and cellular responses to mRNA vaccines against SARS-CoV-2 in patients with a history of CD20 B-cell-depleting therapy (RituxiVac): an investigator-initiated, single-centre, open-label study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e789-e797 | 14.2 | 72 |
| 66 | Effect of fresh human amniotic membrane dressing on graft take in patients with chronic burn wounds compared with conventional methods. <i>Burns</i> , 2013 , 39, 349-53 | 2.3 | 64 |
| 65 | Siglec-9 Regulates an Effector Memory CD8 T-cell Subset That Congregates in the Melanoma Tumor Microenvironment. <i>Cancer Immunology Research</i> , 2019 , 7, 707-718 | 12.5 | 56 |
| 64 | Tumor-Infiltrating Lymphocytes and Their Prognostic Value in Cutaneous Melanoma. <i>Frontiers in Immunology</i> , 2020 , 11, 2105 | 8.4 | 53 |
| 63 | Human "T9" cells are a subpopulation of PPAR- γ 2 cells. <i>Science Immunology</i> , 2019 , 4, | 28 | 50 |
| 62 | IHC Optical Density Score: A New Practical Method for Quantitative Immunohistochemistry Image Analysis. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017 , 25, e12-e13 | 1.9 | 42 |
| 61 | Association of Hidradenitis Suppurativa With T Helper 1/T Helper 17 Phenotypes: A Semantic Map Analysis. <i>JAMA Dermatology</i> , 2018 , 154, 592-595 | 5.1 | 33 |
| 60 | Apremilast in the treatment of moderate to severe hidradenitis suppurativa: A case series of 9 patients. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 1189-1191 | 4.5 | 31 |
| 59 | Efficacy of debridement and wound cleansing with 2% hydrogen peroxide on graft take in the chronic-colonized burn wounds; a randomized controlled clinical trial. <i>Burns</i> , 2013 , 39, 1131-6 | 2.3 | 30 |
| 58 | Salivary gland macrophages and tissue-resident CD8 T cells cooperate for homeostatic organ surveillance. <i>Science Immunology</i> , 2020 , 5, | 28 | 28 |
| 57 | Improvement of Flap Necrosis in a Rat Random Skin Flap Model by In Vivo Electroporation-Mediated HGF Gene Transfer. <i>Plastic and Reconstructive Surgery</i> , 2017 , 139, 1116e-1127e | 2.7 | 25 |
| 56 | Canakinumab for Severe Hidradenitis Suppurativa: Preliminary Experience in 2 Cases. <i>JAMA Dermatology</i> , 2017 , 153, 1195-1197 | 5.1 | 25 |
| 55 | New approach for virtual surgical planning and mandibular reconstruction using a fibula free flap. <i>Oral Oncology</i> , 2016 , 59, e6-e9 | 4.4 | 24 |
| 54 | Application of electrochemotherapy in the management of primary and metastatic cutaneous malignant tumours: a systematic review and meta-analysis. <i>European Journal of Dermatology</i> , 2018 , 28, 287-313 | 0.8 | 20 |
| 53 | Melanoma of the nail apparatus: a systematic review and meta-analysis of current challenges and prognosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 967-976 | 4.6 | 15 |
| 52 | Effects of Omalizumab on Fc γ RI and IgE Expression in Lesional Skin of Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2019 , 10, 1919 | 8.4 | 14 |
| 51 | Hidradenitis Suppurativa: Current Understanding of Pathogenic Mechanisms and Suggestion for Treatment Algorithm. <i>Frontiers in Medicine</i> , 2020 , 7, 68 | 4.9 | 14 |

| | | | |
|----|--|-----|----|
| 50 | Case Report: Combination of Omalizumab and Dupilumab for Recalcitrant Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2020 , 11, 611549 | 8.4 | 14 |
| 49 | Relative indexes of cutaneous blood perfusion measured by real-time laser Doppler imaging (LDI) in healthy volunteers. <i>Microvascular Research</i> , 2014 , 94, 1-6 | 3.7 | 13 |
| 48 | In vivo confocal microscopy efficacy assessment of daylight photodynamic therapy in actinic keratosis patients. <i>British Journal of Dermatology</i> , 2016 , 175, 375-81 | 4 | 13 |
| 47 | A Retrospective Cohort Study on Patients with Hidradenitis Suppurativa. <i>Dermatology</i> , 2018 , 234, 71-78 | 4.4 | 12 |
| 46 | A retrospective study of 1- versus 2-cm excision margins for cutaneous malignant melanomas thicker than 2 mm. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 1054-9 | 4.5 | 11 |
| 45 | Excision of fascia in melanoma thicker than 2 mm: no evidence for improved clinical outcome. <i>British Journal of Dermatology</i> , 2014 , 171, 1391-6 | 4 | 11 |
| 44 | Post-operative monitoring of free muscle transfers by Laser Doppler Imaging: A prospective study. <i>Microsurgery</i> , 2015 , 35, 528-35 | 2.1 | 10 |
| 43 | Stereographic measurement of orbital volume, a digital reproducible evaluation method. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1431-1435 | 5.5 | 9 |
| 42 | Self-Burns in Fars Province, Southern Iran. <i>World Journal of Plastic Surgery</i> , 2016 , 5, 32-6 | 0.8 | 9 |
| 41 | Evaluation of Medical Students Attitudes and Performance of Basic Surgery Skills in a Training Program Using Fresh Human skin, Excised During Body Contouring Surgeries. <i>Journal of Surgical Education</i> , 2015 , 72, 868-74 | 3.4 | 7 |
| 40 | IL-32 potentiates tumor immunity in melanoma. <i>JCI Insight</i> , 2020 , 5, | 9.9 | 7 |
| 39 | Effect of burn sites (upper and lower body parts) and gender on extensive burns mortality. <i>Iranian Journal of Medical Sciences</i> , 2015 , 40, 166-9 | 1.2 | 7 |
| 38 | A Retrospective Cohort Study on Patients with Lentigo Maligna Melanoma. <i>Dermatology</i> , 2019 , 235, 340-345 | 4.4 | 4 |
| 37 | Efficacy of In Vivo Electroporation-Mediated IL-10 Gene Delivery on Survival of Skin Flaps. <i>Journal of Membrane Biology</i> , 2018 , 251, 211-219 | 2.3 | 4 |
| 36 | Trichoepithelioma: a rare but crucial dermatologic issue. <i>World Journal of Plastic Surgery</i> , 2014 , 3, 142-5 | 0.8 | 4 |
| 35 | Surgical excision followed by low dose rate radiotherapy in the management of resistant keloids. <i>World Journal of Plastic Surgery</i> , 2013 , 2, 81-6 | 0.8 | 4 |
| 34 | Detection of bla _{PER-1} & bla _{Oxa10} among imipenem resistant isolates of <i>Pseudomonas aeruginosa</i> isolated from burn patients hospitalized in Shiraz Burn Hospital. <i>Iranian Journal of Microbiology</i> , 2015 , 7, 7-11 | 0.9 | 4 |
| 33 | Nonavalent Human Papillomavirus Vaccination as a Treatment for Skin Warts in Immunosuppressed Adults: A Case Series. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00078 | 2.2 | 4 |

| | | | |
|----|---|-----|---|
| 32 | BIF-1 inhibits both mitochondrial and glycolytic ATP production: its downregulation promotes melanoma growth. <i>Oncogene</i> , 2020 , 39, 4944-4955 | 9.2 | 3 |
| 31 | Sentinel lymph node biopsy in thick malignant melanoma: A 16-year single unit experience. <i>European Journal of Dermatology</i> , 2015 , 25, 472-6 | 0.8 | 3 |
| 30 | Longitudinal analysis of antibody trajectories and humoral responses to a third dose of mRNA vaccines against SARS-CoV-2 in patients with a history of anti-CD20 therapy (RituxiVac 2.0) | | 3 |
| 29 | Prognostic value of sentinel lymph node biopsy in melanomas of different Breslow@ thickness. <i>Swiss Medical Weekly</i> , 2016 , 146, w14358 | 3.1 | 3 |
| 28 | Evaluation of the National Skin Cancer Campaign: a Swiss experience of Euromelanoma. <i>Swiss Medical Weekly</i> , 2017 , 147, w14511 | 3.1 | 3 |
| 27 | Long-Term Effectiveness and Drug Survival of Apremilast in Treating Psoriasis: A Real-World Experience. <i>Dermatology</i> , 2021 , 1-9 | 4.4 | 3 |
| 26 | Confocal Microscopy and Lentigo Maligna: An in vivo Pilot Study for the Assessment of Response to Imiquimod Therapy. <i>Dermatology</i> , 2019 , 235, 150-155 | 4.4 | 3 |
| 25 | Correlation of Vascular Endothelial Growth Factor subtypes and their receptors with melanoma progression: A next-generation Tissue Microarray (ngTMA) automated analysis. <i>PLoS ONE</i> , 2018 , 13, e0207019 ³ | 2.7 | 3 |
| 24 | Trajectories of humoral and cellular immunity and responses to a third dose of mRNA vaccines against SARS-CoV-2 in patients with a history of anti-CD20 therapy.. <i>RMD Open</i> , 2022 , 8, | 5.9 | 3 |
| 23 | Nonavalent human papillomavirus vaccination as alternative treatment for genital warts. <i>Dermatologic Therapy</i> , 2020 , 33, e13771 | 2.2 | 2 |
| 22 | Skin hyperpigmentation index: a new practical method for unbiased automated quantification of skin hyperpigmentation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e334-e336 | 4.6 | 2 |
| 21 | ATG5 and ATG7 Expression Levels Are Reduced in Cutaneous Melanoma and Regulated by NRF1. <i>Frontiers in Oncology</i> , 2021 , 11, 721624 | 5.3 | 2 |
| 20 | Development of Extragenital Lichen Sclerosus in Malignant Melanoma Patients Treated With Ipilimumab in Combination With Nivolumab. <i>Frontiers in Oncology</i> , 2020 , 10, 573527 | 5.3 | 1 |
| 19 | Laser doppler imaging as additional monitoring after digital replanting: A prospective study. <i>Microsurgery</i> , 2018 , 38, 627-633 | 2.1 | 1 |
| 18 | Successful Treatment of Iatrogenic Cutaneous Siderosis with Pigment Lasers: A Retrospective Study in 15 Consecutive Patients. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00148 | 2.2 | 1 |
| 17 | Metabolic effects of tourniquet application in burn patients. <i>World Journal of Plastic Surgery</i> , 2014 , 3, 24-8 | 0.8 | 1 |
| 16 | Effect of topical application of platelet-rich plasma on chronic venous leg ulcerations. <i>Dermatologic Therapy</i> , 2021 , e15236 | 2.2 | 1 |
| 15 | Photodynamic therapy as an alternative treatment for mycosis fungoides: a systemic review and meta-analysis. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018 , 153, 827-832 | 0.8 | 1 |

| | | | |
|----|--|-----|---|
| 14 | Efficacy of Combined Electroporation-Mediated Gene Transfer of VEGF, HGF, and IL-10 on Skin Flap Survival, Monitored by Label-Free Optical Imaging: A Feasibility Study. <i>Frontiers in Surgery</i> , 2021 , 8, 639661 | 2.3 | 1 |
| 13 | Development of pemphigus vulgaris following mRNA SARS-CoV-19 BNT162b2 vaccination in an 89-year-old patient.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , | 4.6 | 1 |
| 12 | Association of Vascular Endothelial Growth Factor Subtypes with Melanoma PatientsQ Characteristics and Survival: A Semantic Connectivity Map Analysis. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00019 | 2.2 | 0 |
| 11 | The skin hyperpigmentation index: An objective method of measuring the intensity of hyperpigmentation after sclerotherapy. <i>Phlebology</i> , 2020 , 35, 833-835 | 2 | 0 |
| 10 | Skin Hyperpigmentation Index Facilitating Quantification of Hyperpigmentation in Clinical Practice. <i>Dermatology</i> , 2021 , 237, 486-488 | 4.4 | 0 |
| 9 | Reliability Assessment and Validation of the Skin Hyperpigmentation Index Compared to the Physician Global Assessment Score.. <i>Dermatology</i> , 2021 , 1-4 | 4.4 | 0 |
| 8 | Lack of strong evidence with regard to the depth of thick melanoma excision. <i>British Journal of Dermatology</i> , 2015 , 173, 1095 | 4 | |
| 7 | Biodegradable staples, a needed revolution in burn future. <i>Burns</i> , 2012 , 38, 944 | 2.3 | |
| 6 | Non-contrast-enhanced 3-Tesla Magnetic Resonance Imaging Using Surface-coil and Sonography for Assessment of Hidradenitis Suppurativa Lesions. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00317 | 2.2 | |
| 5 | Unpredicted Disasters Such as Coronavirus Disease (COVID-19) Highlight the Importance of Tele dermatology. <i>Dermatology</i> , 2021 , 237, 15-16 | 4.4 | |
| 4 | Effects of recombinant human erythropoietin on revascularization of full thickness skin grafts in rat. <i>Iranian Red Crescent Medical Journal</i> , 2014 , 16, e8867 | 1.3 | |
| 3 | Spontaneous Fracture of the Humerus 18 Months after a High Voltage Electrical Injury: A Case Report. <i>Oman Medical Journal</i> , 2014 , 29, e068 | 1.4 | |
| 2 | Melanoma of the Nail Apparatus: An Analysis of PatientsQ Survival and Associated Factors. <i>Dermatology</i> , 2021 , 1-5 | 4.4 | |
| 1 | Efficacy Assessment of the High-Frequency High-Intensity Focused Ultrasound as a New Treatment for Actinic Keratosis.. <i>Dermatology</i> , 2021 , 1-6 | 4.4 | |