Ashish Tewari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5490512/publications.pdf Version: 2024-02-01



Δεμιεή Τεγλλαι

#	Article	IF	CITATIONS
1	Human Influence on Banj Oak (<i>Quercus leucotrichophora</i> , A. Camus) Forests of Central Himalaya. Journal of Sustainable Forestry, 2014, 33, 373-386.	1.4	30
2	Physical attributes as indicator of seed maturity and germination enhancement in Himalayan Wild Cherry (Prunus cerasoides D. Don.). New Forests, 2011, 41, 139-146.	1.7	15
3	Carbon sequestration in Chir-Pine (Pinus roxburghii Sarg.) forests under various disturbance levels in Kumaun Central Himalaya. Journal of Forestry Research, 2014, 25, 401-405.	3.6	13
4	Seed Maturation Indicators in Pyracantha crenulata Roxb. in Kumaun Central Himalaya. New Forests, 2006, 32, 1-7.	1.7	12
5	Carbon storage capacity of high altitude <i>Quercus semecarpifolia</i> , forests of Central Himalayan region. Scandinavian Journal of Forest Research, 2012, 27, 609-618.	1.4	12
6	Seed maturity indicators in Myrica esculenta, Buch-Ham. Ex. D.Don.: a multipurpose tree species of subtropical-temperate Himalayan region. New Forests, 2010, 40, 9-18.	1.7	10
7	Impact of chronic elevated ozone exposure on photosynthetic traits and anti-oxidative defense responses of Leucaena leucocephala (Lam.) de wit tree under field conditions. Science of the Total Environment, 2021, 782, 146907.	8.0	9
8	Alterations in growth, photosynthetic activity and tissue-water relations of tea clones in response to different soil moisture content. Trees - Structure and Function, 2017, 31, 941-952.	1.9	8
9	Assessment of fuelwood resource preference in representative watershed of west Himalaya, India: conservation and management implications. Environment, Development and Sustainability, 2020, 22, 1617-1632.	5.0	7
10	Local level community forest management an effective tool in conserving forest biodiversity. Russian Journal of Ecology, 2011, 42, 388-394.	0.9	5
11	Vertical root distribution in Himalayan trees: about half of roots occur below 30Âcm, the generally sampled depth. Tropical Ecology, 2021, 62, 479-491.	1.2	5
12	Diversity, Distribution, Indigenous uses and Conservation of Medicinal Plants in Naina Devi Sacred Shrine and Surroundings, Bilaspur, Himachal Pradesh, North Western Himalaya. Journal of Non-timber Forest Products, 2021, 27, 125-138.	0.1	3
13	Bark thickness analysis of four dominant tree species of Central Himalayan forests varying in exposure to surface fires. Trees - Structure and Function, 0, , 1.	1.9	2
14	Irregularity in frequency of mast seed years in Quercus floribunda a late successional species of Central Himalaya. Russian Journal of Ecology, 2009, 40, 482-485.	0.9	1
15	Fine root biomass, productivity and turnover in two contrasting aspects in natural Chir Pine (Pinus) Tj ETQq1	1 0.784314	rgBT /Overloo
16	Patterns of Phenological Characteristics of Important Tree Species of Kumaun Himalaya. Current World Environment Journal, 2021, 16, 151-157.	0.5	1
17	Reliable Physical Parameters for Determining Fruit/Seed Maturity Timing of Ficus semicordata Buch. in Kumaun Region of Central Himalaya. Current World Environment Journal, 2020, , 176-185.	0.5	0
18	Water Relations of Two Adjacently Growing Tree Species Shorea Robusta Gaertn-and Pinus Roxburbhii Sarg-in the Lower Himalayan Region. Current World Environment Journal, 2020, 15, 446-453.	0.5	0

#	Article	IF	CITATIONS
19	Variation in Tree Layer Composition Across Mid and Higher Elevation Forest Sites in Kumaun Himalayan Region, Uttarakhand. Current World Environment Journal, 2021, 16, 733-739.	0.5	0