

Geoffrey Fatti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5491010/geoffrey-fatti-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

829
citations

15
h-index

26
g-index

63
ext. papers

1,001
ext. citations

4.5
avg, IF

4
L-index

#	Paper	IF	Citations
59	Better antiretroviral therapy outcomes at primary healthcare facilities: an evaluation of three tiers of ART services in four South African provinces. <i>PLoS ONE</i> , 2010 , 5, e12888	3.7	90
58	Improved survival and antiretroviral treatment outcomes in adults receiving community-based adherence support: 5-year results from a multicentre cohort study in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 61, e50-8	3.1	76
57	Community adherence support improves programme retention in children on antiretroviral treatment: a multicentre cohort study in South Africa. <i>Journal of the International AIDS Society</i> , 2012 , 15, 17381	5.4	58
56	Adolescent and young pregnant women at increased risk of mother-to-child transmission of HIV and poorer maternal and infant health outcomes: A cohort study at public facilities in the Nelson Mandela Bay Metropolitan district, Eastern Cape, South Africa. <i>South African Medical Journal</i> , 2014 , 104, 874-80	1.5	42
55	Improved virological suppression in children on antiretroviral treatment receiving community-based adherence support: a multicentre cohort study from South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014 , 26, 448-53	2.2	36
54	The first 5 years of the family clinic for HIV at Tygerberg Hospital: family demographics, survival of children and early impact of antiretroviral therapy. <i>Journal of Tropical Pediatrics</i> , 2006 , 52, 3-11	1.2	34
53	Temporal trends in baseline characteristics and treatment outcomes of children starting antiretroviral treatment: an analysis in four provinces in South Africa, 2004-2009. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 58, e60-7	3.1	32
52	From Easing Lockdowns to Scaling Up Community-based Coronavirus Disease 2019 Screening, Testing, and Contact Tracing in Africa-Shared Approaches, Innovations, and Challenges to Minimize Morbidity and Mortality. <i>Clinical Infectious Diseases</i> , 2021 , 72, 327-331	11.6	28
51	Antiretroviral treatment outcomes amongst older adults in a large multicentre cohort in South Africa. <i>PLoS ONE</i> , 2014 , 9, e100273	3.7	25
50	Outcomes of Three- Versus Six-Monthly Dispensing of Antiretroviral Treatment (ART) for Stable HIV Patients in Community ART Refill Groups: A Cluster-Randomized Trial in Zimbabwe. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 162-172	3.1	24
49	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. <i>Clinical Infectious Diseases</i> , 2017 , 65, 1316-1326	11.6	23
48	Clinical indicators of <i>Pneumocystis jiroveci</i> pneumonia (PCP) in South African children infected with the human immunodeficiency virus. <i>International Journal of Infectious Diseases</i> , 2006 , 10, 282-5	10.5	20
47	The effectiveness and cost-effectiveness of community-based support for adolescents receiving antiretroviral treatment: an operational research study in South Africa. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 1, e25041	5.4	19
46	The effect of patient load on antiretroviral treatment programmatic outcomes at primary health care facilities in South Africa: a multicohort study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 58, e17-9	3.1	16
45	Incidence of Tuberculosis Among HIV-Positive Individuals Initiating Antiretroviral Treatment at Higher CD4 Counts in the HPTN 071 (PopART) Trial in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 77, 93-101	3.1	15
44	Progress of preventing mother-to-child transmission of HIV at primary healthcare facilities and district hospitals in three South African provinces. <i>South African Medical Journal</i> , 2012 , 102, 81-3	1.5	15
43	Twelve-Month Outcomes of Community-Based Differentiated Models of Multimonth Dispensing of ART Among Stable HIV-Infected Adults in Lesotho: A Cluster-Randomized Noninferiority Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 280-291	3.1	15

42	Improved long-term antiretroviral treatment outcomes amongst patients receiving community-based adherence support in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28, 1365-72	2.2	15
41	Kaposi Sarcoma Risk in HIV-Infected Children and Adolescents on Combination Antiretroviral Therapy From Sub-Saharan Africa, Europe, and Asia. <i>Clinical Infectious Diseases</i> , 2016 , 63, 1245-1253	11.6	15
40	Increased vulnerability of rural children on antiretroviral therapy attending public health facilities in South Africa: a retrospective cohort study. <i>Journal of the International AIDS Society</i> , 2010 , 13, 46	5.4	14
39	Outcomes of community-based differentiated models of multi-month dispensing of antiretroviral medication among stable HIV-infected patients in Lesotho: a cluster randomised non-inferiority trial protocol. <i>BMC Public Health</i> , 2018 , 18, 1069	4.1	14
38	Low HIV incidence in pregnant and postpartum women receiving a community-based combination HIV prevention intervention in a high HIV incidence setting in South Africa. <i>PLoS ONE</i> , 2017 , 12, e0181693	3.7	13
37	Implementation of "Treat-all" at adult HIV care and treatment sites in the Global leDEA Consortium: results from the Site Assessment Survey. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25331	5.4	13
36	Retention in care and factors critical for effectively implementing antiretroviral adherence clubs in a rural district in South Africa. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25396	5.4	12
35	Has the phasing out of stavudine in accordance with changes in WHO guidelines led to a decrease in single-drug substitutions in first-line antiretroviral therapy for HIV in sub-Saharan Africa?. <i>Aids</i> , 2017 , 31, 147-157	3.5	12
34	Antiretroviral adherence interventions in Southern Africa: implications for using HIV treatments for prevention. <i>Current HIV/AIDS Reports</i> , 2014 , 11, 63-71	5.9	11
33	Attrition when providing antiretroviral treatment at CD4 counts >500cells/ μ L at three government clinics included in the HPTN 071 (PopART) trial in South Africa. <i>PLoS ONE</i> , 2018 , 13, e0195127	3.7	11
32	Incidence of switching to second-line antiretroviral therapy and associated factors in children with HIV: an international cohort collaboration. <i>Lancet HIV</i> , 2019 , 6, e105-e115	7.8	10
31	Reducing CD4 Monitoring in Children on Antiretroviral Therapy With Virologic Suppression. <i>Pediatric Infectious Disease Journal</i> , 2015 , 34, 1361-4	3.4	9
30	Economic evaluation of differentiated service delivery models for HIV treatment in Lesotho: costs to providers and patients. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25692	5.4	9
29	Better Virological Outcomes Among People Living With Human Immunodeficiency Virus (HIV) Initiating Early Antiretroviral Treatment (CD4 Counts \geq 500 Cells/ μ L) in the HIV Prevention Trials Network 071 (PopART) Trial in South Africa. <i>Clinical Infectious Diseases</i> , 2020 , 70, 395-403	11.6	9
28	Impact of Ideal Clinic Implementation on patient waiting time in primary healthcare clinics in KwaZulu-Natal Province, South Africa: A before-and-after evaluation. <i>South African Medical Journal</i> , 2018 , 108, 311	1.5	9
27	The effectiveness and cost-effectiveness of 3- vs. 6-monthly dispensing of antiretroviral treatment (ART) for stable HIV patients in community ART-refill groups in Zimbabwe: study protocol for a pragmatic, cluster-randomized trial. <i>Trials</i> , 2018 , 19, 79	2.8	7
26	Implementation and Operational Research: Risk Charts to Guide Targeted HIV-1 Viral Load Monitoring of ART: Development and Validation in Patients From Resource-Limited Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 70, e110-9	3.1	7
25	An innovative approach to improve the quality of prevention of mother-to-child transmission of HIV programs through nurse clinical mentoring in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, e76-8	3.1	7

24	Comparing the effectiveness of efavirenz and nevirapine for first-line antiretroviral therapy in a South African multicentre cohort. <i>International Health</i> , 2013 , 5, 132-8	2.4	7
23	Earlier Antiretroviral Therapy Initiation and Decreasing Mortality Among HIV-infected Infants Initiating Antiretroviral Therapy Within 3 Months of Age in South Africa, 2006-2017. <i>Pediatric Infectious Disease Journal</i> , 2020 , 39, 127-133	3.4	7
22	Trends in CD4 and viral load testing 2005 to 2018: multi-cohort study of people living with HIV in Southern Africa. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25546	5.4	7
21	Medication Side Effects and Retention in HIV Treatment: A Regression Discontinuity Study of Tenofovir Implementation in South Africa and Zambia. <i>American Journal of Epidemiology</i> , 2018 , 187, 1990-2001 ⁶	2.8	6
20	Effectiveness of community-based support for pregnant women living with HIV: a cohort study in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28 Suppl 1, 114-8	2.2	5
19	Characterizing the double-sided cascade of care for adolescents living with HIV transitioning to adulthood across Southern Africa. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25447	5.4	4
18	Assembling an effective paediatric HIV treatment and prevention toolkit. <i>The Lancet Global Health</i> , 2014 , 2, e395-6	13.6	4
17	The where, when, and how of community-based versus clinic-based ART delivery in South Africa and Uganda. <i>The Lancet Global Health</i> , 2020 , 8, e1245-e1246	13.6	4
16	Outcomes of second-line antiretroviral therapy among children living with HIV: a global cohort analysis. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25477	5.4	4
15	Implementation and Operational Research: A Comparison of Two Task-Shifting Models of Pharmaceutical Care in Antiretroviral Treatment Programs in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 71, e107-13	3.1	3
14	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25200	5.4	3
13	Recording of HIV viral loads and viral suppression in South African patients receiving antiretroviral treatment: a multicentre cohort study. <i>Antiviral Therapy</i> , 2020 , 25, 257-266	1.6	2
12	Community-based differentiated service delivery models incorporating multi-month dispensing of antiretroviral treatment for newly stable people living with HIV receiving single annual clinical visits: a pooled analysis of two cluster-randomized trials in southern Africa. <i>Journal of the International AIDS Society</i> , 2021 , 24 Suppl 6, e25819	5.4	2
11	Economic evaluation of a cluster randomized, non-inferiority trial of differentiated service delivery models of HIV treatment in Zimbabwe		2
10	Renal dysfunction by baseline CD4 cell count in a cohort of adults starting antiretroviral treatment regardless of CD4 count in the HIV Prevention Trials Network 071 [HPTN 071; Population Effect of Antiretroviral Therapy to Reduce HIV Transmission (PopART)] study in South Africa. <i>HIV Medicine</i> , 2019 , 20, 392-403	2.7	1
9	Virologic non-suppression and early loss to follow up among pregnant and non-pregnant adolescents aged 15-19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study. <i>Journal of the International AIDS Society</i> , 2022 , 25, e25870	5.4	1
8	Thank Martin Luther that ciprofloxacin could cure your gonorrhoea? Ecological association between Protestantism and antimicrobial consumption in 30 European countries. <i>F1000Research</i> , 2020 , 9, 1200 ⁶	3.6	1
7	A mechanistic model for long-term immunological outcomes in South African HIV-infected children and adults receiving ART. <i>ELife</i> , 2021 , 10,	8.9	1

6	Characteristics and outcomes of adolescents living with perinatally acquired HIV within Southern Africa. <i>Aids</i> , 2020 , 34, 2275-2284	3.5	o
5	Temporal Trends in Co-trimoxazole Use Among Children on Antiretroviral Therapy and the Impact of Co-trimoxazole on Mortality Rates in Children Without Severe Immunodeficiency. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2019 , 8, 450-460	4.8	o
4	Virologic response to efavirenz-based first-line antiretroviral therapy in children with previous exposure to antiretrovirals to prevent mother-to-child transmission. <i>PLoS ONE</i> , 2020 , 15, e0233693	3.7	
3	South African National Adherence Guidelines: need for revision?. <i>Tropical Medicine and International Health</i> , 2019 , 24, 1260-1262	2.3	
2	Out-of-Facility Multimonth Dispensing of Antiretroviral Treatment: A Pooled Analysis Using Individual Patient Data From Cluster-Randomized Trials in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 477-486	3.1	
1	Thank Martin Luther that ciprofloxacin could cure your gonorrhoea? Ecological association between Protestantism and antimicrobial consumption in 30 European countries. <i>F1000Research</i> , 9, 1200 ^{3.6}		