
## Mia Bendix

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5491528/publications.pdf Version: 2024-02-01



MIA RENDIX

#	Article	IF	CITATIONS
1	Oral vitamin D3 supplementation reduces monocyte-derived dendritic cell maturation and cytokine production in Crohn's disease patients. Inflammopharmacology, 2014, 22, 95-103.	3.9	42
2	Current, experimental, and future treatments in inflammatory bowel disease: a clinical review. Immunopharmacology and Immunotoxicology, 2018, 40, 446-460.	2.4	30
3	Vitamin D increases programmed death receptor-1 expression in Crohn's disease. Oncotarget, 2017, 8, 24177-24186.	1.8	26
4	Casein glycomacropeptide for active distal ulcerative colitis: a randomized pilot study. European Journal of Clinical Investigation, 2016, 46, 555-563.	3.4	25
5	Flow cytometry detection of vitamin D receptor changes during vitamin D treatment in Crohn's disease. Clinical and Experimental Immunology, 2015, 181, 19-28.	2.6	16
6	Seven Weeks of High-Dose Vitamin D Treatment Reduces the Need for Infliximab Dose-Escalation and Decreases Inflammatory Markers in Crohn's Disease during One-Year Follow-Up. Nutrients, 2021, 13, 1083.	4.1	12
7	High-dose vitamin D3 supplementation decreases the number of colonic CD103+ dendritic cells in healthy subjects. European Journal of Nutrition, 2018, 57, 2607-2619.	3.9	11
8	Decrease in Mucosal IL17A, IFNγ and IL10 Expressions in Active Crohn's Disease Patients Treated with High-Dose Vitamin D Alone or Combined with Infliximab. Nutrients, 2020, 12, 3699.	4.1	11
9	Administration of Panobinostat Is Associated with Increased IL-17A mRNA in the Intestinal Epithelium of HIV-1 Patients. Mediators of Inflammation, 2015, 2015, 1-11.	3.0	10
10	Paediatric Crohn's Disease Patients Have Increased Inflammatory Markers Compared to Adult Patients prior to Biological Treatment. GastroHep, 2022, 2022, 1-11.	0.6	0