

# Min Hong

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5492056/min-hong-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61

papers

3,920

citations

34

h-index

62

g-index

63

ext. papers

4,816

ext. citations

13.4

avg, IF

5.92

L-index

#	Paper	IF	Citations
61	A Heterostructure Coupling of Exfoliated Ni-Fe Hydroxide Nanosheet and Defective Graphene as a Bifunctional Electrocatalyst for Overall Water Splitting. <i>Advanced Materials</i> , <b>2017</b> , 29, 1700017	24	651
60	n-Type Bi <sub>2</sub> Te <sub>3</sub> -xSex Nanoplates with Enhanced Thermoelectric Efficiency Driven by Wide-Frequency Phonon Scatterings and Synergistic Carrier Scatterings. <i>ACS Nano</i> , <b>2016</b> , 10, 4719-27	16.7	235
59	Realizing zT of 2.3 in Ge Sb In Te via Reducing the Phase-Transition Temperature and Introducing Resonant Energy Doping. <i>Advanced Materials</i> , <b>2018</b> , 30, 1705942	24	228
58	High-performance thermoelectric Cu <sub>2</sub> Se nanoplates through nanostructure engineering. <i>Nano Energy</i> , <b>2015</b> , 16, 367-374	17.1	169
57	Enhanced Thermoelectric Performance of Nanostructured Bi <sub>2</sub> Te <sub>3</sub> through Significant Phonon Scattering. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 23694-9	9.5	155
56	Strong Phonon-Phonon Interactions Securing Extraordinary Thermoelectric GeSb Te with Zn-Alloying-Induced Band Alignment. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 1742-1748	16.4	145
55	Thermoelectric GeTe with Diverse Degrees of Freedom Having Secured Superhigh Performance. <i>Advanced Materials</i> , <b>2019</b> , 31, e1807071	24	134
54	Arrays of Planar Vacancies in Superior Thermoelectric Ge <sub>1-x</sub> Cd <sub>x</sub> Bi <sub>y</sub> Te with Band Convergence. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1801837	21.8	116
53	High-Performance PEDOT:PSS Flexible Thermoelectric Materials and Their Devices by Triple Post-Treatments. <i>Chemistry of Materials</i> , <b>2019</b> , 31, 5238-5244	9.6	102
52	Achieving zT > 2 in p-Type AgSbTe <sub>2-x</sub> Sex Alloys via Exploring the Extra Light Valence Band and Introducing Dense Stacking Faults. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1702333	21.8	100
51	High Thermoelectric Performance in p-type Polycrystalline Cd-doped SnSe Achieved by a Combination of Cation Vacancies and Localized Lattice Engineering. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1803242	21.8	99
50	Boosting the thermoelectric performance of p-type heavily Cu-doped polycrystalline SnSe inducing intensive crystal imperfections and defect phonon scattering. <i>Chemical Science</i> , <b>2018</b> , 9, 7376-7389	9.4	91
49	Rashba Effect Maximizes Thermoelectric Performance of GeTe Derivatives. <i>Joule</i> , <b>2020</b> , 4, 2030-2043	27.8	90
48	BixSb <sub>2-x</sub> Te <sub>3</sub> nanoplates with enhanced thermoelectric performance due to sufficiently decoupled electronic transport properties and strong wide-frequency phonon scatterings. <i>Nano Energy</i> , <b>2016</b> , 20, 144-155	17.1	88
47	n-type Bi-doped PbTe Nanocubes with Enhanced Thermoelectric Performance. <i>Nano Energy</i> , <b>2017</b> , 31, 105-112	17.1	84
46	Establishing the Golden Range of Seebeck Coefficient for Maximizing Thermoelectric Performance. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 2672-2681	16.4	82
45	Achieving high Figure of Merit in p-type polycrystalline Sn <sub>0.98</sub> Se via self-doping and anisotropy-strengthening. <i>Energy Storage Materials</i> , <b>2018</b> , 10, 130-138	19.4	79

44	Computer-aided design of high-efficiency GeTe-based thermoelectric devices. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 1856-1864	35.4	73
43	Enhancing the thermoelectric performance of SnSe <sub>1-x</sub> Tex nanoplates through band engineering. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 10713-10721	13	68
42	Fundamental and progress of Bi <sub>2</sub> Te <sub>3</sub> -based thermoelectric materials. <i>Chinese Physics B</i> , <b>2018</b> , 27, 048403	10.3	68
41	Te-Doped Cu <sub>2</sub> Se nanoplates with a high average thermoelectric figure of merit. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 9213-9219	13	67
40	Nanoscale pores plus precipitates rendering high-performance thermoelectric SnTe <sub>1-x</sub> Sex with refined band structures. <i>Nano Energy</i> , <b>2019</b> , 60, 1-7	17.1	66
39	Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> /PEDOT:PSS-based flexible thermoelectric film and device. <i>Chemical Engineering Journal</i> , <b>2020</b> , 397, 125360	14.7	66
38	Impacts of Cu deficiency on the thermoelectric properties of Cu <sub>2</sub> Se nanoplates. <i>Acta Materialia</i> , <b>2016</b> , 113, 140-146	8.4	58
37	Enhanced thermoelectric properties of nanostructured n-type Bi <sub>2</sub> Te <sub>3</sub> by suppressing Te vacancy through non-equilibrium fast reaction. <i>Chemical Engineering Journal</i> , <b>2020</b> , 391, 123513	14.7	58
36	Enhancing thermoelectric performance of Bi <sub>2</sub> Te <sub>3</sub> -based nanostructures through rational structure design. <i>Nanoscale</i> , <b>2016</b> , 8, 8681-6	7.7	55
35	High Porosity in Nanostructured -Type BiTe Obtaining Ultralow Lattice Thermal Conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 31237-31244	9.5	50
34	Enhanced Thermoelectric Performance of Ultrathin Bi <sub>2</sub> Se <sub>3</sub> Nanosheets through Thickness Control. <i>Advanced Electronic Materials</i> , <b>2015</b> , 1, 1500025	6.4	49
33	Rational design of Bi <sub>2</sub> Te <sub>3</sub> polycrystalline whiskers for thermoelectric applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 989-95	9.5	47
32	Limit of zT enhancement in rocksalt structured chalcogenides by band convergence. <i>Physical Review B</i> , <b>2016</b> , 94,	3.3	44
31	Crystal symmetry induced structure and bonding manipulation boosting thermoelectric performance of GeTe. <i>Nano Energy</i> , <b>2020</b> , 73, 104740	17.1	42
30	Ag doping induced abnormal lattice thermal conductivity in Cu <sub>2</sub> Se. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 13225-13231	7.1	40
29	Nano-scale dislocations induced by self-vacancy engineering yielding extraordinary n-type thermoelectric Pb <sub>0.96</sub> -yInySe. <i>Nano Energy</i> , <b>2018</b> , 50, 785-793	17.1	39
28	Realizing Bi-doped ECu <sub>2</sub> Se as a promising near-room-temperature thermoelectric material. <i>Chemical Engineering Journal</i> , <b>2019</b> , 371, 593-599	14.7	34
27	Scalable Growth of High Mobility Dirac Semimetal Cd <sub>3</sub> As <sub>2</sub> Microbelts. <i>Nano Letters</i> , <b>2015</b> , 15, 5830-4	11.5	34

26	Self-assembled 3D flower-like hierarchical Ti-doped Cu <sub>3</sub> SbSe <sub>4</sub> microspheres with ultralow thermal conductivity and high zT. <i>Nano Energy</i> , <b>2018</b> , 49, 221-229	17.1	29
25	Dual Ag/ZnO-Decorated Micro-/Nanoporous Sulfonated Polyetheretherketone with Superior Antibacterial Capability and Biocompatibility via Layer-by-Layer Self-Assembly Strategy. <i>Macromolecular Bioscience</i> , <b>2018</b> , 18, e1800028	5.5	29
24	Computation-guided design of high-performance flexible thermoelectric modules for sunlight-to-electricity conversion. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 3480-3488	35.4	27
23	High Thermoelectric Performance in Sintered Octahedron-Shaped Sn(CdIn) Te Microcrystals. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 38944-38952	9.5	27
22	Optimizing Electronic Quality Factor toward High-Performance Ge Ta Sb Te Thermoelectrics: The Role of Transition Metal Doping. <i>Advanced Materials</i> , <b>2021</b> , 33, e2102575	24	24
21	Enhancing thermoelectric performance of (Cu <sub>1-x</sub> Ag <sub>x</sub> ) <sub>2</sub> Se via CuAgSe secondary phase and porous design. <i>Sustainable Materials and Technologies</i> , <b>2018</b> , 17, e00076	5.3	20
20	High-efficiency thermocells driven by thermo-electrochemical processes. <i>Trends in Chemistry</i> , <b>2021</b> , 3, 561-574	14.8	19
19	Versatile Vanadium Doping Induces High Thermoelectric Performance in GeTe via Band Alignment and Structural Modulation. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2100544	21.8	18
18	Achieving high thermoelectric performance of Ni/Cu modified Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> composites by a facile electroless plating. <i>Materials Today Energy</i> , <b>2018</b> , 9, 383-390	7	16
17	Sustainable utilization of municipal solid waste incineration fly ash for ceramic bricks with eco-friendly biosafety. <i>Materials Today Sustainability</i> , <b>2018</b> , 1-2, 32-38	5	14
16	Separable and recyclable meso-carbon@TiO <sub>2</sub> /carbon fiber composites for visible-light photocatalysis and photoelectrocatalysis. <i>Sustainable Materials and Technologies</i> , <b>2019</b> , 21, e00105	5.3	13
15	Superconductivity and magnetotransport of single-crystalline NbSe nanoplates grown by chemical vapour deposition. <i>Nanoscale</i> , <b>2017</b> , 9, 16591-16595	7.7	12
14	Co-doped Sb <sub>2</sub> Te <sub>3</sub> paramagnetic nanoplates. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 521-525	7.1	10
13	Two-dimensional flexible thermoelectric devices: Using modeling to deliver optimal capability. <i>Applied Physics Reviews</i> , <b>2021</b> , 8, 041404	17.3	9
12	Atomic Insights into Phase Evolution in Ternary Transition-Metal Dichalcogenides Nanostructures. <i>Small</i> , <b>2018</b> , 14, e1800780	11	8
11	Hierarchical Structuring to Break the Amorphous Limit of Lattice Thermal Conductivity in High-Performance SnTe-Based Thermoelectrics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 36370-36379 <sup>8</sup>	9.5	8
10	Real-time observation of the thermally-induced phase transformation in GeTe and its thermal expansion properties. <i>Acta Materialia</i> , <b>2019</b> , 165, 327-335	8.4	8
9	Thermoelectric performance of p-type (Bi,Sb) <sub>2</sub> Te <sub>3</sub> incorporating amorphous Sb <sub>2</sub> S <sub>3</sub> nanospheres. <i>Chemical Engineering Journal</i> , <b>2021</b> , 430, 132738	14.7	5

8	Rare-Earth Nd Inducing Record-High Thermoelectric Performance of (GeTe) <sub>85</sub> (AgSbTe <sub>2</sub> ) <sub>15</sub> . <i>Energy Material Advances</i> , <b>2021</b> , 2021, 1-8	1	4
7	Exploring the underlying mechanisms behind the increased far infrared radiation properties of perovskite-type Ce/Mn co-doped ceramics. <i>Materials Research Bulletin</i> , <b>2019</b> , 109, 233-239	5.1	4
6	Crowding-out effect strategy using AgCl for realizing a super low lattice thermal conductivity of SnTe. <i>Sustainable Materials and Technologies</i> , <b>2020</b> , 25, e00183	5.3	2
5	Achieving High-Performance Ge Bi Te Thermoelectrics via LaB -Alloying-Induced Band Engineering and Multi-Scale Structure Manipulation. <i>Small</i> , <b>2021</b> , e2105923	11	2
4	Synthesis of thermoelectric materials <b>2021</b> , 73-103		1
3	Optimal array alignment to deliver high performance in flexible conducting polymer-based thermoelectric devices. <i>Journal of Materials Science and Technology</i> , <b>2022</b> , 124, 252-259	9.1	1
2	The effect of rare earth element doping on thermoelectric properties of GeTe. <i>Chemical Engineering Journal</i> , <b>2022</b> , 446, 137278	14.7	1
1	Native Atomic Defects Manipulation for Enhancing the Electronic Transport Properties of Epitaxial SnTe Films. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 56446-56455	9.5	