

Johannes StÅ¶kl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5492755/publications.pdf>

Version: 2024-02-01

39
papers

1,600
citations

394421

19
h-index

345221

36
g-index

40
all docs

40
docs citations

40
times ranked

1908
citing authors

#	ARTICLE	IF	CITATIONS
1	Below ground efficiency of a parasitic wasp for <i>Drosophila suzukii</i> biocontrol in different soil types. <i>Scientific Reports</i> , 2022, 12, .	3.3	6
2	Mate attraction, chemical defense, and competition avoidance in the parasitoid wasp <i>Leptopilina pacifica</i> . <i>Chemoecology</i> , 2021, 31, 101-114.	1.1	4
3	Burying Beetle Parents Adaptively Manipulate Information Broadcast from a Microbial Community. <i>American Naturalist</i> , 2021, 197, 366-378.	2.1	12
4	The preference of <i>Trichopria drosophilae</i> for pupae of <i>Drosophila suzukii</i> is independent of host size. <i>Scientific Reports</i> , 2021, 11, 995.	3.3	5
5	Dispersal From Natal Patch Correlates With the Volatility of Female Sex Pheromones in Parasitoid Wasps. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	6
6	Semiochemicals Mediating Defense, Intraspecific Competition, and Mate Finding in <i>Leptopilina ryukyuensis</i> and <i>L. japonica</i> (Hymenoptera: Figitidae), Parasitoids of <i>Drosophila</i> . <i>Journal of Chemical Ecology</i> , 2019, 45, 241-252.	1.8	11
7	Interference of chemical defence and sexual communication can shape the evolution of chemical signals. <i>Scientific Reports</i> , 2018, 8, 321.	3.3	12
8	Environmentally sustainable pest control options for <i>Drosophila suzukii</i> . <i>Journal of Applied Entomology</i> , 2018, 142, 3-17.	1.8	72
9	Pheromones Regulating Reproduction in Subsocial Beetles: Insights with References to Eusocial Insects. <i>Journal of Chemical Ecology</i> , 2018, 44, 785-795.	1.8	10
10	Variation in lipid synthesis, but genetic homogeneity, among <i>Leptopilina</i> parasitic wasp populations. <i>Ecology and Evolution</i> , 2018, 8, 7355-7364.	1.9	12
11	Beyond Cuticular Hydrocarbons: Chemically Mediated Mate Recognition in the Subsocial Burying Beetle <i>Nicrophorus vespilloides</i> . <i>Journal of Chemical Ecology</i> , 2017, 43, 84-93.	1.8	19
12	Pheromones involved in insect parental care and family life. <i>Current Opinion in Insect Science</i> , 2017, 24, 89-95.	4.4	13
13	Evolutionary origin of insect pheromones. <i>Current Opinion in Insect Science</i> , 2017, 24, 36-42.	4.4	61
14	Chemical Ecology of Parasitic Hymenoptera. <i>BioMed Research International</i> , 2016, 2016, 1-2.	1.9	0
15	A hormone-related female anti-aphrodisiac signals temporary infertility and causes sexual abstinence to synchronize parental care. <i>Nature Communications</i> , 2016, 7, 11035.	12.8	48
16	Morphology and ultrastructure of the allomone and sex-pheromone producing mandibular gland of the parasitoid wasp <i>Leptopilina heterotoma</i> (Hymenoptera: Figitidae). <i>Arthropod Structure and Development</i> , 2016, 45, 333-340.	1.4	8
17	<i>Drosophila</i> Avoids Parasitoids by Sensing Their Semiochemicals via a Dedicated Olfactory Circuit. <i>PLoS Biology</i> , 2015, 13, e1002318.	5.6	145
18	Species Specificity of the Putative Male Antennal Aphrodisiac Pheromone in <i>Leptopilina heterotoma</i> , <i>Leptopilina bouardi</i> , and <i>Leptopilina victoriae</i> . <i>BioMed Research International</i> , 2015, 2015, 1-6.	1.9	10

#	ARTICLE	IF	CITATIONS
19	Size Exclusion High Performance Liquid Chromatography: Re-Discovery of a Rapid and Versatile Method for Clean-Up and Fractionation in Chemical Ecology. <i>Journal of Chemical Ecology</i> , 2015, 41, 574-583.	1.8	7
20	Increased divergence in floral morphology strongly reduces gene flow in sympatric sexually deceptive orchids with the same pollinator. <i>Evolutionary Ecology</i> , 2015, 29, 703-717.	1.2	25
21	Behavioural flexibility of the chemical defence in the parasitoid wasp <i>Leptopilina heterotoma</i> . <i>Die Naturwissenschaften</i> , 2015, 102, 67.	1.6	5
22	Transposable element islands facilitate adaptation to novel environments in an invasive species. <i>Nature Communications</i> , 2014, 5, 5495.	12.8	183
23	The Role of Sexual Selection in the Evolution of Chemical Signals in Insects. <i>Insects</i> , 2014, 5, 423-438.	2.2	84
24	High Chemical Diversity in a Wasp Pheromone: a Blend of Methyl 6-Methylsalicylate, Fatty Alcohol Acetates and Cuticular Hydrocarbons Releases Courtship Behavior in the <i>Drosophila</i> Parasitoid <i>Asobara tabida</i> . <i>Journal of Chemical Ecology</i> , 2014, 40, 159-168.	1.8	19
25	A nonspecific defensive compound evolves into a competition avoidance cue and a female sex pheromone. <i>Nature Communications</i> , 2013, 4, 2767.	12.8	51
26	Sexual selection on cuticular hydrocarbons of male sagebrush crickets in the wild. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20132353.	2.6	48
27	Stereoselective Chemical Defense in the <i>Drosophila</i> Parasitoid <i>Leptopilina heterotoma</i> is Mediated by (âˆ“) -Iridomyrmecin and (+) -Isoiridomyrmecin. <i>Journal of Chemical Ecology</i> , 2012, 38, 331-339.	1.8	32
28	Integrating past and present studies on <i>Ophrys</i> pollination - a comment on Bradshaw et al.. <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 329-335.	1.6	48
29	Chemical ecology and pollinator-driven speciation in sexually deceptive orchids. <i>Phytochemistry</i> , 2011, 72, 1667-1677.	2.9	107
30	Smells like aphids: orchid flowers mimic aphid alarm pheromones to attract hoverflies for pollination. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1216-1222.	2.6	63
31	A Deceptive Pollination System Targeting <i>Drosophilids</i> through Olfactory Mimicry of Yeast. <i>Current Biology</i> , 2010, 20, 1846-1852.	3.9	165
32	Pollination strategies in Cretan <i>Arum</i> lilies. <i>Biological Journal of the Linnean Society</i> , 2010, 101, 991-1001.	1.6	21
33	Molecular phylogeny of the genus <i>Arum</i> (<i>Araceae</i>) inferred from multi-locus sequence data and AFLPs. <i>Taxon</i> , 2010, 59, 405-415.	0.7	16
34	Pollinator-Driven Speciation in Sexually Deceptive Orchids of the Genus <i>Ophrys</i> . , 2010, , 101-118.		17
35	MÄ%NAGE Å€ TROIS-TWO ENDEMIC SPECIES OF DECEPTIVE ORCHIDS AND ONE POLLINATOR SPECIES. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 2222-2234.	2.3	61
36	Scent variation and hybridization cause the displacement of a sexually deceptive orchid species. <i>American Journal of Botany</i> , 2008, 95, 472-481.	1.7	61

#	ARTICLE	IF	CITATIONS
37	Comparison of the flower scent of the sexually deceptive orchid <i>Ophrys iricolor</i> and the female sex pheromone of its pollinator <i>Andrena morio</i> . <i>Chemoecology</i> , 2007, 17, 231-233.	1.1	39
38	Pollinator attracting odour signals in sexually deceptive orchids of the <i>Ophrys fusca</i> group. <i>Plant Systematics and Evolution</i> , 2005, 254, 105-120.	0.9	57
39	Speciation in sexually deceptive orchids: pollinator-driven selection maintains discrete odour phenotypes in hybridizing species. <i>Biological Journal of the Linnean Society</i> , 0, 98, 439-451.	1.6	37