

Nada A Abumrad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5494529/publications.pdf>

Version: 2024-02-01

64
papers

8,108
citations

81743

39
h-index

114278

63
g-index

65
all docs

65
docs citations

65
times ranked

10453
citing authors

#	ARTICLE	IF	CITATIONS
1	Endothelial Cell Receptors in Tissue Lipid Uptake and Metabolism. <i>Circulation Research</i> , 2021, 128, 433-450.	2.0	48
2	Autoregulation of insulin receptor signaling through MFGE8 and the $\alpha 5 \beta 1$ integrin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	8
3	Eruptive xanthoma model reveals endothelial cells internalize and metabolize chylomicrons, leading to extravascular triglyceride accumulation. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	14
4	Visceral obesity and insulin resistance associate with CD36 deletion in lymphatic endothelial cells. <i>Nature Communications</i> , 2021, 12, 3350.	5.8	66
5	Lipolytic enzymes and free fatty acids at the endothelial interface. <i>Atherosclerosis</i> , 2021, 329, 1-8.	0.4	12
6	Uptake of oxidized lipids by the scavenger receptor CD36 promotes lipid peroxidation and dysfunction in CD8+ T cells in tumors. <i>Immunity</i> , 2021, 54, 1561-1577.e7.	6.6	260
7	CD36 maintains the gastric mucosa and associates with gastric disease. <i>Communications Biology</i> , 2021, 4, 1247.	2.0	8
8	A Single Bout of Premeal Resistance Exercise Improves Postprandial Glucose Metabolism in Obese Men with Prediabetes. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 694-703.	0.2	9
9	A single bout of resistance exercise improves postprandial lipid metabolism in overweight/obese men with prediabetes. <i>Diabetologia</i> , 2020, 63, 611-623.	2.9	16
10	Lipokine 5-PAHSA Is Regulated by Adipose Triglyceride Lipase and Primes Adipocytes for De Novo Lipogenesis in Mice. <i>Diabetes</i> , 2020, 69, 300-312.	0.3	43
11	Regulation of lipophagy in NAFLD by cellular metabolism and CD36. <i>Journal of Lipid Research</i> , 2019, 60, 755-757.	2.0	14
12	Fatty acid 2-hydroxylation inhibits tumor growth and increases sensitivity to cisplatin in gastric cancer. <i>EBioMedicine</i> , 2019, 41, 256-267.	2.7	50
13	Intestinal CD36 and Other Key Proteins of Lipid Utilization: Role in Absorption and Gut Homeostasis. , 2018, 8, 493-507.		65
14	Adipocyte-induced CD36 expression drives ovarian cancer progression and metastasis. <i>Oncogene</i> , 2018, 37, 2285-2301.	2.6	332
15	Endothelial cell CD36 optimizes tissue fatty acid uptake. <i>Journal of Clinical Investigation</i> , 2018, 128, 4329-4342.	3.9	148
16	Transfer of Cell-Surface Antigens by Scavenger Receptor CD36 Promotes Thymic Regulatory T Cell Receptor Repertoire Development and Allo-tolerance. <i>Immunity</i> , 2018, 48, 923-936.e4.	6.6	54
17	Regulation of Insulin Receptor Pathway and Glucose Metabolism by CD36 Signaling. <i>Diabetes</i> , 2018, 67, 1272-1284.	0.3	41
18	CD36 Modulates Fasting and Preabsorptive Hormone and Bile Acid Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1856-1866.	1.8	9

#	ARTICLE	IF	CITATIONS
19	HIV infection does not prevent the metabolic benefits of diet-induced weight loss in women with obesity. <i>Obesity</i> , 2017, 25, 682-688.	1.5	14
20	Variant in a common odorant-binding protein gene is associated with bitter sensitivity in people. <i>Behavioural Brain Research</i> , 2017, 329, 200-204.	1.2	24
21	The Liver as a Hub in Thermogenesis. <i>Cell Metabolism</i> , 2017, 26, 454-455.	7.2	30
22	Cd36 knockout mice are protected against lithogenic diet-induced gallstones. <i>Journal of Lipid Research</i> , 2017, 58, 1692-1701.	2.0	13
23	CD36 Deficiency Impairs the Small Intestinal Barrier and Induces Subclinical Inflammation in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 3, 82-98.	2.3	42
24	Exome Genotyping Identifies Pleiotropic Variants Associated with Red Blood Cell Traits. <i>American Journal of Human Genetics</i> , 2016, 99, 8-21.	2.6	60
25	Higher chylomicron remnants and LDL particle numbers associate with CD36 SNPs and DNA methylation sites that reduce CD36. <i>Journal of Lipid Research</i> , 2016, 57, 2176-2184.	2.0	26
26	A Common CD36 Variant Influences Endothelial Function and Response to Treatment with Phosphodiesterase 5 Inhibition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2751-2758.	1.8	18
27	Major role of adipocyte prostaglandin E2 in lipolysis-induced macrophage recruitment. <i>Journal of Lipid Research</i> , 2016, 57, 663-673.	2.0	54
28	Deregulated Lipid Sensing by Intestinal CD36 in Diet-Induced Hyperinsulinemic Obese Mouse Model. <i>PLoS ONE</i> , 2016, 11, e0145626.	1.1	32
29	CD36 is indispensable for thermogenesis under conditions of fasting and cold stress. <i>Biochemical and Biophysical Research Communications</i> , 2015, 457, 520-525.	1.0	65
30	Perilipin 5-Driven Lipid Droplet Accumulation in Skeletal Muscle Stimulates the Expression of Fibroblast Growth Factor 21. <i>Diabetes</i> , 2015, 64, 2757-2768.	0.3	56
31	ASXL2 Regulates Glucose, Lipid, and Skeletal Homeostasis. <i>Cell Reports</i> , 2015, 11, 1625-1637.	2.9	55
32	Dietary Lipids Inform the Gut and Brain about Meal Arrival via CD36-Mediated Signal Transduction. <i>Journal of Nutrition</i> , 2015, 145, 2195-2200.	1.3	26
33	Regulation of AMPK Activation by CD36 Links Fatty Acid Uptake to β -Oxidation. <i>Diabetes</i> , 2015, 64, 353-359.	0.3	163
34	Cell-intrinsic lysosomal lipolysis is essential for alternative activation of macrophages. <i>Nature Immunology</i> , 2014, 15, 846-855.	7.0	856
35	Structure-Function of CD36 and Importance of Fatty Acid Signal Transduction in Fat Metabolism. <i>Annual Review of Nutrition</i> , 2014, 34, 281-303.	4.3	413
36	The Extracellular Matrix Protein MAGP1 Supports Thermogenesis and Protects Against Obesity and Diabetes Through Regulation of TGF- β 2. <i>Diabetes</i> , 2014, 63, 1920-1932.	0.3	68

#	ARTICLE	IF	CITATIONS
37	Sulfo-N-succinimidyl Oleate (SSO) Inhibits Fatty Acid Uptake and Signaling for Intracellular Calcium via Binding CD36 Lysine 164. <i>Journal of Biological Chemistry</i> , 2013, 288, 15547-15555.	1.6	145
38	CD36-dependent signaling mediates fatty acid-induced gut release of secretin and cholecystokinin. <i>FASEB Journal</i> , 2013, 27, 1191-1202.	0.2	90
39	Three Dimensional Structure Prediction of Fatty Acid Binding Site on Human Transmembrane Receptor CD36. <i>Bioinformatics and Biology Insights</i> , 2013, 7, BBI.S12276.	1.0	17
40	CD36 level and trafficking are determinants of lipolysis in adipocytes. <i>FASEB Journal</i> , 2012, 26, 4733-4742.	0.2	60
41	Moving Beyond "Good Fat, Bad Fat": The Complex Roles of Dietary Lipids in Cellular Function and Health. <i>Advances in Nutrition</i> , 2012, 3, 60-68.	2.9	4
42	The fatty acid translocase gene CD36 and lingual lipase influence oral sensitivity to fat in obese subjects. <i>Journal of Lipid Research</i> , 2012, 53, 561-566.	2.0	245
43	Role of the Gut in Lipid Homeostasis. <i>Physiological Reviews</i> , 2012, 92, 1061-1085.	13.1	278
44	Luminal Lipid Regulates CD36 Levels and Downstream Signaling to Stimulate Chylomicron Synthesis. <i>Journal of Biological Chemistry</i> , 2011, 286, 25201-25210.	1.6	110
45	Parkin reinvents itself to regulate fatty acid metabolism by tagging CD36. <i>Journal of Clinical Investigation</i> , 2011, 121, 3389-3392.	3.9	18
46	Chylomicron- and VLDL-derived Lipids Enter the Heart through Different Pathways. <i>Journal of Biological Chemistry</i> , 2010, 285, 37976-37986.	1.6	98
47	Regulation of fatty acid uptake into tissues: lipoprotein lipase- and CD36-mediated pathways. <i>Journal of Lipid Research</i> , 2009, 50, S86-S90.	2.0	326
48	CD36-dependent Regulation of Muscle FoxO1 and PDK4 in the PPAR γ -mediated Adaptation to Metabolic Stress. <i>Journal of Biological Chemistry</i> , 2008, 283, 14317-14326.	1.6	108
49	Variants in the CD36 gene associate with the metabolic syndrome and high-density lipoprotein cholesterol. <i>Human Molecular Genetics</i> , 2008, 17, 1695-1704.	1.4	164
50	CD36-Facilitated Fatty Acid Uptake Inhibits Leptin Production and Signaling in Adipose Tissue. <i>Diabetes</i> , 2007, 56, 1872-1880.	0.3	100
51	CD36 Is Important for Chylomicron Formation and Secretion and May Mediate Cholesterol Uptake in the Proximal Intestine. <i>Gastroenterology</i> , 2006, 131, 1197-1207.	0.6	160
52	CD36 deficiency impairs intestinal lipid secretion and clearance of chylomicrons from the blood. <i>Journal of Clinical Investigation</i> , 2005, 115, 1290-1297.	3.9	203
53	CD36 may determine our desire for dietary fats. <i>Journal of Clinical Investigation</i> , 2005, 115, 2965-2967.	3.9	74
54	CD36 in Myocytes Channels Fatty Acids to a Lipase-Accessible Triglyceride Pool That Is Related to Cell Lipid and Insulin Responsiveness. <i>Diabetes</i> , 2004, 53, 2209-2216.	0.3	84

#	ARTICLE	IF	CITATIONS
55	A common haplotype at the CD36 locus is associated with high free fatty acid levels and increased cardiovascular risk in Caucasians. <i>Human Molecular Genetics</i> , 2004, 13, 2197-2205.	1.4	161
56	Defective fatty acid uptake modulates insulin responsiveness and metabolic responses to diet in CD36-null mice. <i>Journal of Clinical Investigation</i> , 2002, 109, 1381-1389.	3.9	215
57	Defective fatty acid uptake modulates insulin responsiveness and metabolic responses to diet in CD36-null mice. <i>Journal of Clinical Investigation</i> , 2002, 109, 1381-1389.	3.9	161
58	Defective Uptake and Utilization of Long Chain Fatty Acids in Muscle and Adipose Tissues of CD36 Knockout Mice. <i>Journal of Biological Chemistry</i> , 2000, 275, 32523-32529.	1.6	586
59	A Null Mutation in Murine CD36 Reveals an Important Role in Fatty Acid and Lipoprotein Metabolism. <i>Journal of Biological Chemistry</i> , 1999, 274, 19055-19062.	1.6	680
60	Muscle-specific Overexpression of FAT/CD36 Enhances Fatty Acid Oxidation by Contracting Muscle, Reduces Plasma Triglycerides and Fatty Acids, and Increases Plasma Glucose and Insulin. <i>Journal of Biological Chemistry</i> , 1999, 274, 26761-26766.	1.6	315
61	Membrane transport of long-chain fatty acids: evidence for a facilitated process. <i>Journal of Lipid Research</i> , 1998, 39, 2309-2318.	2.0	275
62	Binding of sulfosuccinimidyl fatty acids to adipocyte membrane proteins: Isolation and amino-terminal sequence of an 88-kD protein implicated in transport of long-chain fatty acids. <i>Journal of Membrane Biology</i> , 1993, 133, 43-9.	1.0	186
63	Transport of fatty acid in the isolated rat adipocyte and in differentiating preadipose cells. <i>Biochemical Society Transactions</i> , 1990, 18, 1130-1132.	1.6	3
64	Protein Phosphorylation in Intact Bovine Epididymal Spermatozoa: Identification of the Type II Regulatory Subunit of Cyclic Adenosine 3',5'-Monophosphate- Dependent Protein Kinase as an Endogenous Phosphoprotein1. <i>Biology of Reproduction</i> , 1987, 37, 171-180.	1.2	30