

# Jinzhu Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5494559/publications.pdf>

Version: 2024-02-01

50  
papers

2,742  
citations

147726

31  
h-index

189801

50  
g-index

50  
all docs

50  
docs citations

50  
times ranked

3695  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical hydrogenation of biomass-based furfural in aqueous media by Cu catalyst supported on N-doped hierarchically porous carbon. <i>Applied Catalysis B: Environmental</i> , 2022, 305, 121062.	10.8	38
2	Efficient and selective approach to biomass-based amine by reductive amination of furfural using Ru catalyst. <i>Applied Catalysis B: Environmental</i> , 2022, 309, 121262.	10.8	39
3	An efficient approach to biomass-based tertiary amines by direct and consecutive reductive amination of furfural. <i>Journal of Catalysis</i> , 2022, 410, 164-179.	3.1	11
4	Visible-light-induced hydrogenation of biomass-based aldehydes by graphitic carbon nitride supported metal catalysts. <i>Green Energy and Environment</i> , 2021, 6, 715-724.	4.7	24
5	H <sub>2</sub> Activation with Co Nanoparticles Encapsulated in N-Doped Carbon Nanotubes for Green Synthesis of Benzimidazoles. <i>ChemSusChem</i> , 2021, 14, 709-720.	3.6	23
6	Cu Catalyst Supported on Nitrogen and Phosphorus Co-Doped Carbon Nanosheets for Homocoupling of Terminal Alkynes Using CO <sub>2</sub> as a Soft Oxidant. <i>ACS Applied Nano Materials</i> , 2021, 4, 4839-4852.	2.4	6
7	Hydrogenative coupling of nitriles with diamines to benzimidazoles using lignin-derived Rh <sub>2</sub> P catalyst. <i>IScience</i> , 2021, 24, 103045.	1.9	5
8	Sulfonate-Grafted Metal-Organic Frameworks for Reductive Functionalization of CO <sub>2</sub> to Benzimidazoles and N-Formamides. <i>ACS Catalysis</i> , 2021, 11, 13983-13999.	5.5	26
9	Metal-Free H <sub>2</sub> Activation for Highly Selective Hydrogenation of Nitroaromatics Using Phosphorus-Doped Carbon Nanotubes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 654-666.	4.0	53
10	CO Activation Using Nitrogen-Doped Carbon Nanotubes for Reductive Carbonylation of Nitroaromatics to Benzimidazolinone and Phenyl Urea. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 48700-48711.	4.0	7
11	Chemical Fixation of CO <sub>2</sub> Using Highly Dispersed Cu on Hierarchically Porous N-Doped Carbon. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 40236-40247.	4.0	23
12	Hierarchically Nanoporous Titanium-Based Coordination Polymers for Photocatalytic Synthesis of Benzimidazole. <i>ACS Applied Nano Materials</i> , 2020, 3, 10720-10731.	2.4	8
13	Metal-Free N-Formylation of Amines with CO <sub>2</sub> and Hydrosilane by Nitrogen-Doped Graphene Nanosheets. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 38838-38848.	4.0	38
14	Applications of lignin-derived catalysts for green synthesis. <i>Green Energy and Environment</i> , 2019, 4, 210-244.	4.7	91
15	Transformations of biomass-based levulinic acid into $\gamma$ -valerolactone and pyrrolidones using carbon nanotubes-grafted N-heterocyclic carbene ruthenium complexes. <i>Journal of Energy Chemistry</i> , 2019, 39, 29-38.	7.1	15
16	Copper(I)-Catalyzed Four-Component Coupling Using Renewable Building Blocks of CO <sub>2</sub> and Biomass-Based Aldehydes. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 3105-3113.	1.2	14
17	Chemical Fixation of CO <sub>2</sub> by Using Carbon Material-Grafted N-Heterocyclic Carbene Silver and Copper Complexes. <i>ACS Applied Nano Materials</i> , 2018, 1, 6463-6476.	2.4	42
18	Visible-Light-Induced Catalytic Transfer Hydrogenation of Aromatic Aldehydes by Palladium Immobilized on Amine-Functionalized Iron-Based Metal-Organic Frameworks. <i>ACS Applied Nano Materials</i> , 2018, 1, 4247-4257.	2.4	36

#	ARTICLE	IF	CITATIONS
19	<i>N</i> -Formylation of Amines with CO <sub>2</sub> and H <sub>2</sub> Using Pd–Au Bimetallic Catalysts Supported on Polyaniline-Functionalized Carbon Nanotubes. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2516-2528.	3.2	77
20	Selective Transfer Hydrogenation of Biomass-Based Furfural and 5-Hydroxymethylfurfural over Hydrotalcite-Derived Copper Catalysts Using Methanol as a Hydrogen Donor. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 5982-5993.	3.2	158
21	Polymeric Ruthenium Porphyrin-Functionalized Carbon Nanotubes and Graphene for Levulinic Ester Transformations into $\gamma$ -Valerolactone and Pyrrolidone Derivatives. <i>ACS Omega</i> , 2017, 2, 3228-3240.	1.6	41
22	Carbon Nanotube-Based Solid Sulfonic Acids as Catalysts for Production of Fatty Acid Methyl Ester via Transesterification and Esterification. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 3140-3150.	3.2	76
23	Highly recyclable and magnetic catalyst of a metalloporphyrin-based polymeric composite for cycloaddition of CO <sub>2</sub> to epoxide. <i>RSC Advances</i> , 2016, 6, 96455-96466.	1.7	10
24	Hydrogenation of Levulinic Acid into $\gamma$ -Valerolactone Over Ruthenium Catalysts Supported on Metal–Organic Frameworks in Aqueous Medium. <i>Catalysis Letters</i> , 2016, 146, 2041-2052.	1.4	32
25	Hydrodeoxygenation of biodiesel-related fatty acid methyl esters to diesel-range alkanes over zeolite-supported ruthenium catalysts. <i>Catalysis Science and Technology</i> , 2016, 6, 7239-7251.	2.1	53
26	Photo-induced reduction of biomass-derived 5-hydroxymethylfurfural using graphitic carbon nitride supported metal catalysts. <i>RSC Advances</i> , 2016, 6, 101968-101973.	1.7	56
27	Bifunctional catalyst of a metallophthalocyanine-carbon nitride hybrid for chemical fixation of CO <sub>2</sub> to cyclic carbonate. <i>RSC Advances</i> , 2016, 6, 2810-2818.	1.7	40
28	Titanate nanotube-promoted chemical fixation of carbon dioxide to cyclic carbonate: a combined experimental and computational study. <i>Catalysis Science and Technology</i> , 2016, 6, 780-790.	2.1	20
29	Bicomponent Assembly of VO <sub>2</sub> and Polyaniline–Functionalized Carbon Nanotubes for the Selective Oxidation of Biomass-Based 5-Hydroxymethylfurfural to 2,5-Diformylfuran. <i>ChemPlusChem</i> , 2015, 80, 1760-1768.	1.3	34
30	Metalloporphyrin-based organic polymers for carbon dioxide fixation to cyclic carbonate. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9807-9816.	5.2	110
31	Direct hydroxylation of benzene to phenol with molecular oxygen over vanadium oxide nanospheres and study of its mechanism. <i>RSC Advances</i> , 2015, 5, 94164-94170.	1.7	23
32	Hydrogenation of biomass-derived levulinic acid to $\gamma$ -valerolactone catalyzed by PNP-Ir pincer complexes: A computational study. <i>Journal of Organometallic Chemistry</i> , 2015, 797, 165-170.	0.8	13
33	Ruthenium complex immobilized on poly(4-vinylpyridine)-functionalized carbon-nanotube for selective aerobic oxidation of 5-hydroxymethylfurfural to 2,5-diformylfuran. <i>RSC Advances</i> , 2015, 5, 5933-5940.	1.7	55
34	Selective Hydrogenation of Biomass-Based 5-Hydroxymethylfurfural over Catalyst of Palladium Immobilized on Amine-Functionalized Metal–Organic Frameworks. <i>ACS Catalysis</i> , 2015, 5, 722-733.	5.5	165
35	A computational study on the hydrogenation of CO <sub>2</sub> catalyzed by a tetraphos-ligated cobalt complex: monohydride vs. dihydride. <i>Catalysis Science and Technology</i> , 2015, 5, 1006-1013.	2.1	23
36	Amine-functionalized metal-organic frameworks for the transesterification of triglycerides. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7205-7213.	5.2	68

#	ARTICLE	IF	CITATIONS
37	Conversion of fructose into 5-hydroxymethylfurfural catalyzed by recyclable sulfonic acid-functionalized metal-organic frameworks. <i>Green Chemistry</i> , 2014, 16, 2490-2499.	4.6	267
38	Selective hydrogenation of phenol and related derivatives. <i>Catalysis Science and Technology</i> , 2014, 4, 3555-3569.	2.1	95
39	Kinetic Aspects for the Reduction of CO <sub>2</sub> and CS <sub>2</sub> with Mixed-Ligand Ruthenium(II) Hydride Complexes Containing Phosphine and Bipyridine. <i>Inorganic Chemistry</i> , 2014, 53, 9570-9580.	1.9	36
40	Selective Conversion of Cellulose into Ethylene Glycol over Metal-Organic Framework-Derived Multifunctional Catalysts. <i>Catalysis Letters</i> , 2014, 144, 1728-1734.	1.4	24
41	Hydrodeoxygenation of Lignin-Derived Phenolic Monomers and Dimers to Alkane Fuels over Bifunctional Zeolite-Supported Metal Catalysts. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 683-691.	3.2	204
42	Efficient production of 5-hydroxymethylfurfural and alkyl levulinate from biomass carbohydrate using ionic liquid-based polyoxometalate salts. <i>RSC Advances</i> , 2014, 4, 4194-4202.	1.7	63
43	Conversion of fructose into 5-hydroxymethylfurfural and alkyl levulinates catalyzed by sulfonic acid-functionalized carbon materials. <i>Green Chemistry</i> , 2013, 15, 2895.	4.6	188
44	Selective Hydrogenation of Phenol and Derivatives over Polymer-Functionalized Carbon-Nanofiber-Supported Palladium Using Sodium Formate as the Hydrogen Source. <i>ChemPlusChem</i> , 2013, 78, 1370-1378.	1.3	42
45	Synthesis, characterization and computational study of heterobimetallic CoFe complexes for mimicking hydrogenase. <i>RSC Advances</i> , 2013, 3, 3557.	1.7	14
46	Selective hydrogenation of phenol and derivatives over an ionic liquid-like copolymer stabilized palladium catalyst in aqueous media. <i>RSC Advances</i> , 2013, 3, 4171.	1.7	33
47	Conversion of Cellulose and Cellobiose into Sorbitol Catalyzed by Ruthenium Supported on a Polyoxometalate/Metal-Organic Framework Hybrid. <i>ChemSusChem</i> , 2013, 6, 1545-1555.	3.6	107
48	Preparation and photoelectrochemical characterization of WO <sub>3</sub> /TiO <sub>2</sub> nanotube array electrode. <i>Journal of Materials Science</i> , 2011, 46, 416-421.	1.7	33
49	Preparation and Photocatalytic Performance of Anatase/Rutile Mixed-Phase TiO <sub>2</sub> Nanotubes. <i>Catalysis Letters</i> , 2010, 139, 129-133.	1.4	50
50	Synthesis of new unsymmetric N,N'-dipyridylurea derivatives by selenium and selenium dioxide-catalyzed reductive carbonylation of substituted nitropyridines. <i>Tetrahedron</i> , 2003, 59, 8251-8256.	1.0	33