

Ying Yu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5495075/ying-yu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,441
citations

28
h-index

47
g-index

84
ext. papers

3,017
ext. citations

9.8
avg, IF

4.52
L-index

#	Paper	IF	Citations
77	Effect of Occlusion Site on the Safety and Efficacy of Intravenous Alteplase Before Endovascular Thrombectomy: A Prespecified Subgroup Analysis of DIRECT-MT.. <i>Stroke</i> , 2022 , 53, 7-16	6.7	3
76	Association of Intravenous Alteplase, Early Reperfusion, and Clinical Outcome in Patients With Large Vessel Occlusion Stroke: Post Hoc Analysis of the Randomized DIRECT-MT Trial.. <i>Stroke</i> , 2022 , STROKEAHA121037061	6.7	1
75	Prostaglandin D signaling and cardiovascular homeostasis.. <i>Journal of Molecular and Cellular Cardiology</i> , 2022 , 167, 97-105	5.8	1
74	Resolvin E1 Attenuates Pulmonary Hypertension by Suppressing Wnt7a/ECatenin Signaling. <i>Hypertension</i> , 2021 , 78, 1914-1926	8.5	3
73	Congestive heart failure in COX2 deficient rats. <i>Science China Life Sciences</i> , 2021 , 64, 1068-1076	8.5	2
72	Coagulation factors and the incidence of COVID-19 severity: Mendelian randomization analyses and supporting evidence. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 222	21	3
71	ER-anchored CRTH2 antagonizes collagen biosynthesis and organ fibrosis via binding LARP6. <i>EMBO Journal</i> , 2021 , 40, e107403	13	6
70	Mediator Med23 deficiency in smooth muscle cells prevents neointima formation after arterial injury. <i>Cell Discovery</i> , 2021 , 7, 59	22.3	
69	CAUSALdb: a database for disease/trait causal variants identified using summary statistics of genome-wide association studies. <i>Nucleic Acids Research</i> , 2020 , 48, D807-D816	20.1	17
68	CREBZF as a Key Regulator of STAT3 Pathway in the Control of Liver Regeneration in Mice. <i>Hepatology</i> , 2020 , 71, 1421-1436	11.2	11
67	Loss of DP1 Aggravates Vascular Remodeling in Pulmonary Arterial Hypertension via mTORC1 Signaling. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 1263-1276	10.2	21
66	Arterial Sca1 Vascular Stem Cells Generate De Novo Smooth Muscle for Artery Repair and Regeneration. <i>Cell Stem Cell</i> , 2020 , 26, 81-96.e4	18	54
65	DP1 Activation Reverses Age-Related Hypertension Via NEDD4L-Mediated T-Bet Degradation in T Cells. <i>Circulation</i> , 2020 , 141, 655-666	16.7	10
64	The support of genetic evidence for cardiovascular risk induced by antineoplastic drugs. <i>Science Advances</i> , 2020 , 6,	14.3	1
63	Moderate SMFs attenuate bone loss in mice by promoting directional osteogenic differentiation of BMSCs. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 487	8.3	8
62	Niacin Attenuates Pulmonary Hypertension Through H-PGDS in Macrophages. <i>Circulation Research</i> , 2020 , 127, 1323-1336	15.7	13
61	Perivascular adipose tissue-derived extracellular vesicle miR-221-3p mediates vascular remodeling. <i>FASEB Journal</i> , 2019 , 33, 12704-12722	0.9	43

60	2,3,7,8-Tetrachlorodibenzo-p-dioxin promotes injury-induced vascular neointima formation in mice. <i>FASEB Journal</i> , 2019 , 33, 10207-10217	0.9	3
59	Platelet-Specific Deletion of Cyclooxygenase-1 Ameliorates Dextran Sulfate Sodium-Induced Colitis in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 370, 416-426	4.7	9
58	Cyclooxygenase-1 Regulates the Development of Follicular Th Cells via Prostaglandin E. <i>Journal of Immunology</i> , 2019 , 203, 864-872	5.3	4
57	Static Magnetic Field Accelerates Diabetic Wound Healing by Facilitating Resolution of Inflammation. <i>Journal of Diabetes Research</i> , 2019 , 2019, 5641271	3.9	17
56	CRTH2 promotes endoplasmic reticulum stress-induced cardiomyocyte apoptosis through m-calpain. <i>EMBO Molecular Medicine</i> , 2018 , 10,	12	31
55	Early treatment with Resolvin E1 facilitates myocardial recovery from ischaemia in mice. <i>British Journal of Pharmacology</i> , 2018 , 175, 1205-1216	8.6	27
54	Resolvin E1 attenuates injury-induced vascular neointimal formation by inhibition of inflammatory responses and vascular smooth muscle cell migration. <i>FASEB Journal</i> , 2018 , 32, 5413-5425	0.9	30
53	PhoPepMass: A database and search tool assisting human phosphorylation peptide identification from mass spectrometry data. <i>Journal of Genetics and Genomics</i> , 2018 , 45, 381-388	4	1
52	Prostaglandin F Facilitates Hepatic Glucose Production Through CaMKII α /p38/FOXO1 Signaling Pathway in Fasting and Obesity. <i>Diabetes</i> , 2018 , 67, 1748-1760	0.9	25
51	Inhibition of CRTH2-mediated Th2 activation attenuates pulmonary hypertension in mice. <i>Journal of Experimental Medicine</i> , 2018 , 215, 2175-2195	16.6	28
50	The Prediction of Drug-Disease Correlation Based on Gene Expression Data. <i>BioMed Research International</i> , 2018 , 2018, 4028473	3	7
49	Niacin Promotes Cardiac Healing after Myocardial Infarction through Activation of the Myeloid Prostaglandin D Receptor Subtype 1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017 , 360, 435-444	4.7	17
48	E-Prostanoid 3 Receptor Mediates Sprouting Angiogenesis Through Suppression of the Protein Kinase A/ β Catenin/Notch Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 856-866	9.4	14
47	Activation of E-prostanoid 3 receptor in macrophages facilitates cardiac healing after myocardial infarction. <i>Nature Communications</i> , 2017 , 8, 14656	17.4	23
46	RAGE-mediated extracellular matrix proteins accumulation exacerbates HySu-induced pulmonary hypertension. <i>Cardiovascular Research</i> , 2017 , 113, 586-597	9.9	27
45	Exploring genetic associations with ceRNA regulation in the human genome. <i>Nucleic Acids Research</i> , 2017 , 45, 5653-5665	20.1	30
44	Mineralocorticoid Receptor Deficiency in T Cells Attenuates Pressure Overload-Induced Cardiac Hypertrophy and Dysfunction Through Modulating T-Cell Activation. <i>Hypertension</i> , 2017 , 70, 137-147	8.5	34
43	Deletion of Macrophage Mineralocorticoid Receptor Protects Hepatic Steatosis and Insulin Resistance Through ERK1/2/HGF/Met Pathway. <i>Diabetes</i> , 2017 , 66, 1535-1547	0.9	26

42	Niacin ameliorates ulcerative colitis via prostaglandin D-mediated D prostanoid receptor 1 activation. <i>EMBO Molecular Medicine</i> , 2017 , 9, 571-588	12	32
41	2, 3, 7, 8-Tetrachlorodibenzo-p-dioxin promotes endothelial cell apoptosis through activation of EP3/p38MAPK/Bcl-2 pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 3540-3551	5.6	15
40	Identification of a hybrid myocardial zone in the mammalian heart after birth. <i>Nature Communications</i> , 2017 , 8, 87	17.4	38
39	Fibroblasts in an endocardial fibroelastosis disease model mainly originate from mesenchymal derivatives of epicardium. <i>Cell Research</i> , 2017 , 27, 1157-1177	24.7	21
38	Prostaglandin E promotes hepatic bile acid synthesis by an E prostanoid receptor 3-mediated hepatocyte nuclear receptor 4 α cholesterol 7 α hydroxylase pathway in mice. <i>Hepatology</i> , 2017 , 65, 999-1014	11.2	10
37	Coordination of platelet agonist signaling during the hemostatic response in vivo. <i>Blood Advances</i> , 2017 , 1, 2767-2775	7.8	22
36	Hydrogen Sulfide Regulates Krüppel-Like Factor 5 Transcription Activity via Specificity Protein 1 S-Sulfhydration at Cys664 to Prevent Myocardial Hypertrophy. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	43
35	PKA regulatory II β subunit is essential for PGD2-mediated resolution of inflammation. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2209-26	16.6	33
34	Mineralocorticoid Receptor Deficiency in Macrophages Inhibits Neointimal Hyperplasia and Suppresses Macrophage Inflammation Through SGK1-AP1/NF- κ B Pathways. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 874-85	9.4	45
33	Thromboxane Governs the Differentiation of Adipose-Derived Stromal Cells Toward Endothelial Cells In Vitro and In Vivo. <i>Circulation Research</i> , 2016 , 118, 1194-207	15.7	12
32	Thromboxane A2 Receptor Inhibition Suppresses Multiple Myeloma Cell Proliferation by Inducing p38/c-Jun N-terminal Kinase (JNK) Mitogen-activated Protein Kinase (MAPK)-mediated G2/M Progression Delay and Cell Apoptosis. <i>Journal of Biological Chemistry</i> , 2016 , 291, 4779-92	5.4	21
31	Soy Isoflavone Protects Myocardial Ischemia/Reperfusion Injury through Increasing Endothelial Nitric Oxide Synthase and Decreasing Oxidative Stress in Ovariectomized Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 5057405	6.7	15
30	Thromboxane A2 Activates YAP/TAZ Protein to Induce Vascular Smooth Muscle Cell Proliferation and Migration. <i>Journal of Biological Chemistry</i> , 2016 , 291, 18947-58	5.4	66
29	Cytoprotective effect of autophagy on phagocytosis of apoptotic cells by macrophages. <i>Experimental Cell Research</i> , 2016 , 348, 165-176	4.2	12
28	High salt primes a specific activation state of macrophages, M(Na). <i>Cell Research</i> , 2015 , 25, 893-910	24.7	140
27	Endogenously generated omega-3 fatty acids attenuate vascular inflammation and neointimal hyperplasia by interaction with free fatty acid receptor 4 in mice. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	29
26	IL-37 Is a Novel Proangiogenic Factor of Developmental and Pathological Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 2638-46	9.4	26
25	Serum levels of tumor necrosis factor-related apoptosis-inducing ligand correlate with the severity of pulmonary hypertension. <i>Pulmonary Pharmacology and Therapeutics</i> , 2015 , 33, 39-46	3.5	9

24	Aspirin enhances protective effect of fish oil against thrombosis and injury-induced vascular remodelling. <i>British Journal of Pharmacology</i> , 2015 , 172, 5647-60	8.6	27
23	Cross talk between histone deacetylase 4 and STAT6 in the transcriptional regulation of arginase 1 during mouse dendritic cell differentiation. <i>Molecular and Cellular Biology</i> , 2015 , 35, 63-75	4.8	28
22	Rare SNP rs12731181 in the miR-590-3p Target Site of the Prostaglandin F ₂ Receptor Gene Confers Risk for Essential Hypertension in the Han Chinese Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1687-95	9.4	11
21	Chronic cardiovascular disease-associated gene network analysis in human umbilical vein endothelial cells exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Cardiovascular Toxicology</i> , 2015 , 15, 157-71	3.4	9
20	Genetic targeting of sprouting angiogenesis using Apln-CreER. <i>Nature Communications</i> , 2015 , 6, 6020	17.4	85
19	EP3 receptor deficiency attenuates pulmonary hypertension through suppression of Rho/TGF- β signaling. <i>Journal of Clinical Investigation</i> , 2015 , 125, 1228-42	15.9	56
18	I prostanoid receptor-mediated inflammatory pathway promotes hepatic gluconeogenesis through activation of PKA and inhibition of AKT. <i>Diabetes</i> , 2014 , 63, 2911-23	0.9	17
17	Myeloid-derived suppressor cell function is diminished in aspirin-triggered allergic airway hyperresponsiveness in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 1163-74.e16	11.5	38
16	Epicardium-to-fat transition in injured heart. <i>Cell Research</i> , 2014 , 24, 1367-9	24.7	39
15	Vitamin D inhibits COX-2 expression and inflammatory response by targeting thioesterase superfamily member 4. <i>Journal of Biological Chemistry</i> , 2014 , 289, 11681-11694	5.4	80
14	Myeloid mineralocorticoid receptor deficiency inhibits aortic constriction-induced cardiac hypertrophy in mice. <i>PLoS ONE</i> , 2014 , 9, e110950	3.7	29
13	COX-1-derived thromboxane A ₂ plays an essential role in early B-cell development via regulation of JAK/STAT5 signaling in mouse. <i>Blood</i> , 2014 , 124, 1610-21	2.2	16
12	Cyclooxygenase-2-derived prostaglandin E ₂ promotes injury-induced vascular neointimal hyperplasia through the E-prostanoid 3 receptor. <i>Circulation Research</i> , 2013 , 113, 104-14	15.7	56
11	Thromboxane A ₂ Signaling Regulates Heterogeneous Platelet Activation Following Laser-Induced Injury In Mouse Cremaster Arterioles. <i>Blood</i> , 2013 , 122, 1055-1055	2.2	1
10	Cyclooxygenase-2 induction in macrophages is modulated by docosahexaenoic acid via interactions with free fatty acid receptor 4 (FFA4) 2013 , 27, 4987		1
9	Vascular COX-2 modulates blood pressure and thrombosis in mice. <i>Science Translational Medicine</i> , 2012 , 4, 132ra54	17.5	164
8	PG F ₂ Receptor: A Promising Therapeutic Target for Cardiovascular Disease. <i>Frontiers in Pharmacology</i> , 2010 , 1, 116	5.6	24
7	Cyclooxygenase-2-dependent prostacyclin formation and blood pressure homeostasis: targeted exchange of cyclooxygenase isoforms in mice. <i>Circulation Research</i> , 2010 , 106, 337-45	15.7	33

6	Prostaglandin F2alpha elevates blood pressure and promotes atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 7985-90	11.5	79
5	Prostanoids in health and disease. <i>Journal of Lipid Research</i> , 2009 , 50 Suppl, S423-8	6.3	322
4	A novel genetic model of selective COX-2 inhibition: comparison with COX-2 null mice. <i>Prostaglandins and Other Lipid Mediators</i> , 2007 , 82, 77-84	3.7	16
3	Targeted cyclooxygenase gene (ptgs) exchange reveals discriminant isoform functionality. <i>Journal of Biological Chemistry</i> , 2007 , 282, 1498-506	5.4	48
2	Genetic model of selective COX2 inhibition reveals novel heterodimer signaling. <i>Nature Medicine</i> , 2006 , 12, 699-704	50.5	60
1	Differential impact of prostaglandin H synthase 1 knockdown on platelets and parturition. <i>Journal of Clinical Investigation</i> , 2005 , 115, 986-95	15.9	58