

Martha A Belury

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5497087/publications.pdf>

Version: 2024-02-01

94
papers

5,421
citations

134610

34
h-index

90395

73
g-index

95
all docs

95
docs citations

95
times ranked

6327
citing authors

#	ARTICLE	IF	CITATIONS
1	Weighing Evidence of the Role of Saturated and Unsaturated Fats and Human Health. <i>Advances in Nutrition</i> , 2022, 13, 686-688.	2.9	3
2	Altered Plasma Fatty Acid Abundance Is Associated with Cachexia in Treatment-Naïve Pancreatic Cancer. <i>Cells</i> , 2022, 11, 910.	1.8	4
3	Frequent Interpersonal Stress and Inflammatory Reactivity Predict Depressive-Symptom Increases: Two Tests of the Social-Signal-Transduction Theory of Depression. <i>Psychological Science</i> , 2022, 33, 152-164.	1.8	3
4	Modeled Substitution of Traditional Oils with High-Oleic Acid Oils Decreases Essential Fatty Acid Intake in Children. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1180-1188.	2.2	4
5	Perceived social support predicts self-reported and objective health and health behaviors among pregnant women. <i>Journal of Behavioral Medicine</i> , 2022, 45, 589-602.	1.1	4
6	Linoleic Acid-Rich Oil Alters Circulating Cardiolipin Species and Fatty Acid Composition in Adults: A Randomized Controlled Trial. <i>Molecular Nutrition and Food Research</i> , 2022, 66, .	1.5	4
7	Omega-3 supplementation and stress reactivity of cellular aging biomarkers: an ancillary substudy of a randomized, controlled trial in midlife adults. <i>Molecular Psychiatry</i> , 2021, 26, 3034-3042.	4.1	14
8	Erythrocyte Long-Chain ω -3 Fatty Acids Are Positively Associated with Lean Mass and Grip Strength in Women with Recent Diagnoses of Breast Cancer. <i>Journal of Nutrition</i> , 2021, 151, 2125-2133.	1.3	2
9	Dietary Naringenin Preserves Insulin Sensitivity and Grip Strength and Attenuates Inflammation but Accelerates Weight Loss in a Mouse Model of Cancer Cachexia. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2100268.	1.5	4
10	Using Fish Oil to Prevent Anthracycline-Induced Cardiotoxicity. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa044_002.	0.1	0
11	The Relationship of Plasma Linoleic Acid and Oleic Acid Levels with Markers of Inflammation and Glycemia in Healthy Adults. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa049_011.	0.1	0
12	Markers of Metabolism in Skeletal Muscle and White Adipose Tissue are Distinctly Altered by Differing Dietary Oils in ob/ob Mice. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa049_054.	0.1	0
13	Linoleic Acid-Rich Oil Supplementation Increases Total and High-Molecular-Weight Adiponectin and Alters Plasma Oxylipins in Postmenopausal Women with Metabolic Syndrome. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa136.	0.1	6
14	Plasma lipidome abnormalities in people with HIV initiating antiretroviral therapy. <i>Translational Medicine Communications</i> , 2020, 5, .	0.5	1
15	Afternoon distraction: a high-saturated-fat meal and endotoxemia impact postmeal attention in a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1150-1158.	2.2	9
16	Fatty food, fatty acids, and microglial priming in the adult and aged hippocampus and amygdala. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 145-158.	2.0	47
17	Altered Lipidome Composition Is Related to Markers of Monocyte and Immune Activation in Antiretroviral Therapy Treated Human Immunodeficiency Virus (HIV) Infection and in Uninfected Persons. <i>Frontiers in Immunology</i> , 2019, 10, 785.	2.2	34
18	A proinflammatory diet is associated with inflammatory gene expression among healthy, non-obese adults: Can social ties protect against the risks?. <i>Brain, Behavior, and Immunity</i> , 2019, 82, 36-44.	2.0	16

#	ARTICLE	IF	CITATIONS
19	Evaluation of a Rapid Assessment Questionnaire Using a Biomarker for Dietary Intake of ω 3 Fatty Acids. <i>Lipids</i> , 2019, 54, 321-328.	0.7	4
20	Blood level of adiponectin is positively associated with lean mass in women without type 2 diabetes. <i>Menopause</i> , 2019, 26, 1311-1317.	0.8	3
21	Higher tumor mass and lower adipose mass are associated with colon ω 6 adenocarcinoma-induced cachexia in male, female and ovariectomized mice. <i>Oncology Reports</i> , 2019, 41, 2909-2918.	1.2	5
22	Linoleic acid, glycemic control and Type 2 diabetes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 132, 30-33.	1.0	56
23	Randomized placebo-controlled pilot trial of omega 3 fatty acids for prevention of aromatase inhibitor-induced musculoskeletal pain. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 709-718.	1.1	22
24	Low Sucrose, Omega-3 Enriched Diet Has Region-Specific Effects on Neuroinflammation and Synaptic Function Markers in a Mouse Model of Doxorubicin-Based Chemotherapy. <i>Nutrients</i> , 2018, 10, 2004.	1.7	10
25	Omega-6 fatty acids, inflammation and cardiometabolic health: Overview of supplementary issue. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 139, 1-2.	1.0	5
26	Marital distress, depression, and a leaky gut: Translocation of bacterial endotoxin as a pathway to inflammation. <i>Psychoneuroendocrinology</i> , 2018, 98, 52-60.	1.3	83
27	Modeled replacement of traditional soybean and canola oil with high-oleic varieties increases monounsaturated fatty acid and reduces both saturated fatty acid and polyunsaturated fatty acid intake in the US adult population. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 594-602.	2.2	38
28	Omega-3 Fatty Acid Plasma Levels Before and After Supplementation: Correlations with Mood and Clinical Outcomes in the Omega-3 and Therapy Studies. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 223-233.	0.7	30
29	Citrus flavonoid naringenin reduces mammary tumor cell viability, adipose mass, and adipose inflammation in obese ovariectomized mice. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600934.	1.5	44
30	Raspberry ketone fails to reduce adiposity beyond decreasing food intake in C57BL/6 mice fed a high-fat diet. <i>Food and Function</i> , 2017, 8, 1512-1518.	2.1	12
31	Phosphorus-31 Magnetic Resonance Spectroscopy: A Tool for Measuring ω 3 Mitochondrial Oxidative Phosphorylation Capacity in Human Skeletal Muscle. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	5
32	Body weight affects ω -3 polyunsaturated fatty acid (PUFA) accumulation in youth following supplementation in post-hoc analyses of a randomized controlled trial. <i>PLoS ONE</i> , 2017, 12, e0173087.	1.1	13
33	Prospective Analysis of Lipid Composition Changes with Antiretroviral Therapy and Immune Activation in Persons Living with HIV. <i>Pathogens and Immunity</i> , 2017, 2, 376.	1.4	36
34	Citrus flavonoid, naringenin, increases locomotor activity and reduces diacylglycerol accumulation in skeletal muscle of obese ovariectomized mice. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 313-324.	1.5	32
35	Erythrocyte linoleic acid, but not oleic acid, is associated with improvements in body composition in men and women. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1206-1212.	1.5	39
36	Association of Specific Dietary Fats With Mortality. <i>JAMA Internal Medicine</i> , 2016, 176, 1878.	2.6	2

#	ARTICLE	IF	CITATIONS
37	Polyunsaturated Fatty Acid (PUFA) Status in Pregnant Women: Associations with Sleep Quality, Inflammation, and Length of Gestation. PLoS ONE, 2016, 11, e0148752.	1.1	37
38	Dietary Omega-3 Fatty Acid Supplementation Reduces Inflammation in Obese Pregnant Women: A Randomized Double-Blind Controlled Clinical Trial. PLoS ONE, 2015, 10, e0137309.	1.1	102
39	Short-term food restriction followed by controlled refeeding promotes gorging behavior, enhances fat deposition, and diminishes insulin sensitivity in mice. Journal of Nutritional Biochemistry, 2015, 26, 721-728.	1.9	24
40	Adipose tissue lipolysis and energy metabolism in early cancer cachexia in mice. Cancer Biology and Therapy, 2015, 16, 886-897.	1.5	65
41	Stress, Depression, and Metabolism: Replies to Bohan Brown et al. and Barton and Yancy. Biological Psychiatry, 2015, 78, e13-e14.	0.7	1
42	The flavonoid, naringenin, decreases adipose tissue mass and attenuates ovariectomy-associated metabolic disturbances in mice. Nutrition and Metabolism, 2015, 12, 1.	1.3	87
43	Long-chain ω -3 fatty acid intake and endometrial cancer risk in the Women's Health Initiative. American Journal of Clinical Nutrition, 2015, 101, 824-834.	2.2	17
44	Marital discord, past depression, and metabolic responses to high-fat meals: Interpersonal pathways to obesity. Psychoneuroendocrinology, 2015, 52, 239-250.	1.3	48
45	Daily Stressors, Past Depression, and Metabolic Responses to High-Fat Meals: A Novel Path to Obesity. Biological Psychiatry, 2015, 77, 653-660.	0.7	58
46	Metabolic Interactions between Vitamin A and Conjugated Linoleic Acid. Nutrients, 2014, 6, 1262-1272.	1.7	9
47	Omega-3 fatty acids, oxidative stress, and leukocyte telomere length: A randomized controlled trial. Brain, Behavior, and Immunity, 2013, 28, 16-24.	2.0	211
48	Relationship of plasma levels of C-reactive protein and adiponectin and change of lean body mass in obese postmenopausal women supplemented with safflower oil. FASEB Journal, 2013, 27, 360.3.	0.2	0
49	Omega-3 supplementation lowers inflammation in healthy middle-aged and older adults: A randomized controlled trial. Brain, Behavior, and Immunity, 2012, 26, 988-995.	2.0	184
50	Relationships between features of metabolic syndrome and fatty acid composition of the diet, plasma, and adipose tissue in older adults. FASEB Journal, 2012, 26, 819.26.	0.2	0
51	The effect of naringenin on the phosphorylation of AMPK in diet-induced obese mice. FASEB Journal, 2012, 26, 818.2.	0.2	0
52	Omega-3 supplementation lowers inflammation and anxiety in medical students: A randomized controlled trial. Brain, Behavior, and Immunity, 2011, 25, 1725-1734.	2.0	249
53	Time-dependent effects of safflower oil to improve glycemia, inflammation and blood lipids in obese, post-menopausal women with type 2 diabetes: A randomized, double-masked, crossover study. Clinical Nutrition, 2011, 30, 443-449.	2.3	56
54	Conjugated linoleic acid-rich oil fails to attenuate wasting in colon-26 tumor-induced late-stage cancer cachexia in male CD2F1 mice. Molecular Nutrition and Food Research, 2011, 55, 268-277.	1.5	21

#	ARTICLE	IF	CITATIONS
55	Hepatic steatosis by dietary conjugated linoleic acid is accompanied by accumulation of diacylglycerol and increased membrane-associated protein kinase C μ in mice. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1010-1017.	1.5	21
56	Rosiglitazone delayed weight loss and anorexia while attenuating adipose depletion in mice with cancer cachexia. <i>Cancer Biology and Therapy</i> , 2011, 12, 957-965.	1.5	39
57	Evidence for the contribution of insulin resistance to the development of cachexia in tumor-bearing mice. <i>International Journal of Cancer</i> , 2010, 126, 756-763.	2.3	145
58	Cardiac alterations in cancer-induced cachexia in mice. <i>International Journal of Oncology</i> , 2010, 37, 347-53.	1.4	68
59	γ -3 Fatty acid supplements in women at high risk of breast cancer have dose-dependent effects on breast adipose tissue fatty acid composition. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1185-1194.	2.2	81
60	Comparison of dietary conjugated linoleic acid with safflower oil on body composition in obese postmenopausal women with type 2 diabetes mellitus. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 468-476.	2.2	139
61	The citrus fruit flavonoid naringenin suppresses hepatic glucose production from Fao hepatoma cells. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 300-307.	1.5	35
62	Conjugated Linoleic Acid Induces Uncoupling Protein 1 in White Adipose Tissue of <i>ob/ob</i> Mice. <i>Lipids</i> , 2009, 44, 975-982.	0.7	27
63	Conjugated linoleic acid fails to worsen insulin resistance but induces hepatic steatosis in the presence of leptin in <i>ob/ob</i> mice. <i>Journal of Lipid Research</i> , 2008, 49, 98-106.	2.0	59
64	Fermented Soy Diet Reduces Weight Gain and Alters Liver Fatty Acid Composition in mice Fed a High Fat Diet. <i>FASEB Journal</i> , 2008, 22, 892.3.	0.2	0
65	Evidence for the involvement of early insulin resistance in the development of cachexia in mice bearing colon tumors. <i>FASEB Journal</i> , 2008, 22, 1089.5.	0.2	0
66	Fermented Soy Product Reduces Adipose Mass, Improves Insulin Sensitivity and Alters Adipose Tissue Gene Products in Mice. <i>FASEB Journal</i> , 2008, 22, 892.6.	0.2	0
67	Dysregulation of lipid metabolism in cardiac muscle of mice with cachexia. <i>FASEB Journal</i> , 2008, 22, 147.5.	0.2	0
68	Combined effects of rosiglitazone and conjugated linoleic acid on adiposity, insulin sensitivity, and hepatic steatosis in high-fat-fed mice. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, G1671-G1682.	1.6	62
69	Maintenance of adiponectin attenuates insulin resistance induced by dietary conjugated linoleic acid in mice. <i>Journal of Lipid Research</i> , 2007, 48, 444-452.	2.0	35
70	Potential health benefits of conjugated trienoic acids. <i>Lipid Technology</i> , 2007, 19, 200-203.	0.3	17
71	Conjugated linoleic acid does not reduce body fat but decreases hepatic steatosis in adult Wistar rats. <i>Journal of Nutritional Biochemistry</i> , 2007, 18, 676-684.	1.9	36
72	Impact of Amount and Triglyceride (TG) Structure on Micellarization of Dietary Carotenoids during Simulated Digestion. <i>FASEB Journal</i> , 2007, 21, A730.	0.2	4

#	ARTICLE	IF	CITATIONS
73	Conjugated Linoleic Acid. , 2007, , .		0
74	Effects of conjugated linoleic acid and troglitazone on lipid accumulation and composition in lean and Zucker diabetic fatty (fa/fa) rats. <i>Lipids</i> , 2006, 41, 241-247.	0.7	23
75	Activation of peroxisome proliferator-activated receptor (PPAR) α by conjugated linoleic acid is modulated by Protein Kinase C μ . <i>FASEB Journal</i> , 2006, 20, A1000.	0.2	1
76	Dietary Conjugated Linoleic Acid (CLA) Attenuates Hepatic Steatosis by Modifying Stearoyl-CoA Desaturase (SCD-1) mRNA and Activity in High-Fat Fed Rats. <i>FASEB Journal</i> , 2006, 20, A574.	0.2	0
77	Is There a Role for Conjugated Linoleic Acid to Aid in the Prevention of Type 2 Diabetes?. , 2006, , 263-273.		0
78	Effect of conjugated linoleic acid supplementation on rosiglitazone treatment in Ob/Ob mice. <i>FASEB Journal</i> , 2006, 20, A550.	0.2	1
79	Leptin prevents insulin resistance induced by conjugated linoleic acid in obese mice. <i>FASEB Journal</i> , 2006, 20, .	0.2	0
80	Selective induction of apoptosis in murine skin carcinoma cells (CH72) by an ethanol extract of <i>Lentinula edodes</i> . <i>Cancer Letters</i> , 2005, 220, 21-28.	3.2	56
81	Conjugated linoleic acids (CLA) as precursors of a distinct family of PUFA. <i>Lipids</i> , 2004, 39, 1143-1146.	0.7	56
82	Conjugated Linoleic Acid. , 2004, , 209-219.		0
83	The Conjugated Linoleic Acid (CLA) Isomer, t10c12-CLA, Is Inversely Associated with Changes in Body Weight and Serum Leptin in Subjects with Type 2 Diabetes Mellitus. <i>Journal of Nutrition</i> , 2003, 133, 257S-260S.	1.3	153
84	Inhibition of Carcinogenesis by Conjugated Linoleic Acid: Potential Mechanisms of Action. <i>Journal of Nutrition</i> , 2002, 132, 2995-2998.	1.3	256
85	DIETARY CONJUGATED LINOLEIC ACID IN HEALTH: Physiological Effects and Mechanisms of Action. <i>Annual Review of Nutrition</i> , 2002, 22, 505-531.	4.3	732
86	Introduction. <i>Journal of Nutrition</i> , 1999, 129, 569S-570S.	1.3	0
87	Conjugated linoleic acid is a potent naturally occurring ligand and activator of PPAR α . <i>Journal of Lipid Research</i> , 1999, 40, 1426-1433.	2.0	348
88	Dietary Conjugated Linoleic Acid Normalizes Impaired Glucose Tolerance in the Zucker Diabetic Fatty/faRat. <i>Biochemical and Biophysical Research Communications</i> , 1998, 244, 678-682.	1.0	567
89	Calcium Bioavailability of Vegetarian Diets in Rats: Potential Application in a Bioregenerative Life-Support System. <i>Journal of Food Science</i> , 1997, 62, 619-621.	1.5	9
90	Conjugated linoleic acid modulates hepatic lipid composition in mice. <i>Lipids</i> , 1997, 32, 199-204.	0.7	326

#	ARTICLE	IF	CITATIONS
91	Conjugated linoleic acid modulation of phorbol ester-induced events in murine keratinocytes. <i>Lipids</i> , 1997, 32, 725-730.	0.7	45
92	Dietary conjugated linoleic acid induces peroxisome-specific enzyme accumulation and ornithine decarboxylase activity in mouse liver. <i>Journal of Nutritional Biochemistry</i> , 1997, 8, 579-584.	1.9	127
93	Arachidonate Has Protumor-Promoting Action that is Inhibited by Linoleate in Mouse Skin Carcinogenesis. <i>Journal of Nutrition</i> , 1996, 126, 1099S-1104S.	1.3	13
94	Dietary conjugated Linoleic acid modulation of phorbol ester skin tumor promotion. <i>Nutrition and Cancer</i> , 1996, 26, 149-157.	0.9	177