

Mora Murri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5497899/mora-murri-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

2,386
citations

22
h-index

37
g-index

37
ext. papers

2,817
ext. citations

5.9
avg, IF

4.76
L-index

#	Paper	IF	Citations
34	Visceral Adipose Tissue Phospholipid Signature of Insulin Sensitivity and Obesity. <i>Journal of Proteome Research</i> , 2021 , 20, 2410-2419	5.6	0
33	MiR-337-3p Promotes Adipocyte Browning by Inhibiting TWIST1. <i>Cells</i> , 2020 , 9,	7.9	5
32	miR-20b, miR-296, and Let-7f Expression in Human Adipose Tissue is Related to Obesity and Type 2 Diabetes. <i>Obesity</i> , 2019 , 27, 245-254	8	13
31	Non-targeted profiling of circulating microRNAs in women with polycystic ovary syndrome (PCOS): effects of obesity and sex hormones. <i>Metabolism: Clinical and Experimental</i> , 2018 , 86, 49-60	12.7	36
30	Gut Microbiota and the Polycystic Ovary Syndrome: Influence of Sex, Sex Hormones, and Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2552-2562	5.6	94
29	MicroRNAs as regulators of mitochondrial dysfunction and obesity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H291-H302	5.2	16
28	Unfavorable cytokine and adhesion molecule profiles during and after pregnancy, in women with gestational diabetes mellitus. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2017 , 64, 18-25	1.3	9
27	Unfavorable cytokine and adhesion molecule profiles during and after pregnancy, in women with gestational diabetes mellitus. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 18-25	0.1	
26	Plasma thiobarbituric acid reactive substances (TBARS) in young adults: Obesity increases fasting levels only in men whereas glucose ingestion, and not protein or lipid intake, increases postprandial concentrations regardless of sex and obesity. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700425	5.9	17
25	Metabolomics in polycystic ovary syndrome. <i>Clinica Chimica Acta</i> , 2014 , 429, 181-8	6.2	30
24	Proteomic analysis of adipose tissue: informing diabetes research. <i>Expert Review of Proteomics</i> , 2014 , 11, 491-502	4.2	9
23	GLP-1 and peptide YY secretory response after fat load is impaired by insulin resistance, impaired fasting glucose and type 2 diabetes in morbidly obese subjects. <i>Clinical Endocrinology</i> , 2014 , 80, 671-6	3.4	22
22	Oxidative stress and antioxidant status in patients with late-onset gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2013 , 50, 201-8	3.9	53
21	Proteomic analysis of visceral adipose tissue in pre-obese patients with type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2013 , 376, 99-106	4.4	37
20	Circulating markers of oxidative stress and polycystic ovary syndrome (PCOS): a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2013 , 19, 268-88	15.8	277
19	Effects of polycystic ovary syndrome (PCOS), sex hormones, and obesity on circulating miRNA-21, miRNA-27b, miRNA-103, and miRNA-155 expression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1835-44	5.6	106
18	Caspase induction and BCL2 inhibition in human adipose tissue: a potential relationship with insulin signaling alteration. <i>Diabetes Care</i> , 2013 , 36, 513-21	14.6	44

17	Cellular and plasma oxidative stress biomarkers are raised in adults with bronchiectasis. <i>Clinical Nutrition</i> , 2013 , 32, 112-7	5.9	25
16	Particular characteristics of the metabolic syndrome in patients with morbid obesity. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2013 , 60, 127-35		5
15	Proteomic and metabolomic approaches to the study of polycystic ovary syndrome. <i>Molecular and Cellular Endocrinology</i> , 2013 , 370, 65-77	4.4	39
14	Comparative study of microbial-derived phenolic metabolites in human feces after intake of gin, red wine, and dealcoholized red wine. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 3909-15	5.7	62
13	Thymus fat as an attractive source of angiogenic factors in elderly subjects with myocardial ischemia. <i>Age</i> , 2013 , 35, 1263-75		5
12	Gut microbiota in children with type 1 diabetes differs from that in healthy children: a case-control study. <i>BMC Medicine</i> , 2013 , 11, 46	11.4	447
11	Gut microbiota composition in male rat models under different nutritional status and physical activity and its association with serum leptin and ghrelin levels. <i>PLoS ONE</i> , 2013 , 8, e65465	3.7	278
10	Mediators of low-grade chronic inflammation in polycystic ovary syndrome (PCOS). <i>Current Pharmaceutical Design</i> , 2013 , 19, 5775-91	3.3	49
9	Adipokines and metabolic syndrome risk factors in women with previous gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 542-8	7.5	15
8	Influence of red wine polyphenols and ethanol on the gut microbiota ecology and biochemical biomarkers. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1323-34	7	433
7	Hemoglobin A1c versus oral glucose tolerance test in postpartum diabetes screening. <i>Diabetes Care</i> , 2012 , 35, 1648-53	14.6	88
6	Continuous positive airway pressure therapy reduces oxidative stress markers and blood pressure in sleep apnea-hypopnea syndrome patients. <i>Biological Trace Element Research</i> , 2011 , 143, 1289-301	4.5	13
5	Effect of CPAP on oxidative stress and circulating progenitor cell levels in sleep patients with apnea-hypopnea syndrome. <i>Respiratory Care</i> , 2011 , 56, 1830-6	2.1	23
4	PPARgamma expression after a high-fat meal is associated with plasma superoxide dismutase activity in morbidly obese persons. <i>Obesity</i> , 2010 , 18, 952-8	8	38
3	Changes in oxidative stress and insulin resistance in morbidly obese patients after bariatric surgery. <i>Obesity Surgery</i> , 2010 , 20, 363-8	3.7	46
2	Oxidative stress and metabolic changes after continuous positive airway pressure treatment according to previous metabolic disorders in sleep apnea-hypopnea syndrome patients. <i>Translational Research</i> , 2009 , 154, 111-21	11	29
1	The -1131T>C SNP of the APOA5 gene modulates response to fenofibrate treatment in patients with the metabolic syndrome: a postprandial study. <i>Atherosclerosis</i> , 2009 , 206, 148-52	3.1	23