

Enrique Santas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5499392/publications.pdf>

Version: 2024-02-01

63
papers

1,387
citations

411340

20
h-index

425179

34
g-index

63
all docs

63
docs citations

63
times ranked

1650
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic value of NT-proBNP and CA125 across glomerular filtration rate categories in acute heart failure. <i>European Journal of Internal Medicine</i> , 2022, 95, 67-73.	1.0	10
2	Hospitalization following an emergency-department visit for worsening heart failure: The role of left ventricular ejection fraction. <i>Medicina Clínica</i> , 2022, 159, 157-163.	0.3	1
3	Carbohydrate antigen 125 and risk of heart failure readmissions in patients with heart failure and preserved ejection fraction. <i>Scientific Reports</i> , 2022, 12, 1344.	1.6	7
4	Short-term effects of dapagliflozin on maximal functional capacity in heart failure with reduced ejection fraction (DAPA-HF): a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2022, 24, 1816-1826.	2.9	22
5	Early urinary sodium trajectory and risk of adverse outcomes in acute heart failure and renal dysfunction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 616-623.	0.4	4
6	Soluble ST2 and Diuretic Efficiency in Acute Heart Failure and Concomitant Renal Dysfunction. <i>Journal of Cardiac Failure</i> , 2021, 27, 427-434.	0.7	9
7	Prognostic value of indexed pulmonary artery diameter assessed by cardiac magnetic resonance imaging in patients with acute heart failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 267-269.	0.4	0
8	Iron deficiency and short-term adverse events in patients with decompensated heart failure. <i>Clinical Research in Cardiology</i> , 2021, 110, 1292-1298.	1.5	9
9	Valor pronóstico del diámetro indexado de la arteria pulmonar mediante resonancia magnética cardiaca en pacientes con insuficiencia cardiaca aguda. <i>Revista Espanola De Cardiologia</i> , 2021, 74, 267-269.	0.6	0
10	CA125 but not NT-proBNP predicts the presence of a congestive intrarenal venous flow in patients with acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 475-483.	0.4	18
11	Comparación entre CA125 y NT-proBNP para valorar la congestión en insuficiencia cardiaca aguda. <i>Medicina Clínica</i> , 2021, 156, 589-594.	0.3	18
12	Right Heart Dysfunction and Readmission Risk Across Left Ventricular Ejection Fraction Status in Patients With Acute Heart Failure. <i>Journal of Cardiac Failure</i> , 2021, 27, 1090-1098.	0.7	3
13	Effects of empagliflozin on CA125 trajectory in patients with chronic congestive heart failure. <i>International Journal of Cardiology</i> , 2021, 339, 102-105.	0.8	11
14	Clinical utility of antigen carbohydrate 125 for planning the optimal length of stay in acute heart failure. <i>European Journal of Internal Medicine</i> , 2021, 92, 94-99.	1.0	4
15	Right ventricular function and iron deficiency in acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 406-414.	0.4	8
16	Effect of Î²-Blocker Withdrawal on Functional Capacity in Heart Failure and Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2042-2056.	1.2	97
17	Differential prognostic impact of type 2 diabetes mellitus in women and men with heart failure with preserved ejection fraction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 463-470.	0.4	12
18	CA125-Guided Diuretic Treatment Versus Usual Care in Patients With Acute Heart Failure and Renal Dysfunction. <i>American Journal of Medicine</i> , 2020, 133, 370-380.e4.	0.6	58

#	ARTICLE	IF	CITATIONS
19	Short-term changes in left and right systolic function following ferric carboxymaltose: a substudy of the Myocardial-IRON trial. <i>ESC Heart Failure</i> , 2020, 7, 4222-4230.	1.4	21
20	Effect of insulin on readmission for heart failure following a hospitalization for acute heart failure. <i>ESC Heart Failure</i> , 2020, 7, 3320-3328.	1.4	2
21	Renal function dynamics following co-administration of sacubitril/valsartan and empagliflozin in patients with heart failure and type 2 diabetes. <i>ESC Heart Failure</i> , 2020, 7, 3792-3800.	1.4	11
22	Use of edoxaban in clinical practice: Comparison of data from the Spanish population in the ETNA-AF-Europe registry. <i>Future Cardiology</i> , 2020, 16, 469-480.	0.5	2
23	Clinical profile and 1-year clinical outcomes of super elderly patients admitted with acute heart failure. <i>European Journal of Internal Medicine</i> , 2020, 81, 78-82.	1.0	5
24	The emerging role of carbohydrate antigen 125 in heart failure. <i>Biomarkers in Medicine</i> , 2020, 14, 249-252.	0.6	5
25	Right Ventricular Dysfunction Staging System for Mortality Risk Stratification in Heart Failure with Preserved Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020, 9, 831.	1.0	15
26	CA125 outperforms NT-proBNP in acute heart failure with severe tricuspid regurgitation. <i>International Journal of Cardiology</i> , 2020, 308, 54-59.	0.8	28
27	Rehospitalization burden and morbidity risk in patients with heart failure with mid-range ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 1007-1014.	1.4	14
28	Factors associated with plasma antigen carbohydrate 125 and amino-terminal pro-B-type natriuretic peptide concentrations in acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 437-447.	0.4	32
29	Transitioning from Preclinical to Clinical Heart Failure with Preserved Ejection Fraction: A Mechanistic Approach. <i>Journal of Clinical Medicine</i> , 2020, 9, 1110.	1.0	19
30	Abnormal renal function in acute heart failure: the same side of different coins. <i>Emergencias</i> , 2020, 32, 311-313.	0.6	1
31	Usefulness of Right Ventricular to Pulmonary Circulation Coupling as an Indicator of Risk for Recurrent Admissions in Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , 2019, 124, 567-572.	0.7	38
32	Functional tricuspid regurgitation and recurrent admissions in patients with acute heart failure. <i>International Journal of Cardiology</i> , 2019, 291, 83-88.	0.8	16
33	Inspiratory Muscle Training and Functional Electrical Stimulation for Treatment of Heart Failure With Preserved Ejection Fraction: The TRAINING-HF Trial. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 288-297.	0.4	12
34	Early effects of empagliflozin on exercise tolerance in patients with heart failure: A pilot study. <i>Clinical Cardiology</i> , 2018, 41, 476-480.	0.7	27
35	Heart rate response and functional capacity in patients with chronic heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2018, 5, 579-585.	1.4	23
36	Peak Exercise Oxygen Uptake Predicts Recurrent Admissions in Heart Failure With Preserved Ejection Fraction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 250-256.	0.4	11

#	ARTICLE	IF	CITATIONS
37	Long-Term Potassium Monitoring and Dynamics in Heart Failure and Risk of Mortality. <i>Circulation</i> , 2018, 137, 1320-1330.	1.6	121
38	Use of acetazolamide in the treatment of patients with refractory congestive heart failure. <i>Cardiovascular Therapeutics</i> , 2018, 36, e12465.	1.1	13
39	Early serum creatinine changes and outcomes in patients admitted for acute heart failure: the cardio-renal syndrome revisited. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 430-440.	0.4	21
40	Long-term serial kinetics of N-terminal pro B-type natriuretic peptide and carbohydrate antigen 125 for mortality risk prediction following acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 685-696.	0.4	49
41	Carga de hospitalizaciones recurrentes tras una hospitalización por insuficiencia cardiaca aguda: insuficiencia cardiaca con función sistólica conservada frente a reducida. <i>Revista Espanola De Cardiologia</i> , 2017, 70, 239-246.	0.6	66
42	Echocardiographic pulmonary artery pressure estimation and heart failure rehospitalization burden in patients with acute heart failure. <i>International Journal of Cardiology</i> , 2017, 241, 407-410.	0.8	20
43	Diuretic Strategies in Acute Heart Failure and Renal Dysfunction: Conventional vs Carbohydrate Antigen 125-guided Strategy. <i>Clinical Trial Design. Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 1067-1073.	0.4	5
44	Length of stay and risk of very early readmission in acute heart failure. <i>European Journal of Internal Medicine</i> , 2017, 42, 61-66.	1.0	20
45	Functional Mitral Regurgitation Predicts Short-Term Adverse Events in Patients With Acute Heart Failure and Reduced Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2017, 120, 1344-1348.	0.7	20
46	Burden of Recurrent Hospitalizations Following an Admission for Acute Heart Failure: Preserved Versus Reduced Ejection Fraction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 239-246.	0.4	22
47	Pseudoaneurysm with fistulization to the left atrium: A very rare late complication of previous aortic root surgery. <i>International Journal of Cardiology</i> , 2016, 212, 145-147.	0.8	2
48	Continuous ambulatory peritoneal dialysis as a promising therapy for light chain amyloidosis with congestive heart failure. <i>International Journal of Cardiology</i> , 2016, 223, 807-809.	0.8	3
49	Inspiratory Muscle Training and Functional Electrical Stimulation for Treatment of Heart Failure With Preserved Ejection Fraction: Rationale and Study Design of a Prospective Randomized Controlled Trial. <i>Clinical Cardiology</i> , 2016, 39, 433-439.	0.7	8
50	Carbohydrate Antigen-125-Guided Therapy in Acute Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 833-843.	1.9	88
51	Left ventricular ejection fraction recovery in patients with heart failure treated with intravenous iron: a pilot study. <i>ESC Heart Failure</i> , 2016, 3, 293-298.	1.4	45
52	Iron deficiency and risk of early readmission following a hospitalization for acute heart failure. <i>European Journal of Heart Failure</i> , 2016, 18, 798-802.	2.9	84
53	Iron deficiency and functional capacity in patients with advanced heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2016, 207, 365-367.	0.8	23
54	Six-minute walk test in moderate to severe heart failure with preserved ejection fraction: Useful for functional capacity assessment?. <i>International Journal of Cardiology</i> , 2016, 203, 800-802.	0.8	18

#	ARTICLE	IF	CITATIONS
55	Prognostic implications of pericardial effusion: The importance of underlying etiology. International Journal of Cardiology, 2016, 202, 407.	0.8	4
56	Tricuspid Regurgitation and Mortality Risk Across Left Ventricular Systolic Function in Acute Heart Failure. Circulation Journal, 2015, 79, 1526-1533.	0.7	27
57	Cardiorenal Syndrome in Acute Heart Failure: Revisiting Paradigms. Revista Espanola De Cardiologia (English Ed), 2015, 68, 426-435.	0.4	39
58	Procalcitonin and long-term prognosis after an admission for acute heart failure. European Journal of Internal Medicine, 2015, 26, 42-48.	1.0	19
59	Prognostic implications of pericardial effusion in acute heart failure: Does size matter?. International Journal of Cardiology, 2015, 184, 259-261.	0.8	8
60	Prognostic Implications of Tissue Doppler Imagingâ€œDerived E/Ea Ratio in Acute Heart Failure Patients. Echocardiography, 2015, 32, 213-220.	0.3	12
61	Prognostic Value of the Interaction between Galectin-3 and Antigen Carbohydrate 125 in Acute Heart Failure. PLoS ONE, 2015, 10, e0122360.	1.1	18
62	Antigen carbohydrate 125 and creatinine on admission for prediction of renal function response following loop diuretic administration in acute heart failure. International Journal of Cardiology, 2014, 174, 516-523.	0.8	30
63	Echocardiographic estimation of pulmonary arterial systolic pressure in acute heart failure. Prognostic implications. European Journal of Internal Medicine, 2013, 24, 562-567.	1.0	29