

# Hikaru Matsumoto

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5500125/hikaru-matsumoto-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50  
papers

2,097  
citations

27  
h-index

45  
g-index

53  
ext. papers

2,335  
ext. citations

4.1  
avg, IF

4.31  
L-index

#	Paper	IF	Citations
50	Comparison of Carotenoid Accumulation and Abscisic Acid Content in Fruit-color Altered Mutant and Original Types in Citrus. <i>Japan Agricultural Research Quarterly</i> , <b>2021</b> , 55, 359-366	0.5	
49	Exogenous Application of ABA and NAA Alleviates the Delayed Coloring Caused by Puffing Inhibitor in Citrus Fruit. <i>Cells</i> , <b>2021</b> , 10,	7.9	7
48	Auxin induced carotenoid accumulation in GA and PDJ-treated citrus fruit after harvest. <i>Postharvest Biology and Technology</i> , <b>2021</b> , 181, 111676	6.2	1
47	Effect of Maturation Stage and Storage Temperature and Duration on $\beta$ -Cryptoxanthin Content in Satsuma Mandarin (Citrus unshiu Marc.) Fruit. <i>Horticulture Journal</i> , <b>2019</b> , 88, 214-221	1.1	3
46	Abscisic acid affects expression of citrus FT homologs upon floral induction by low temperature in Satsuma mandarin (Citrus unshiu Marc.). <i>Tree Physiology</i> , <b>2018</b> , 38, 755-771	4.2	16
45	Effect of postharvest temperature on the muscat flavor and aroma volatile content in the berries of Rhine Muscat (Vitis labruscana Baily V. vinifera L.). <i>Postharvest Biology and Technology</i> , <b>2016</b> , 112, 256-265	6.2	21
44	The Effect of Fruit Bearing on Low-molecular-weight Metabolites in Stems of Satsuma Mandarin (Citrus unshiu Marc.). <i>Horticulture Journal</i> , <b>2016</b> , 85, 23-29	1.1	5
43	Diversity in the carotenoid profiles and the expression of genes related to carotenoid accumulation among citrus genotypes. <i>Breeding Science</i> , <b>2016</b> , 66, 139-47	2	36
42	Effect of blue LED light intensity on carotenoid accumulation in citrus juice sacs. <i>Journal of Plant Physiology</i> , <b>2015</b> , 188, 58-63	3.6	36
41	Effect of the combination of ethylene and red LED light irradiation on carotenoid accumulation and carotenogenic gene expression in the flavedo of citrus fruit. <i>Postharvest Biology and Technology</i> , <b>2015</b> , 99, 99-104	6.2	46
40	Effect of Enzymatic Peeling Process Temperature on the Sensory Properties and Chemical Composition of Satsuma Mandarin Fruit. <i>Journal of the Japanese Society for Food Science and Technology</i> , <b>2015</b> , 62, 402-408	0.2	1
39	Regulation of ascorbic acid metabolism by blue LED light irradiation in citrus juice sacs. <i>Plant Science</i> , <b>2015</b> , 233, 134-142	5.3	33
38	The Characteristics of Carotenoid Biosynthesis in Citrus Fruit. <i>Japan Agricultural Research Quarterly</i> , <b>2014</b> , 48, 9-16	0.5	7
37	Expression and functional analysis of two lycopene $\beta$ -cyclases from citrus fruits. <i>Planta</i> , <b>2012</b> , 236, 1315-24.7	4.7	29
36	Effect of different postharvest temperatures on the accumulation of sugars, organic acids, and amino acids in the juice sacs of Satsuma mandarin (Citrus unshiu Marc.) fruit. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 9900-9	5.7	24
35	Effect of electrostatic atomization on ascorbate metabolism in postharvest broccoli. <i>Postharvest Biology and Technology</i> , <b>2012</b> , 74, 19-25	6.2	20
34	Effect of blue and red LED light irradiation on $\beta$ -cryptoxanthin accumulation in the flavedo of citrus fruits. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 197-201	5.7	86

33	Regulation of carotenoid accumulation and the expression of carotenoid metabolic genes in citrus juice sacs in vitro. <i>Journal of Experimental Botany</i> , <b>2012</b> , 63, 871-86	7	88
32	Effect of 1-Methylcyclopropene on the Expression of Genes for Ascorbate Metabolism in Postharvest Cauliflower. <i>Japanese Society for Horticultural Science</i> , <b>2011</b> , 80, 512-520		3
31	Quantitative Trait Loci (QTL) Analysis of Carotenoid Content in Citrus Fruit. <i>Japanese Society for Horticultural Science</i> , <b>2011</b> , 80, 136-144		20
30	Effect of 1-methylcyclopropene on the expression of genes for ascorbate metabolism in postharvest broccoli. <i>Postharvest Biology and Technology</i> , <b>2010</b> , 58, 121-128	6.2	23
29	Small-sized human immunodeficiency virus type-1 protease inhibitors containing allophenylnorstatine to explore the S2' pocket. <i>Journal of Medicinal Chemistry</i> , <b>2009</b> , 52, 7604-17	8.3	19
28	Effect of postharvest temperature and ethylene on carotenoid accumulation in the Flavedo and juice sacs of Satsuma Mandarin ( Citrus unshiu Marc.) fruit. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 4724-32	5.7	77
27	Synergistic interaction of cigarette smoking and alcohol drinking with serum carotenoid concentrations: findings from a middle-aged Japanese population. <i>British Journal of Nutrition</i> , <b>2009</b> , 102, 1211-9	3.6	35
26	Bioavailability and metabolism of orange juice flavanones in humans: impact of a full-fat yogurt. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 11157-64	5.7	127
25	Associations of serum carotenoid concentrations with the metabolic syndrome: interaction with smoking. <i>British Journal of Nutrition</i> , <b>2008</b> , 100, 1297-306	3.6	50
24	Quantification of carotenoids in citrus fruit by LC-MS and comparison of patterns of seasonal changes for carotenoids among citrus varieties. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 2356-68	5.7	93
23	Accumulation of Carotenoids and Expression of Carotenoid Biosynthetic Genes and Carotenoid Cleavage Dioxygenase Genes during Fruit Maturation in the Juice Sacs of Tamami, Miyomi and Wilking Mandarin. <i>Journal of the Japanese Society for Horticultural Science</i> , <b>2007</b> , 76, 103-111		28
22	The role of carotenoid cleavage dioxygenases in the regulation of carotenoid profiles during maturation in citrus fruit. <i>Journal of Experimental Botany</i> , <b>2006</b> , 57, 2153-64	7	134
21	Serum carotenoid concentrations are inversely associated with serum aminotransferases in hyperglycemic subjects. <i>Diabetes Research and Clinical Practice</i> , <b>2006</b> , 71, 82-91	7.4	28
20	The homeostasis model assessment-insulin resistance index is inversely associated with serum carotenoids in non-diabetic subjects. <i>Journal of Epidemiology</i> , <b>2006</b> , 16, 71-8	3.4	72
19	Quantitation of Carotenoids in Raw and Processed Fruits in Japan. <i>Food Science and Technology Research</i> , <b>2005</b> , 11, 13-18	0.8	68
18	High serum carotenoids are inversely associated with serum gamma-glutamyltransferase in alcohol drinkers within normal liver function. <i>Journal of Epidemiology</i> , <b>2005</b> , 15, 180-6	3.4	60
17	Water-soluble prodrugs of dipeptide HIV protease inhibitors based on O→N intramolecular acyl migration: Design, synthesis and kinetic study. <i>Bioorganic and Medicinal Chemistry</i> , <b>2004</b> , 12, 159-70	3.4	38
16	Accumulation of carotenoids and expression of carotenoid biosynthetic genes during maturation in citrus fruit. <i>Plant Physiology</i> , <b>2004</b> , 134, 824-37	6.6	353

15	Identification and quantification of the conjugated metabolites derived from orally administered hesperidin in rat plasma. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 6653-9	5.7	104
14	Effect of the acyl groups on O→N acyl migration in the water-soluble prodrugs of HIV-1 protease inhibitor. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2003</b> , 13, 2727-30	2.9	25
13	Development of water-soluble prodrugs of the HIV-1 protease inhibitor KNI-727: importance of the conversion time for higher gastrointestinal absorption of prodrugs based on spontaneous chemical cleavage. <i>Journal of Medicinal Chemistry</i> , <b>2003</b> , 46, 4124-35	8.3	33
12	Serum Concentration of .BETA.-Cryptoxanthin in Japan Reflects the Frequency of Satsuma Mandarin (Citrus unshiu Marc.) Consumption.. <i>Journal of Health Science</i> , <b>2002</b> , 48, 350-353		38
11	Cross-Sectional Analysis of Satsuma mandarin (Citrus unshiu Marc.) Consumption and Health Status Based on a Self-Administered Questionnaires.. <i>Journal of Health Science</i> , <b>2002</b> , 48, 366-369		6
10	Controlled drug release: new water-soluble prodrugs of an HIV protease inhibitor. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2001</b> , 11, 605-9	2.9	25
9	Synthesis and biological evaluation of prodrug-type anti-HIV agents: ester conjugates of carboxylic acid-containing dipeptide HIV protease inhibitors and a reverse transcriptase inhibitor. <i>Bioorganic and Medicinal Chemistry</i> , <b>2001</b> , 9, 417-30	3.4	18
8	Design, synthesis, and biological evaluation of anti-HIV double-drugs. conjugates of HIV protease inhibitors with a reverse transcriptase inhibitor through spontaneously cleavable linkers. <i>Bioorganic and Medicinal Chemistry</i> , <b>2001</b> , 9, 1589-600	3.4	28
7	Prodrug Forms of Peptidomimetic HIV Protease Inhibitors Using Intramolecular Cyclization Reaction <b>2001</b> , 650-651		
6	'Double-Drugs'--a new class of prodrug form of an HIV protease inhibitor conjugated with a reverse transcriptase inhibitor by a spontaneously cleavable linker. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2000</b> , 10, 1227-31	2.9	28
5	A new class of anti-HIV agents: synthesis and activity of conjugates of HIV protease inhibitors with a reverse transcriptase inhibitor. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>1999</b> , 9, 803-6	2.9	19
4	Design of small peptidomimetic HIV-1 protease inhibitors and prodrug forms. <i>International Journal of Peptide Research and Therapeutics</i> , <b>1999</b> , 6, 275-281		1
3	Design of small peptidomimetic HIV-1 protease inhibitors and prodrug forms. <i>International Journal of Peptide Research and Therapeutics</i> , <b>1999</b> , 6, 275-281		11
2	Small dipeptide-based HIV protease inhibitors containing the hydroxymethylcarbonyl isostere as an ideal transition-state mimic. <i>Biopolymers</i> , <b>1999</b> , 51, 59-68	2.2	45
1	KNI-577, a potent small-sized HIV protease inhibitor based on the dipeptide containing the hydroxymethylcarbonyl isostere as an ideal transition-state mimic. <i>Archiv Der Pharmazie</i> , <b>1998</b> , 331, 87-94.3		29