

Daisuke Sugiyama

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5500578/publications.pdf>

Version: 2024-02-01

71
papers

3,987
citations

186265
28
h-index

118850
62
g-index

72
all docs

72
docs citations

72
times ranked

6833
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of High-Dose Marine Omega-3 Fatty Acids on Atherosclerosis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. <i>Nutrients</i> , 2019, 11, 2599.	4.1	21
2	Impact of Hypertension on Hospitalizations for Cardiovascular Diseases in a Worksite Population: An Epidemiologic Study Using Claims Data for Workers. <i>American Journal of Hypertension</i> , 2019, 32, 298-307.	2.0	5
3	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level. <i>Hypertension</i> , 2019, 73, 52-59.	2.7	30
4	Outcomes of transcatheter mitral valve replacement for degenerated bioprostheses, failed annuloplasty rings, and mitral annular calcification. <i>European Heart Journal</i> , 2019, 40, 441-451.	2.2	271
5	Vegetable Protein Intake was Inversely Associated with Cardiovascular Mortality in a 15-Year Follow-Up Study of the General Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 198-206.	2.0	17
6	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCH-JAPAN study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 674-684.e5.	1.5	101
7	Fatty liver index predicts incident diabetes in a Japanese general population with and without impaired fasting glucose. <i>Hepatology Research</i> , 2018, 48, 708-716.	3.4	13
8	Overweight or underweight and the risk of decline in activities of daily living in a 22-year cohort study of a Japanese sample. <i>Geriatrics and Gerontology International</i> , 2018, 18, 799-805.	1.5	8
9	A18797 Lifetime Risk of Stroke and Coronary Heart Disease Death according to Blood Pressure Level. <i>Journal of Hypertension</i> , 2018, 36, e92-e93.	0.5	0
10	Association between impairment of salty taste recognition and masked hypertension based on home blood pressure in Japanese residents: the KOBE study. <i>Hypertension Research</i> , 2018, 41, 756-762.	2.7	11
11	Plasmapheresis therapy has no triglyceride-lowering effect in patients with hypertriglyceridemic pancreatitis. <i>Intensive Care Medicine</i> , 2017, 43, 949-951.	8.2	32
12	Outcomes in Transcatheter Aortic Valve Replacement for Bicuspid Versus Tricuspid Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2579-2589.	2.8	356
13	Predictive Risk Factors of Cervical Spine Instabilities in Rheumatoid Arthritis. <i>Spine</i> , 2017, 42, 556-564.	2.0	38
14	Impacts of chronic kidney disease and diabetes on cardiovascular mortality in a general Japanese population: A 20-year follow-up of the NIPPON DATA90 study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 505-513.	1.8	8
15	Predictors of short-term repetition of self-harm among patients admitted to an emergency room following self-harm: A retrospective one-year cohort study. <i>Psychiatry Research</i> , 2017, 258, 421-426.	3.3	11
16	The impact of serum trans fatty acids concentration on plaque vulnerability in patients with coronary artery disease: Assessment via optical coherence tomography. <i>Atherosclerosis</i> , 2017, 265, 312-317.	0.8	18
17	Continuous Regional Arterial Infusion of Protease Inhibitors Has No Efficacy in the Treatment of Severe Acute Pancreatitis. <i>Pancreas</i> , 2017, 46, 510-517.	1.1	22
18	Risk of New Native-Vessel Occlusion After Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2017, 119, 7-13.	1.6	13

#	ARTICLE	IF	CITATIONS
19	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. <i>European Journal of Epidemiology</i> , 2017, 32, 547-557.	5.7	20
20	Relationship between Non-High-Density Lipoprotein Cholesterol and Low-Density Lipoprotein Cholesterol in the General Population:. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 477-490.	2.0	26
21	The Relationship between Very High Levels of Serum High-Density Lipoprotein Cholesterol and Cause-Specific Mortality in a 20-Year Follow-Up Study of Japanese General Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 800-809.	2.0	48
22	Profiling of plasma metabolites in postmenopausal women with metabolic syndrome. <i>Menopause</i> , 2016, 23, 749-758.	2.0	34
23	Underweight Young Women Without Later Weight Gain Are at High Risk for Osteopenia After Midlife: The KOBE Study. <i>Journal of Epidemiology</i> , 2016, 26, 572-578.	2.4	20
24	Effects of daily glucose fluctuations on the healing response to everolimus-eluting stent implantation as assessed using continuous glucose monitoring and optical coherence tomography. <i>Cardiovascular Diabetology</i> , 2016, 15, 79.	6.8	36
25	Predictors for Paravalvular Regurgitation AfterÂTAVRÂWith the Self-Expanding Prosthesis: Quantitative Measurement of MDCT Analysis. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 1233-1234.	5.3	7
26	Validation of the european SCORE risk chart in the healthy middle-aged Japanese. <i>Atherosclerosis</i> , 2016, 252, 116-121.	0.8	9
27	Prognostic significance of endogenous erythropoietin in long-term outcome of patients with acute decompensated heart failure. <i>European Journal of Heart Failure</i> , 2016, 18, 803-813.	7.1	32
28	Metabolomic profiling reveals novel biomarkers of alcohol intake and alcohol-induced liver injury in community-dwelling men. <i>Environmental Health and Preventive Medicine</i> , 2016, 21, 18-26.	3.4	83
29	Independent Prognostic Value of Single and Multiple Non-Specific 12-Lead Electrocardiographic Findings for Long-Term Cardiovascular Outcomes: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0157563.	2.5	4
30	Metabolic Profiling of Total Physical Activity and Sedentary Behavior in Community-Dwelling Men. <i>PLoS ONE</i> , 2016, 11, e0164877.	2.5	50
31	HOMA-IR Values are Associated With Glycemic Control in Japanese Subjects Without Diabetes or Obesity: The KOBE Study. <i>Journal of Epidemiology</i> , 2015, 25, 407-414.	2.4	15
32	Risk of Hypercholesterolemia for Cardiovascular Disease and the Population Attributable Fraction in a 24-year Japanese Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 95-107.	2.0	33
33	The Relationship between Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Ligands Containing Apolipoprotein B and the Cardio-Ankle Vascular Index in Healthy Community Inhabitants: The KOBE Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 499-508.	2.0	17
34	Effects of Stroke Education of Junior High School Students on Stroke Knowledge of Their Parents. <i>Stroke</i> , 2015, 46, 572-574.	2.0	37
35	Effect of Daily Glucose Fluctuation on Coronary Plaque Vulnerability in Patients Pre-Treated With Lipid-Lowering Therapy. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 800-811.	2.9	64
36	Serum polyunsaturated fatty acid composition and serum high-sensitivity C-reactive protein levels in healthy Japanese residents: The KOBE study. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 719-728.	3.3	16

#	ARTICLE	IF	CITATIONS
37	Cryoablation Provides Superior Local Control of Primary Hepatocellular Carcinomas of >2Âcm Compared with Radiofrequency Ablation and Microwave Coagulation Therapy: An Underestimated Tool in the Toolbox. <i>Annals of Surgical Oncology</i> , 2015, 22, 1294-1300.	1.5	50
38	Blood circulation in the fingers is aggravated after creating a vascular access for dialysis: assessment using skin perfusion pressure. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 327-329.	0.8	3
39	What is the most adapted indication of prophylactic pancreatic duct stent within the high-risk group of post-ERCP retrograde cholangiopancreatography pancreatitis? Using the propensity score analysis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 275-280.	2.6	15
40	Worksite Wellness for the Primary and Secondary Prevention of Cardiovascular Disease in Japan: The Current Delivery System and Future Directions. <i>Progress in Cardiovascular Diseases</i> , 2014, 56, 515-521.	3.1	23
41	Obesity was associated with a decreased postoperative recurrence of rectal cancer in a Japanese population. <i>Surgery Today</i> , 2014, 44, 2324-2331.	1.5	16
42	What is the Effect of Laparoscopic Colectomy on Pattern of Colon Cancer Recurrence? A Propensity Score and Competing Risk Analysis Compared with Open Colectomy. <i>Annals of Surgical Oncology</i> , 2014, 21, 2627-2635.	1.5	15
43	Accelerated Development of Cervical Spine Instabilities in Rheumatoid Arthritis: A Prospective Minimum 5-Year Cohort Study. <i>PLoS ONE</i> , 2014, 9, e88970.	2.5	30
44	Alterations in HbA1c resulting from the donation of autologous blood for elective surgery in patients with diabetes mellitus. <i>Blood Transfusion</i> , 2014, 12 Suppl 1, s209-13.	0.4	8
45	Cancer Incidence in Systemic Sclerosis: Meta-Analysis of Population-Based Cohort Studies. <i>Arthritis and Rheumatism</i> , 2013, 65, 1913-1921.	6.7	147
46	Long-term deleterious effects of aortohepatic conduits in primary liver transplantation: Proceed with caution. <i>Liver Transplantation</i> , 2013, 19, 916-925.	2.4	29
47	Mycophenolate mofetil versus intravenous cyclophosphamide for induction treatment of proliferative lupus nephritis in a Japanese population: a retrospective study. <i>Modern Rheumatology</i> , 2013, 23, 89-96.	1.8	6
48	Incidence and Aggravation of Cervical Spine Instabilities in Rheumatoid Arthritis. <i>Spine</i> , 2012, 37, 2136-2144.	2.0	53
49	Importance of Vital Signs to the Early Diagnosis and Severity of Sepsis: Association between Vital Signs and Sequential Organ Failure Assessment Score in Patients with Sepsis. <i>Internal Medicine</i> , 2012, 51, 871-876.	0.7	67
50	Diagnostic Accuracy of Serum 1,3-Î²-D-Glucan for Pneumocystis jirovecii Pneumonia, Invasive Candidiasis, and Invasive Aspergillosis: Systematic Review and Meta-Analysis. <i>Journal of Clinical Microbiology</i> , 2012, 50, 7-15.	3.9	274
51	SS-A/Ro52 promotes apoptosis by regulating Bcl-2 production. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 582-587.	2.1	45
52	Comparison of reinnervation for preservation of denervated muscle volume with motor and sensory nerve: An experimental study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2012, 65, 943-949.	1.0	9
53	Fasting remnant lipoproteins can predict postprandial hyperlipidemia. <i>Lipids in Health and Disease</i> , 2012, 11, 146.	3.0	11
54	Does High-Sensitivity C-Reactive Protein or Low-Density Lipoprotein Cholesterol Show a Stronger Relationship with the Cardio-Ankle Vascular Index in Healthy Community Dwellers?: the KOBE Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 1027-1034.	2.0	35

#	ARTICLE	IF	CITATIONS
55	Predicting scores for left ventricular dysfunction in Duchenne muscular dystrophy. <i>Pediatrics International</i> , 2012, 54, 388-392.	0.5	4
56	Utility of Right Ventricular Free Wall Speckle-Tracking Strain for Evaluation of Right Ventricular Performance in Patients with Pulmonary Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 1101-1108.	2.8	167
57	Association of calcineurin A gamma subunit (PPP3CC) and early growth response 3 (EGR3) gene polymorphisms with susceptibility to schizophrenia in a Japanese population. <i>Psychiatry Research</i> , 2011, 185, 16-19.	3.3	19
58	Reverse remodelling induces progressive ventricular resynchronization after cardiac resynchronization therapy 'from vicious to virtuous cycle'. <i>European Journal of Echocardiography</i> , 2011, 12, 782-789.	2.3	11
59	Plasma Platelet-derived Microparticles in Patients with Connective Tissue Diseases. <i>Journal of Rheumatology</i> , 2011, 38, 680-684.	2.0	17
60	Inhibitory effects of maternal smoking on the development of severe retinopathy of prematurity. <i>Eye</i> , 2010, 24, 1024-1027.	2.1	15
61	Preoperative Systolic Strain Rate Predicts Postoperative Left Ventricular Dysfunction in Patients With Chronic Aortic Regurgitation. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 134-141.	2.6	42
62	Congenital Cholesteatoma: Posterior Lesions and the Staging System. <i>Annals of Otology, Rhinology and Laryngology</i> , 2010, 119, 490-494.	1.1	15
63	Dobutamine-Induced Improvement in Inferior Myocardial Contractile Function Predicts Reduction in Functional Mitral Regurgitation. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 638-646.	2.6	16
64	Haemodynamic changes in the fingers after free radial forearm flap transfer: a prospective study using SPP. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2010, 63, 539-543.	1.0	6
65	Impact of smoking as a risk factor for developing rheumatoid arthritis: a meta-analysis of observational studies. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 70-81.	0.9	496
66	Plasma Tetrahydrobiopterin/Dihydrobiopterin Ratio A Possible Marker of Endothelial Dysfunction. <i>Circulation Journal</i> , 2009, 73, 955-962.	1.6	47
67	Delivery May Affect Arterial Elasticity in Women. <i>Circulation Journal</i> , 2009, 73, 750-754.	1.6	13
68	Lack of association between tyrosine kinase 2 (TYK2) gene polymorphisms and susceptibility to SLE in a Japanese population. <i>Modern Rheumatology</i> , 2009, 19, 401-406.	1.8	23
69	Prevalence of disease-specific antinuclear antibodies in general population: estimates from annual physical examinations of residents of a small town over a 5-year period. <i>Modern Rheumatology</i> , 2008, 18, 153-160.	1.8	76
70	Is SS-A/Ro52 a Hydrogen Peroxide-Sensitive Signaling Molecule?. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 385-391.	5.4	12
71	Meta-analysis: Diagnostic Accuracy of Anti-“Cyclic Citrullinated Peptide Antibody and Rheumatoid Factor for Rheumatoid Arthritis. <i>Annals of Internal Medicine</i> , 2007, 146, 797.	3.9	637