Silverio Perrotta

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/550198/silverio-perrotta-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 5,360 170 37 h-index g-index citations papers 6,261 176 5.8 4.91 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
170	Effects of Iron Chelation in Osteosarcoma. <i>Current Cancer Drug Targets</i> , 2021 , 21, 443-455	2.8	4
169	Age of first pain crisis and associated complications in the CASiRe international sickle cell disease cohort. <i>Blood Cells, Molecules, and Diseases,</i> 2021 , 88, 102531	2.1	2
168	The interactome of the N-terminus of band 3 regulates red blood cell metabolism and storage quality. <i>Haematologica</i> , 2021 , 106, 2971-2985	6.6	9
167	A novel MEIS2 mutation explains the complex phenotype in a boy with a typical NF1 microdeletion syndrome. <i>European Journal of Medical Genetics</i> , 2021 , 64, 104190	2.6	3
166	Acute events in children with sickle cell disease in Italy during the COVID-19 pandemic: useful lessons learned. <i>British Journal of Haematology</i> , 2021 , 194, 851-854	4.5	1
165	An Analysis of Racial and Ethnic Backgrounds Within the CASiRe International Cohort of Sickle Cell Disease Patients: Implications for Disease Phenotype and Clinical Research. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021 , 8, 99-106	3.5	4
164	A cancer-associated CDKN1B mutation induces p27 phosphorylation on a novel residue: a new mechanism for tumor suppressor loss-of-function. <i>Molecular Oncology</i> , 2021 , 15, 915-941	7.9	1
163	Risk factors for endocrine complications in transfusion-dependent thalassemia patients on chelation therapy with deferasirox: a risk assessment study from a multicentre nation-wide cohort. <i>Haematologica</i> , 2021 ,	6.6	2
162	Evaluation of Browning Agents on the White Adipogenesis of Bone Marrow Mesenchymal Stromal Cells: A Contribution to Fighting Obesity. <i>Cells</i> , 2021 , 10,	7.9	2
161	Non-transfusion-dependent thalassemia in Italy: less blues, no role of reds. <i>Annals of Hematology</i> , 2021 , 1	3	0
160	Magnetic resonance features and cranial nerve involvement in pediatric head and neck rhabdomyosarcomas. <i>Neuroradiology</i> , 2021 , 63, 1925-1934	3.2	1
159	Auditory cortex hypoperfusion: a metabolic hallmark in Beta Thalassemia. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 349	4.2	0
158	Global geographic differences in healthcare utilization for sickle cell disease pain crises in the CASiRe cohort. <i>Blood Cells, Molecules, and Diseases</i> , 2021 , 92, 102612	2.1	O
157	Eltrombopag in paediatric immune thrombocytopenia: Iron metabolism modulation in mesenchymal stromal cells <i>British Journal of Haematology</i> , 2021 ,	4.5	3
156	A study of the geographic distribution and associated risk factors of leg ulcers within an international cohort of sickle cell disease patients: the CASiRe group analysis. <i>Annals of Hematology</i> , 2020 , 99, 2073-2079	3	7
155	Retrospective Multicentric Study on Non-Optic CNS Tumors in Children and Adolescents with Neurofibromatosis Type 1. <i>Cancers</i> , 2020 , 12,	6.6	3
154	Juvenile erythrocytosis in children after liver transplantation: prevalence, risk factors and outcome. <i>Scientific Reports</i> , 2020 , 10, 9683	4.9	

(2019-2020)

153	White matter volume changes in adult beta-thalassemia: Negligible and unrelated to anemia and cognitive performances. <i>American Journal of Hematology</i> , 2020 , 95, E142-E144	7.1	1
152	A Phase 3 Trial of Luspatercept in Patients with Transfusion-Dependent EThalassemia. <i>New England Journal of Medicine</i> , 2020 , 382, 1219-1231	59.2	74
151	Asymptomatic intracranial aneurysms in beta-thalassemia: a three-year follow-up report. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 21	4.2	2
150	Effects of Germline VHL Deficiency on Growth, Metabolism, and Mitochondria. <i>New England Journal of Medicine</i> , 2020 , 382, 835-844	59.2	10
149	Effects of Eltrombopag on In Vitro Macrophage Polarization in Pediatric Immune Thrombocytopenia. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	7
148	Headache in beta-thalassemia: An Italian multicenter clinical, conventional MRI and MR-angiography case-control study. <i>Blood Cells, Molecules, and Diseases</i> , 2020 , 81, 102403	2.1	1
147	HbS/\(\mathbb{H}\) thalassemia: Really a mild disease? A National survey from the AIEOP Sickle Cell Disease Study Group with genotype-phenotype correlation. European Journal of Haematology, 2020 , 104, 214-21	2 3 .8	3
146	Oral Clinical Manifestations of Neurofibromatosis Type 1 in Children and Adolescents. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4687	2.6	2
145	Nineteen-month-old girl with persistent fever. <i>Archives of Disease in Childhood: Education and Practice Edition</i> , 2020 , 105, 308-310	0.5	
144	Pretreatment Endocrine Disorders Due to Optic Pathway Gliomas in Pediatric Neurofibromatosis Type 1: Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
143	Hb Vanvitelli: A new unstable Eglobin chain variant causes undiagnosed chronic haemolytic anaemia when co-inherited with deletion - ### <i>Clinical Biochemistry</i> , 2019 , 74, 80-85	3.5	1
142	Intrabone hematopoietic stem cell gene therapy for adult and pediatric patients affected by transfusion-dependent Ethalassemia. <i>Nature Medicine</i> , 2019 , 25, 234-241	50.5	110
141	Report on a child with neurofibromatosis type 2 and unilateral moyamoya: further evidence of cerebral vasculopathy in NF2. <i>Neurological Sciences</i> , 2019 , 40, 1475-1476	3.5	2
140	Influence of patient-reported outcomes on the treatment effect of deferasirox film-coated and dispersible tablet formulations in the ECLIPSE trial: A post hoc mediation analysis. <i>American Journal of Hematology</i> , 2019 , 94, E96-E99	7.1	4
139	Brain functional impairment in beta-thalassaemia: the cognitive profile in Italian neurologically asymptomatic adult patients in comparison to the reported literature. <i>British Journal of Haematology</i> , 2019 , 186, 592-607	4.5	8
138	Current challenges in the management of patients with sickle cell disease - A report of the Italian experience. <i>Orphanet Journal of Rare Diseases</i> , 2019 , 14, 120	4.2	12
137	No increased cerebrovascular involvement in adult beta-thalassemia by advanced MRI analyses. <i>Blood Cells, Molecules, and Diseases</i> , 2019 , 78, 9-13	2.1	6
136	The Endocannabinoid/Endovanilloid System in Bone: From Osteoporosis to Osteosarcoma. International Journal of Molecular Sciences, 2019, 20,	6.3	36

135	No evidence of increased cerebrovascular involvement in adult neurologically-asymptomatic Thalassaemia. A multicentre multimodal magnetic resonance study. <i>British Journal of Haematology</i> , 2019 , 185, 733-742	4.5	12
134	CB2 Receptor Stimulation and Dexamethasone Restore the Anti-Inflammatory and Immune-Regulatory Properties of Mesenchymal Stromal Cells of Children with Immune Thrombocytopenia. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
133	Risk factors for heart disease in transfusion-dependent thalassemia: serum ferritin revisited. <i>Internal and Emergency Medicine</i> , 2019 , 14, 365-370	3.7	8
132	Clinical and Genetic Findings in Children with Neurofibromatosis Type 1, Legius Syndrome, and Other Related Neurocutaneous Disorders. <i>Genes</i> , 2019 , 10,	4.2	16
131	Brain iron content in systemic iron overload: A beta-thalassemia quantitative MRI study. <i>NeuroImage: Clinical</i> , 2019 , 24, 102058	5.3	6
130	Familial neurohypophyseal diabetes insipidus in 13 kindreds and 2 novel mutations in the vasopressin gene. <i>European Journal of Endocrinology</i> , 2019 , 181, 233-244	6.5	8
129	Blood transfusions and adverse acute events: a retrospective study from 214 transfusion-dependent pediatric patients comparing transfused blood components by apheresis or by whole blood. <i>Annali Delljistituto Superiore Di Sanita</i> , 2019 , 55, 351-356	1.6	4
128	An Educational Study Promoting the Delivery of Transcranial Doppler Ultrasound Screening in Paediatric Sickle Cell Disease: A European Multi-Centre Perspective. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	4
127	Abbreviated breast magnetic resonance imaging (FAST-MRI): A novel approach to breast cancer screening in patients with previous Hodgkin lymphoma. <i>Pediatric Blood and Cancer</i> , 2019 , 66, e27666	3	
126	Childhood Head and Neck Lymphadenopathy: A Report by a Single Institution (2003-2017). <i>Journal of Pediatric Hematology/Oncology</i> , 2019 , 41, 17-20	1.2	5
125	Luspatercept improves hemoglobin levels and blood transfusion requirements in a study of patients with Ethalassemia. <i>Blood</i> , 2019 , 133, 1279-1289	2.2	58
124	A 23-month-old girl with chronic BeborrhoeicPdermatitis, dehydration and failure to thrive. <i>Archives of Disease in Childhood: Education and Practice Edition</i> , 2019 , 104, 154-156	0.5	1
123	Long-term improvement in cardiac magnetic resonance in Ethalassemia major patients treated with deferasirox extends to patients with abnormal baseline cardiac function. <i>American Journal of Hematology</i> , 2019 , 94, 312-318	7.1	5
122	Hydroxyurea prescription, availability and use for children with sickle cell disease in Italy: Results of a National Multicenter survey. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e26774	3	21
121	Whole exome sequencing identifies MRVI1 as a susceptibility gene for moyamoya syndrome in neurofibromatosis type 1. <i>PLoS ONE</i> , 2018 , 13, e0200446	3.7	13
120	Seizures in children with neurofibromatosis type 1: is neurofibromatosis type 1 enough?. <i>Italian Journal of Pediatrics</i> , 2018 , 44, 41	3.2	17
119	Medullary unidentified bright objects in Neurofibromatosis type 1: a case series. <i>BMC Pediatrics</i> , 2018 , 18, 91	2.6	14
118	Second-line therapy in paediatric warm autoimmune haemolytic anaemia. Guidelines from the Associazione Italiana Onco-Ematologia Pediatrica (AIEOP). <i>Blood Transfusion</i> , 2018 , 16, 352-357	3.6	7

(2015-2018)

117	Hereditary hypochromic microcytic anemia associated with loss-of-function DMT1 gene mutations and absence of liver iron overload. <i>American Journal of Hematology</i> , 2018 , 93, E58-E60	7.1	5
116	A Novel 12q13.2-q13.3 Microdeletion Syndrome With Combined Features of Diamond Blackfan Anemia, Pierre Robin Sequence and Klippel Feil Deformity. <i>Frontiers in Genetics</i> , 2018 , 9, 549	4.5	5
115	Iron chelating properties of Eltrombopag: Investigating its role in thalassemia-induced osteoporosis. <i>PLoS ONE</i> , 2018 , 13, e0208102	3.7	16
114	Patient-reported outcomes from a randomized phase II study of the deferasirox film-coated tablet in patients with transfusion-dependent anemias. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 216	3	7
113	Life-Threatening Drug-Induced Liver Injury in a Patient with Thalassemia Major and Severe Iron Overload on Polypharmacy. <i>Hemoglobin</i> , 2018 , 42, 213-216	0.6	2
112	New film-coated tablet formulation of deferasirox is well tolerated in patients with thalassemia or lower-risk MDS: Results of the randomized, phase II ECLIPSE study. <i>American Journal of Hematology</i> , 2017 , 92, 420-428	7.1	50
111	Recombinant erythropoietin vs. blood transfusion care in infants with hereditary spherocytosis: a retrospective cohort study of A.I.E.O.P. patients (Associazione Italiana Emato-Oncologia Pediatrica). <i>American Journal of Hematology</i> , 2017 , 92, E103-E105	7.1	1
110	Moyamoya syndrome in children with neurofibromatosis type 1: Italian-French experience. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 1521-1530	2.5	22
109	WinnersPCup: a national football tournament brings together adolescent patients with cancer from all over Italy. <i>Tumori</i> , 2017 , 103, e25-e29	1.7	2
108	Tyrosine kinase inhibitors and mesenchymal stromal cells: effects on self-renewal, commitment and functions. <i>Oncotarget</i> , 2017 , 8, 5540-5565	3.3	13
107	Diagnosis and management of newly diagnosed childhood autoimmune haemolytic anaemia. Recommendations from the Red Cell Study Group of the Paediatric Haemato-Oncology Italian Association. <i>Blood Transfusion</i> , 2017 , 15, 259-267	3.6	16
106	Time trends of cancer incidence in childhood in Campania region: 25 years of observation. <i>Italian Journal of Pediatrics</i> , 2016 , 42, 82	3.2	2
105	Iron overload enhances human mesenchymal stromal cell growth and hampers matrix calcification. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016 , 1860, 1211-23	4	17
104	Serum Hepcidin and Iron Absorption in Paediatric Inflammatory Bowel Disease. <i>Journal of Crohnjs and Colitis</i> , 2016 , 10, 566-74	1.5	29
103	Very early onset of autoimmune thyroiditis in a toddler with severe hypothyroidism presentation: a case report. <i>Italian Journal of Pediatrics</i> , 2016 , 42, 61	3.2	9
102	Unusual association of non-anaplastic Wilms tumor and Cornelia de Lange syndrome: case report. <i>BMC Cancer</i> , 2016 , 16, 365	4.8	3
101	Erythrocyte genotyping for transfusion-dependent patients at the Azienda Universitaria Policlinico of Naples. <i>Transfusion and Apheresis Science</i> , 2015 , 52, 72-7	2.4	16
100	Early-onset central diabetes insipidus is associated with de novo arginine vasopressin-neurophysin II or Wolfram syndrome 1 gene mutations. <i>European Journal of Endocrinology</i> , 2015 , 172, 461-72	6.5	22

99	Effects of deferasirox-deferoxamine on myocardial and liver iron in patients with severe transfusional iron overload. <i>Blood</i> , 2015 , 125, 3868-77	2.2	51
98	Arg(1809) substitution in neurofibromin: further evidence of a genotype-phenotype correlation in neurofibromatosis type 1. <i>European Journal of Human Genetics</i> , 2015 , 23, 1460-1	5.3	28
97	Determination of deferasirox plasma concentrations: do gender, physical and genetic differences affect chelation efficacy?. <i>European Journal of Haematology</i> , 2015 , 94, 310-7	3.8	17
96	Subclinical myocardial dysfunction and cardiac autonomic dysregulation are closely associated in obese children and adolescents: the potential role of insulin resistance. <i>PLoS ONE</i> , 2015 , 10, e0123916	3.7	12
95	Resveratrol mimics insulin activity in the adipogenic commitment of human bone marrow mesenchymal stromal cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 60, 60-72	5.6	17
94	Prevalence and risk factors for pulmonary arterial hypertension in a large group of Ethalassemia patients using right heart catheterization: a Webthal study. <i>Circulation</i> , 2014 , 129, 338-45	16.7	79
93	Endocrine function and bone disease during long-term chelation therapy with deferasirox in patients with Ethalassemia major. <i>American Journal of Hematology</i> , 2014 , 89, 1102-6	7.1	53
92	LEOPARD syndrome: clinical dilemmas in differential diagnosis of RASopathies. <i>BMC Medical Genetics</i> , 2014 , 15, 44	2.1	25
91	Iron overload causes osteoporosis in thalassemia major patients through interaction with transient receptor potential vanilloid type 1 (TRPV1) channels. <i>Haematologica</i> , 2014 , 99, 1876-84	6.6	45
90	Type III Bartter-like syndrome in an infant boy with Gitelman syndrome and autosomal dominant familial neurohypophyseal diabetes insipidus. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014 , 27, 971-5	1.6	3
89	Molecular analysis of Fanconi anemia: the experience of the Bone Marrow Failure Study Group of the Italian Association of Pediatric Onco-Hematology. <i>Haematologica</i> , 2014 , 99, 1022-31	6.6	33
88	P27Kip1 serine 10 phosphorylation determines its metabolism and interaction with cyclin-dependent kinases. <i>Cell Cycle</i> , 2014 , 13, 3768-82	4.7	13
87	Cardiac autonomic regulation in response to a mixed meal is impaired in obese children and adolescents: the role played by insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3199-207	5.6	6
86	Genetic basis of congenital erythrocytosis: mutation update and online databases. <i>Human Mutation</i> , 2014 , 35, 15-26	4.7	82
85	Development of interactive algorithm for clinical management of acute events related to sickle cell disease in emergency department. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 91	4.2	12
84	Thrombocytopenia-associated mutations in the ANKRD26 regulatory region induce MAPK hyperactivation. <i>Journal of Clinical Investigation</i> , 2014 , 124, 580-91	15.9	119
83	Organizing national responses for rare blood disorders: the Italian experience with sickle cell disease in childhood. <i>Orphanet Journal of Rare Diseases</i> , 2013 , 8, 169	4.2	23
82	Membrane association of peroxiredoxin-2 in red cells is mediated by the N-terminal cytoplasmic domain of band 3. <i>Free Radical Biology and Medicine</i> , 2013 , 55, 27-35	7.8	56

(2010-2013)

81	Congenital erythrocytosis associated with gain-of-function HIF2A gene mutations and erythropoietin levels in the normal range. <i>Haematologica</i> , 2013 , 98, 1624-32	6.6	21
80	HNF-1[mutation affects PKD2 and SOCS3 expression causing renal cysts and diabetes in MODY5 kindred. <i>Journal of Nephrology</i> , 2013 , 26, 207-12	4.8	8
79	Neridronate improves bone mineral density and reduces back pain in Ethalassaemia patients with osteoporosis: results from a phase 2, randomized, parallel-arm, open-label study. <i>British Journal of Haematology</i> , 2012 , 158, 274-282	4.5	25
78	Clinical and laboratory features of 103 patients from 42 Italian families with inherited thrombocytopenia derived from the monoallelic Ala156Val mutation of GPIb-(Bolzano mutation). <i>Haematologica</i> , 2012 , 97, 82-8	6.6	83
77	The endovanilloid/endocannabinoid system: a new potential target for osteoporosis therapy. <i>Bone</i> , 2011 , 48, 997-1007	4.7	47
76	Reliability of EMA binding test in the diagnosis of hereditary spherocytosis in Italian patients. <i>Acta Haematologica</i> , 2011 , 125, 136-40	2.7	12
75	Lessons learned from the H1N1 pandemic: the need to improve systematic vaccination in Sickle Cell Disease children. A multi center survey in Italy. <i>Vaccine</i> , 2011 , 29, 1126-8	4.1	7
74	The tyrosine kinase inhibitor dasatinib induces a marked adipogenic differentiation of human multipotent mesenchymal stromal cells. <i>PLoS ONE</i> , 2011 , 6, e28555	3.7	20
73	Mutations in ANKRD26 are responsible for a frequent form of inherited thrombocytopenia: analysis of 78 patients from 21 families. <i>Blood</i> , 2011 , 117, 6673-80	2.2	197
72	CNR2 functional variant (Q63R) influences childhood immune thrombocytopenic purpura. <i>Haematologica</i> , 2011 , 96, 1883-5	6.6	36
71	Mutations in the 5PUTR of ANKRD26, the ankirin repeat domain 26 gene, cause an autosomal-dominant form of inherited thrombocytopenia, THC2. <i>American Journal of Human Genetics</i> , 2011 , 88, 115-20	11	140
70	Congenital dyserythropoietic anemia type II: molecular analysis and expression of the SEC23B gene. <i>Orphanet Journal of Rare Diseases</i> , 2011 , 6, 89	4.2	16
69	p57(Kip2) and cancer: time for a critical appraisal. <i>Molecular Cancer Research</i> , 2011 , 9, 1269-84	6.6	67
68	Splenectomy for hereditary spherocytosis: complete, partial or not at all?. <i>Expert Review of Hematology</i> , 2011 , 4, 627-35	2.8	20
67	p57Kip2 is a downstream effector of BCR-ABL kinase inhibitors in chronic myelogenous leukemia cells. <i>Carcinogenesis</i> , 2011 , 32, 10-8	4.6	16
66	Iron chelation with deferasirox in adult and pediatric patients with thalassemia major: efficacy and safety during 5 yearsPfollow-up. <i>Blood</i> , 2011 , 118, 884-93	2.2	150
65	Molecular analysis of 42 patients with congenital dyserythropoietic anemia type II: new mutations in the SEC23B gene and a search for a genotype-phenotype relationship. <i>Haematologica</i> , 2010 , 95, 708-708-708-708-708-708	1 6 .6	48
64	Re: Improved T2* assessment in liver iron overload by magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 301-3	3.3	3

63	Frequency of congenital dyserythropoietic anemias in Europe. <i>European Journal of Haematology</i> , 2010 , 85, 20	3.8	4
62	Mutational spectrum in congenital dyserythropoietic anemia type II: identification of 19 novel variants in SEC23B gene. <i>American Journal of Hematology</i> , 2010 , 85, 915-20	7.1	33
61	EPO receptor gain-of-function causes hereditary polycythemia, alters CD34 cell differentiation and increases circulating endothelial precursors. <i>PLoS ONE</i> , 2010 , 5, e12015	3.7	18
60	Frequency of congenital dyserythropoietic anemias in Europe. <i>European Journal of Haematology</i> , 2010 , 85, 20-5	3.8	32
59	Beta-spectrinBari: a truncated beta-chain responsible for dominant hereditary spherocytosis. Haematologica, 2009 , 94, 1753-7	6.6	9
58	Mutations affecting the secretory COPII coat component SEC23B cause congenital dyserythropoietic anemia type II. <i>Nature Genetics</i> , 2009 , 41, 936-40	36.3	211
57	Absence of CYCS mutations in a large Italian cohort of patients with inherited thrombocytopenias of unknown origin. <i>Platelets</i> , 2009 , 20, 72-3	3.6	4
56	Erythropoietin treatment can prevent blood transfusion in infantile pyknocytosis. <i>British Journal of Haematology</i> , 2008 , 143, 593-5	4.5	4
55	Spectrin Anastasia (日78): a new spectrin variant (日5 Arg Thr) with moderate elliptocytogenic potential. <i>British Journal of Haematology</i> , 2008 , 89, 933-936	4.5	10
54	Hereditary spherocytosis. <i>Lancet, The</i> , 2008 , 372, 1411-26	40	399
5453	Hereditary spherocytosis. <i>Lancet, The,</i> 2008 , 372, 1411-26 ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31	40	399 61
	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American</i>		
53	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31 A genome search for primary vesicoureteral reflux shows further evidence for genetic	12.7	61
53 52	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31 A genome search for primary vesicoureteral reflux shows further evidence for genetic heterogeneity. <i>Pediatric Nephrology</i> , 2008 , 23, 587-95 PTPepsilon has a critical role in signaling transduction pathways and phosphoprotein network	12.7 3.2	61
53 52 51	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31 A genome search for primary vesicoureteral reflux shows further evidence for genetic heterogeneity. <i>Pediatric Nephrology</i> , 2008 , 23, 587-95 PTPepsilon has a critical role in signaling transduction pathways and phosphoprotein network topology in red cells. <i>Proteomics</i> , 2008 , 8, 4695-708 The HIF2A gene in familial erythrocytosis. <i>New England Journal of Medicine</i> , 2008 , 358, 1966; author	12.7 3.2 4.8	612826
53525150	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31 A genome search for primary vesicoureteral reflux shows further evidence for genetic heterogeneity. <i>Pediatric Nephrology</i> , 2008 , 23, 587-95 PTPepsilon has a critical role in signaling transduction pathways and phosphoprotein network topology in red cells. <i>Proteomics</i> , 2008 , 8, 4695-708 The HIF2A gene in familial erythrocytosis. <i>New England Journal of Medicine</i> , 2008 , 358, 1966; author reply 1966-7 Renal hypoplasia without optic coloboma associated with PAX2 gene deletion. <i>Nephrology Dialysis</i>	12.7 3.2 4.8 59.2	6128265
5352515049	ROBO2 gene variants are associated with familial vesicoureteral reflux. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 825-31 A genome search for primary vesicoureteral reflux shows further evidence for genetic heterogeneity. <i>Pediatric Nephrology</i> , 2008 , 23, 587-95 PTPepsilon has a critical role in signaling transduction pathways and phosphoprotein network topology in red cells. <i>Proteomics</i> , 2008 , 8, 4695-708 The HIF2A gene in familial erythrocytosis. <i>New England Journal of Medicine</i> , 2008 , 358, 1966; author reply 1966-7 Renal hypoplasia without optic coloboma associated with PAX2 gene deletion. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2076-8 Erythropoietin receptors on cancer cells: a still open question. <i>Journal of Clinical Oncology</i> , 2007 ,	12.7 3.2 4.8 59.2	61 28 26 5

(2002-2006)

45	Von Hippel-Lindau-dependent polycythemia is endemic on the island of Ischia: identification of a novel cluster. <i>Blood</i> , 2006 , 107, 514-9	2.2	78
44	A phase 3 study of deferasirox (ICL670), a once-daily oral iron chelator, in patients with beta-thalassemia. <i>Blood</i> , 2006 , 107, 3455-62	2.2	556
43	Splenectomy in children with chronic ITP: long-term efficacy and relation between its outcome and responses to previous treatments. <i>Pediatric Blood and Cancer</i> , 2006 , 47, 742-5	3	14
42	Rituximab (anti-CD20 monoclonal antibody) in children with chronic refractory symptomatic immune thrombocytopenic purpura: efficacy and safety of treatment. <i>International Journal of Hematology</i> , 2006 , 84, 48-53	2.3	28
41	The N-terminal 11 amino acids of human erythrocyte band 3 are critical for aldolase binding and protein phosphorylation: implications for band 3 function. <i>Blood</i> , 2005 , 106, 4359-66	2.2	66
40	Spectrum of UGT1A1 mutations in Crigler-Najjar (CN) syndrome patients: identification of twelve novel alleles and genotype-phenotype correlation. <i>Human Mutation</i> , 2005 , 25, 325	4.7	44
39	Gilbert syndrome as differential diagnosis of hyperbilirubinemia in acquired aplastic anemia. <i>Pediatric Blood and Cancer</i> , 2005 , 44, 197-8	3	
38	Membranous glomerulopathy in children given allogeneic hematopoietic stem cell transplantation. Haematologica, 2005 , 90 Suppl, ECR31	6.6	3
37	New Insights into the Function of N-Terminal 11 Amino Acids of Band 3 from Structural and Functional Study of a Naturally Occuring Band 3 Variant <i>Blood</i> , 2004 , 104, 577-577	2.2	1
36	Bilateral neuroretinitis in a 6-year-old boy with acquired toxoplasmosis. <i>JAMA Ophthalmology</i> , 2003 , 121, 1493-6		11
35	Rituximab for the treatment of refractory autoimmune hemolytic anemia in children. <i>Blood</i> , 2003 , 101, 3857-61	2.2	233
34	Congenital dyserythropoietic anemia type II in human patients is not due to mutations in the erythroid anion exchanger 1. <i>Blood</i> , 2003 , 102, 2704-5	2.2	4
33	Treatment with short-term, high-dose cyclosporin A in children with refractory chronic idiopathic thrombocytopenic purpura. <i>British Journal of Haematology</i> , 2003 , 121, 143-7	4.5	14
32	Vitamin A and infancy. Biochemical, functional, and clinical aspects. <i>Vitamins and Hormones</i> , 2003 , 66, 457-591	2.5	15
31	Congenital dyserythropoietic anemia type II: exclusion of seven candidate genes. <i>Blood Cells, Molecules, and Diseases</i> , 2003 , 30, 22-9	2.1	17
30	Inappropriate leptin secretion in thalassemia: a potential cofactor of pubertal timing derangement. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2003 , 16, 877-81	1.6	9
29	Non-allelic heterogeneity in familial unilateral renal adysplasia. Annales De G Mique, 2002, 45, 123-6		1
28	Successful umbilical cord blood transplantation in a child with dyskeratosis congenita after a fludarabine-based reduced-intensity conditioning regimen. <i>British Journal of Haematology</i> , 2002 , 119, 573-4	4.5	41

27	Infant hypervitaminosis A causes severe anemia and thrombocytopenia: evidence of a retinol-dependent bone marrow cell growth inhibition. <i>Blood</i> , 2002 , 99, 2017-22	2.2	28
26	Splenectomy prolongs in vivo survival of erythrocytes differently in spectrin/ankyrin- and band 3 deficient hereditary spherocytosis. <i>Blood</i> , 2002 , 100, 2208-2215	2.2	57
25	Splenectomy prolongs in vivo survival of erythrocytes differently in spectrin/ankyrin- and band 3 deficient hereditary spherocytosis. <i>Blood</i> , 2002 , 100, 2208-2215	2.2	5
24	Anti-CD20 monoclonal antibody (Rituximab) for life-threatening autoimmune haemolytic anaemia in a patient with systemic lupus erythematosus 2002 , 116, 465		2
23	Autosomal dominant macrothrombocytopenia in Italy is most frequently a type of heterozygous Bernard-Soulier syndrome. <i>Blood</i> , 2001 , 97, 1330-5	2.2	156
22	Clinical and molecular evaluation of non-dominant hereditary spherocytosis. <i>British Journal of Haematology</i> , 2001 , 112, 42-7	4.5	43
21	Evaluation of body iron status in Italian carriers of beta-thalassemia trait. <i>Nutrition Research</i> , 2001 , 21, 55-60	4	8
20	Gilbertß syndrome accounts for the phenotypic variability of congenital dyserythropoietic anemia type II (CDA-II). <i>Journal of Pediatrics</i> , 2000 , 136, 556-9	3.6	26
19	Recombinant erythropoietin therapy as an alternative to blood transfusions in infants with hereditary spherocytosis. <i>The Hematology Journal</i> , 2000 , 1, 146-52		37
18	Osteoporosis in beta-thalassaemia major patients: analysis of the genetic background. <i>British Journal of Haematology</i> , 2000 , 111, 461-6	4.5	54
17	Coinheritance of Gilbert Syndrome Increases the Risk for Developing Gallstones in Patients With Hereditary Spherocytosis. <i>Blood</i> , 1999 , 94, 2259-2262	2.2	123
16	Evaluation of leptin protein levels in patients with Cooleyß anaemia. <i>British Journal of Haematology</i> , 1999 , 105, 839-40	4.5	2
15	An autosomal dominant thrombocytopenia gene maps to chromosomal region 10p. <i>American Journal of Human Genetics</i> , 1999 , 65, 1401-5	11	52
14	Familial dominant thrombocytopenia: clinical, biologic, and molecular studies. <i>Pediatric Research</i> , 1999 , 46, 548-52	3.2	12
13	Frequent de novo monoallelic expression of beta-spectrin gene (SPTB) in children with hereditary spherocytosis and isolated spectrin deficiency. <i>British Journal of Haematology</i> , 1998 , 101, 251-4	4.5	31
12	High frequency of de novo mutations in ankyrin gene (ANK1) in children with hereditary spherocytosis. <i>Journal of Pediatrics</i> , 1998 , 132, 117-20	3.6	36
11	Genetic Heterogeneity of Congenital Dyserythropoietic Anemia Type II. <i>Blood</i> , 1998 , 92, 2593-2594	2.2	39
10	Exclusion of Three Candidate Genes as Determinants of Congenital Dyserythropoietic Anemia Type II (CDA-II). <i>Blood</i> , 1997 , 90, 4197-4200	2.2	42

LIST OF PUBLICATIONS

9	Novel band 3 variants (bands 3 Foggia, Napoli I and Napoli II) associated with hereditary spherocytosis and band 3 deficiency: status of the D38A polymorphism within the EPB3 locus. <i>British Journal of Haematology</i> , 1997 , 96, 70-6	4.5	36
8	Membrane cation and anion transport activities in erythrocytes of hereditary spherocytosis: effects of different membrane protein defects. <i>American Journal of Hematology</i> , 1997 , 55, 121-8	7.1	34
7	Cytoskeletal behaviour in spectrin and in band 3 deficient spherocytic red cells: evidence for differentiated splenic conditioning role. <i>British Journal of Haematology</i> , 1996 , 93, 38-41	4.5	17
6	p16INK4 gene deletions in childhood acute lymphoblastic leukemias. <i>Leukemia Research</i> , 1995 , 19, 883-	52.7	3
5	Increased membrane-protein methylation in hereditary spherocytosis. A marker of cytoskeletal disarray. <i>FEBS Journal</i> , 1995 , 228, 894-8		12
4	Erythrocyte membrane protein alterations underlying clinical heterogeneity in hereditary spherocytosis. <i>British Journal of Haematology</i> , 1994 , 88, 52-5	4.5	36
3	Coexistence of hereditary spherocytosis (HS) due to band 3 deficiency and beta-thalassaemia trait: partial correction of HS phenotype. <i>British Journal of Haematology</i> , 1993 , 85, 553-7	4.5	17
2	Ankyrin deficiency in dominant hereditary spherocytosis: report of three cases. <i>British Journal of Haematology</i> , 1991 , 78, 551-4	4.5	15
1	Analysis of N-ras gene mutations in medulloblastomas by polymerase chain reaction and oligonucleotide probes in formalin-fixed, paraffin-embedded tissues. <i>Medical and Pediatric Oncology</i> , 1991 , 19, 240-5		12